

2002 Hybrid Corn Test Results: South Region (26,000 ppa)

Company	Hybrid	Belleville Results			2-yr Avg. bu/a	3-yr Avg. bu/a
		Yield bu/a	Moisture %	% Erect Plants		
Adler	6400	150	18.5	99		
AgVenture	873 Bt	171	19.0	100		
Asgrow	RX772	169	18.2	100		
Asgrow	RX889YG	168	23.2	100		
Beck	6262 CB	143	22.2	100		
Beck	7997 CB	162	22.6	100		
Bio Gene	BG 1152	171	23.8	100		
Bio Gene	BT 1150	171	23.1	100		
Bio Gene	BT 4220	173	24.2	100	169	170
Burrus	442	166	18.6	100	177	183
Burrus	515	158	16.3	98		
Burrus	583 Bt	169	17.3	100		
Burrus	645	163	18.9	100		
Burrus	710	164	20.2	100		
DeKalb	DKC60-08 (YG)	177	17.8	100	180	
DeKalb	DKC61-25 (YG)	175	18.8	100	179	
DeKalb	DKC62-15	177	18.8	100		
DeKalb	DKC64-11 (RR/YG)	174	19.1	100		
Dyna Gro	DG 5467	163	17.6	99		
Dyna Gro	DG 5475	172	18.7	99		
Dyna Gro	DG 5477	158	16.2	100		
Dyna Gro	DG 5512	153	19.6	100		
Exsegen	ES 112	170	17.0	100	179	
Exsegen	ES 312	154	16.3	100	164	
Exsegen	ES 617	112	22.8	99		
Freedom	5675	149	16.3	100		
Garst	8288	160	20.8	100	179	
Garst	8348	157	19.6	99		
Garst	8442	164	19.3	100	174	
Garst	8484 Bt/IT	171	19.6	95		
Golden Harvest	H-8906	169	16.9	99		
Golden Harvest	H-9221 Bt	166	17.3	100	174	
Golden Harvest	H-9231	173	16.4	100		
Golden Harvest	H-9247 Bt	174	18.4	100		
Golden Harvest	H-9445	176	17.8	100		
Golden Harvest	H-9488 Bt	163	18.9	100	172	
Golden Harvest	H-9504	153	20.1	100	165	171
Growmark	FS 6682	157	18.0	100	170	
Growmark	FS 6971	152	19.7	100	163	168
Growmark	FS 7383 CL	151	22.9	99		
Hoblit	513	167	16.8	98		
Hoblit	520	171	18.8	100	177	181
Horzion	7347	162	17.6	99		
Horzion	7348 RR	159	16.6	99		
Horzion	7355	160	17.8	100		
Horzion	7373	175	19.1	99		
Horzion	7374 CL	158	18.2	100		
Horzion	7378 RR	169	18.8	100		
Horzion	7380 Bt	161	17.2	100		
Horzion	7388 Bt	170	18.1	100		
Horzion	7408	152	18.1	99		
Horzion	7414	143	22.2	94		
Horzion	7426	168	21.7	100	173	

2002 Hybrid Corn Test Results: South Region (26,000 ppa)

Company	Hybrid	Belleville Results			2-yr Avg. bu/a	3-yr Avg. bu/a
		Yield bu/a	Moisture %	% Erect Plants		
Horzion	7438 Bt	154	19.7	100		
Horzion	7460 CL	147	23.7	100	152	
Horzion	Ex 2112	155	18.9	99		
ICORN	112.F5	170	18.4	100	177	181
ICORN	114.P8	149	18.3	99	163	
Kruger	EX 217	154	18.7	100		
Kruger	EX 316 Bt	160	22.2	100		
Kruger	EX 317	156	19.7	100		
Kruger	EX 9212	159	18.8	99		
Kruger	K-9017 Bt	166	23.4	100		
Kruger	K-9113	160	14.4	100		
Kruger	K-9114 Bt	161	18.8	100	167	
Kruger	K-9117	172	21.1	100	175	180
Kruger	K-9212 Bt	163	18.3	99	167	
Kruger	K-9214-1	171	17.8	100		
Kruger	K-9216	162	20.1	100		
Kruger	K-9216 A	161	19.5	100		
Kruger	K-9313	150	18.7	100		
Kruger	K-9315 Bt	164	19.0	100		
Kruger	K-9315A Bt	144	19.1	100		
Kruger	K-9315B Bt	170	18.0	100		
Kruger	K-9614B Bt	173	23.4	100		
Kruger	K-9912 CL	173	18.8	99	179	
Lewis	6662 Bt	155	19.6	100		
LG Seeds	LG 2622	154	19.5	90		
M&D	2025 Bt	161	19.2	100		
Pfister	3030 Bt	157	19.2	100		
Pfister	3350	154	19.4	97	165	164
Pfister	3977 Bt	169	22.9	100		
Pioneer	31N27	174	22.1	99		
Pioneer	33D31	159	21.5	100		
Pioneer	33P67	171	22.5	100	177	190
Pioneer	34B24	167	20.0	94	164	181
Steyer	2386	162	16.5	100	177	
Steyer	2690	129	22.7	100		
Stine	9614 Bt	153	20.3	100	169	178
Stine	9715 Bt	151	19.7	100		
Stine	9803	162	19.7	100	172	180
Trisler	T-5145	152	17.1	99		
Trisler	T-5253 Bt	174	20.6	100		
Trisler	T-5255	155	19.7	100	167	178
Trisler	T-5262	156	17.7	100		
Trisler	T-5298 Bt	151	21.9	100	161	169
Trisler	T-5338	147	18.4	99		
Trisler	T-5340 Bt	153	19.3	100		
Unity	7114	170	18.3	100		
US Seeds	US C1141	157	16.6	100	167	
US Seeds	US C1153	170	19.8	100		
US Seeds	US C1153 ND	145	20.9	99		
Vigoro	V5330	154	17.7	100		
Vigoro	V5400	172	18.4	98	176	182
Vigoro	V55Y21	168	19.7	100		
Whisnand	180	149	18.3	100	163	

2002 Hybrid Corn Test Results: South Region (26,000 ppa)

Company	Hybrid	Belleville Results			2-yr	3-yr
		Yield bu/a	Moisture %	% Erect Plants	Avg. bu/a	Avg. bu/a
Whisnand	180 Bt	158	21.4	100	163	
Whisnand	182 Bt	168	17.8	100	172	
Whisnand	196	152	20.0	100	166	172
Whisnand	201	168	18.5	100	175	
Whisnand	202	164	16.6	100	179	
Willcross	3092	154	20.8	100		
Willcross	3143	147	18.1	100		
Willcross	3153	154	19.0	98		
	Average	162	19.3	99	171	177
	L.S.D. 25% Level	8	0.8	3		
	Coeff of Var. (%)	5	4.5	2		