

2004 Hybrid Corn Test Results: East Central Region (29,000 ppa)

Company-Brand	Hybrid	IST ¹ GT ²	Regional Results			Dwight		Goodfield		Urbana		2-yr Avg. bu/a	3-yr Avg. bu/a	Urbana Grain Quality			
			Yield bu/a	Moisture %	% Erect Plants	Yield bu/a	Moisture %	Yield bu/a	Moisture %	Yield bu/a	Moisture %			Oil @0%	Protein @0%	Starch @0%	Extractable Starch @0%
ACCESS	A-0514	PL	212	18.0	100	209	18.7	204	19.5	224	15.9			4.6	8.4	73.0	66.8
ACCESS	A-0516	PL	192	20.0	100	206	21.8	189	22.2	182	16.1			4.3	7.9	73.9	67.7
ACCESS	A-1516 RR	PL	201	20.6	100	213	21.4	182	22.0	208	18.3			4.5	9.1	72.4	66.2
ACCESS	A-2410 RR/YGCB	PL,CB	210	13.7	100	217	14.2	202	14.5	210	12.6			4.3	7.6	74.4	69.2
ACCESS	A-5415 YGCB	PL,CB	213	18.4	99	228	20.1	193	19.2	219	15.8			4.6	8.1	72.8	68.8
ACCESS	A-5416 YGCB	PL,CB	235	19.1	100	247	20.7	220	21.3	237	15.3			4.7	8.1	72.9	67.2
ACCESS	A-5417 YGCB	PL,CB	220	21.5	100	223	22.4	209	23.8	228	18.3			4.5	8.1	73.6	68.4
ACCESS	A-5514 YGCB	PL,CB	242	17.9	99	238	18.0	233	19.9	255	15.6			4.8	9.0	72.2	65.9
ACCESS	A-8413 Hx	PL,HX	208	18.1	100	218	19.0	210	20.4	197	14.9			4.9	7.7	73.2	68.2
ACCESS	A-8414 Hx	PL,HX	185	18.5	97	189	20.3	169	19.2	196	15.9			4.4	7.7	73.9	68.9
AGSOURCE	6233	CL,CB	213	16.7	100	220	18.2	206	17.5	212	14.5			4.8	8.3	72.7	64.9
AGSOURCE	6273	CB	221	19.5	99	228	20.9	226	21.3	210	16.2			4.7	7.9	72.9	67.8
ASGROW	RX715RR2	PL	235	17.5	100	237	18.7	225	19.0	242	14.8			4.6	8.2	73.2	67.2
ASGROW	RX718RR/YG	PL,CB	212	15.3	100	212	16.0	205	15.9	218	14.0	211		4.4	8.3	73.5	66.9
BECK	5322CB	CB	204	14.9	100	209	15.5	196	15.7	207	13.5	205		4.4	7.6	73.6	69.3
BECK	5597	PL	229	16.4	100	227	17.5	224	17.6	237	14.1			4.8	8.6	72.5	65.9
BECK	5727CB	PL,CB	217	16.8	100	214	17.8	206	17.8	230	14.7	215	200	4.5	9.2	72.4	63.9
BECK	5959CB	PL,CB	219	19.6	100	233	20.3	192	21.1	231	17.4			4.5	8.3	73.4	67.8
BECK	6197CB	PL,CB	211	20.7	100	231	22.8	209	21.8	193	17.6			4.6	7.9	73.2	68.8
BIO GENE	BG 1104		227	16.5	100	230	18.0	226	18.2	225	13.4			4.9	8.0	73.1	66.2
BIO GENE	BG 1115		216	17.3	100	221	18.3	224	18.8	204	14.7			4.1	7.5	74.3	68.3
BIO GENE	RR 1103		216	14.4	97	223	15.7	201	14.8	225	12.8			4.1	7.8	74.1	69.0
BURRUS	444B	PL,CB	210	14.5	100	206	15.1	201	15.4	222	13.0	211		4.2	8.0	73.8	68.8
BURRUS	502	PL	214	18.2	100	214	19.5	205	20.3	222	14.9			4.8	7.9	72.9	66.7
BURRUS	576	PL	232	17.2	100	235	18.2	223	18.3	238	15.2	226		4.3	8.4	73.6	66.4
BURRUS	590	PL,CB	228	17.9	100	230	19.2	223	19.2	233	15.2			4.4	8.5	73.2	66.8
BURRUS	623B	PL,CB	234	17.7	100	237	18.4	227	19.4	238	15.2			4.7	8.6	72.8	66.5
BURRUS	679 HL	PL,HX	220	18.3	100	223	18.4	209	20.7	228	15.6			4.9	9.3	72.1	64.5
CAMPBELL	5510		215	13.9	100	212	14.6	214	14.5	219	12.6			3.9	7.9	74.3	69.3
CAMPBELL	5510W	PL,RW	219	13.6	100	225	14.3	221	14.1	213	12.5			3.8	7.4	74.9	71.2
CAMPBELL	6600	CB	221	17.5	100	218	17.8	215	18.9	231	15.6			4.8	9.3	71.9	64.1
CAMPBELL	6870	CB	202	14.7	100	207	15.3	193	15.2	207	13.6			4.2	7.6	73.8	69.6
CAMPBELL	6980W	PL,RW	201	17.4	100	223	17.6	167	18.9	212	15.8			4.3	7.7	74.1	68.4
CAMPBELL	6990		200	17.1	100	207	17.8	183	18.1	211	15.4			4.3	7.6	74.1	69.7
CAMPBELL	7110		238	20.9	100	241	22.1	221	21.9	253	18.5			4.9	7.9	72.9	68.2
CAMPBELL	7700	CB	219	22.0	100	219	25.1	216	22.8	224	18.1			5.0	7.7	72.5	68.4
CORN BELT	C595	PL	222	15.5	100	220	15.9	212	16.7	234	13.7	221	208	4.9	8.7	72.3	65.2
CORN BELT	X6038	PL	212	19.0	100	210	19.4	194	21.1	230	16.4			4.3	8.1	74.0	67.8
CORNELIUS	C605YG	PL,CB	218	16.3	100	216	17.5	213	17.7	224	13.8			5.0	7.9	72.9	65.6
CORNELIUS	C635YG	PL,CB	209	15.0	100	213	15.7	191	15.8	222	13.6			4.1	8.2	73.9	68.2
CORNELIUS	C637YG	PL,CB	217	15.3	100	223	15.5	207	16.9	220	13.4			4.2	7.7	73.8	68.8
CORNELIUS	C656	PL	228	17.4	100	231	18.1	219	18.3	234	15.8			4.3	8.1	73.6	67.2
DAIRYLAND	St-1515	PL,CB	225	17.3	100	222	18.2	217	18.0	235	15.8	216		4.9	8.8	72.1	65.3
DAIRYLAND	St-1615	PL	239	21.1	100	254	23.4	224	22.1	240	17.9			4.8	7.7	73.0	68.1
DAIRYLAND	St-5014	CL,CB	232	18.9	98	239	20.9	210	20.2	247	15.6			4.6	8.4	73.0	66.3
DAIRYLAND	St-5611	PL,CB	209	14.9	100	214	15.4	190	15.4	221	14.0			4.2	7.7	74.1	68.5
DAIRYLAND	St-6113	PL	217	17.7	100	219	19.9	206	18.4	227	14.9			4.7	8.9	72.5	64.6
DEKALB	DKC60-19 (RR2/YGCB)	PL,CB	220	15.3	100	225	16.3	207	15.7	228	13.8	217	206	3.9	7.6	74.6	70.0
DEKALB	DKC61-50	PL	233	17.1	100	234	17.5	225	19.0	241	14.7			4.7	8.0	72.9	67.1
DEKALB	DKC63-79 (YGCB)	PL,CB	216	18.2	99	237	20.5	225	19.4	187	14.7	219		4.9	7.5	73.0	67.8
GARST	8292 YG1	PL,CB	218	22.5	100	228	25.4	196	22.2	230	19.8			4.3	8.6	73.3	69.1
GARST	8350 YG1	PH,CB	223	20.3	100	216	22.0	212	21.5	241	17.2			4.7	8.2	72.6	68.8
GARST	8424	PL	219	15.5	100	217	16.3	212	16.4	227	13.9			4.1	9.1	73.3	66.6
GARST	8566 YG1	PH,CB	227	16.6	100	227	17.1	225	18.4	230	14.4	222		5.2	8.1	72.3	65.3
GOLDEN HARVEST	EX 48573	PL	217	14.1	100	217	14.6	213	15.2	221	12.6			4.2	7.8	73.6	68.2
GOLDEN HARVEST	EX 48820	PL	233	17.4	99	234	18.9	225	18.5	240	14.7			4.5	8.3	73.1	66.6
GOLDEN HARVEST	H-8588 RW	PL,RW	223	13.7	100	223	14.5	215	14.1	231	12.3			3.8	7.7	74.8	69.4
GOLDEN HARVEST	H-8673 Bt	PL,CB	213	13.7	100	216	13.8	213	14.8	211	12.6	212		4.4	8.0	73.2	67.4
GOLDEN HARVEST	H-8959 Bt	PL,CB	220	17.3	100	222	19.4	212	18.0	226	14.5	215		4.9	9.1	72.0	64.5
GOLDEN HARVEST	H-9006 Bt	PL,CB	201	14.7	100	204	15.4	183	15.3	217	13.5			4.1	7.5	74.1	69.8
GOLDEN HARVEST	H-9166	PL	223	17.5	98	226	18.2	216	18.6	227	15.7			4.4	8.3	73.3	66.7
GOLDEN HARVEST	H-9247 Bt	PL,CB	217	17.1	100	218	17.9	203	18.3	229	15.1	214	205	4.9	8.4	72.6	65.1
GOLDEN HARVEST	H-9461	PL	206	18.1	96	223	19.3	179	18.9	215	16.1			4.6	7.6	73.2	69.2
HENKEL	H 1817		204	14.6	100	203	14.7	189	15.7	219	13.5			4.3	8.1	73.7	68.5
HENKEL	H 8817 YGCB	CB	203	14.8	100	207	15.4	182	15.2	220	13.8			4.2	8.2	73.6	68.4
HENKEL	H 8989 YGCB	CB	226	21.9	99	223	22.4	224	23.6	233	19.7			4.5	8.7	73.1	67.6
HOBLIT	471Bt	PL,CB	211	14.4	100	224	15.7	194	14.6	215	12.9			4.2	7.9	73.4	68.6
HOBLIT	520YGRW	PL,RW	210	16.6	100	217	17.7	204	17.6	208	14.6			4.8	8.2	73.0	65.6
HOBLIT	527	PL	224	17.3	100	227	18.1	217	18.3	227	15.3			4.4	8.4	73.5	66.1
HOBLIT	546Bt	PL,CB	236	21.6	100	238	23.6	226	21.7	245	19.3			4.9	7.9	72.7	68.4
HORIZON	7301	PL	221	14.9	100	219	15.2	219	16.8	224	12.8	214	198	4.4	8.2	73.5	67.5
HORIZON	7319	PL	216	15.0	100	212	14.7	216	16.6	220	13.6	216	202	4.6	8.2	72.7	67.7
HORIZON	7319 RW	PL,RW	233	14.9	99	225	14.0	230	17.1	245	13.7			4.3	8.5	73.0	67.3
HORIZON	7330	PL	220	15.7	100	219	16.2	215	17.0	227	13.7	217		4.7	8.6	72.7	65.4
HORIZON	7332 CL/CB	PL,CB	213	16.5	100	208	17.2	224	18.8	208	13.6	204		4.5	7.8	73.5	66.5
HORIZON	7347	PL	207	14.5	98	208	15.0	189	15.4	225	13.2	207	197	4.3	8.1	73.6	68.2
HORIZON	7347 RW	PL,RW	214	14.6	99	219	15.3	205	15.0	219	13.4			4.2	7.6	74.2	69.0
HORIZON	7352 CB	PL,CB	220	14.4	100	217	14.0	208	16.4	235	13.0	212	205	4.3	8.3	73.3	66.3
HORIZON	7371	PL	219	16.9	100	220	17.7	196	17.5	242	15.3	216	202	4.4	8.5	72.9	68.0
HORIZON	7373	PL	217	17.3	100	221	18.0	207	18.4	223	15.7	210	201	5.1	9.0	71.8	64.7
HORIZ																	

2004 Hybrid Corn Test Results: East Central Region (29,000 ppa)

Company-Brand	Hybrid	IST ¹ GT ²	Regional Results			Dwight		Goodfield		Urbana		2-yr Avg. bu/a	3-yr Avg. bu/a	Urbana Grain Quality			
			Yield	Moisture	% Erect	Yield	Moisture	Yield	Moisture	Yield	Moisture			Oil	Protein	Starch	Extractable
			bu/a	%	Plants	bu/a	%	bu/a	%	bu/a	%			@0%	@0%	@0%	@0%
ICORN	111.H7	CL	214	16.7	99	237	17.9	217	18.6	188	13.7	209		4.1	6.9	74.8	68.9
ICORN	111.RW6	PL,RW	219	14.7	100	226	15.5	202	15.2	230	13.5	210		4.2	7.9	73.8	68.1
ICORN	112.B2	PL,CB	224	17.1	100	223	18.3	217	18.2	233	14.8	220		4.7	9.1	72.4	64.2
KRUGER	0211	PL	229	17.1	99	224	17.9	223	18.5	240	14.9			4.7	8.9	72.2	66.1
KRUGER	0514	PL	222	17.7	100	230	19.6	212	19.1	223	14.5			4.6	8.1	73.2	67.2
KRUGER	2410 RR/YGCB	PL,CB	211	14.2	100	226	14.5	204	14.9	204	13.2			4.3	8.1	74.0	68.2
KRUGER	2517 RR/YGCB	PL,CB	219	21.1	100	223	22.8	213	22.8	221	17.6			4.7	7.6	73.0	69.4
KRUGER	5219 YGCB	PL,CB	209	19.1	97	235	19.6	190	20.1	201	17.8			4.6	8.0	73.0	69.0
KRUGER	5313 YGCB	PL,CB	231	16.0	100	232	17.0	218	16.9	243	14.0			4.9	8.6	72.2	66.6
KRUGER	5315 YGCB	PL,CB	229	20.9	100	226	21.7	231	23.2	231	17.7			5.0	8.9	72.2	65.6
KRUGER	5410 YGCB	PL,HX	215	13.7	100	222	13.7	204	14.5	218	13.0			4.4	8.2	73.9	67.6
KRUGER	5512 YGCB	PL,CB	212	14.5	100	211	15.4	194	15.0	232	13.1			4.2	8.5	73.3	67.4
KRUGER	5517 YGCB	PL,CB	238	21.4	100	235	22.9	229	22.4	249	19.0			4.8	7.9	72.9	68.7
KRUGER	5615 YGCB	PL,CB	219	18.8	100	229	19.6	211	20.9	216	16.1			4.4	7.7	74.0	68.6
KRUGER	5916 YGCB	PL,CB	198	17.2	100	214	18.3	189	17.5	191	15.7			4.6	7.2	73.7	69.7
KRUGER	8513 HX	PL,HX	195	18.1	98	203	19.4	167	19.1	214	15.8			4.6	7.8	73.5	68.5
KRUGER	9111 YGCB	PL,CB	219	14.7	100	220	14.5	215	16.9	222	12.9	211		4.4	8.1	73.0	67.7
KRUGER	9115 YGCB	PL,CB	202	16.1	100	211	17.4	184	17.4	211	13.6	200		4.1	7.7	73.9	70.3
KRUGER	9212 RR/YGCB	PL,CB	210	14.9	99	216	15.5	191	15.2	223	13.9	208		4.3	7.7	73.7	69.2
KRUGER	9313	PL	218	16.9	100	228	17.6	207	17.7	220	15.5	212	199	4.3	8.2	73.5	68.7
KRUGER	9313 YGCB	PL,CB	223	18.7	100	228	19.6	210	20.0	232	16.5			4.5	8.3	73.4	68.0
KRUGER	9315 YGCB	PL,CB	194	17.0	100	187	18.8	184	17.7	210	14.6			4.0	7.8	73.9	70.6
KRUGER	9414 YGCB	PL,CB	184	18.7	100	190	19.0	165	20.8	197	16.3			4.5	7.8	73.4	68.7
KRUGER	9915 YGCB	PL,CB	197	19.2	100	205	19.0	181	22.1	203	16.5			4.4	8.5	73.4	67.3
LEWIS	4345 YGCB	PL,CB	214	14.2	100	226	15.7	192	13.9	223	12.9			4.2	7.7	73.6	68.8
LEWIS	4874 YGRW	PL,RW	221	14.8	100	230	15.2	208	15.7	225	13.5	215		4.3	8.0	73.7	68.8
LEWIS	4905	CL	219	17.4	99	224	17.9	212	18.9	220	15.5			4.3	7.9	73.9	67.2
LEWIS	5113 YGCB	PL,CB	221	17.3	100	217	18.7	219	18.3	226	14.8	216	203	4.8	8.9	72.1	64.4
LEWIS	5245 YGCB	PL,CB	228	19.3	99	238	20.7	227	21.2	219	15.9			4.7	8.1	72.8	68.4
LEWIS	5645 YGCB	PL,CB	222	18.3	100	232	20.2	205	18.9	229	15.8			4.6	7.9	73.1	68.2
LG SEEDS	LG 2540	PL	222	14.7	100	226	15.8	201	15.6	238	12.6	219	209	4.1	7.7	73.6	67.9
LG SEEDS	LG 2586	PL	214	13.9	100	226	15.5	201	13.8	215	12.5			3.9	7.9	74.1	68.4
MERSCHMAN	M-20108	PL,CB	216	14.4	100	214	14.2	205	15.4	230	13.5	213		4.4	8.8	72.5	67.1
MERSCHMAN	M-310A-3	PL,CB	220	14.5	100	233	15.5	196	14.5	229	13.6			4.3	8.0	73.5	69.3
MERSCHMAN	M-310B-1	PL,CB	211	17.5	100	207	18.6	202	17.9	224	16.0	209		4.4	7.6	74.0	68.3
MERSCHMAN	M-313A-1	PL,CB	195	17.4	100	220	17.6	177	19.5	189	15.1			5.0	7.5	72.5	68.6
MERSCHMAN	M-314A-1	PL,CB	232	21.6	100	244	23.9	226	23.1	227	17.8			4.9	7.5	72.6	68.7
MERSCHMAN	M-413A-6	PL,RW	211	17.6	100	222	17.6	185	19.5	226	15.7			4.5	7.6	73.7	68.9
MERSCHMAN	M-508C	PL	223	17.0	100	222	17.4	226	18.3	223	15.2			4.8	8.3	72.3	66.9
MERSCHMAN	M-512C-1	PL,CB	234	18.6	99	242	19.9	227	20.4	234	15.5			4.7	8.2	72.7	68.2
MERSCHMAN	M-514A-6	PL,RW	243	21.0	98	253	21.9	233	22.8	244	18.1			4.8	7.9	72.9	68.8
PFISTER	2540Bt	PH,CB	216	17.0	100	217	19.0	204	17.7	228	14.3	209	194	4.6	8.7	72.8	64.5
PFISTER	2730	PH	221	17.3	100	229	17.5	200	19.0	235	15.3			4.3	7.9	73.8	68.7
PFISTER	2760	PH	229	17.4	100	235	18.0	227	18.5	224	15.6	222		4.4	8.2	73.5	67.0
PFISTER	3356Bt	PH,CB	234	21.6	100	243	23.4	223	23.2	238	18.2			4.7	7.6	73.1	69.3
PIONEER	32K22	PH	236	19.2	98	251	21.2	214	20.2	244	16.2			4.6	8.7	72.7	66.0
PIONEER	33B51	PH,CB	212	17.5	100	218	18.8	208	18.3	211	15.5			4.5	8.2	73.6	68.1
PIONEER	33D31	PH	224	19.5	100	234	20.1	211	21.5	228	17.0	220	203	4.2	8.7	73.2	68.2
PIONEER	33N09	PH	217	19.8	98	231	21.0	203	21.0	216	17.5			4.6	8.5	73.0	66.3
PIONEER	33P67	PH,CB	205	18.5	100	222	20.7	196	19.1	196	15.6	202	197	4.7	7.7	73.2	69.0
PIONEER	34H31	PH	211	17.4	100	216	18.4	202	17.9	216	15.9			4.3	8.8	73.4	67.6
PREMIUM	P 252		220	16.0	100	233	17.0	200	16.7	228	14.4			4.0	8.3	74.2	68.3
PREMIUM	P 270		224	19.3	100	229	20.3	217	21.0	225	16.8			4.3	8.8	73.0	68.0
PRIME	5135	PL	217	13.9	100	222	14.1	210	15.5	221	12.2			4.1	8.0	73.6	68.2
PRIME	6325	PL	219	14.3	100	224	15.7	199	14.5	235	12.7			4.0	8.3	73.6	67.9
PRIME	6985	CL	218	17.6	100	218	19.7	204	18.0	234	15.2	211		4.8	9.0	72.1	63.8
PRIME	7720		235	17.7	100	236	18.5	224	18.9	244	15.7			4.4	8.7	73.1	66.6
ROESCHLEY	Rx 378 Bt	PL,CB	215	14.2	100	216	14.0	206	15.3	223	13.2	215	202	4.3	8.4	72.8	67.8
ROESCHLEY	Rx 531 Bt	PL,CB	208	17.4	100	211	19.3	190	18.1	224	14.9	208	195	4.8	8.9	72.4	64.7
ROESCHLEY	Rx 614 CB	PL,CB	213	22.2	100	216	22.6	210	23.8	214	20.1	208		4.6	8.2	73.3	68.4
ROESCHLEY	Rx 888 CB	PL,CB	229	21.7	100	241	23.9	218	23.1	228	18.1	223		4.9	7.7	72.7	68.9
SELECT	4844		206	17.7	100	219	18.6	187	18.9	212	15.7			4.6	8.3	72.8	66.6
SELECT	902	CB	215	16.8	99	221	17.2	197	17.9	228	15.4			4.3	7.9	73.5	69.0
SIEBEN	3683 YGRW	PL,RW	229	14.0	100	233	14.8	224	14.7	229	12.5			4.1	8.1	73.7	69.4
SIEBEN	3703 YGRW	PL,RW	222	14.5	100	218	14.6	220	16.6	227	12.2			4.4	8.3	73.2	66.6
SIEBEN	3723 YGRW	PL,RW	216	14.7	100	226	15.7	201	15.1	220	13.3			4.1	8.0	73.8	68.4
SIEBEN	6693 YGCB	CB	216	14.8	99	217	14.7	201	16.9	230	12.9			4.5	8.1	73.0	67.1
SIEBEN	6720 YGCB	PL,CB	207	18.0	100	205	18.1	185	19.9	231	16.2	199	193	4.8	8.0	72.6	67.7
SIEBEN	EX 237542	CL	229	16.2	100	240	17.1	222	17.7	224	13.9			4.7	8.0	73.2	66.9
SIEBEN	EX 237747	CL	221	17.3	100	240	18.6	210	18.2	212	15.1			4.3	7.8	73.9	67.6
SIEBEN	EX 782063 Bt	CL	215	14.3	100	219	15.7	203	14.4	225	13.0			4.3	8.1	73.2	67.4
SUN PRAIRIE	2650 BT	CB	204	14.5	100	198	14.9	193	15.2	222	13.5			4.2	7.9	74.0	69.0
SUN PRAIRIE	517		227	20.0	96	223	21.8	227	20.9	230	17.2			4.8	7.4	73.3	69.0
SUN PRAIRIE	851		210	13.7	100	205	14.0	204	14.9	220	12.3			4.1	8.3	73.4	67.5
TRISLER	T-5160CB	PL,CB	219	14.0	99	217	15.2	202	14.1	237	12.7			4.1	8.1	73.6	68.1
TRISLER	T-5240CB	PL,CB	229	18.6	99	233	19.3	215	20.8	239	15.8			4.6	8.1	73.0	67.4
TRISLER	T-5244CB	PL,CB	205	14.8	100	218	15.5	184	16.0	214	12.9	210		4.2	7.4	74.0	70.0
TRISLER	T-5255RRRW	PL,RW	211	17.3	99	220	18.0	191	18.8	222	15.2			4.5	7.6	73.7	68.6
WHISNAND	201	PL	208	17.0	100	213	17.4	202	18.3	209	15.2	208	200	4.9	8.7	72.4	65.1
WHISNAND	202	PL															

2004 Hybrid Corn Test Results: East Central Region (29,000 ppa)

Company-Brand	Hybrid	IST ¹ GT ²	Regional Results			Dwight		Goodfield		Urbana		2-yr Avg. bu/a	3-yr Avg. bu/a	Urbana Grain Quality			
			Yield	Moisture	% Erect	Yield	Moisture	Yield	Moisture	Yield	Moisture			Oil	Protein	Starch	Extractable
			bu/a	%	Plants	bu/a	%	bu/a	%	bu/a	%			@0%	@0%	@0%	@0%
WILLCROSS	3084 X3	PL	218	13.9	100	218	15.2	212	14.0	225	12.6			4.1	7.7	73.8	68.5
WILLCROSS	3103 CB	CB	211	17.3	100	221	18.7	216	18.1	197	15.1	211		4.6	8.0	73.2	65.7
WILLCROSS	3123		217	17.5	100	222	17.8	202	19.2	226	15.3	211		4.5	8.4	73.0	68.2
WILLCROSS	3124 X1	PL	210	14.1	100	220	15.4	194	14.1	217	12.7			4.0	7.4	74.3	69.3
WILLCROSS	3124 X2	CB	218	18.2	99	210	20.5	210	18.5	235	15.7			4.5	8.2	73.1	67.8
WILLCROSS	3124 X3	CB	225	16.8	100	235	17.2	220	18.1	221	14.9			4.3	8.6	73.6	66.0
WILLCROSS	3124 X4 CB	CL,CB	215	17.4	100	217	19.0	205	19.0	224	14.1			4.9	8.5	72.6	66.0
	Average		217	16.9	100	222	17.8	207	18.0	223	14.8	212	201	4.5	8.2	73.2	67.5
	L.S.D 25% Level		15	1.3	2	10	0.7	9	0.7	13	0.7			0.2	0.4	0.5	0.8
	CV (%)		5	4.2	3	5	3.9	5	4.0	6	4.8			4.0	5.7	0.8	1.3

¹Insecticide Seed Treatment: CI = Cruiser® low rate, CH = Cruiser® hi rate, GI = Gaucho® low rate, GH = Gaucho® hi rate, PL = Poncho 250®, PH = Poncho 1250®

²Genetic Traits: CB = Bt Corn Borer, HX = Bt Herclux™ I, RW = Bt Root Worm, CR = Bt Corn Borer + Bt Root Worm