

**2002 Soybean Test Results**  
**Region 1: Roundup Resistant (30-inch row spacing)**

| COMPANY                 | VARIETY            | Yield<br>bu/a | Maturity<br>Date | Regional Results |              | Protein<br>@13% | Oil<br>@13% | Erie<br>Yield<br>bu/a | Mt.Morris<br>Yield<br>bu/a | DeKalb<br>Yield<br>bu/a | 2 yr<br>Avg<br>Yield<br>bu/a | 3 yr<br>Avg<br>Yield<br>bu/a |
|-------------------------|--------------------|---------------|------------------|------------------|--------------|-----------------|-------------|-----------------------|----------------------------|-------------------------|------------------------------|------------------------------|
|                         |                    |               |                  | Lodging          | Height<br>in |                 |             |                       |                            |                         |                              |                              |
| <b>MATURITY GROUP 1</b> |                    |               |                  |                  |              |                 |             |                       |                            |                         |                              |                              |
| DAIRYLAND               | DSR-199 RR         | 49.1          | 9/15             | 1.5              | 24           | 34.9            | 19.6        | 54.3                  | 37.5                       | 55.5                    | 54.8                         |                              |
| EXCEL                   | 8193 RR            | 48.7          | 9/15             | 1.5              | 24           | 35.1            | 19.5        | 52.4                  | 39.9                       | 53.8                    |                              |                              |
| KRUGER                  | EX 191+ RR         | 41.4          | 9/14             | 1.5              | 21           | 33.3            | 20.7        | 46.9                  | 33.1                       | 44.3                    |                              |                              |
| MERSCHMAN               | MARS VIII RR       | 49.0          | 9/15             | 1.5              | 22           | 34.1            | 19.9        | 53.0                  | 38.2                       | 55.9                    |                              |                              |
| MERSCHMAN               | VENUS RR           | 47.1          | 9/13             | 1.5              | 25           | 35.8            | 20.3        | 54.6                  | 36.9                       | 49.7                    |                              |                              |
| UAP                     | DG 3199 NRR        | 46.7          | 9/14             | 1.5              | 26           | 35.6            | 20.5        | 54.4                  | 32.9                       | 52.8                    |                              |                              |
| WILKEN                  | 1493 RR            | 41.1          | 9/16             | 1.4              | 24           | 34.3            | 20.0        | 44.1                  | 32.1                       | 47.1                    | 49.5                         |                              |
|                         | AVERAGE            | 46.2          | 9/14             | 1.5              | 23           | 34.7            | 20.1        | 51.4                  | 35.8                       | 51.3                    | 52.1                         |                              |
|                         | L.S.D. 25% LEVEL   | 2.2           |                  | 0.0              | 1            | 0.3             | 0.2         | 1.5                   | 1.1                        | 1.3                     |                              |                              |
|                         | COEFF. OF VAR. (%) | 8.4           |                  | 0.0              | 8            | 1.7             | 1.6         | 5.2                   | 5.6                        | 4.5                     |                              |                              |
| <b>MATURITY GROUP 2</b> |                    |               |                  |                  |              |                 |             |                       |                            |                         |                              |                              |
| ADLER                   | 255 RR             | 45.2          | 9/20             | 1.5              | 25           | 34.5            | 19.6        | 45.0                  | 36.7                       | 54.0                    |                              |                              |
| ADLER                   | 286 RR             | 46.3          | 9/24             | 1.4              | 26           | 36.2            | 19.5        | 48.6                  | 37.4                       | 53.0                    |                              |                              |
| AGRINETICS              | EXCEL 8200         | 48.8          | 9/18             | 1.5              | 24           | 33.9            | 20.2        | 51.2                  | 37.0                       | 58.0                    | 54.9                         |                              |
| AGRINETICS              | EXCEL 8235         | 46.0          | 9/19             | 1.5              | 24           | 33.6            | 20.4        | 45.4                  | 38.9                       | 53.7                    | 52.9                         |                              |
| AGRINETICS              | EXCEL 8274 N       | 49.0          | 9/25             | 1.6              | 26           | 34.6            | 19.6        | 52.1                  | 42.3                       | 52.6                    | 55.6                         |                              |
| AGRINETICS              | EXCEL 8298         | 49.4          | 9/25             | 1.5              | 27           | 35.1            | 19.3        | 49.7                  | 45.1                       | 53.3                    | 55.3                         | 57.9                         |
| ASGROW                  | AG 2905            | 45.3          | 9/25             | 1.4              | 25           | 34.8            | 20.0        | 46.0                  | 36.8                       | 53.3                    |                              |                              |
| ASGROW                  | AG 2703            | 48.8          | 9/24             | 1.5              | 26           | 33.7            | 20.4        | 50.1                  | 40.2                       | 56.2                    | 55.7                         | 59.2                         |
| CROW'S                  | C 2606 R           | 46.9          | 9/22             | 1.5              | 27           | 33.6            | 20.4        | 48.1                  | 40.1                       | 52.5                    | 54.1                         |                              |
| CROW'S                  | C 2615 R           | 46.0          | 9/18             | 1.4              | 26           | 35.1            | 20.5        | 49.6                  | 35.6                       | 52.8                    |                              |                              |
| DAIRYLAND               | DSR-221 RR         | 47.8          | 9/16             | 1.5              | 25           | 33.6            | 20.4        | 48.9                  | 39.0                       | 55.5                    | 54.5                         |                              |
| DAIRYLAND               | DSR-228 RR         | 47.5          | 9/15             | 1.5              | 25           | 33.7            | 20.3        | 49.7                  | 39.6                       | 53.4                    | 54.4                         | 59.9                         |
| DAIRYLAND               | DSR-251 RR         | 47.3          | 9/22             | 1.5              | 26           | 33.8            | 20.6        | 49.0                  | 37.2                       | 55.6                    | 53.5                         |                              |
| DAIRYLAND               | DSR-255 RR         | 43.3          | 9/21             | 1.5              | 27           | 34.7            | 20.0        | 42.9                  | 36.0                       | 50.9                    |                              |                              |
| DAIRYLAND               | DSR-268 RR         | 49.3          | 9/22             | 1.5              | 27           | 34.8            | 19.5        | 50.4                  | 41.8                       | 55.7                    | 54.6                         |                              |
| DAIRYLAND               | DSR-274 RR         | 48.9          | 9/23             | 1.5              | 27           | 34.0            | 18.9        | 53.7                  | 38.9                       | 54.1                    |                              |                              |
| DAIRYLAND               | DSR-297 RR         | 49.3          | 9/25             | 1.5              | 26           | 33.9            | 20.5        | 51.2                  | 45.1                       | 51.5                    |                              |                              |
| DEKALB                  | DKB 27-51          | 44.8          | 9/21             | 1.4              | 26           | 34.8            | 20.3        | 47.4                  | 36.9                       | 50.1                    |                              |                              |
| DERAEDT                 | 2120 RR            | 45.3          | 9/18             | 1.5              | 24           | 34.0            | 20.2        | 49.9                  | 35.8                       | 50.2                    | 52.2                         |                              |
| DERAEDT                 | 2320 RR            | 46.4          | 9/17             | 1.5              | 24           | 33.7            | 20.3        | 48.7                  | 39.2                       | 51.4                    | 54.5                         |                              |
| DERAEDT                 | 2701 RR            | 50.4          | 9/24             | 1.5              | 27           | 33.8            | 20.6        | 49.3                  | 43.6                       | 58.3                    |                              |                              |
| DERAEDT                 | 2733 NRR           | 48.8          | 9/24             | 1.5              | 26           | 36.3            | 19.4        | 50.6                  | 39.4                       | 56.6                    |                              |                              |
| DERAEDT                 | 2820 RR            | 46.0          | 9/22             | 1.4              | 24           | 34.0            | 19.5        | 46.8                  | 38.7                       | 52.4                    | 53.1                         |                              |
| EXCEL                   | 8234 RR            | 44.8          | 9/15             | 1.5              | 23           | 33.7            | 20.3        | 44.8                  | 35.5                       | 54.0                    | 53.5                         |                              |
| EXCEL                   | 8254 RR            | 48.1          | 9/23             | 1.5              | 24           | 33.7            | 20.7        | 49.8                  | 39.8                       | 54.7                    | 55.1                         |                              |
| EXCEL                   | 8265 RR            | 46.2          | 9/21             | 1.5              | 26           | 33.5            | 20.6        | 45.8                  | 37.1                       | 55.7                    |                              |                              |
| FS HISOY                | HS 2515            | 48.8          | 9/21             | 1.5              | 24           | 32.9            | 21.2        | 46.6                  | 39.5                       | 60.2                    | 55.3                         |                              |
| FS HISOY                | HS 2906            | 44.7          | 9/25             | 1.5              | 25           | 34.4            | 20.2        | 48.6                  | 34.6                       | 50.9                    | 52.7                         | 57.4                         |
| FS HISOY                | RT 2495            | 41.7          | 9/16             | 1.5              | 23           | 35.1            | 19.9        | 41.6                  | 36.2                       | 47.4                    | 48.9                         | 54.5                         |
| FS HISOY                | X 2626             | 46.9          | 9/23             | 1.5              | 26           | 35.0            | 20.2        | 50.8                  | 37.1                       | 52.7                    |                              |                              |
| FS HISOY                | X 2725             | 47.7          | 9/24             | 1.5              | 24           | 34.6            | 20.3        | 47.1                  | 39.6                       | 56.3                    |                              |                              |
| GARST                   | 2332 RR            | 45.7          | 9/18             | 1.5              | 24           | 34.0            | 20.2        | 49.9                  | 39.5                       | 47.8                    |                              |                              |
| GARST                   | 2547 RR            | 42.0          | 9/15             | 1.5              | 22           | 34.0            | 20.1        | 42.7                  | 33.0                       | 50.3                    | 52.0                         |                              |
| GARST                   | 2677 RR            | 48.7          | 9/23             | 1.5              | 23           | 33.2            | 21.1        | 47.4                  | 40.2                       | 58.6                    |                              |                              |
| GMA                     | SVI 2759           | 45.6          | 9/20             | 1.5              | 26           | 34.0            | 20.6        | 44.8                  | 38.5                       | 53.6                    |                              |                              |
| GOLDEN HARVEST          | H 2453 RR          | 48.9          | 9/20             | 1.4              | 23           | 33.1            | 21.0        | 48.7                  | 38.5                       | 59.7                    | 54.5                         |                              |
| GOLDEN HARVEST          | H 2503 RR          | 48.5          | 9/23             | 1.5              | 26           | 34.1            | 20.4        | 49.7                  | 40.9                       | 54.8                    |                              |                              |
| GOLDEN HARVEST          | H 2659 RR          | 47.3          | 9/21             | 1.5              | 27           | 33.3            | 20.6        | 47.5                  | 39.4                       | 55.0                    | 53.9                         |                              |
| GOLDEN HARVEST          | H 2824 RR          | 42.8          | 9/24             | 1.5              | 27           | 34.3            | 20.3        | 40.0                  | 37.9                       | 50.6                    | 50.9                         |                              |
| GOLDEN HARVEST          | X 12811 RR         | 49.4          | 9/25             | 1.5              | 26           | 33.7            | 20.7        | 52.2                  | 38.5                       | 57.5                    |                              |                              |
| GREAT LAKES             | GL 2301 RR         | 47.3          | 9/20             | 1.7              | 23           | 33.2            | 21.1        | 46.8                  | 38.0                       | 57.3                    |                              |                              |
| HENKEL                  | SS 8201 RR         | 47.3          | 9/22             | 1.5              | 26           | 34.3            | 19.8        | 46.3                  | 44.6                       | 51.0                    | 54.1                         |                              |
| HENKEL                  | SS 8503 RR         | 47.3          | 9/25             | 1.5              | 26           | 36.5            | 19.3        | 49.8                  | 39.2                       | 53.0                    |                              |                              |
| HUGHES                  | 441 RR             | 46.0          | 9/16             | 1.5              | 24           | 34.2            | 20.2        | 46.7                  | 38.1                       | 53.3                    |                              |                              |
| HUGHES                  | 532 RR             | 45.1          | 9/22             | 1.4              | 25           | 33.7            | 19.3        | 44.0                  | 39.5                       | 51.7                    |                              |                              |
| HUGHES                  | 551 RR             | 50.9          | 9/23             | 1.5              | 26           | 33.8            | 20.5        | 52.2                  | 44.0                       | 56.5                    | 54.7                         |                              |
| HUGHES                  | 852 RR             | 46.6          | 9/26             | 1.5              | 26           | 36.2            | 19.4        | 44.9                  | 40.4                       | 54.5                    |                              |                              |
| KALTENBERG              | KB 264 RR          | 51.0          | 9/24             | 1.5              | 27           | 35.1            | 19.4        | 53.0                  | 43.5                       | 56.5                    |                              |                              |
| KALTENBERG              | KB 273 RR          | 47.8          | 9/26             | 1.5              | 24           | 34.2            | 19.4        | 50.5                  | 40.3                       | 52.5                    | 54.9                         |                              |
| KALTENBERG              | KB 275 RR          | 49.6          | 9/24             | 1.5              | 27           | 33.7            | 20.6        | 50.5                  | 38.4                       | 59.9                    |                              |                              |
| KRUGER                  | EX 200 RR          | 44.7          | 9/17             | 1.5              | 22           | 33.5            | 20.4        | 43.2                  | 36.8                       | 53.9                    |                              |                              |
| KRUGER                  | EX 265 RR          | 41.8          | 9/23             | 1.3              | 21           | 34.0            | 19.5        | 45.2                  | 31.0                       | 49.2                    |                              |                              |
| KRUGER                  | EX 299 RR          | 44.4          | 9/22             | 1.5              | 24           | 33.9            | 20.3        | 43.9                  | 37.5                       | 51.8                    |                              |                              |
| KRUGER                  | K-211 RR           | 45.7          | 9/18             | 1.5              | 21           | 32.9            | 20.3        | 44.5                  | 35.1                       | 57.4                    |                              |                              |
| KRUGER                  | K-222+ RR          | 46.7          | 9/17             | 1.5              | 24           | 33.9            | 20.2        | 46.0                  | 39.7                       | 54.3                    | 54.2                         | 59.0                         |
| KRUGER                  | K-223 RR           | 44.4          | 9/18             | 1.4              | 21           | 34.1            | 20.0        | 45.1                  | 35.5                       | 52.8                    | 55.5                         |                              |
| KRUGER                  | K-232 RR           | 44.7          | 9/19             | 1.4              | 21           | 33.8            | 20.3        | 46.3                  | 37.3                       | 50.5                    |                              |                              |
| KRUGER                  | K-232+ RR          | 43.8          | 9/22             | 1.5              | 21           | 34.0            | 20.1        | 45.1                  | 36.5                       | 49.8                    |                              |                              |
| KRUGER                  | K-233 RR           | 47.9          | 9/18             | 1.4              | 23           | 33.6            | 20.4        | 48.5                  | 39.0                       | 56.1                    |                              |                              |
| KRUGER                  | K-242 RR/SCN       | 42.9          | 9/17             | 1.5              | 23           | 33.4            | 20.6        | 42.0                  | 34.2                       | 52.3                    |                              |                              |
| KRUGER                  | K-255-5 RR         | 41.1          | 9/24             | 1.6              | 22           | 30.9            | 21.4        | 37.1                  | 34.7                       | 51.4                    | 51.6                         |                              |
| KRUGER                  | K-262-2 RR         | 47.0          | 9/22             | 1.6              | 23           | 33.1            | 21.1        | 48.0                  | 36.9                       | 56.0                    | 53.5                         |                              |
| KRUGER                  | K-268 RR           | 49.5          | 9/21             | 1.5              | 23           | 31.3            | 21.4        | 49.6                  | 39.1                       | 59.6                    |                              |                              |

**2002 Soybean Test Results**  
**Region 1: Roundup Resistant (30-inch row spacing)**

| COMPANY          | VARIETY          | Yield<br>bu/a | Maturity<br>Date | Regional Results |              | Protein<br>@13% | Oil<br>@13% | Erie<br>Yield<br>bu/a | Mt.Morris<br>Yield<br>bu/a | DeKalb<br>Yield<br>bu/a | 2 yr<br>Avg<br>Yield<br>bu/a | 3 yr<br>Avg<br>Yield<br>bu/a |
|------------------|------------------|---------------|------------------|------------------|--------------|-----------------|-------------|-----------------------|----------------------------|-------------------------|------------------------------|------------------------------|
|                  |                  |               |                  | Lodging          | Height<br>in |                 |             |                       |                            |                         |                              |                              |
| KRUGER           | K-269 RR         | 50.8          | 9/23             | 1.5              | 24           | 34.0            | 19.8        | 50.9                  | 40.7                       | 60.9                    |                              |                              |
| KRUGER           | K-272 RR         | 45.0          | 9/18             | 1.4              | 22           | 33.1            | 20.4        | 40.7                  | 38.0                       | 56.3                    | 53.0                         |                              |
| KRUGER           | K-272 RR/SCN     | 42.5          | 9/21             | 1.4              | 24           | 34.1            | 20.4        | 43.0                  | 33.9                       | 50.5                    |                              |                              |
| KRUGER           | K-272+ RR/SCN    | 47.7          | 9/23             | 1.5              | 27           | 35.1            | 20.0        | 52.7                  | 38.8                       | 51.5                    |                              |                              |
| KRUGER           | K-273 RR         | 46.4          | 9/23             | 1.4              | 25           | 36.2            | 19.6        | 48.7                  | 38.5                       | 52.1                    |                              |                              |
| KRUGER           | K-277 RR/SCN     | 43.9          | 9/23             | 1.5              | 23           | 33.6            | 20.8        | 43.0                  | 36.0                       | 52.8                    |                              |                              |
| KRUGER           | K-282+ RR        | 49.2          | 9/25             | 1.5              | 24           | 33.9            | 20.6        | 52.6                  | 39.3                       | 55.6                    |                              |                              |
| KRUGER           | K-282-1 RR/SCN   | 47.1          | 9/24             | 1.5              | 29           | 34.7            | 19.6        | 46.4                  | 39.0                       | 55.9                    |                              |                              |
| KRUGER           | K-286 RR         | 49.2          | 9/21             | 1.6              | 26           | 32.4            | 20.8        | 50.1                  | 41.1                       | 56.3                    | 56.4                         |                              |
| KRUGER           | K-287 RR         | 48.3          | 9/23             | 1.5              | 25           | 34.5            | 20.3        | 50.4                  | 39.7                       | 54.9                    |                              |                              |
| KRUGER           | K-288 RR/SCN     | 47.7          | 9/23             | 1.4              | 27           | 36.4            | 19.5        | 48.6                  | 40.2                       | 54.3                    |                              |                              |
| KRUGER           | K-288+ RR/SCN    | 47.0          | 9/23             | 1.5              | 26           | 36.0            | 19.5        | 47.3                  | 42.9                       | 50.8                    |                              |                              |
| KRUGER           | K-288-8 RR       | 45.8          | 9/24             | 1.4              | 23           | 34.5            | 20.4        | 45.3                  | 36.4                       | 55.7                    | 55.0                         |                              |
| KRUGER           | K-292 RR         | 49.2          | 9/24             | 1.5              | 25           | 34.4            | 19.9        | 53.4                  | 41.6                       | 52.7                    |                              |                              |
| LATHAM           | 727 RR           | 48.7          | 9/21             | 1.5              | 25           | 32.8            | 20.3        | 46.8                  | 41.6                       | 57.7                    |                              |                              |
| LATHAM           | 917 RR           | 48.4          | 9/24             | 1.5              | 25           | 32.9            | 19.4        | 51.4                  | 40.9                       | 52.9                    | 54.6                         |                              |
| LATHAM           | 967 RR           | 50.2          | 9/22             | 1.6              | 27           | 33.9            | 20.6        | 49.4                  | 43.9                       | 57.3                    |                              |                              |
| LATHAM           | EX-738 RR        | 49.3          | 9/24             | 1.5              | 27           | 33.7            | 20.4        | 46.9                  | 43.1                       | 57.9                    |                              |                              |
| MARK             | MRK RR 0129 CTB  | 44.7          | 9/21             | 1.5              | 27           | 33.3            | 20.8        | 42.9                  | 36.0                       | 55.1                    |                              |                              |
| MERSCHMAN        | APACHE VIII RR   | 50.6          | 9/23             | 1.5              | 25           | 34.1            | 19.8        | 50.7                  | 39.0                       | 62.3                    |                              |                              |
| MERSCHMAN        | MOHEGAN IV RR    | 45.4          | 9/21             | 1.5              | 28           | 35.4            | 20.3        | 43.7                  | 40.2                       | 52.3                    | 50.1                         | 53.3                         |
| MERSCHMAN        | MUNSEE II RR     | 44.9          | 9/17             | 1.5              | 23           | 32.0            | 21.6        | 45.2                  | 34.7                       | 54.8                    | 52.0                         |                              |
| MERSCHMAN        | NAVAHO VI RR     | 43.1          | 9/14             | 1.5              | 24           | 35.1            | 20.7        | 45.8                  | 32.3                       | 51.3                    | 49.3                         |                              |
| MERSCHMAN        | SHAWNEE VIII RR  | 48.0          | 9/19             | 1.6              | 30           | 33.6            | 20.8        | 48.6                  | 40.2                       | 55.4                    | 53.1                         |                              |
| MERSCHMAN        | SIOUX II RR      | 48.4          | 9/26             | 1.5              | 24           | 34.7            | 20.3        | 50.3                  | 41.0                       | 54.0                    |                              |                              |
| MERSCHMAN        | UTE RR           | 43.8          | 9/17             | 1.5              | 26           | 33.7            | 20.6        | 40.6                  | 36.1                       | 54.5                    | 49.5                         |                              |
| PIONEER          | 92B38            | 44.0          | 9/17             | 1.5              | 26           | 32.7            | 20.6        | 44.2                  | 35.6                       | 52.1                    |                              |                              |
| PIONEER          | 92B75            | 46.8          | 9/21             | 1.5              | 25           | 33.9            | 21.3        | 47.3                  | 39.3                       | 54.0                    |                              |                              |
| PRAIRIE BRAND    | PB-1981 RR       | 50.3          | 9/17             | 1.5              | 23           | 33.9            | 20.2        | 51.2                  | 39.9                       | 59.8                    | 55.9                         |                              |
| PRAIRIE BRAND    | PB-2117 RR       | 49.3          | 9/13             | 1.4              | 24           | 34.0            | 20.2        | 51.3                  | 40.1                       | 56.5                    | 55.7                         | 59.8                         |
| PRAIRIE BRAND    | PB-2141 RR       | 44.4          | 9/20             | 1.4              | 21           | 34.2            | 20.0        | 45.4                  | 36.7                       | 51.0                    |                              |                              |
| PRAIRIE BRAND    | PB-2352 RR       | 45.1          | 9/20             | 1.5              | 24           | 33.0            | 20.1        | 42.5                  | 38.7                       | 54.0                    |                              |                              |
| PRAIRIE BRAND    | PB-2552 RR       | 51.3          | 9/21             | 1.5              | 24           | 34.1            | 19.8        | 54.0                  | 38.9                       | 61.1                    |                              |                              |
| PRAIRIE BRAND    | PB-2532 RR       | 46.9          | 9/25             | 1.5              | 23           | 34.4            | 20.4        | 49.8                  | 37.3                       | 53.5                    |                              |                              |
| PRAIRIE BRAND    | PB-2692 NRR      | 44.5          | 9/24             | 1.5              | 27           | 35.0            | 20.1        | 49.7                  | 36.0                       | 47.8                    |                              |                              |
| PRAIRIE BRAND    | PB-2732 RR       | 48.5          | 9/25             | 1.5              | 24           | 34.5            | 20.4        | 52.6                  | 39.5                       | 53.4                    |                              |                              |
| PRAIRIE BRAND    | PB-2841 RR       | 46.9          | 9/25             | 1.4              | 25           | 34.1            | 19.5        | 48.5                  | 38.6                       | 53.5                    | 53.9                         |                              |
| RENK             | RS 202 NRR       | 45.1          | 9/14             | 1.5              | 24           | 34.9            | 20.8        | 42.3                  | 38.2                       | 54.7                    |                              |                              |
| RENK             | RS 212 RR        | 45.6          | 9/21             | 1.4              | 24           | 32.6            | 20.2        | 46.7                  | 36.5                       | 53.6                    |                              |                              |
| RENK             | RS 221 RR        | 42.5          | 9/16             | 1.6              | 25           | 34.0            | 20.5        | 43.4                  | 37.0                       | 47.3                    |                              |                              |
| RENK             | RS 240 RR        | 39.9          | 9/15             | 1.5              | 24           | 35.1            | 20.0        | 42.4                  | 31.1                       | 46.0                    | 49.1                         | 54.6                         |
| RENK             | RS 252 RR        | 45.0          | 9/21             | 1.4              | 26           | 34.6            | 19.5        | 44.8                  | 41.0                       | 49.2                    |                              |                              |
| RENK             | RS 262 NRR       | 46.1          | 9/20             | 1.5              | 26           | 35.4            | 20.4        | 47.2                  | 38.1                       | 53.0                    |                              |                              |
| RENK             | RS 272 RR        | 48.9          | 9/24             | 1.5              | 24           | 33.6            | 20.9        | 53.6                  | 40.9                       | 52.3                    |                              |                              |
| RENK             | RS 281 RR        | 44.4          | 9/24             | 1.5              | 25           | 32.8            | 20.9        | 42.9                  | 38.1                       | 52.3                    | 51.2                         |                              |
| ROESCHLEY        | R 5278 CRR       | 48.9          | 9/25             | 1.5              | 26           | 36.5            | 19.3        | 53.0                  | 40.6                       | 53.0                    |                              |                              |
| SIEBEN           | 2603 NRR         | 47.0          | 9/24             | 1.4              | 26           | 34.7            | 20.3        | 51.2                  | 38.3                       | 51.5                    |                              |                              |
| SIEBEN           | 2803 RR          | 44.0          | 9/22             | 1.4              | 27           | 34.9            | 20.1        | 43.3                  | 39.2                       | 49.6                    |                              |                              |
| SIEBEN           | 2804 NRR         | 49.3          | 9/23             | 1.5              | 27           | 34.6            | 19.4        | 51.3                  | 42.5                       | 54.1                    |                              |                              |
| SIEBEN           | 2903 NRR         | 45.4          | 9/25             | 1.5              | 25           | 35.1            | 19.7        | 47.5                  | 37.3                       | 51.4                    |                              |                              |
| STINE            | S 2103-4         | 44.1          | 9/18             | 1.5              | 21           | 34.2            | 20.0        | 46.6                  | 34.5                       | 51.1                    |                              |                              |
| STINE            | S 2463-4         | 42.2          | 9/21             | 1.4              | 20           | 32.5            | 20.8        | 39.9                  | 39.3                       | 47.3                    | 52.5                         |                              |
| STINE            | S 2783-4         | 46.6          | 9/25             | 1.4              | 24           | 34.7            | 20.2        | 45.9                  | 38.0                       | 56.0                    |                              |                              |
| STINE            | S 2842-4         | 48.0          | 9/25             | 1.5              | 25           | 36.4            | 19.4        | 50.9                  | 38.0                       | 55.1                    |                              |                              |
| TRELAY           | HC-2244 RR       | 45.4          | 9/22             | 1.5              | 26           | 33.6            | 19.2        | 47.7                  | 38.5                       | 50.1                    |                              |                              |
| TRELAY           | HC-2261 RR/SCN   | 45.4          | 9/21             | 1.5              | 26           | 35.3            | 20.5        | 48.4                  | 36.0                       | 51.9                    |                              |                              |
| TRELAY           | HC-2273 RR       | 47.1          | 9/21             | 1.5              | 25           | 33.2            | 20.2        | 48.4                  | 39.6                       | 53.5                    | 53.8                         | 56.5                         |
| TRELAY           | HC-2282 RR       | 49.4          | 9/25             | 1.5              | 25           | 34.3            | 19.4        | 54.4                  | 36.7                       | 57.1                    | 53.9                         |                              |
| UAP              | DG 3200 RR       | 46.9          | 9/20             | 1.5              | 23           | 33.2            | 20.2        | 47.6                  | 36.8                       | 56.3                    |                              |                              |
| UAP              | DG 3218 RR       | 48.1          | 9/21             | 1.5              | 24           | 33.7            | 20.3        | 49.2                  | 40.6                       | 54.5                    |                              |                              |
| UAP              | DG 3223 RR       | 44.5          | 9/15             | 1.5              | 24           | 33.8            | 20.3        | 44.6                  | 37.2                       | 51.7                    |                              |                              |
| UAP              | DG 3242 RR       | 47.3          | 9/22             | 1.6              | 22           | 33.2            | 21.0        | 49.9                  | 37.0                       | 55.1                    |                              |                              |
| UAP              | DG 3263 RR       | 48.5          | 9/23             | 1.5              | 28           | 33.7            | 20.4        | 48.9                  | 41.5                       | 55.2                    | 54.0                         |                              |
| UNITED SUPPLIERS | US S2403 RR      | 43.9          | 9/22             | 1.5              | 23           | 31.5            | 21.3        | 45.4                  | 36.6                       | 49.8                    |                              |                              |
| UNITED SUPPLIERS | US S2503 RR      | 50.1          | 9/23             | 1.5              | 23           | 34.3            | 19.8        | 54.5                  | 41.1                       | 54.7                    |                              |                              |
| UNITED SUPPLIERS | US S2703 RR      | 49.8          | 9/24             | 1.5              | 28           | 33.4            | 20.8        | 49.5                  | 44.3                       | 55.6                    |                              |                              |
| VIGORO           | V 242 RR         | 46.7          | 9/21             | 1.5              | 25           | 33.5            | 19.2        | 46.4                  | 39.3                       | 54.3                    |                              |                              |
| VIGORO           | V 282 RR         | 48.8          | 9/25             | 1.5              | 25           | 34.2            | 19.5        | 51.0                  | 40.5                       | 54.9                    | 54.8                         |                              |
| VIGORO           | V 29N3 RR        | 44.4          | 9/24             | 1.4              | 25           | 36.0            | 19.6        | 46.5                  | 40.6                       | 46.1                    |                              |                              |
| WILKEN           | 2217 RR          | 46.8          | 9/17             | 1.5              | 22           | 33.1            | 20.2        | 44.0                  | 40.7                       | 55.7                    |                              |                              |
| WILKEN           | 2319 RR          | 48.8          | 9/19             | 1.5              | 24           | 33.7            | 20.3        | 50.1                  | 40.0                       | 56.4                    | 55.2                         |                              |
| WILKEN           | 2321 NRR         | 46.0          | 9/14             | 1.5              | 26           | 34.9            | 20.8        | 48.0                  | 37.3                       | 52.6                    |                              |                              |
| WILKEN           | 2336 NRR         | 43.5          | 9/17             | 1.5              | 24           | 35.4            | 20.5        | 45.7                  | 33.3                       | 51.5                    |                              |                              |
| WILKEN           | 2433 RR          | 44.0          | 9/16             | 1.5              | 24           | 33.7            | 20.3        | 44.3                  | 36.5                       | 51.2                    | 53.5                         |                              |
| WILKEN           | 2568 RR          | 46.6          | 9/22             | 1.5              | 27           | 33.3            | 20.6        | 49.0                  | 39.4                       | 51.6                    | 51.9                         |                              |
| WILKEN           | WE 879 RR        | 45.5          | 9/20             | 1.5              | 23           | 33.0            | 21.2        | 44.2                  | 38.5                       | 53.9                    |                              |                              |
| WILLCROSS        | RR 2253          | 52.2          | 9/22             | 1.5              | 24           | 34.4            | 19.7        | 56.3                  | 40.4                       | 59.9                    |                              |                              |
| WILLCROSS        | RR 2263 N        | 48.5          | 9/25             | 1.4              | 26           | 35.4            | 20.0        | 49.4                  | 39.8                       | 56.2                    |                              |                              |
|                  | AVERAGE          | 46.6          | 9/21             | 1.5              | 25           | 34.1            | 20.2        | 47.6                  | 38.6                       | 53.8                    | 53.5                         | 57.2                         |
|                  | L.S.D. 25% LEVEL | 2.3           |                  | 0.1              | 1            | 0.5             | 0.2         | 3.6                   | 3.4                        | 3.3                     |                              |                              |

2002 Soybean Test Results  
 Region 1: Roundup Resistant (30-inch row spacing)

| COMPANY | VARIETY            | Yield<br>bu/a | Maturity<br>Date | Regional Results |              | Protein<br>@13% | Oil<br>@13% | Erie<br>Yield<br>bu/a | Mt.Morris<br>Yield<br>bu/a | DeKalb<br>Yield<br>bu/a | 2 yr<br>Avg<br>Yield<br>bu/a | 3 yr<br>Avg<br>Yield<br>bu/a |
|---------|--------------------|---------------|------------------|------------------|--------------|-----------------|-------------|-----------------------|----------------------------|-------------------------|------------------------------|------------------------------|
|         |                    |               |                  | Lodging          | Height<br>in |                 |             |                       |                            |                         |                              |                              |
|         | COEFF. OF VAR. (%) | 8.9           |                  | 6.4              | 7            | 2.7             | 2.2         | 8.1                   | 9.4                        | 6.5                     |                              |                              |

**2002 Soybean Test Results**  
**Region 1: Roundup Resistant (30-inch row spacing)**

| COMPANY                 | VARIETY            | Yield<br>bu/a | Maturity<br>Date | Regional Results |              | Protein<br>@13% | Oil<br>@13% | Erie<br>Yield<br>bu/a | Mt.Morris<br>Yield<br>bu/a | DeKalb<br>Yield<br>bu/a | 2 yr<br>Avg<br>Yield<br>bu/a | 3 yr<br>Avg<br>Yield<br>bu/a |
|-------------------------|--------------------|---------------|------------------|------------------|--------------|-----------------|-------------|-----------------------|----------------------------|-------------------------|------------------------------|------------------------------|
|                         |                    |               |                  | Lodging          | Height<br>in |                 |             |                       |                            |                         |                              |                              |
| <b>MATURITY GROUP 3</b> |                    |               |                  |                  |              |                 |             |                       |                            |                         |                              |                              |
| DAIRYLAND               | DSR-303 RR         | 53.8          | 9/26             | 1.5              | 28           | 35.6            | 19.0        | 58.3                  | 47.1                       | 56.0                    | 59.1                         | 60.8                         |
| DEKALB                  | DKB 31-51          | 55.1          | 9/27             | 1.5              | 27           | 35.3            | 20.1        | 64.1                  | 45.1                       | 56.3                    |                              |                              |
| LATHAM                  | 1067 RR            | 54.3          | 9/27             | 1.4              | 29           | 33.3            | 19.9        | 57.4                  | 46.1                       | 59.3                    | 59.6                         | 61.7                         |
| LATHAM                  | EX-1108 RR         | 52.6          | 9/29             | 1.6              | 30           | 35.3            | 20.3        | 56.1                  | 44.8                       | 57.0                    |                              |                              |
| PIONEER                 | 93B09              | 52.9          | 9/27             | 1.5              | 26           | 33.5            | 21.1        | 57.3                  | 43.3                       | 58.0                    |                              |                              |
| RENK                    | RS 310 RR          | 56.2          | 9/26             | 1.4              | 29           | 33.5            | 19.9        | 62.6                  | 48.0                       | 58.0                    | 59.8                         |                              |
| WILLCROSS               | RR 2323 N          | 55.7          | 9/29             | 1.6              | 31           | 34.3            | 19.2        | 61.7                  | 45.4                       | 60.0                    |                              |                              |
|                         | AVERAGE            | 54.4          | 9/27             | 1.5              | 29           | 34.4            | 20.0        | 59.6                  | 45.7                       | 57.8                    | 59.5                         | 61.2                         |
|                         | L.S.D. 25% LEVEL   | 2.0           |                  | 0.1              | 1            | 0.6             | 0.3         | 1.7                   | 1.3                        | 1.5                     |                              |                              |
|                         | COEFF. OF VAR. (%) | 6.5           |                  | 9.5              | 7            | 3.0             | 2.3         | 5.1                   | 5.0                        | 4.5                     |                              |                              |