

**2002 Soybean Test Results**  
**Region 4: Roundup Resistant (30-inch row spacing)**

COMPANY	VARIETY	Yield bu/a	Maturity Date	Regional Results				Belleville Yield bu/a	Brownstown Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a
				Lodging	Height in	Protein @13%	Oil @13%				
<b>MATURITY GROUP 3</b>											
ADLER	374 RRN	40.4	9/21	1.6	29	37.3	18.4	59.6	21.2		
AGVENTURE	6381 NRR	41.6	9/22	1.7	33	35.6	19.3	63.1	20.2		
ASGROW	AG 3903	36.4	9/22	1.5	32	36.1	18.6	56.8	15.9	46.5	
BAKER	3735 CRR	37.4	9/23	1.5	27	35.0	19.2	57.5	17.3		
BECK'S	417 NRR	40.4	9/22	1.6	32	33.9	20.1	60.4	20.4	49.3	
BERGMANN-TAYLOR	BT 362 CR	35.3	9/22	1.6	27	35.2	19.0	51.2	19.4	44.8	
BERGMANN-TAYLOR	BT 371 CR	43.1	9/22	1.7	30	36.8	18.8	58.5	27.7	49.6	53.3
BERGMANN-TAYLOR	BT 383 CR	40.7	9/21	1.5	29	35.6	19.9	61.2	20.3		
BERGMANN-TAYLOR	BT 392 CR	41.8	9/25	1.8	32	35.4	19.3	60.6	23.0	46.7	
DEKALB	DKB 38-52	43.4	9/22	1.4	28	35.2	19.8	61.0	25.7	51.3	
DELTA KING	3862 RR	37.9	9/21	1.6	31	36.5	19.4	55.8	20.1	45.6	
DELTA KING	3961 RR	39.6	9/22	1.5	32	37.6	18.5	56.3	22.9	45.8	
DELTA KING	3964 RR	38.8	9/20	1.7	34	35.9	19.0	57.4	20.2	44.3	
DELTA KING	3968 RR	43.3	9/25	1.6	27	35.6	19.8	60.4	26.3	52.1	
DELTA KING	XTJ 033 RR	38.9	9/20	1.5	27	36.8	18.7	59.2	18.5		
EXCEL	8378 NRR	43.0	9/23	1.5	29	35.1	19.3	62.1	24.0		
EXCEL	8384 NRR	41.2	9/21	1.8	34	35.3	19.6	58.0	24.4	46.2	
EXCEL	8393 NRR	41.3	9/22	1.7	29	35.6	20.0	62.0	20.6		
FS HISOY	HS 3616	39.2	9/23	1.5	27	35.2	19.5	58.0	20.5	46.0	
FS HISOY	HS 3706	42.4	9/22	1.6	30	36.4	18.9	58.1	26.6	47.4	50.8
FS HISOY	HS 3916	43.4	9/24	1.4	27	35.3	19.8	61.1	25.7	52.3	
FS HISOY	X 3726	40.0	9/19	1.7	28	37.1	18.5	58.9	21.2		
GARST	3712 RR/N	36.5	9/23	1.6	27	35.6	19.1	56.0	17.0		
GOLDEN HARVEST	H 3383 RR	34.8	9/21	1.7	29	35.9	19.6	55.9	13.7		
GOLDEN HARVEST	H 3643 RR	41.9	9/20	1.7	30	35.1	19.2	62.4	21.4		
GOLDEN HARVEST	H 3945 RR	43.9	9/21	1.4	28	35.2	20.0	63.0	24.8		
GOLDEN HARVEST	H 3960 RR	38.5	9/21	1.6	31	35.2	19.8	54.9	22.0	46.9	50.4
GREAT LAKES	GL 3819 RR	43.3	9/25	1.6	28	35.1	20.0	61.9	24.7		
HOBLIT	HB 364 NRR	37.8	9/24	1.4	27	35.1	19.3	54.9	20.7		
HORIZON	H 357 NRR	37.6	9/22	1.5	27	35.4	19.0	57.1	18.0		
HORIZON	H 394 NRR	38.0	9/21	1.7	33	36.0	19.4	56.7	19.2		
KITCHEN	KSC 3706 CRR	44.4	9/21	1.5	30	36.2	19.1	60.2	28.6	49.2	
KITCHEN	KSC 3736 CRR	39.7	9/22	1.7	29	37.4	18.5	60.1	19.4		
KITCHEN	KSC 3926 CRR	37.4	9/22	1.7	32	36.2	19.3	56.9	17.9	46.7	
KRUGER	EX 389 RR/SCN	40.2	9/23	1.5	29	37.0	18.7	58.1	22.4		
KRUGER	EX 389+ RR/SCN	41.9	9/22	1.7	28	36.9	18.3	63.6	20.1		
KRUGER	K-373+ RR	36.5	9/19	1.5	27	37.0	18.0	56.7	16.3	43.5	50.2
KRUGER	K-377 RR/SCN	39.6	9/22	1.7	28	35.3	19.2	61.2	18.1	44.9	
KRUGER	K-377+ RR/SCN	37.2	9/24	1.5	27	35.2	19.1	56.9	17.5	44.6	
KRUGER	K-380 RR/SCN	41.1	9/21	1.5	28	35.6	19.9	57.7	24.6		
KRUGER	K-383-3 RR/SCN	33.6	9/21	1.5	28	36.7	19.0	53.3	13.8	46.5	
KRUGER	K-388 RR/SCN	36.1	9/18	1.6	29	35.2	19.4	57.6	14.7	41.5	
KRUGER	K-401 RR/SCN	43.6	9/21	1.5	27	35.7	19.9	61.8	25.3	52.3	
LEWIS	3715 RR	42.5	9/22	1.8	28	37.1	18.9	63.6	21.5		
MERSCHMAN	KENNEDY VI RR	37.1	9/22	1.6	28	35.5	19.4	55.4	18.8		
MERSCHMAN	ROOSEVELT III RR	44.6	9/26	1.7	34	34.7	19.6	65.3	24.0	53.0	
MERSCHMAN	WASHINGTON VIII RR	39.6	9/19	1.5	27	35.3	19.4	58.9	20.3		
MIDWEST SEED GEN	GR 3931	43.1	9/21	1.4	27	35.1	19.9	62.5	23.7	51.8	
MILES	SC JORDAN	38.0	9/22	1.6	28	35.4	19.0	57.6	18.5		
MILES	SC SOLOMON	38.7	9/20	1.7	32	35.1	19.0	56.5	21.0		
PIONEER	93B67	41.9	9/20	1.6	33	37.3	17.3	63.4	20.4	48.2	
PIONEER	93B85	41.6	9/25	1.7	30	34.4	19.7	63.4	19.9		
STINE	S 3632-4	37.1	9/24	1.4	28	35.2	19.2	56.6	17.5	45.8	
THOMPSON	T-3737 RR/N	40.1	9/20	1.6	30	37.2	18.5	60.5	19.7		
THOMPSON	T-3909 RR/N	40.4	9/22	1.5	30	34.6	19.1	63.2	17.6		
THOMPSON	T-3929 RR/N	40.8	9/22	1.7	29	34.9	19.1	61.7	19.9		
THOMPSON	T-3999 RR/N	43.6	9/22	1.6	28	35.3	19.9	61.4	25.9		
TRISLER	TRISOY 3911 RR	37.4	9/22	1.7	32	35.8	19.4	55.7	19.0		
UAP	DG 3390 NRR	43.1	9/22	1.5	29	35.3	19.8	60.5	25.7	51.2	
UAP	DG 3399+ RR	40.6	9/20	1.5	28	35.1	19.2	61.6	19.5	43.8	
UNITED SUPPLIERS	US S3703 RR	38.6	9/25	1.7	27	35.2	19.3	57.1	20.2		
VIGORO	V 363 NRR	38.6	9/22	1.6	27	35.1	19.3	58.6	18.5		
VIGORO	V 393 NRR	37.1	9/22	1.6	33	36.6	19.2	56.3	17.9	45.8	
WILLCROSS	RR 2373 N	39.0	9/23	1.5	29	37.2	18.4	57.8	20.2		
WILLCROSS	RR 2392 N	42.0	9/22	1.5	28	35.4	19.8	60.6	23.5		
	AVERAGE	39.9	9/22	1.6	29	35.8	19.2	59.1	20.7	47.4	51.2
	L.S.D. 25% LEVEL	2.8		0.2	2	0.6	0.5	3.0	1.7		
	COEFF. OF VAR (%)	10.4		16.6	8	2.5	3.8	5.3	8.6		

**2002 Soybean Test Results**  
**Region 4: Roundup Resistant (30-inch row spacing)**

COMPANY	VARIETY	Yield bu/a	Maturity Date	Regional Results				Oil @13%	Belleville Yield bu/a	Brownstown Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a
				Lodging	Height in	Protein @13%						
<b>MATURITY GROUP 4</b>												
AGVENTURE	6441 NRR	39.4	9/24	1.5	35	33.7	21.0	59.0	19.8			
ASGROW	AG 4201	39.8	9/22	1.6	32	35.9	19.8	61.2	18.4			
ASGROW	AG 4403	42.0	9/28	1.4	34	34.0	21.0	63.0	20.9	48.0	53.5	
ASGROW	AG 4603	42.2	9/23	1.7	34	34.8	19.1	63.7	20.7			
BAKER	4135 CRR	40.2	9/22	1.3	28	36.2	19.9	59.6	20.8			
BAKER	4425 CRR	42.5	9/29	1.5	33	33.7	20.9	63.7	21.3	49.6		
BAKER	4825 CRR	39.6	9/26	1.8	38	35.7	19.1	60.3	19.0	50.1		
BECK'S	437 NRR	42.7	9/27	1.7	34	34.7	20.6	63.6	21.7	51.5		
BERGMANN-TAYLOR	BT 402 CR	38.4	9/23	1.4	35	36.1	19.9	58.5	18.2	48.1		
BERGMANN-TAYLOR	BT 423 CRS	41.6	9/25	1.4	30	35.0	19.5	65.8	17.4			
BERGMANN-TAYLOR	BT 441 CR	42.3	9/24	1.5	34	34.1	20.7	63.5	21.2	49.4	55.3	
BERGMANN-TAYLOR	BT 480 R	37.9	9/29	2.0	38	34.8	20.2	58.4	17.5	44.6	49.9	
BIO GENE	BG 4200 NRS	42.5	9/27	1.7	29	34.7	19.9	66.1	19.0			
DEKALB	CX 480 CRR	40.5	9/30	1.7	37	35.6	19.3	61.1	19.9			
DEKALB	DKB 40-51	42.6	9/22	1.6	32	35.0	20.5	61.1	24.2	49.9		
DEKALB	DKB 44-51	40.9	9/28	1.5	33	33.8	20.8	60.1	21.7	49.7	55.7	
DELTA KING	4461 RR	44.3	9/25	1.8	35	34.3	20.2	67.3	21.3	52.1		
DELTA KING	4762 RR	42.2	10/2	1.8	43	36.7	19.5	58.8	25.6	46.5		
DELTA KING	4763 RR	45.7	9/24	1.8	34	36.8	19.2	65.4	26.0	54.7		
DELTA KING	4868 RR	40.9	9/29	1.4	34	35.4	19.5	59.9	21.9	49.1		
DELTA KING	4965 RR	43.2	10/2	1.8	33	37.2	19.1	61.9	24.5	49.5		
DELTA KING	XTJ 040 RR	37.6	9/22	1.5	35	36.0	19.8	58.9	16.3			
DELTA KING	XTJ 041 RR	43.4	9/25	1.4	30	34.5	20.1	65.7	21.2			
EXCEL	8404 NRR	38.8	9/20	1.7	36	36.2	19.6	59.1	18.5	46.1		
EXCEL	8448 NRR	41.3	9/25	1.6	30	35.0	19.7	61.9	20.7			
EXCEL	8462 RR	40.9	9/23	1.8	35	34.5	20.0	58.1	23.8			
FS HISOY	HS 4316	40.7	9/25	1.4	30	35.0	19.8	63.5	18.0	48.4		
FS HISOY	HS 4516	41.1	9/26	1.6	33	34.3	20.6	62.8	19.5	50.4		
FS HISOY	RT 4495	39.0	9/26	2.2	35	35.5	20.1	54.9	23.2	48.9	52.1	
FS HISOY	RT 4895	40.9	9/30	1.9	37	35.5	19.1	62.3	19.4			
FS HISOY	X 4026	46.8	9/22	1.8	34	34.5	20.3	68.4	25.2			
FS HISOY	X 4028	40.4	9/23	1.5	29	35.7	20.3	62.7	18.2			
FS HISOY	X 4228	42.6	9/26	1.4	30	35.1	19.6	67.7	17.6			
FS HISOY	X 4626	39.1	9/25	1.4	32	36.3	19.7	59.2	18.9			
FS HISOY	X 4826	41.7	9/26	1.8	35	36.6	19.4	65.0	18.4			
GARST	4512 RR/N	40.9	9/28	1.6	33	34.7	20.6	60.7	21.1	48.5		
GARST	D 484 RR/N	42.6	9/27	1.8	37	35.5	19.4	63.5	21.8	50.1	54.3	
GATEWAY	4R445	39.9	9/28	1.6	34	34.3	20.7	59.5	20.4	48.9		
GATEWAY	4R483	41.2	9/30	1.7	37	35.7	19.3	63.3	19.1	49.7	53.1	
GOLDEN HARVEST	H 4534 RR	41.5	9/24	1.3	33	33.4	21.2	62.7	20.3	49.2		
GOLDEN HARVEST	H 4772 RR	43.5	9/24	1.6	34	36.3	19.3	63.4	23.6			
GOLDEN HARVEST	H 4850 RR	40.5	9/26	1.9	38	36.1	19.1	62.2	18.8	50.4		
GOLDEN HARVEST	X 24368 RR	38.8	9/27	1.4	29	36.0	20.2	60.2	17.5			
HORIZON	H 415 NRR	44.7	9/25	1.4	33	35.5	20.3	64.5	24.9			
HORIZON	H 424 NRR	41.6	9/20	1.4	30	34.9	19.9	65.1	18.2			
HORIZON	H 444 NRR	40.6	9/24	1.6	33	34.1	20.8	61.4	19.7			
HORIZON	H 481 NRR	39.3	9/26	1.7	37	36.0	18.8	61.1	17.5			
KITCHEN	KSC 4226 CRR	41.7	9/24	1.6	34	34.4	20.7	63.9	19.4	50.1		
KRUGER	EX 410 RR/SCN	43.0	9/22	1.5	29	35.4	19.7	64.5	21.4			
KRUGER	EX 464 RR/SCN	39.0	9/29	1.5	32	36.6	19.7	58.3	19.6			
KRUGER	EX 477 RR/SCN	43.6	9/26	1.8	35	36.3	19.5	63.6	23.6			
KRUGER	EX 484 RR/SCN	41.6	9/26	1.7	36	36.9	19.4	64.5	18.6			
KRUGER	K-410A RR/SCN	39.0	9/22	1.6	30	36.2	19.5	59.1	18.8			
KRUGER	K-422 RR	42.6	9/26	1.9	30	35.1	19.8	65.0	20.2			
KRUGER	K-424 RR/SCN	40.7	9/22	1.4	30	34.9	19.5	62.1	19.3			
KRUGER	K-430 RR/SCN	44.4	9/22	1.3	30	35.2	19.6	66.5	22.3			
KRUGER	K-443 RR/SCN	38.9	9/25	1.5	29	35.6	20.2	60.8	16.9	48.9		
KRUGER	K-443-3 RR/SCN	42.8	9/26	1.4	33	34.2	21.0	63.5	22.0	49.5		
LEWIS	4005 RR	39.7	9/23	1.6	35	36.3	19.8	59.7	19.7			
LEWIS	4259 RR	42.0	9/22	1.6	31	34.9	19.3	66.6	17.5			
M & D SEED	9470 RR	41.8	9/28	1.7	36	35.0	19.9	60.5	23.1			
MERSCHMAN	AUSTIN RR	42.2	9/22	1.3	30	35.4	19.3	65.1	19.2			
MERSCHMAN	DALLAS RR	42.8	9/28	1.8	36	36.5	19.5	65.4	20.3			
MERSCHMAN	DENVER RRSTS	42.4	9/25	2.0	37	35.4	19.7	63.7	21.0	49.2	54.0	
MERSCHMAN	HOUSTON VIRRSTS	42.5	9/24	1.5	29	35.1	19.8	65.4	19.6	50.5		
MERSCHMAN	PHOENIX III RR	42.2	9/28	1.5	29	34.8	20.1	63.6	20.8			
MILES	SC SILAS	40.5	9/25	1.3	33	33.7	21.0	60.0	21.0			
MILES	SC TITUS	41.4	9/26	1.8	39	35.6	19.3	62.9	20.0	50.9		
PIONEER	94B13	39.1	9/21	1.8	33	35.0	19.5	59.3	18.9			
PIONEER	94B54	39.8	9/24	1.7	36	36.2	19.6	61.8	17.9			
STEYER	4410 RRSCN	41.4	9/28	1.5	34	33.8	21.0	61.7	21.1	48.3		

2002 Soybean Test Results

Region 4: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY	Yield bu/a	Maturity Date	Regional Results		Protein @13%	Oil @13%	Belleville Yield bu/a	Brownstown Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a
				Lodging	Height in						
STEYER	4700 RRTSSCN	40.9	9/22	1.6	34	36.2	19.5	60.6	21.1		
STINE	S 4202-4	42.2	9/25	1.5	31	35.0	19.7	65.1	19.3	50.2	
STINE	S 4882-4	41.3	9/29	1.8	34	36.4	19.6	63.9	18.6		
STONE	HC-2441 NRR	42.9	9/30	1.7	35	34.3	20.7	65.1	20.7	50.4	
THOMPSON	T-4212 RR/N	39.5	9/27	1.5	30	36.0	19.8	59.6	19.3		
THOMPSON	T-4333 RR/N	39.9	9/22	1.4	31	35.2	19.7	60.7	19.2		
THOMPSON	T-4444 RR/N	41.1	9/24	1.7	34	34.0	20.8	62.8	19.4		
THOMPSON	T-4777 RR/N	41.0	9/25	1.9	35	36.8	19.4	64.0	18.1		
THOMPSON	T-4848 RR/N	43.5	9/28	1.5	33	36.4	19.4	64.0	23.1		
TRISLER	TRISOY 4227 RR	42.5	9/30	1.6	29	34.9	19.7	67.0	17.9		
TRISLER	TRISOY 4314 RR	41.3	9/29	1.6	34	33.9	21.0	62.6	19.9		
UAP	DG 3437 NRR	40.1	9/22	1.5	29	34.7	19.9	62.5	17.7	47.3	
UAP	DG 3443 NRR	42.7	9/26	1.6	35	33.5	21.3	63.2	22.1	49.5	
UAP	DG 3484 NRR	41.4	9/26	1.8	36	35.5	19.3	62.5	20.4	50.4	
UNITED SUPPLIERS	US S4002 RR	43.2	9/25	1.8	35	35.5	20.1	61.5	24.9	47.5	
UNITED SUPPLIERS	US S4402 RR	42.7	9/27	1.7	35	34.3	20.8	64.0	21.4	50.0	
VIGORO	V 40N3 RR	38.6	9/27	1.3	29	36.5	19.7	60.1	17.2		
VIGORO	V 42N3 RR	43.0	9/25	1.6	33	35.3	19.4	66.8	19.2		
VIGORO	V 46N3 RR	39.5	9/24	1.5	32	36.2	19.7	58.6	20.4		
WILLCROSS	RR 2423 N	40.4	9/25	1.3	30	35.0	19.6	65.7	15.1		
WILLCROSS	RR 2432 N	41.9	9/26	1.6	34	33.7	20.9	62.7	21.2		
	AVERAGE	41.4	9/25	1.6	33	35.2	19.9	62.5	20.4	49.3	53.5
	L.S.D. 25% LEVEL	2.8		0.3	2	0.4	0.6	2.3	2.1		
	COEFF. OF VAR (%)	10.1		26.8	9	1.8	4.4	3.9	10.9		