

2002 Soybean Test Results
Region 5: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY	Yield bu/a	Maturity Date	Regional Results		Protein @13%	Oil @13%	Carbondale Yield bu/a	Dixon Springs Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a
				Lodging	Height in						
MATURITY GROUP 3											
ADLER	390 RRN	41.5	9/22	1.6	37	36.2	20.6	30.2	52.9		
DEKALB	DKB 38-52	39.8	9/21	1.8	33	35.7	20.7	21.2	58.3	50.0	
DELTA KING	3862 RR	42.0	9/21	1.3	36	36.3	20.9	32.2	51.7	47.1	
DELTA KING	3961 RR	38.9	9/21	1.8	36	38.1	19.5	28.7	49.1	46.9	
DELTA KING	3964 RR	39.2	9/19	1.8	38	35.6	20.4	29.7	48.7	47.4	
DELTA KING	3968 RR	41.2	9/22	1.6	31	35.5	20.9	26.9	55.6	51.3	
DELTA KING	XTJ 033 RR	33.7	9/19	1.4	29	37.2	19.8	26.6	40.8		
EXCEL	8393 NRR	38.8	9/23	1.3	32	35.9	21.4	31.0	46.6		
GARST	3712 RR/N	33.0	9/25	1.2	27	36.0	20.5	27.7	38.2		
KRUGER	EX 389 RR/SCN	46.4	9/23	1.8	33	37.8	19.5	31.5	61.3		
KRUGER	EX 389+ RR/SCN	43.1	9/21	1.9	32	37.2	19.6	25.9	60.2		
KRUGER	K-373+ RR	29.9	9/21	1.2	29	38.1	18.8	22.3	37.6	41.6	44.4
KRUGER	K-377+ RR/SCN	36.2	9/26	1.1	29	35.7	20.7	31.3	41.2	45.9	
KRUGER	K-380 RR/SCN	43.7	9/21	1.6	31	35.8	20.8	25.4	62.0	52.4	
KRUGER	K-383-3 RR/SCN	38.7	9/21	1.4	30	36.7	20.5	23.4	54.0	50.5	
KRUGER	K-388 RR/SCN	35.9	9/21	1.4	30	36.1	20.6	26.7	45.1	43.4	
KRUGER	K-401 RR/SCN	42.5	9/23	1.5	31	35.7	20.7	26.9	58.2	49.9	
MILES	SC JORDAN	34.5	9/26	1.2	29	36.0	20.7	28.8	40.2		
MILES	SC SOLOMON	35.0	9/20	1.5	34	36.2	19.9	29.4	40.5		
SOUTHERN STATES	RT 3702	37.0	9/22	1.8	34	36.5	20.7	24.9	49.0		
SOUTHERN STATES	RT 3799 N	38.5	9/21	1.9	35	36.0	20.4	22.0	55.1	47.0	48.5
SOUTHERN STATES	RT 3802 N	38.1	9/19	1.8	36	37.0	19.9	24.5	51.7		
SOUTHERN STATES	RT 3975	35.3	9/20	2.2	35	36.8	20.0	26.1	44.5	45.3	46.5
THOMPSON	T-3737 RR/N	43.0	9/21	1.8	30	37.8	19.5	29.7	56.2		
THOMPSON	T-3909 RR/N	45.9	9/26	1.5	31	35.2	20.4	27.4	64.5		
THOMPSON	T-3999 RR/N	40.5	9/25	1.9	34	35.4	20.7	19.1	61.8		
TRISLER	TRISOY 3911 RR	37.9	9/23	1.4	37	36.0	20.7	28.6	47.2		
TRISLER	TRISOY 3917 RR	40.5	9/23	1.7	36	35.2	20.9	29.6	51.4	48.6	
	AVERAGE	39.0	9/22	1.6	33	36.3	20.3	27.1	50.8	47.6	46.5
	L.S.D. 25% LEVEL	7.7		0.5	4	0.8	0.4	4.5	4.3		
	COEFF. OF VAR (%)	29.1		42.7	16	3.1	3.1	17.6	8.9		

MATURITY GROUP 4

ASGROW	AG 4201	41.5	10/1	2.6	36	35.3	19.0	23.6	59.3		
ASGROW	AG 4403	43.5	10/1	2.2	39	34.1	20.2	38.2	48.7	49.0	51.3
ASGROW	AG 4603	42.1	10/1	2.0	36	33.8	18.6	33.9	50.2		
BAKER	4425 CRR	41.1	9/30	2.3	37	33.9	20.4	37.8	44.5	47.2	
BAKER	4135 CRR	45.0	10/1	1.7	32	35.5	19.8	27.5	62.5		
BECK'S	437 NRR	39.1	9/29	1.8	36	34.5	20.3	30.0	48.1	47.1	
BIO GENE	BG 4401 NRR	40.4	10/1	2.1	37	34.8	20.3	29.2	51.5		
CROW'S	C 4417 R	40.2	9/30	2.1	36	34.4	20.2	32.6	47.8		
DEKALB	CX 480 CRR	41.0	10/2	2.5	41	35.1	19.0	31.9	50.0		
DEKALB	DKB 40-51	44.2	9/30	2.1	37	34.7	19.5	32.7	55.6	48.8	
DEKALB	DKB 44-51	39.7	9/30	2.1	37	34.4	20.2	29.3	50.1	47.5	51.1
DELTA & PINE LAND	DP 4344 RR	36.9	9/30	2.7	41	35.9	18.9	30.9	43.0	39.7	
DELTA & PINE LAND	DP 4690 RR	40.2	9/30	2.4	42	34.4	19.7	34.7	45.6	45.3	46.4
DELTA KING	4461 RR	38.1	9/29	2.1	39	34.0	20.1	29.2	47.0	47.4	
DELTA KING	4762 RR	41.0	10/5	2.7	48	36.0	19.0	37.6	44.4	38.6	
DELTA KING	4763 RR	44.1	10/1	2.5	37	36.3	18.7	32.9	55.4	51.9	
DELTA KING	4868 RR	40.3	9/30	2.0	36	35.4	19.2	35.0	45.7	49.4	
DELTA KING	4965 RR	40.6	10/1	2.7	37	35.8	18.9	34.9	46.2	45.4	
DELTA KING	XTJ 040 RR	38.7	9/28	2.3	37	35.7	19.8	30.2	47.2		
DELTA KING	XTJ 041 RR	47.9	9/30	1.6	31	34.9	19.6	33.0	62.7		
EXCEL	8420 NRR	34.3	9/30	3.0	37	37.1	18.3	28.0	40.5		
EXCEL	8448 NRR	47.2	10/1	1.8	32	34.9	19.7	34.5	59.9		
EXCEL	8462 RR	41.0	10/1	2.4	38	34.7	19.2	37.1	45.0		
EXCEL	8484 RR	36.7	9/30	2.1	32	33.1	18.7	29.5	43.9	41.1	
EXCEL	8499 NRR	41.1	9/29	2.3	38	34.5	19.9	33.3	49.0		
FS HISOY	HS 4316	45.4	10/2	1.9	33	34.9	19.4	31.0	59.8	52.1	
FS HISOY	HS 4516	39.7	9/30	1.9	36	34.3	20.1	30.2	49.1	47.2	
FS HISOY	RT 4495	38.9	10/1	3.2	37	35.1	19.8	30.3	47.4	47.5	51.1
FS HISOY	RT 4895	37.5	10/1	2.9	40	35.3	19.1	29.7	45.4		
FS HISOY	X 4026	38.9	9/27	2.3	35	34.8	19.2	33.1	44.6		
FS HISOY	X 4028	43.2	10/2	1.7	31	35.5	19.9	28.7	57.6		
FS HISOY	X 4228	50.3	9/30	1.9	33	34.7	19.2	35.1	65.5		
FS HISOY	X 4626	42.5	10/2	1.9	35	35.3	19.9	25.2	59.8		
FS HISOY	X 4826	46.2	9/30	2.6	37	36.0	18.9	35.9	56.5		
GARST	4512 RR/N	39.5	10/1	2.4	38	34.5	20.2	27.2	51.8	48.9	
GARST	D 484 RR/N	34.5	10/1	2.9	39	35.5	19.1	25.9	43.2	43.8	48.3
KRUGER	EX 410 RR/SCN	48.1	9/30	1.8	32	34.6	19.3	31.6	64.6		
KRUGER	EX 464 RR/SCN	46.6	9/30	1.7	34	35.2	19.9	29.2	63.9		
KRUGER	EX 477 RR/SCN	45.3	9/29	2.4	37	36.4	18.8	33.2	57.3		
KRUGER	EX 484 RR/SCN	38.6	10/1	2.4	38	36.6	19.0	28.0	49.2		
KRUGER	K-410A RR/SCN	45.1	9/28	1.6	33	35.4	19.9	27.2	63.1		
KRUGER	K-422 RR	46.6	10/1	1.7	34	34.3	19.6	33.0	60.3		
KRUGER	K-424 RR/SCN	46.1	10/1	1.8	33	35.2	19.2	27.8	64.4		

2002 Soybean Test Results
Region 5: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY	Yield bu/a	Maturity Date	Regional Results		Protein @13%	Oil @13%	Carbondale Yield bu/a	Dixon Springs Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a
				Lodging	Height in						
KRUGER	K-430 RR/SCN	45.8	9/30	1.7	31	34.9	19.5	34.5	57.2		
KRUGER	K-443 RR/SCN	47.4	10/1	1.9	32	35.4	20.3	34.9	59.8	44.4	
KRUGER	K-443-3 RR/SCN	40.0	10/1	1.9	38	34.8	20.5	30.2	49.7	48.7	
MIDWEST SEED GEN	GR 4752	45.7	9/30	2.5	36	36.4	19.0	30.2	61.3		
MILES	SC SILAS	40.1	9/29	2.1	38	33.6	20.4	30.4	49.8		
MILES	SC TITUS	36.1	10/1	3.0	38	35.2	19.1	29.1	43.1	43.1	47.0
PIONEER	94B54	37.7	10/1	2.9	38	35.9	19.1	35.2	40.1		
PIONEER	94B73	43.0	10/1	2.6	39	36.4	19.5	38.2	47.7		
PIONEER	94B74	37.0	9/30	2.8	39	36.1	19.4	27.9	46.0		
SOUTHERN STATES	RT 4098	35.1	10/1	1.9	34	35.7	19.7	28.7	41.5	38.5	44.0
SOUTHERN STATES	RT 446 N	35.0	9/29	2.5	38	36.2	18.6	28.6	41.4	39.9	42.1
SOUTHERN STATES	RT 4502 N	43.3	9/29	2.5	42	35.7	19.6	33.3	53.3		
SOUTHERN STATES	RT 4720 N	37.9	10/1	2.8	43	34.0	19.1	31.7	44.1		
SOUTHERN STATES	RT 4810 N	31.1	9/29	3.0	40	35.5	19.0	29.4	32.8		
SOUTHERN STATES	RT 4980	40.3	9/29	2.5	40	34.0	19.6	32.7	48.0	44.2	45.1
STEYER	4410 RRSCN	38.2	9/29	1.8	37	34.2	20.2	30.9	45.5		
STEYER	4700 RRSTSSCN	36.1	9/30	2.6	36	35.7	19.1	29.6	42.7		
STINE	S 4202-4	46.6	10/2	1.8	33	34.3	19.7	31.3	62.0	54.3	
STINE	S 4882-4	44.8	9/29	2.7	37	36.3	18.8	36.0	53.6		
THOMPSON	T-4212 RR/N	47.3	10/1	1.7	34	35.7	20.2	32.4	62.3		
THOMPSON	T-4300 RR/N	42.3	10/2	1.8	33	35.4	20.1	29.7	54.9		
THOMPSON	T-4333 RR/N	45.8	10/2	1.8	34	34.8	19.4	33.1	58.5		
THOMPSON	T-4444 RR/N	40.2	10/1	2.2	36	34.0	20.1	26.3	54.2		
THOMPSON	T-4545 RR/N	48.9	10/1	1.8	35	35.5	20.0	32.8	65.0		
THOMPSON	T-4777 RR/N	42.3	9/30	2.4	38	36.7	19.4	33.7	50.9		
THOMPSON	T-4848 RR/N	44.7	10/1	2.7	36	36.3	18.9	34.6	54.7		
TRISLER	TRISOY 4227 RR	47.8	10/1	1.7	34	34.4	19.5	31.1	64.4		
TRISLER	TRISOY 4314 RR	37.5	10/1	2.4	38	34.1	20.6	26.2	48.8		
TRISLER	TRISOY 4697 RR	35.6	10/1	2.8	37	35.3	19.1	28.8	42.4		
UAP	DG 3437 NRR	50.2	10/1	2.0	34	34.6	19.6	35.2	65.2	53.0	
UAP	DG 3443 NRR	37.0	9/30	2.1	35	34.3	20.3	31.3	42.6	47.2	
UAP	DG 3468 NRR	40.9	10/1	1.9	34	34.9	19.3	32.2	49.7	45.5	
UAP	DG 3484 NRR	43.2	10/1	2.6	41	35.1	19.0	34.7	51.7	47.8	
UNITED SUPPLIERS	US S4002 RR	41.5	9/26	2.0	35	34.8	19.9	28.1	54.8	45.9	
UNITED SUPPLIERS	US S4402 RR	38.9	9/29	2.2	36	34.2	20.3	32.1	45.7	47.5	
UNITED SUPPLIERS	US S4803 RR	44.4	10/1	2.7	39	36.1	19.2	37.5	51.3		
	AVERAGE	41.8	9/30	2.2	36	35.1	19.5	31.4	52.2	46.4	47.4
	L.S.D. 25% LEVEL	6.9		0.6	3	1.0	0.6	4.4	4.5		
	COEFF. OF VAR (%)	24.7		38.7	11	4.1	4.9	14.8	9.2		
MATURITY GROUP 5											
DELTA KING	5366 RR	46.1	10/16	2.6	36	34.9	19.1	41.1	51.1	48.5	
DELTA KING	5465 RR	43.3	10/12	2.4	34	34.6	19.4	38.2	48.4	47.3	
EXCEL	8517 NRR	44.0	10/9	2.3	40	35.6	19.6	34.9	53.1		
FS HISOY	X 5426	44.4	10/13	2.3	32	34.5	19.9	38.9	50.0		
SOUTHERN STATES	RT 5001 N	40.1	10/15	2.4	35	36.2	19.1	35.5	44.7	42.6	
	AVERAGE	43.6	10/13	2.4	35	35.2	19.4	37.7	49.5	46.1	
	L.S.D. 25% LEVEL	3.5		0.0	4	0.4	0.3	2.9	2.7		
	COEFF. OF VAR (%)	10.3		0.0	13	1.6	2.1	13.3	9.6		