

2003 Soybean Test Results

Region 3: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY*	Yield bu/a	Maturity Date	Regional Results			Oil @13%	Perry Yield bu/a	New Berlin Yield bu/a	Urbana Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a
				Lodging	Height in	Protein @13%						
MATURITY GROUP 2												
AGVENTURE	6275 NRR*	50.4	9/12	2.7	35	37.5	17.5	49.2	51.0	51.1		
AGVENTURE	6292 NRR*	53.7	9/15	1.5	34	36.9	18.6	53.8	54.9	52.4		
BECK'S	292 RR	56.1	9/14	1.5	33	36.2	19.3	55.1	61.3	52.0		
DAIRYLAND	DSR-277 RR	53.3	9/10	1.5	35	35.7	19.8	50.2	61.2	48.7		
DAIRYLAND	DST 2346 RR	53.4	9/15	1.9	37	36.7	18.6	48.2	59.6	52.3		
DIENER	D 2911 CR*	54.7	9/13	1.7	34	37.6	18.3	49.7	61.5	52.8		
EXCEL	8313 NRR*	54.5	9/14	2.4	38	36.1	18.7	52.3	57.3	54.1	58.5	
GOLDEN HARVEST	H 2811 RR	53.3	9/11	2.1	38	35.3	19.8	52.1	59.9	48.0	54.6	
GOLDEN HARVEST	H 2824 RR*	55.4	9/15	1.8	39	36.1	19.4	54.6	57.9	53.5		
GOLDEN HARVEST	H 2918 RR	54.4	9/14	1.6	36	37.7	18.3	53.0	58.8	51.4		
HOBLIT	HB 283 RR*	51.5	9/16	2.0	40	36.6	19.0	45.2	58.3	50.9		
HOBLIT	HB 293 NRR*	55.1	9/14	1.3	34	36.4	18.8	50.4	61.7	53.2		
KRUGER	282 RR/SCN	56.1	9/14	1.7	36	37.5	18.4	50.8	63.0	54.5	58.8	
KRUGER	282+ RR	55.4	9/14	1.6	34	36.2	19.7	53.8	59.9	52.7	59.1	
KRUGER	282+ RR/SCN	56.5	9/14	1.7	37	37.5	18.5	51.9	61.5	56.1		
KRUGER	288 RR/SCN*	53.6	9/11	1.6	37	38.5	18.0	49.9	58.9	51.8	57.9	58.3
KRUGER	288A RR/SCN	55.4	9/13	1.8	38	37.6	18.3	52.5	62.1	51.8		
KRUGER	289 RR/SCN	53.5	9/13	1.7	37	37.6	18.3	48.8	57.7	54.1		
KRUGER	289+ RR	57.6	9/14	1.4	36	34.9	19.5	54.5	63.8	54.7		
KRUGER	292 RR	56.1	9/13	1.5	32	36.3	19.3	51.6	62.6	54.0	56.5	
KRUGER	299 RR/SCN	57.0	9/13	1.8	37	36.2	19.2	56.2	58.4	56.3		
KRUGER	303 RR/SCN	56.7	9/11	1.4	34	36.5	19.0	54.0	63.5	52.6	56.7	57.5
MARTIN	M-328 NRR	56.5	9/12	1.9	37	37.6	18.4	52.3	63.6	53.6	60.1	
MERSCHMAN	APACHE VIII RR	54.3	9/11	1.6	33	37.0	18.3	51.2	59.8	51.9		
MERSCHMAN	CHEROKEE XRR*	54.1	9/11	1.3	33	36.7	18.9	50.9	60.3	51.3	55.8	56.9
MERSCHMAN	CHICKASAW VIII RR*	56.2	9/14	1.6	35	37.3	18.5	54.0	62.0	52.5		
MERSCHMAN	SIoux IRR	50.6	9/10	1.3	34	35.9	19.5	51.7	52.7	47.3		
NU-AG	292 NRR*	55.2	9/15	1.3	34	36.8	18.7	51.6	61.9	52.0		
STINE	S 2802-4*	55.0	9/13	1.3	34	36.4	18.9	51.7	60.1	53.3	57.2	57.6
STINE	S 2842-4	55.3	9/13	1.6	35	37.8	18.3	53.8	61.4	50.7	59.5	
TRISLER	TRISOY 2907 RR(CN)*	51.8	9/13	1.5	34	36.4	19.0	50.6	54.5	50.4		
UAP	DG 3263 RR*	52.4	9/9	1.5	38	36.2	19.1	49.7	57.8	49.6		
UAP	DG 3270 RR*	53.8	9/14	2.5	43	36.6	19.0	53.6	58.5	49.3	53.7	
VIGORO	V 29N3 RR	53.7	9/15	1.7	34	37.2	18.4	50.7	61.4	48.9		
WILKEN	2586 RR*	53.3	9/13	1.2	33	35.6	19.1	50.3	61.7	48.0		
WILKEN	2663 RR*	54.3	9/12	2.3	39	35.5	19.6	54.2	58.7	50.0	56.0	
WILKEN	2693 RR	53.1	9/14	1.5	33	35.7	19.6	49.9	60.2	49.3		
WILKEN	WX 134 NRR	52.5	9/15	1.8	38	36.6	18.5	52.9	54.1	50.4		
	AVERAGE	54.4	9/13	1.7	36	36.6	18.9	51.7	59.6	51.9	57.2	57.6
	L.S.D. 25% LEVEL	2.1		0.2	1	0.51	0.28	3.0	3.4	2.7		
	COEFF. OF VAR. (%)	7.0		21.9	7	2.5	2.7	6.2	6.0	5.5		

2003 Soybean Test Results

Region 3: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY*	Yield bu/a	Maturity Date	Regional Results			Oil @13%	Perry Yield bu/a	New Berlin Yield bu/a	Urbana Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a
				Lodging	Height in	Protein @13%						
	*ISPOB nominated variety											
MATURITY GROUP 3												
AGVENTURE	6322 NRR*	53.4	9/15	2.2	39	36.4	18.6	51.4	64.5	44.4		
AGVENTURE	6372 NRR*	63.9	9/21	2.3	38	35.9	19.0	61.5	71.6	58.7		
ASGROW	AG 3201*	52.9	9/15	2.3	40	35.0	19.4	52.3	58.6	47.9	58.2	59.9
ASGROW	AG 3202	57.9	9/17	2.8	41	35.2	19.4	54.0	67.4	52.4		
ASGROW	AG 3302*	53.2	9/15	2.7	41	36.3	19.0	51.4	60.4	47.9		
ASGROW	AG 3703	56.3	9/18	2.1	42	35.8	19.4	54.8	61.9	52.0		
BECK'S	323 RR*	58.6	9/15	2.4	38	36.4	19.9	55.0	67.0	53.7	61.6	62.1
BECK'S	367 NRR*	57.9	9/23	2.2	37	34.7	20.1	55.4	62.0	56.4	61.0	62.7
BECK'S	375 NRR	63.5	9/19	2.4	39	35.7	19.2	61.2	67.4	62.0		
BIO GENE	BG 3620 NRR	58.8	9/24	2.6	37	34.5	20.1	54.2	65.3	56.7		
CAMPBELL	313 RR*	53.9	9/15	2.0	38	35.6	19.2	49.4	61.2	50.9		
CROW'S	C 3117 R	53.7	9/16	2.5	41	35.8	18.9	50.8	63.4	46.8		
CROW'S	C 3315 R*	54.8	9/15	2.6	40	35.1	19.4	50.1	63.7	50.6		
CROW'S	C 3517 R*	57.0	9/17	1.9	38	35.3	19.8	56.9	63.0	50.9		
CROW'S	C 3717 R	63.1	9/21	2.2	38	35.9	19.0	60.9	70.9	57.6		
DAIRYLAND	DSR-301 RR*	55.5	9/16	2.5	41	35.5	19.9	51.1	64.7	50.6	60.0	60.0
DAIRYLAND	DSR-320 RR*	47.8	9/15	1.9	36	36.8	19.1	46.4	55.0	42.0	53.3	
DAIRYLAND	DSR-326 RR	54.0	9/18	2.2	41	36.6	19.1	50.3	62.1	49.7		
DAIRYLAND	DSR-345 RR	54.1	9/19	2.2	42	35.7	20.3	52.5	62.7	47.2		
DAIRYLAND	DSR-363 RR	54.3	9/20	2.3	39	36.0	19.0	48.1	59.2	55.5	59.4	60.0
DAIRYLAND	DSR-375 RR	54.2	9/23	2.5	43	35.6	19.2	51.6	62.6	48.5	55.7	57.8
DAIRYLAND	DSR-385 RR	61.6	9/24	1.6	37	35.2	20.1	59.2	71.1	54.6		
DAIRYLAND	DST 3150 RR	52.1	9/15	1.6	35	36.6	19.1	50.9	57.7	47.8		
DAIRYLAND	DST 3151 RR	52.3	9/14	2.9	37	36.5	18.7	49.3	58.1	49.3		
DEKALB	DKB 31-51*	57.4	9/16	2.3	38	36.0	20.1	57.7	62.7	51.8	62.0	62.1
DEKALB	DKB 31-52	53.3	9/16	2.4	40	36.1	18.8	48.9	64.0	47.0	58.0	
DEKALB	DKB 37-51	63.6	9/21	2.4	39	36.0	19.0	58.5	72.3	60.1		
DEKALB	DKB 38-52*	63.9	9/24	2.0	41	33.5	20.4	59.4	70.0	62.3	68.4	68.6
DIENER	D 3211 CR*	54.4	9/16	2.5	40	36.2	18.8	49.5	64.5	49.2		
EXCEL	8332 NNRR	53.4	9/17	2.4	39	36.6	19.0	48.2	60.7	51.5		
EXCEL	8334 NRR*	53.9	9/18	2.5	40	35.4	20.1	50.6	62.0	49.1	58.5	59.7
EXCEL	8342 NNRR	54.6	9/19	2.1	40	36.5	19.2	52.0	58.7	53.2		
EXCEL	8359 RR	54.1	9/19	2.3	41	35.5	20.6	50.1	61.5	50.6		
EXCEL	8362 NRR	56.3	9/25	2.7	42	34.8	19.4	53.7	62.9	52.2		
EXCEL	8363 NRR	52.0	9/21	2.7	43	35.3	19.1	53.4	55.1	47.5		
EXCEL	8364 RR	54.3	9/20	2.5	43	36.7	19.7	48.4	63.7	50.8		
EXCEL	8375 RR	54.5	9/23	2.3	43	35.4	20.1	55.5	60.5	47.4		
EXCEL	8384 NRR*	52.5	9/24	2.6	44	35.4	19.2	48.5	63.0	46.1	55.0	56.7
EXCEL	8393 NRR	54.8	9/25	2.0	39	35.2	20.2	50.4	62.6	51.6	59.3	
EXCEL	8416 NRR	58.2	9/23	1.4	37	35.0	20.3	53.5	66.9	54.1		
FS HISOY	HS 3226	53.2	9/15	2.3	39	36.1	18.8	52.1	64.5	43.1	58.0	

2003 Soybean Test Results

Region 3: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY*	Yield bu/a	Maturity Date	Regional Results			Oil @13%	Perry Yield bu/a	New Berlin Yield bu/a	Urbana Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a
				Lodging	Height in	Protein @13%						
	*ISPOB nominated variety											
FS HISOY	HS 3306*	56.0	9/17	2.7	41	35.1	19.2	50.8	66.1	51.0	60.4	61.5
FS HISOY	HS 3428	56.4	9/17	2.2	37	37.1	18.6	54.7	65.8	48.9		
FS HISOY	HS 3616	58.0	9/24	2.4	37	34.7	20.1	53.4	63.9	56.8	62.3	63.1
FS HISOY	HS 3706*	55.7	9/22	2.2	41	36.2	18.8	52.6	61.6	52.7	59.8	59.9
FS HISOY	HS 3726	64.2	9/22	2.2	39	35.9	19.0	58.8	69.9	64.0	68.3	
FS HISOY	HS 3916	61.9	9/24	2.1	41	33.5	20.5	57.6	67.6	60.5	66.7	67.5
FS HISOY	X 3135	57.3	9/16	2.5	41	34.7	20.0	53.6	67.1	51.3		
FS HISOY	X 3236	59.6	9/16	2.4	37	35.9	20.2	55.2	68.6	55.0		
FS HISOY	X 3535	52.9	9/17	2.3	42	35.5	20.5	52.6	57.3	48.6		
FS HISOY	X 3536	61.3	9/20	2.3	36	35.8	19.9	56.1	71.1	56.6		
FS HISOY	X 3936	64.1	9/25	2.6	39	34.6	20.4	58.3	74.1	59.9		
GARST	3712 RR/N	57.0	9/22	2.2	37	34.2	20.2	55.4	63.6	51.9	60.2	
GMA	SVI 3452 SCNRR	51.7	9/15	2.3	38	37.3	19.0	51.0	59.6	44.5		
GOLDEN HARVEST	H 3135 RR*	53.3	9/15	2.2	37	35.5	19.3	48.7	59.9	51.1	57.2	58.3
GOLDEN HARVEST	H 3281 RR	56.6	9/17	2.3	37	36.6	18.8	54.8	62.1	53.0		
GOLDEN HARVEST	H 3383 RR*	58.2	9/18	2.6	40	36.1	19.5	53.5	62.8	58.3	61.1	61.8
GOLDEN HARVEST	H 3631 RR	57.4	9/24	2.2	37	34.1	20.3	53.1	65.5	53.5	61.0	
GOLDEN HARVEST	H 3643 RR	53.3	9/18	2.8	40	36.3	18.7	51.9	59.2	48.7	59.5	
GOLDEN HARVEST	H 3945 RR*	59.8	9/21	1.8	40	33.6	20.5	55.3	64.9	59.2	65.3	
GOLDEN HARVEST	H 3983 RR	54.1	9/22	1.9	38	34.9	19.9	46.9	63.7	51.6	58.3	60.5
GOLDEN HARVEST	X 33588 RR	54.7	9/21	2.6	45	37.5	19.3	49.1	65.5	49.6		
GOLDEN HARVEST	X 33657 RR	51.9	9/21	2.5	39	34.2	19.5	51.9	57.0	46.8		
GREAT HEART	GT-318 CRR*	56.4	9/18	2.3	38	34.6	19.5	50.7	61.9	56.4		
GREAT HEART	GT-360 CRR*	62.0	9/20	2.4	37	35.5	19.3	58.3	68.2	59.6		
GREAT HEART	GT-382 CRR	62.4	9/25	2.4	38	34.1	20.6	59.5	66.8	60.9		
GREAT LAKES	GL 3209 RR*	54.6	9/16	2.4	40	36.4	18.6	52.2	64.7	46.8	59.1	
GREAT LAKES	GL 3619 RR*	57.9	9/18	2.1	44	36.2	18.3	55.6	63.8	54.4		
GREAT LAKES	GL 3819 RR	60.3	9/24	1.8	40	33.4	20.5	55.9	67.5	57.6		
HELENA	HS 3574 RR/N	59.5	9/22	2.0	37	35.9	19.9	56.2	70.0	52.3		
HELENA	HS 3612 RR/N	56.3	9/22	1.9	35	34.2	20.1	54.1	62.6	52.0		
HELENA	HS 3773 RR/N	63.7	9/22	2.3	39	35.9	19.1	60.4	72.4	58.4		
HELENA	HS 3974 RR/N	61.5	9/24	2.1	40	33.2	20.7	59.4	65.4	59.8		
HOBLIT	HB 323 NRR	53.0	9/14	2.5	40	36.2	18.8	48.7	61.8	48.4		
HOBLIT	HB 364 NRR	58.4	9/24	2.1	37	34.2	20.2	55.5	64.0	55.6		
HOBLIT	HB 376 NRR	65.0	9/24	2.5	39	35.9	19.1	58.7	74.6	61.7		
HORIZON	H 324 NRR	53.7	9/15	2.1	39	35.9	18.9	51.7	62.5	46.9		
HORIZON	H 328 NRR*	59.4	9/24	2.2	37	34.7	20.0	56.5	64.0	57.9	63.6	60.8
HORIZON	H 332 NRR	56.9	9/17	1.8	38	36.4	19.5	53.1	66.1	51.6	58.8	
HORIZON	H 341 RR*	50.6	9/17	2.1	36	36.1	19.1	44.7	57.5	49.6	54.7	56.7
HORIZON	H 352 NRR	59.2	9/19	2.2	36	35.6	19.9	54.3	68.6	54.7		
HORIZON	H 357 NRR*	58.0	9/24	2.3	36	34.7	20.0	54.7	66.6	52.8	62.7	
HORIZON	H 374 NRR	61.9	9/22	2.4	39	35.9	19.0	59.6	68.0	58.1		
HORIZON	H 387 NRR	58.1	9/25	2.0	37	34.8	20.1	56.0	63.5	54.7		
HORIZON	H 394 NRR	57.5	9/24	2.0	42	34.7	20.4	52.9	67.8	51.9	59.9	

2003 Soybean Test Results

Region 3: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY*	Yield bu/a	Maturity Date	Regional Results			Oil @13%	Perry Yield bu/a	New Berlin Yield bu/a	Urbana Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a
				Lodging	Height in	Protein @13%						
	*ISPOB nominated variety											
KITCHEN	KSC 3636 RR*	59.0	9/24	2.3	37	34.6	20.0	57.5	65.0	54.3		
KITCHEN	KSC 3736 CRR	63.6	9/22	2.4	40	35.8	19.1	59.5	70.7	60.7		
KITCHEN	KSC 3946 CRR	62.8	9/25	1.8	37	35.0	20.2	54.5	75.1	58.9		
KRUGER	318 RR	54.0	9/14	2.3	36	35.4	20.1	53.1	59.5	49.3		
KRUGER	322-2 RR	53.5	9/13	1.8	36	35.0	19.5	48.2	61.4	50.9		
KRUGER	323+ RR	53.1	9/14	2.0	38	35.6	19.2	49.1	59.5	50.8		
KRUGER	349 RR*	59.9	9/18	2.4	38	35.9	20.2	55.5	65.3	58.9	62.4	62.3
KRUGER	355 RR/SCN	60.2	9/20	2.3	37	36.3	19.6	55.9	70.8	53.8		
KRUGER	355+ RR/SCN	61.2	9/19	2.3	36	36.3	19.7	58.5	70.9	54.3		
KRUGER	367 RR	58.6	9/25	2.4	36	34.5	20.0	56.8	64.4	54.7		
KRUGER	379 RR/SCN	63.0	9/23	2.3	39	36.0	19.0	60.7	70.0	58.2	66.6	
KRUGER	380 RR/SCN	64.0	9/24	2.1	40	33.8	20.4	58.6	69.8	63.6	67.8	68.7
KRUGER	383 RR	53.6	9/22	2.2	39	34.8	19.6	53.0	59.2	48.5	58.6	
KRUGER	383+ RR	55.5	9/21	2.1	39	34.9	19.6	51.8	65.0	49.8		
KRUGER	388A RR/SCN	62.7	9/26	1.4	34	33.7	20.4	58.3	74.7	55.1		
KRUGER	390 RR/SCN	56.4	9/27	2.2	44	34.6	20.5	54.5	63.9	50.8		
KRUGER	393 RR/SCN	64.6	9/25	2.5	37	34.6	20.4	59.6	71.0	63.1		
KRUGER	393+ RR/SCN	64.3	9/24	2.6	38	34.7	20.4	61.1	70.7	61.2		
KRUGER	395 RR/SCN	59.9	9/21	2.1	43	36.0	18.5	56.9	65.6	57.2		
KRUGER	397 RR/SCN	54.0	9/23	2.9	41	35.5	20.1	53.3	57.9	50.8		
KRUGER	399+ RR/SCN	57.6	9/24	1.9	39	34.4	20.0	54.1	62.7	56.0		
KRUGER	401 RR/SCN*	58.6	9/21	2.2	41	33.5	20.5	57.9	60.5	57.3	64.9	66.7
KRUGER	404 RR	60.1	9/25	2.2	36	34.6	20.2	56.3	63.8	60.1		
LEWIS	3566 RR	62.0	9/19	2.2	36	36.1	19.8	57.5	72.0	56.4		
LEWIS	3677 RR*	58.2	9/25	2.4	37	34.3	20.1	55.4	64.5	54.7	62.6	64.7
LEWIS	3715 RR*	62.3	9/20	2.4	39	35.9	19.0	60.5	68.1	58.3	65.4	
LEWIS	3875 RR	65.1	9/25	2.5	38	34.8	20.3	60.1	71.5	63.6		
LEWIS	3944 RR	61.9	9/22	2.0	37	33.4	20.6	59.9	70.4	55.3		
LEWIS	3995 RR	57.4	9/22	2.3	36	34.9	20.0	54.6	66.4	51.1		
LEWIS	3999 RR*	56.5	9/25	1.8	39	34.7	19.9	50.0	66.8	52.7		
LG SEEDS	C 3655 RR*	57.6	9/23	2.3	36	34.4	20.1	53.2	65.0	54.7		
MARTIN	M-333 RR	54.0	9/18	1.8	35	34.7	20.0	54.1	63.0	44.9	57.9	
MARTIN	M-337 NRR	54.0	9/19	2.3	36	35.8	19.8	55.6	60.9	45.6	56.6	
MARTIN	M-432 NRR	53.5	9/18	2.6	38	36.3	19.4	53.6	59.7	47.2		
MARTIN	M-435 NRR	64.4	9/24	2.7	41	37.1	17.8	57.6	73.7	61.7		
MAVRICK	1363 RR*	60.3	9/24	2.0	37	34.4	20.1	57.3	65.8	57.8		
MAVRICK	2323 RR*	53.4	9/15	2.3	38	36.0	18.8	50.2	64.4	45.6		
MERSCHMAN	CLEVELAND VIIRR	57.7	9/24	2.0	36	34.6	20.2	55.2	61.6	56.4		
MERSCHMAN	COOLIDGE IIIIRR	56.8	9/18	2.6	39	36.3	19.4	51.9	64.9	53.6		
MERSCHMAN	GRANT IIIIRR	60.4	9/21	2.2	37	36.0	19.8	54.8	70.2	56.2		
MERSCHMAN	HOOVER VRR	54.2	9/17	1.9	38	35.4	19.7	55.1	60.4	47.0	60.1	
MERSCHMAN	JEFFERSON IIIIRR	52.5	9/16	2.1	38	35.4	19.2	50.2	59.9	47.3	56.8	57.7
MERSCHMAN	KENNEDY VIIRR*	56.1	9/24	2.4	36	34.6	20.0	54.1	60.1	54.0	60.1	62.3
MERSCHMAN	ROOSEVELT IIIIRR	57.3	9/26	2.8	41	33.8	19.4	56.5	61.3	54.1		

2003 Soybean Test Results

Region 3: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY*	Yield bu/a	Maturity Date	Regional Results			Oil @13%	Perry Yield bu/a	New Berlin Yield bu/a	Urbana Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a
				Lodging	Height in	Protein @13%						
MERSCHMAN	WASHINGTON IXRR	64.7	9/26	2.4	39	34.6	20.4	57.0	75.9	61.1	62.7	63.5
MIDWEST SEED GEN	GR 3131	54.6	9/14	2.3	40	36.4	18.6	51.9	64.0	47.7		
MIDWEST SEED GEN	GR 3731*	55.6	9/21	2.4	42	36.2	18.9	55.9	62.1	48.8		
MIDWEST SEED GEN	GR 3732*	64.6	9/23	2.2	38	36.0	19.0	60.4	74.2	59.2		
MIDWEST SEED GEN	GR 3931	61.4	9/22	1.9	39	33.2	20.7	57.8	69.7	56.5	66.2	
MWS	3049 RR*	51.2	9/13	2.0	35	36.5	18.6	48.0	59.8	45.8		
MWS	3266 CRR*	59.0	9/17	2.2	37	37.2	18.6	56.7	66.6	53.6		
MWS	327 CRR*	56.5	9/17	1.9	39	36.3	19.6	54.6	61.3	53.7		
NC+	3A41 RR*	50.6	9/19	2.1	36	36.6	19.0	46.7	58.5	46.6		
NC+	3A61 RR*	56.9	9/24	2.1	36	34.2	20.2	54.1	62.6	54.2		
NU-AG	323 NRR*	53.2	9/16	2.5	40	36.1	18.7	51.2	60.0	48.5		
NU-AG	373 NRR*	56.7	9/24	2.1	37	34.7	20.0	54.9	64.8	50.3		
NU-AG	374 NRR	65.1	9/23	2.3	39	36.0	19.0	62.5	71.8	60.9		
PATRIOT	34X09*	50.0	9/21	2.5	42	36.6	18.9	49.8	52.0	48.4		
PATRIOT	37X11*	59.2	9/23	2.1	42	35.4	18.7	56.1	64.9	56.4		
PIONEER	93B67*	55.8	9/17	2.3	43	35.5	18.8	53.3	64.9	49.0	60.7	62.2
PIONEER	93M90	60.6	9/21	2.0	43	34.6	19.5	56.6	69.9	55.2		
PRAIRIE BRAND	PB-3621 RR	58.5	9/23	2.1	37	34.5	20.1	56.8	63.1	55.6	61.7	62.7
PRAIRIE BRAND	PB-3683 NRR	60.9	9/20	2.1	36	35.8	19.9	58.0	68.3	56.6		
PRAIRIE BRAND	PB-3732 RR	63.2	9/22	2.4	40	35.6	19.2	60.0	70.9	58.6		
PRAIRIE BRAND	PB-3823 RR	55.3	9/19	1.9	39	34.7	19.6	53.9	61.1	50.9		
PRAIRIE BRAND	PB-3921 NRR	60.4	9/23	2.1	40	33.6	20.5	55.7	68.9	56.7	66.5	
SCHILLINGER	323.RC	54.6	9/15	2.5	40	36.3	18.7	53.5	63.0	47.4		
SCHILLINGER	353.RCP	59.8	9/19	2.3	37	35.9	19.9	56.0	68.2	55.2		
STEWART	SB 3999 R*	56.4	9/24	2.2	38	35.2	20.0	55.9	62.1	51.3		
STINE	S 3183-4*	54.2	9/16	2.1	38	35.2	19.4	49.3	62.3	50.9		
STINE	S 3532-4	60.2	9/20	2.2	36	35.7	20.0	56.6	68.3	55.8		
STINE	S 3832-4	63.7	9/26	2.5	38	34.5	20.3	55.6	73.4	62.0		
STONE	HC-2351 NRR	58.2	9/23	2.2	37	34.3	20.1	56.0	67.2	51.4	62.4	64.4
STONE	HC-2371 NRR*	56.5	9/20	2.5	40	36.1	18.9	53.3	62.9	53.4		
STONE	HC-2373 NRR	64.7	9/21	2.4	40	35.9	18.9	62.9	68.8	62.2		
STONE	HC-2394 NRR	64.0	9/24	2.6	39	34.6	20.4	58.9	71.9	61.0		
SYNGENTA	S 34-U4*	51.3	9/17	2.7	41	35.5	18.9	49.1	56.2	48.7		
SYNGENTA	S 37-N4*	59.6	9/25	2.3	44	36.0	18.7	54.6	68.3	55.7		
TRISLER	TRISOY 3222 RR(CN)	51.3	9/17	2.2	39	36.1	18.8	48.0	60.3	45.8	57.4	
TRISLER	TRISOY 3507 RR(CN)*	56.8	9/20	2.0	42	36.0	18.4	56.1	63.8	50.6	59.1	
TRISLER	TRISOY 3530 RR(CN)	64.0	9/23	2.4	39	35.7	19.1	59.3	69.9	62.8		
TRISLER	TRISOY 3717 RR(CN)	59.4	9/24	2.1	38	34.2	20.1	54.5	67.0	56.5	62.2	
TRISLER	TRISOY 3833 RR(CN)	65.0	9/25	2.4	38	34.5	20.4	61.6	73.5	59.9		
TRISLER	TRISOY 3917 RR(CN)*	54.8	9/23	2.4	45	35.4	19.2	51.7	61.5	51.2		
VIGORO	V 32N3 RR	53.3	9/17	2.2	39	35.8	18.8	49.3	62.8	47.8	58.4	
VIGORO	V 35N4 RR	60.7	9/18	2.2	35	35.7	20.0	56.3	71.7	54.1		
VIGORO	V 363 NRR	58.8	9/23	2.3	36	34.8	20.0	55.4	64.2	56.8	61.9	63.3
VIGORO	V 37N3 RR	63.7	9/22	2.3	38	36.0	19.0	60.9	68.9	61.4		

*ISPOB nominated variety

2003 Soybean Test Results

Region 3: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY*	Yield bu/a	Maturity Date	Regional Results				Perry Yield bu/a	New Berlin Yield bu/a	Urbana Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a
				Lodging	Height in	Protein @13%	Oil @13%					
	*ISPOB nominated variety											
VIGORO	V 39N4 RR	64.8	9/24	2.4	39	34.6	20.4	60.0	70.5	63.8		
WILKEN	3411 NRR	58.7	9/16	2.1	37	36.2	20.1	55.6	67.1	53.4		
WILKEN	3412 RR	51.2	9/15	1.9	34	37.1	18.6	50.4	57.7	45.5	54.8	
WILKEN	3419 NRR	55.4	9/16	2.7	41	34.8	19.5	53.0	61.2	52.0	60.0	
WILKEN	3421 NRR	53.9	9/15	2.6	41	36.2	18.6	51.0	62.9	47.9		
WILKEN	3445 RR	49.0	9/16	2.1	36	36.8	19.1	48.2	54.2	44.7		
WILKEN	3453 NRR	59.7	9/19	2.0	36	35.8	20.0	57.3	65.2	56.4		
WILKEN	3461 NRR	55.8	9/24	2.2	37	34.5	20.0	50.1	65.3	51.9	60.5	
WILKEN	3471 NRR	57.8	9/21	2.3	41	36.1	18.8	53.1	64.6	55.7	61.8	
WILKEN	3473 NRR	65.5	9/23	2.4	39	35.9	19.0	62.3	73.6	60.8		
WILKEN	3475 RR	54.0	9/23	2.1	38	35.0	19.4	52.5	60.6	49.0		
WILKEN	3491 NRR	65.2	9/24	2.7	40	34.7	20.3	61.7	73.6	60.2		
WILKEN	3499 NRR	58.4	9/23	2.2	39	33.5	20.6	57.4	64.8	53.1	65.0	
WILKEN	WX 137 RR	49.8	9/15	1.8	36	36.5	19.0	49.9	56.1	43.3		
WILKEN	WX 177 RR	57.3	9/17	2.7	39	35.4	18.9	52.9	64.3	54.8		
WILLCROSS	RR 2303 N	56.2	9/18	2.1	37	35.8	20.2	51.5	64.5	52.5		
WILLCROSS	RR 2323 N	55.6	9/15	2.4	40	36.0	18.7	52.9	66.4	47.5		
WILLCROSS	RR 2331 N*	56.2	9/17	2.5	41	35.2	19.4	51.5	64.6	52.6		
WILLCROSS	RR 2354 N	60.9	9/19	2.1	35	35.9	19.8	56.8	71.8	54.1		
WILLCROSS	RR 2362	63.6	9/25	2.6	39	34.4	20.4	61.9	71.6	57.3		
WILLCROSS	RR 2373 N	63.6	9/23	2.5	38	36.0	19.0	58.5	70.0	62.4	66.0	
WILLCROSS	RR 2392 N*	61.4	9/23	2.2	40	33.1	20.7	59.1	66.9	58.0	66.8	
	AVERAGE	57.6	9/20	2.3	39	35.4	19.6	54.5	65.0	53.4	61.0	
	L.S.D. 25% LEVEL	2.2		0.3	1	0.40	0.23	2.8	3.6	4.0		
	COEFF. OF VAR. (%)	7.1		21.6	5	2.1	2.1	5.4	5.8	7.9		
MATURITY GROUP 4												
BIO GENE	BG 4200 NRRST	62.2	9/27	1.5	37	33.9	20.0	54.9	71.2	60.4		
EXCEL	8411 NRR	58.0	9/26	2.4	45	34.8	18.9	49.0	67.3	57.7		
EXCEL	8427 NRR	63.1	9/26	1.4	36	33.4	20.2	58.4	70.0	61.0	66.0	
GARST	4112 RR/N	66.2	9/20	1.6	38	35.2	20.0	59.5	72.2	66.9		
GARST	4312 RR/N*	63.7	9/30	1.7	39	33.7	20.1	59.1	70.3	61.7		
HELENA	HS 4273 RR/N	63.0	9/27	1.7	38	33.6	20.1	60.3	69.0	59.7		
KITCHEN	KSC 4226 CRR*	58.2	10/1	2.3	45	33.8	19.6	52.1	63.8	58.8		
STINE	S 3932-4	60.1	9/25	2.0	37	34.4	20.1	54.1	65.7	60.5		
STINE	S 4032-4	59.1	9/25	1.8	40	34.2	19.9	53.2	61.1	63.1		
STONE	HC-2413 NRR*	62.6	9/27	1.8	40	35.0	20.0	56.0	67.9	63.9		
WILLCROSS	RR 2393 N	64.8	9/26	2.5	39	34.6	20.2	55.9	73.2	65.2		
	AVERAGE	61.9	9/26	1.9	39	34.2	19.9	55.7	68.4	61.7	66.0	
	L.S.D. 25% LEVEL	2.3		0.3	1	0.29	0.23	1.0	1.2	1.7		
	COEFF. OF VAR. (%)	6.8		32.3	7	1.5	2.1	3.1	3.0	4.9		