

2004 Soybean Test Results

Region 1: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY*	Yield bu/a	Maturity Date	Regional Results			Protein @13%	Oil @13%	Erie Yield bu/a	Mt.Morris Yield bu/a	DeKalb Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a
				Lodging	Height in								
MATURITY GROUP 1													
EXCEL	8192 RR	64.0	9/15	1.8	27	35.0	18.3	63.1	65.2	63.7			
KRUGER	181 RR/SCN	54.9	9/12	2.2	27	35.5	18.6	53.2	56.7	54.7			
KRUGER	195+ RR/SCN	60.3	9/12	2.0	27	33.5	19.8	58.9	62.9	59.2			
MERSCHMAN	VENUS RR	59.8	9/15	2.4	29	36.2	19.1	59.4	60.7	59.2	51.2	49.8	
WILKEN	1493 RR	56.3	9/14	1.7	26	33.9	19.0	53.2	62.6	53.0	51.1	47.7	
WILKEN	1991 NRR	51.8	9/9	2.2	27	35.6	18.5	53.8	53.5	48.2			
	AVERAGE	57.8	9/13	2.0	27	35.0	18.9	56.9	60.3	56.4	51.1	48.8	
	L.S.D. 25% LEVEL	2.2		0.2	2	0.74	0.30	2.6	1.2	1.5			
	COEFF. OF VAR. (%)	6.5		15.7	11	3.7	2.8	7.9	3.5	4.6			
MATURITY GROUP 2													
AGVENTURE	24J3 RR*	67.1	9/23	2.7	30	35.6	18.5	75.3	62.5	63.5			
ASGROW	AG 2801	66.9	9/20	2.3	35	35.2	18.5	74.3	65.0	61.4	56.0		
ATLAS	5B220 RR*	60.7	9/13	1.6	28	33.9	19.1	66.5	65.4	50.3			
ATLAS	5B242 RR*	61.8	9/19	2.4	30	34.7	18.8	65.9	60.1	59.2	50.3		
ATLAS	5B288 RR*	64.2	9/20	2.1	31	35.1	18.3	73.4	61.2	58.0	54.0		
CROW'S	C 2506 R*	70.3	9/22	2.1	32	35.3	18.5	79.9	69.1	61.9	54.4		
CROW'S	C 2615 R*	64.6	9/20	2.2	35	36.4	18.8	68.9	66.3	58.4	55.5	52.3	
CROW'S	C 2915 R*	68.2	9/24	2.0	31	35.0	18.3	73.7	68.8	62.0			
DAIRYLAND	DSR-221 RR	65.2	9/19	2.6	31	35.6	18.5	74.4	62.1	59.1	55.9	53.2	
DAIRYLAND	DSR-234 RR*	68.5	9/20	2.7	30	35.3	18.6	74.6	64.8	66.2	57.9		
DAIRYLAND	DSR-2500 RR	69.4	9/22	2.2	30	34.8	18.8	78.3	69.3	60.7			
DAIRYLAND	DSR-2501 RR	67.4	9/23	2.3	34	36.4	18.6	73.9	65.3	63.0			
DAIRYLAND	DSR-277 RR*	65.9	9/18	2.2	34	35.0	18.9	70.1	67.0	60.8	55.8		
DAIRYLAND	DSR-2801 RR	61.0	9/23	2.6	37	36.9	17.6	67.6	55.2	60.2			
DAIRYLAND	DST 26-000 RR	70.9	9/22	2.4	29	34.1	18.5	76.4	72.4	64.0			
DAIRYLAND	DST 28-000 RR	66.7	9/23	2.5	36	35.2	18.2	73.2	63.0	63.9			
DAIRYLAND	DST 29-000 RR	69.0	9/22	2.2	34	35.8	19.1	77.8	67.8	61.5			
DEKALB	DKB 28-52	67.5	9/22	2.5	35	33.8	19.3	71.2	66.0	65.4			
DEKALB	DKB 28-53	69.7	9/20	2.7	34	34.6	18.7	75.6	68.2	65.2			
DERAEDT	2121 RR*	66.9	9/21	2.8	30	35.3	18.7	72.2	66.4	62.2	57.9		
DERAEDT	2650 RR	68.4	9/24	2.5	32	34.3	18.6	72.0	66.0	67.2			
DERAEDT	2733 NRR*	64.5	9/23	2.3	33	36.9	18.4	70.9	63.1	59.6	55.4	53.2	
DERAEDT	2950 XRR	63.6	9/23	2.6	37	36.0	18.0	65.8	62.9	62.1			
DIENER	D 2356 RR	66.4	9/20	2.4	33	35.3	18.9	74.7	69.1	55.3			
DIENER	D 2605 CR	63.8	9/24	2.5	31	37.2	17.9	66.7	60.1	64.5			
DIENER	D 2615 RR	65.6	9/22	2.4	32	34.7	18.9	65.9	68.1	62.9			
EXCEL	8200 RR	66.0	9/19	2.5	31	35.4	18.6	71.8	64.3	61.7	56.2	53.7	

2004 Soybean Test Results

Region 1: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY*	Yield bu/a	Maturity Date	Regional Results			Protein @13%	Oil @13%	Erie Yield bu/a	Mt.Morris Yield bu/a	DeKalb Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a
				Lodging	Height in								
	*Producer Nominated												
EXCEL	8210 RR	71.4	9/17	2.3	32	35.1	18.5	78.7	68.2	67.4			
EXCEL	8211 NRR	67.7	9/18	2.3	33	34.9	19.0	74.6	67.8	60.7			
EXCEL	8226 RR	66.7	9/21	2.4	33	35.2	18.6	72.5	66.7	60.9	56.2		
EXCEL	8236 NRR	67.3	9/22	2.6	30	35.5	18.5	73.4	62.3	66.2	56.8		
EXCEL	8253 RR	67.5	9/23	2.2	30	34.6	18.8	78.5	64.0	60.1			
EXCEL	8259 RR	67.9	9/22	2.4	31	34.2	18.5	68.8	71.2	63.6			
EXCEL	8260 RR	67.4	9/21	2.3	32	36.4	18.6	73.9	64.6	63.7			
EXCEL	8280 RR	67.8	9/22	2.6	36	35.0	18.2	74.3	65.5	63.5			
EXCEL	8297 NNRR	60.2	9/25	2.5	37	36.7	17.7	68.2	59.8	52.5			
FARM ADVANTAGE	FA 7264	64.8	9/21	2.2	33	34.5	19.0	65.4	66.1	63.0			
FARM ADVANTAGE	FA 7284 N	62.6	9/21	2.5	36	35.4	18.5	66.7	61.6	59.4			
FARM ADVANTAGE	FA 7294	65.2	9/24	2.3	30	34.9	18.6	71.4	67.6	56.7			
FONTANELLE	8153 RR*	63.6	9/21	2.5	35	35.3	18.3	69.0	62.6	59.1	52.8		
FS HISOY	HS 2235	61.9	9/14	1.6	27	33.5	19.3	65.9	64.9	55.1			
FS HISOY	HS 2725	65.8	9/19	2.1	32	35.5	18.9	74.0	64.8	58.7	55.7	53.0	
FS HISOY	HS 2736	65.4	9/22	2.4	34	36.8	18.6	72.7	61.9	61.6	55.4		
FS HISOY	HS 2815*	62.0	9/21	2.5	32	34.7	18.2	66.8	64.1	55.1	54.0		
FS HISOY	HS 2826	63.0	9/23	2.3	35	37.3	18.1	70.6	57.5	61.0	53.6		
FS HISOY	X 2446	62.9	9/18	2.7	33	35.7	18.3	67.7	61.6	59.3			
FS HISOY	X 2646	64.4	9/24	2.4	31	37.2	18.1	69.9	62.3	61.0			
FS HISOY	X 2846	67.3	9/22	2.6	34	34.7	18.6	71.8	64.4	65.7			
GARST	2332 RR	66.6	9/22	2.5	32	35.5	18.5	69.8	67.5	62.6	56.0	52.6	
GARST	2812 RR/N*	64.3	9/23	2.2	34	37.1	18.2	72.8	58.9	61.0	54.6		
GARST	2903 RR	69.7	9/22	2.4	38	34.9	19.0	78.1	69.5	61.4	56.7		
GMA	SVI 2781 SCNRR	61.0	9/23	3.0	36	36.1	18.4	67.0	55.4	60.5			
GMA	SVI 2959 SCNRR	59.4	9/27	2.8	36	36.2	17.8	66.7	56.5	54.9			
GMA	SVI 58091 SCNRR	62.5	9/23	2.4	33	37.3	18.0	69.1	60.0	58.4	52.2		
GMA	SVI 91001 SCNRR	58.2	9/16	1.9	32	35.9	18.7	61.2	57.0	56.2			
GOLDEN HARVEST	H-2265 RR	63.7	9/11	1.6	27	33.7	19.2	71.5	63.5	56.2			
GOLDEN HARVEST	H-2436 RR*	64.3	9/19	2.1	32	33.7	18.7	72.5	64.9	55.6			
GOLDEN HARVEST	H-2448 RR*	67.5	9/20	2.6	28	35.2	18.7	75.0	63.9	63.5	57.2		
GOLDEN HARVEST	H-2531 RR	63.2	9/17	1.9	31	33.9	18.3	69.6	64.2	55.8	52.2		
GOLDEN HARVEST	H-2661 RR	66.1	9/23	2.3	31	37.2	17.9	70.2	64.7	63.5			
GOLDEN HARVEST	H-2712 RR	67.8	9/22	2.2	33	34.3	19.0	73.0	67.4	63.1			
GOLDEN HARVEST	H-2824 RR*	63.1	9/23	2.5	36	36.1	18.2	65.7	61.1	62.5	53.3	49.8	
GOLDEN HARVEST	H-2929 RR	63.6	9/21	2.1	33	34.9	18.1	67.0	64.2	59.5	55.6		
GOLDEN HARVEST	H-2954 RR	57.0	9/26	2.9	37	36.2	18.1	57.1	59.3	54.6			
GREAT LAKES	GL 2419 RR*	64.3	9/18	1.8	30	33.9	18.8	72.4	61.7	58.7	53.7		
GREAT LAKES	GL 2709 RR*	60.6	9/21	2.6	33	37.0	17.8	67.2	61.4	53.3			
GREAT LAKES	GL 2819 RR*	64.4	9/22	2.4	34	37.1	18.2	72.3	61.1	59.6			
HENKEL	SS 0202 RR*	66.3	9/21	2.5	31	35.5	18.5	72.5	64.0	62.3			
HENKEL	SS 3205 RR	67.5	9/20	2.7	31	35.1	18.6	75.1	64.9	62.5			

2004 Soybean Test Results

Region 1: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY*	Yield bu/a	Maturity Date	Regional Results			Protein @13%	Oil @13%	Erie Yield bu/a	Mt.Morris Yield bu/a	DeKalb Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a
				Lodging	Height in								
	*Producer Nominated												
HENKEL	SS 6401 RR*	64.9	9/19	2.4	33	36.0	18.8	69.8	63.2	61.6	55.9		
HENKEL	SS 8205 RR	60.8	9/25	2.5	37	36.7	17.7	62.9	60.6	58.9			
HENKEL	SS 8503 RR*	64.6	9/20	2.5	34	36.9	18.4	71.3	61.3	61.3			
HENKEL	SS 9304 RR*	60.7	9/25	2.6	34	36.0	17.9	61.3	60.7	60.0			
HENKEL	SS 9405 RR	66.6	9/22	2.6	34	34.7	18.6	68.5	66.2	65.3			
HORIZON	H 270 NRR*	66.1	9/21	2.4	34	35.6	18.3	70.6	63.1	64.5	53.5		
HORIZON	H 283 NRR*	65.8	9/21	2.7	36	34.7	18.6	69.7	65.4	62.4			
HORIZON	H 285 NRR*	63.8	9/22	2.1	33	36.8	18.4	73.0	59.9	58.5	53.8		
HUGHES	533 RR	66.4	9/19	2.5	32	34.3	19.2	71.9	67.5	59.7			
HUGHES	551 RR*	66.8	9/20	2.3	33	35.6	18.6	74.2	66.1	60.2	55.3	53.8	
HUGHES	612 RR*	63.5	9/19	2.3	34	34.7	19.0	68.8	63.5	58.2	53.7		
HUGHES	754 RR	64.4	9/21	2.4	33	35.7	18.2	63.2	68.8	61.4	52.6		
HUGHES	835 RR	58.5	9/25	2.5	38	36.6	17.8	66.1	57.3	52.2			
HUGHES	852 RR	65.8	9/22	2.4	35	36.8	18.3	74.5	62.8	60.1	54.9	52.1	
KALTENBERG	KB 251 RR	63.0	9/23	2.3	36	35.5	18.7	68.0	58.5	62.5	53.6		
KALTENBERG	KB 264 RR	63.3	9/20	2.6	33	35.5	18.3	65.9	61.4	62.4	51.6	51.4	
KALTENBERG	KB 275 RR	62.1	9/19	2.5	35	34.5	19.3	68.4	65.1	52.7	53.1	51.9	
KALTENBERG	KB 295 RR	63.8	9/25	2.8	35	36.6	18.3	68.8	61.2	61.6			
KRUGER	192 RR	60.3	9/13	1.6	26	33.7	19.1	72.9	60.3	47.7			
KRUGER	211+ RR	64.9	9/13	1.8	29	33.8	19.1	73.0	66.6	55.1	55.2	52.0	
KRUGER	223+ RR	61.1	9/13	1.5	26	33.8	19.2	64.0	59.6	59.8	53.1	50.3	
KRUGER	225 RR/SCN	63.4	9/18	2.9	34	36.2	18.8	69.0	64.8	56.4			
KRUGER	233+ RR	72.1	9/20	2.7	30	35.2	18.6	77.4	69.5	69.4	59.1		
KRUGER	234 RR	68.1	9/22	2.5	31	35.5	18.6	75.8	68.8	59.8			
KRUGER	241 RR/SCN	60.0	9/18	2.6	34	35.9	18.1	62.3	59.2	58.7			
KRUGER	243 RR/SCN	64.5	9/19	2.5	32	34.8	18.3	69.4	63.8	60.3			
KRUGER	252 RR	58.9	9/18	2.6	30	34.6	18.2	60.4	61.5	54.7	49.5		
KRUGER	257 RR	67.1	9/22	2.2	31	34.7	18.8	70.0	66.2	65.3			
KRUGER	261 RR/SCN	65.8	9/24	2.5	34	36.3	18.6	73.7	63.4	60.3			
KRUGER	263 RR	63.3	9/18	2.5	34	34.4	18.8	67.6	65.1	57.2			
KRUGER	265+ RR/SCN	62.8	9/20	2.7	38	35.5	18.3	68.9	60.2	59.3			
KRUGER	267 RR	62.8	9/20	2.8	36	35.6	18.4	72.1	59.4	57.0			
KRUGER	268+ RR	68.6	9/18	1.9	33	35.2	18.2	73.7	66.0	66.2			
KRUGER	270 RR	65.2	9/20	2.7	34	34.6	19.2	70.3	65.0	60.4	54.7		
KRUGER	273 RR	65.9	9/19	2.8	34	35.0	18.7	72.0	65.8	60.0			
KRUGER	277 RR/SCN	67.8	9/18	1.9	31	34.1	18.7	70.1	69.0	64.3			
KRUGER	277+ RR/SCN*	65.5	9/21	2.4	31	36.9	18.0	68.7	62.4	65.3			
KRUGER	277+A RR/SCN	67.4	9/22	2.4	31	36.9	18.0	72.8	64.0	65.4			
KRUGER	282 RR/SCN	65.0	9/23	2.4	34	37.0	18.3	71.9	61.1	62.1	55.7	52.8	
KRUGER	287 RR	67.2	9/21	2.1	34	35.7	18.9	71.7	66.8	63.3			
KRUGER	287 RR/SCN	66.4	9/23	2.8	35	34.7	18.7	71.1	63.0	65.2			
KRUGER	287A RR/SCN	66.9	9/22	2.7	34	34.6	18.7	69.3	65.1	66.2			

2004 Soybean Test Results

Region 1: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY*	Yield bu/a	Maturity Date	Regional Results			Protein @13%	Oil @13%	Erie Yield bu/a	Mt.Morris Yield bu/a	DeKalb Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a
				Lodging	Height in								
	*Producer Nominated												
KRUGER	288 RR/SCN*	66.7	9/20	2.4	34	36.7	18.5	74.5	61.7	63.8	56.6	53.6	
KRUGER	289+ RR	66.6	9/21	2.4	34	34.4	19.0	68.5	69.2	62.2	56.3		
KRUGER	292 RR	67.4	9/21	2.3	29	34.7	18.6	74.0	67.5	60.7	55.2	53.2	
KRUGER	297 RR/SCN	62.8	9/27	2.8	34	36.2	18.6	69.7	58.0	60.6			
KRUGER	297A RR/SCN	65.5	9/28	2.7	36	36.6	18.2	68.0	62.7	66.0			
KRUGER	298 RR	65.9	9/23	2.4	36	35.3	18.1	70.8	68.6	58.2			
KRUGER	299 RR/SCN*	62.6	9/25	2.6	35	36.0	17.8	63.6	62.9	61.2	52.0		
LATHAM	967 RR	62.3	9/19	2.4	35	34.5	19.2	72.4	62.3	52.3	54.0	52.7	
LATHAM	E 2635 R	65.2	9/19	2.9	34	35.1	18.8	72.4	66.7	56.5			
LATHAM	E 2811 RX	63.8	9/22	2.3	34	36.5	17.9	64.9	63.4	63.1			
LATHAM	E 2884 R	65.6	9/22	2.5	34	34.5	18.7	69.6	62.9	64.3			
LATHAM	L 2900 R	67.2	9/21	1.8	31	34.8	18.7	73.9	67.0	60.6			
LG SEEDS	C 2666 NRR*	66.5	9/21	2.3	33	35.6	18.3	72.5	65.0	61.9	53.8		
LG SEEDS	C 2777 NRR	65.6	9/23	2.6	34	34.9	18.5	70.1	63.6	63.1			
LG SEEDS	C 2844 NRR*	65.1	9/22	2.5	34	37.2	18.1	68.0	62.9	64.5			
MERSCHMAN	CHICKASAW VIII RR	64.4	9/22	2.3	35	36.9	18.3	74.9	59.6	58.7	54.3		
MERSCHMAN	MOHAWK RR	62.8	9/20	2.3	31	34.4	19.0	71.0	59.9	57.5	51.5		
MERSCHMAN	MOHEGAN IV RR*	64.7	9/24	2.6	36	37.0	18.8	66.9	61.5	65.5	54.7	51.6	
MERSCHMAN	MUNSEE IV RR	61.2	9/14	1.9	26	33.3	19.3	68.0	62.2	53.4	52.9		
MERSCHMAN	SHAWNEE 527 RR	66.8	9/20	2.3	31	36.8	18.1	73.3	65.3	61.9			
MERSCHMAN	SIOUX I RR	66.7	9/20	2.1	33	35.6	18.8	76.6	64.6	58.8	55.6	53.2	
NC+	2A44 RR*	63.3	9/17	2.2	29	34.8	18.8	63.3	64.5	62.1			
NK BRAND	S 24-K4*	62.5	9/17	2.3	31	33.7	19.1	69.2	62.1	56.1	52.4		
NK BRAND	S 27-T7*	66.6	9/21	2.0	30	34.2	19.4	71.8	66.3	61.6			
PIONEER	92M30	63.0	9/16	2.1	30	34.8	19.0	66.2	62.7	59.9			
PIONEER	92M40	65.7	9/16	1.5	31	34.9	18.8	75.4	63.1	58.6			
PIONEER	92M70*	66.4	9/20	2.5	34	34.2	19.1	73.8	64.4	60.9	56.1		
PIONEER	92M91*	64.5	9/21	2.2	32	33.6	20.3	72.3	69.0	52.1			
PIONEER	92M92	68.5	9/23	2.5	35	36.2	17.4	76.0	64.7	64.9			
PRAIRIE BRAND	PB-2243 RR	63.2	9/13	1.8	26	33.8	19.2	67.7	64.2	57.8	54.9		
PRAIRIE BRAND	PB-2443 RR	68.0	9/20	2.5	30	35.4	18.6	76.8	61.3	65.8	57.7		
PRAIRIE BRAND	PB-2534 RR	65.0	9/18	2.0	32	35.1	18.2	75.0	59.4	60.5			
PRAIRIE BRAND	PB-2643 RR	67.2	9/22	2.4	34	34.7	18.8	68.0	67.5	66.2	56.4		
PRAIRIE BRAND	PB-2732 RR	65.8	9/19	2.2	34	35.7	18.7	72.4	65.6	59.5			
PRAIRIE BRAND	PB-2794 NRR	66.8	9/22	2.8	36	34.8	18.6	71.3	62.7	66.3			
RENK	RS 223 RR	60.6	9/13	1.5	26	33.5	19.3	66.4	64.4	51.1	53.0		
RENK	RS 234 RR	59.8	9/14	1.8	27	33.7	19.1	67.7	59.6	52.1			
RENK	RS 244 NRR	62.4	9/17	2.4	33	34.7	18.3	66.4	63.9	56.9			
RENK	RS 253 RR	69.2	9/19	2.2	32	35.4	18.8	73.8	74.4	59.5	55.0		
RENK	RS 262 NRR	65.2	9/20	2.2	35	36.1	18.9	70.1	64.6	61.0			
RENK	RS 272 RR	67.9	9/21	2.3	32	34.7	19.5	73.8	67.8	62.2	56.6	54.0	
RENK	RS 293 RR	67.1	9/21	2.3	30	34.7	18.5	70.1	68.7	62.6	55.1		

2004 Soybean Test Results

Region 1: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY*	Yield bu/a	Maturity Date	Regional Results			Protein @13%	Oil @13%	Erie Yield bu/a	Mt.Morris Yield bu/a	DeKalb Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a
				Lodging	Height in								
	*Producer Nominated												
ROESCHLEY	5278 CRR*	67.2	9/22	2.2	35	37.0	18.1	79.0	62.1	60.5			
SIEBEN	CR 26	65.7	9/22	2.4	37	36.4	17.6	70.0	62.7	64.3			
SIEBEN	SS 2304 NRR*	66.2	9/20	2.7	30	35.3	18.5	74.3	61.5	62.8			
SIEBEN	SS 2805 NRR*	65.7	9/22	2.4	35	36.7	18.5	73.9	61.1	62.2			
STINE	S 2116-4	59.9	9/13	1.9	27	33.8	19.1	71.5	58.4	49.7			
STINE	S 2403-4	59.9	9/19	2.5	30	34.6	18.3	64.9	61.1	53.7			
STINE	S 2702-4	65.9	9/21	2.3	30	36.9	18.0	68.0	66.0	63.6			
STINE	S 2783-4	68.4	9/18	2.3	33	35.7	18.9	73.7	67.4	64.2	56.6	53.3	
STINE	S 2842-4*	63.4	9/23	2.5	34	37.3	18.1	69.8	59.3	61.2	54.9	52.6	
STINE	S 2912-4	68.3	9/24	2.8	34	36.2	18.8	71.5	66.8	66.5			
TRELAY	HC-2262 RR	66.1	9/22	2.1	33	34.9	18.9	68.6	66.3	63.4	55.3		
TRELAY	HC-2282 RR	63.7	9/21	2.2	32	34.6	18.3	66.9	67.8	56.4	56.0	53.8	
TRELAY	HC-2284 RR/SCN	66.7	9/21	2.7	36	34.5	18.7	72.6	66.7	60.7			
TRELAY	HC-2292 RR	67.6	9/25	2.6	39	35.5	19.2	70.7	70.7	61.4			
VIGORO	V 284 RR	64.7	9/21	2.7	36	33.8	19.2	64.7	66.9	62.6			
VIGORO	V 28N5 RR	67.0	9/22	2.6	35	34.8	18.6	70.9	65.3	64.8			
WILKEN	2217 RR	62.2	9/11	1.8	27	33.7	19.2	66.9	62.4	57.2	51.6	50.0	
WILKEN	2301 NRR*	62.6	9/14	2.1	30	34.0	19.5	67.3	61.1	59.5	52.8		
WILKEN	2321 NRR	61.8	9/17	2.7	31	36.4	19.0	63.4	59.9	62.0	51.3	49.5	
WILKEN	2574 RR	68.1	9/23	2.4	33	34.5	18.9	72.9	69.5	61.9			
WILKEN	2659 RR	62.0	9/22	2.6	30	34.6	18.3	68.7	60.7	56.6			
WILKEN	2671 NRR*	63.7	9/22	2.5	33	36.8	18.5	71.8	58.5	60.7	53.7		
WILKEN	2685 RR*	66.7	9/19	2.4	35	33.6	19.4	69.4	68.0	62.7	56.4		
WILKEN	2788 NRR*	64.9	9/22	2.4	34	37.0	18.3	73.9	61.0	59.7			
WILLCROSS	RR 2215	58.6	9/25	2.8	35	35.8	18.8	61.5	59.8	54.5			
WILLCROSS	RR 2254	62.1	9/20	2.4	34	34.0	19.3	67.7	64.2	54.3			
WILLCROSS	RR 2255 N	60.1	9/17	2.7	36	34.2	18.8	62.3	61.0	57.0			
WILLCROSS	RR 2272 N*	62.3	9/23	2.3	37	35.4	18.5	70.1	59.6	57.2			
WILLCROSS	RR 2274	68.4	9/20	2.2	32	34.3	18.8	73.2	70.9	60.9			
	AVERAGE	64.8	9/21	2.4	33	35.4	18.6	70.2	63.7	60.3	54.6	52.4	
	L.S.D. 25% LEVEL	2.9		0.2	1	0.35	0.18	4.3	2.7	4.1			
	COEFF. OF VAR. (%)	8.4		13.5	7	1.8	1.8	6.4	4.4	7.2			

MATURITY GROUP 3

ASGROW	AG 3101	62.4	9/25	2.5	37	37.4	17.1	59.5	64.7	63.2		
ASGROW	AG 3202*	60.8	9/26	2.9	39	35.1	18.3	53.5	64.6	64.4	51.3	
ATLAS	5B311 RR*	62.7	9/24	2.4	35	34.3	18.9	61.8	63.7	62.5	51.8	
DAIRYLAND	DSR-3002 RR	60.6	9/27	2.8	39	36.9	17.8	55.1	63.5	63.3		
DAIRYLAND	DSR-301 RR*	62.4	9/27	2.7	38	35.1	18.9	60.5	59.7	67.1		
DAIRYLAND	DSR-326 RR*	57.6	10/1	2.9	37	36.8	18.1	49.9	61.8	61.1	48.6	

2004 Soybean Test Results

Region 1: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY*	Yield bu/a	Maturity Date	Regional Results			Protein @13%	Oil @13%	Erie Yield bu/a	Mt.Morris Yield bu/a	DeKalb Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a
				Lodging	Height in								
	*Producer Nominated												
DEKALB	DKB 31-51*	64.8	9/29	2.6	36	36.4	18.7	63.1	63.0	68.4	56.8	56.2	
EXCEL	8302 RR	67.1	9/24	2.8	34	36.2	18.8	71.0	67.4	62.9			
FARM ADVANTAGE	FA 7316	68.5	9/26	2.7	37	34.4	18.7	69.1	68.9	67.4			
FS HISOY	HS 3135	68.8	9/25	2.8	37	34.3	18.7	70.5	67.1	68.9			
FS HISOY	HS 3236	67.1	9/28	2.7	34	36.3	18.6	68.3	65.2	67.8			
FS HISOY	X 3046	61.3	9/27	2.8	36	36.6	18.3	59.9	57.9	66.2			
GOLDEN HARVEST	H-3189 RR*	70.2	9/25	2.6	38	34.1	18.7	67.1	74.3	69.2			
HORIZON	H 301 RR	64.2	9/25	2.8	35	36.1	18.8	69.5	60.7	62.4			
KRUGER	313 RR/SCN	59.5	9/26	3.0	36	35.3	17.6	51.6	62.5	64.3			
KRUGER	328 RR	69.5	9/25	2.8	38	34.2	18.7	67.7	67.8	72.9			
KRUGER	341 RR/SCN	61.9	9/27	2.5	36	36.1	17.9	56.0	64.7	65.0			
KRUGER	343 RR/SCN	58.8	9/26	2.9	36	36.7	17.6	54.5	55.9	66.0			
KRUGER	346 RR/SCN	61.3	9/27	2.8	36	35.6	18.8	60.8	61.0	62.2			
KRUGER	346A RR/SCN	62.4	9/28	2.9	37	35.9	18.8	62.1	61.9	63.2			
KRUGER	349 RR*	63.9	9/30	2.7	36	36.3	18.7	61.5	60.4	69.8			
LATHAM	E 3157 R	68.1	9/24	2.7	37	34.4	18.8	66.3	71.1	67.1			
LATHAM	L 3140 R	64.9	9/26	2.8	36	36.1	18.1	64.8	65.1	64.7			
LATHAM	L 3445 R	62.0	9/29	2.5	34	36.1	18.5	59.4	64.5	62.1			
NK BRAND	S 31-V3*	65.8	9/26	2.7	35	36.4	17.7	64.0	64.3	69.1			
PIONEER	93M10*	64.2	9/24	3.0	39	34.5	18.8	69.2	61.1	62.3			
PIONEER	93M11	70.7	9/24	2.0	32	34.6	20.0	77.7	72.7	61.6			
SIEBEN	SS 3203 NRR	61.2	9/26	3.0	38	35.6	18.2	53.0	67.4	63.3			
STINE	S 3242-4	65.4	9/28	2.9	35	35.7	18.7	68.1	61.2	66.9			
TRELAY	HC-2303 RR	63.9	9/24	2.8	35	34.6	19.4	61.8	65.3	64.6			
VIGORO	V 315 RR	66.9	9/23	2.8	38	34.1	18.8	67.8	66.4	66.3			
WILLCROSS	RR 2331 N*	65.4	9/26	2.8	36	34.5	18.7	62.4	64.6	69.3			
WILLCROSS	RR 2335 N	62.0	9/29	2.7	38	36.8	17.4	59.6	61.1	65.4			
	AVERAGE	64.1	9/26	2.7	37	35.5	18.5	62.7	64.3	65.4	52.1	56.2	
	L.S.D. 25% LEVEL	3.7		0.2	1	0.39	0.22	5.1	3.4	3.3			
	COEFF. OF VAR. (%)	10.5		10.1	7	2.0	2.2	8.5	5.6	5.3			