

2004 Soybean Test Results

Region 3: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY*	Yield bu/a	Maturity Date	Regional Results			Oil @13%	Perry Yield bu/a	New Berlin Yield bu/a	Urbana Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a
				Lodging	Height in	Protein @13%						
MATURITY GROUP 2												
ASGROW	AG 2801	66.5	9/6	1.7	35	34.0	19.2	72.0	65.0	62.6		
ATLAS	5N289 RR*	62.8	9/5	2.0	34	35.7	18.7	64.3	65.7	58.5		
BECK	274 NRR	64.3	9/4	1.9	35	34.1	19.3	72.7	69.2	50.9		
BECK	295 NRR*	63.3	9/7	2.0	37	34.4	19.4	72.3	61.8	55.8		
GOLDEN HARVEST	H-2824 RR*	60.6	9/7	1.7	36	33.9	19.5	68.9	64.2	48.8	58.0	
GOLDEN HARVEST	H-2918 RR*	61.3	9/5	1.9	35	35.6	18.7	65.1	60.6	58.3	57.9	
HOBLIT	HB 293 NRR*	60.2	9/4	1.2	31	34.0	19.1	67.5	61.4	51.7	57.7	
HUBNER	H 291 NRR*	59.4	9/7	1.8	37	34.3	19.4	66.5	56.7	54.8		
KRUGER	265+ RR/SCN	60.9	9/3	2.1	38	34.2	18.8	68.1	60.9	53.5		
KRUGER	267 RR	59.0	8/31	2.8	35	34.6	19.1	65.4	62.2	49.2		
KRUGER	270 RR	62.6	9/3	2.1	38	33.3	19.8	68.7	62.3	56.9		
KRUGER	273 RR	61.9	9/1	2.0	35	34.7	19.2	65.8	66.3	53.5		
KRUGER	277 RR/SCN	55.3	9/3	1.4	30	33.2	19.6	62.8	55.6	47.6		
KRUGER	277+ RR/SCN*	66.2	9/4	1.6	33	35.6	18.9	71.2	69.1	58.3		
KRUGER	277+A RR/SCN	66.9	9/4	1.7	32	36.1	18.7	70.9	70.3	59.5		
KRUGER	282 RR/SCN	63.1	9/5	2.0	37	35.4	18.8	65.9	63.0	60.3	59.6	60.2
KRUGER	287 RR/SCN	65.5	9/5	1.9	36	34.0	19.3	71.7	67.9	56.8		
KRUGER	287A RR/SCN	67.7	9/3	2.1	37	34.3	19.2	73.7	70.3	59.0		
KRUGER	288 RR/SCN*	59.4	9/2	2.0	35	35.9	18.7	63.1	62.4	52.9	56.5	58.4
KRUGER	289+ RR	63.1	9/4	1.4	36	33.4	19.4	69.6	62.8	56.8	60.4	
KRUGER	292 RR	64.8	9/6	1.3	33	34.1	19.3	64.7	71.0	58.6	60.5	59.3
KRUGER	297 RR/SCN	67.1	9/7	2.1	39	34.7	19.2	69.6	64.6	67.1		
KRUGER	297A RR/SCN	64.1	9/6	2.3	37	35.0	19.2	65.2	64.6	62.7		
KRUGER	298 RR	61.5	9/6	1.8	39	34.3	19.1	66.4	64.2	53.8		
KRUGER	299 RR/SCN*	64.5	9/6	2.0	37	34.1	19.1	72.5	67.0	53.9	60.8	
LEWIS	2822*	60.4	9/3	2.0	36	35.8	18.6	62.2	62.3	56.7		
MARTIN	M-328 NRR	59.7	9/5	1.9	35	35.5	18.8	62.0	62.9	54.3	58.1	59.9
MERSCHMAN	CHEROKEE XRR*	63.6	9/4	1.5	32	33.9	19.2	66.7	65.0	59.2	58.9	58.4
MERSCHMAN	CHICKASAW VIII RR	63.0	9/4	2.1	36	35.9	18.6	64.0	64.7	60.3	59.6	
MERSCHMAN	MOHEGAN IV RR*	63.1	9/5	1.7	37	35.5	19.4	67.9	63.3	58.0		
MERSCHMAN	SHAWNEE 527 RR	65.7	9/5	1.6	32	35.6	19.0	73.4	65.2	58.5		
MERSCHMAN	SIoux I RR	58.9	9/4	1.4	33	33.7	19.9	67.8	60.6	48.3	54.8	
NU-AG	284 NRR*	60.3	9/5	2.0	35	35.9	18.6	63.5	63.7	53.6		
NU-AG	292 NRR*	59.0	9/6	1.5	32	33.7	19.3	65.5	60.4	51.1	57.1	
PIONEER	92M70*	64.7	9/4	2.0	35	33.4	19.6	71.1	68.7	54.3		
PIONEER	92M91*	62.5	9/3	1.4	36	32.6	20.9	69.8	65.6	52.0		
SIEBEN	SS 2805 NRR*	61.0	9/5	2.2	37	35.7	18.7	63.4	63.3	56.3		
STINE	S 2702-4	66.9	9/5	1.8	32	35.8	18.9	71.5	70.3	58.8		
STINE	S 2842-4*	59.8	9/6	1.9	35	35.7	18.8	64.5	60.7	54.1	57.6	59.6
STINE	S 2912-4	67.1	9/6	2.0	37	34.0	19.6	71.9	66.5	62.8		
VIGORO	V 28N5 RR	66.3	9/4	1.8	36	33.8	19.4	74.6	68.3	56.0		
WILKEN	2782 NRR	60.7	9/2	2.3	37	34.6	18.7	66.9	62.2	53.1		

*Producer Nominated

2004 Soybean Test Results

Region 3: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY*	Yield bu/a	Maturity Date	Regional Results			Oil @13%	Perry Yield bu/a	New Berlin Yield bu/a	Urbana Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a
				Lodging	Height in	Protein @13%						
	*Producer Nominated											
WILKEN	2791 NRR	60.0	9/4	2.1	36	35.4	18.8	62.0	62.8	55.3		
WILKEN	WX 134 NRR	58.3	9/4	1.9	38	34.3	18.7	62.4	57.8	54.5	55.4	
WILKEN	WX 300 RR	62.6	9/8	2.0	40	33.4	20.3	69.7	63.7	54.4		
	AVERAGE	62.5	9/4	1.9	35	34.7	19.1	67.4	64.1	56.0	58.2	59.3
	L.S.D. 25% LEVEL	2.9		0.2	1	0.52	0.23	2.4	3.1	3.2		
	COEFF. OF VAR. (%)	8.4		20.5	7	2.8	2.2	3.7	5.2	6.0		

MATURITY GROUP 3

AGSOURCE	9323*	62.0	9/9	1.9	41	33.7	18.8	69.5	59.2	57.3		
AGSOURCE	9354*	66.0	9/13	1.8	39	35.7	18.2	71.5	69.2	57.5		
AGSOURCE	9362*	67.4	9/15	2.2	37	32.7	20.1	74.5	67.1	60.7		
AGSOURCE	9394*	68.7	9/21	2.1	38	33.6	20.0	79.1	64.2	62.9		
AGVENTURE	34J1 NRR*	69.6	9/15	1.6	37	34.2	19.7	75.7	67.5	65.7		
AGVENTURE	39J3 NRR*	71.0	9/18	2.1	41	33.8	19.9	82.1	65.6	65.3		
ASGROW	AG 3101	62.2	9/7	1.6	40	35.4	18.2	70.1	59.5	56.9		
ASGROW	AG 3202*	64.3	9/9	2.2	42	32.7	19.6	73.9	62.5	56.4	61.1	
ASGROW	AG 3305	67.7	9/13	2.1	37	31.4	19.4	76.3	65.2	61.5		
ASGROW	AG 3602	67.0	9/14	2.0	41	34.9	17.9	72.4	66.5	62.2		
ASGROW	AG 3802	66.1	9/18	1.9	45	34.3	18.2	75.3	64.6	58.4		
ATLAS	5B381 NRR*	65.5	9/19	2.1	37	33.3	20.0	75.9	61.8	58.8		
ATLAS	5N327 RR*	63.5	9/8	1.8	38	34.0	20.0	69.8	62.9	57.8		
ATLAS	5N351 RR*	70.3	9/14	1.6	37	34.4	19.6	79.3	65.6	66.1		
BECK	323 RR*	65.2	9/10	1.9	38	33.8	20.1	70.8	63.3	61.5	61.9	62.8
BECK	354 NRR	66.6	9/15	1.7	41	35.8	17.9	76.4	61.9	61.5		
BECK	367 NRR*	68.0	9/17	2.4	38	32.4	20.2	75.6	65.6	62.9	63.0	63.3
BECK	375 NRR*	66.9	9/16	1.9	40	35.2	18.5	71.6	66.9	62.1	65.2	
BIO GENE	BG 3805 NRS	70.0	9/17	1.9	39	32.6	19.3	78.6	69.3	62.2		
CROW'S	C 3115 R*	63.5	9/7	1.2	36	33.6	18.8	67.1	67.4	56.1		
CROW'S	C 3117 R*	61.0	9/9	2.0	40	33.9	18.8	67.7	59.0	56.4	57.4	
DAIRYLAND	DSR-3000 RR	61.2	9/8	1.5	36	35.1	19.4	65.9	61.6	56.0		
DAIRYLAND	DSR-3500 RR	62.8	9/15	2.0	40	35.2	18.6	72.0	58.5	58.0		
DAIRYLAND	DSR-3501 RR	63.2	9/13	2.2	45	34.2	18.8	69.6	62.3	57.9		
DAIRYLAND	DSR-3600 RR	61.4	9/18	1.9	39	35.1	19.7	66.0	60.1	58.0		
DAIRYLAND	DSR-3800 RR	59.4	9/17	2.1	40	33.8	19.5	70.1	55.7	52.3		
DAIRYLAND	DSR-385 RR*	68.5	9/20	1.4	38	34.1	20.0	78.5	68.5	58.4	65.1	
DAIRYLAND	DST 34-001 RR	60.9	9/12	2.0	40	33.6	19.3	73.3	55.4	53.9		
DEKALB	DKB 31-51*	61.8	9/11	2.0	37	33.9	20.2	67.8	59.9	57.7	59.6	61.9
DEKALB	DKB 36-52	64.7	9/13	1.8	42	35.4	18.0	74.3	59.4	60.4		
DEKALB	DKB 38-52*	68.1	9/15	1.9	40	32.6	19.6	75.8	66.9	61.5	66.0	68.3
DIENER	D 3205 CR	65.0	9/11	1.9	41	34.3	18.7	74.7	61.9	58.3		
DIENER	D 3310 CR*	61.1	9/10	1.4	39	34.9	19.2	68.7	55.7	59.0		
DIENER	D 3315 RR	60.7	9/10	2.2	37	33.2	19.8	71.5	58.6	52.1		

2004 Soybean Test Results

Region 3: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY*	Yield bu/a	Maturity Date	Regional Results			Oil @13%	Perry Yield bu/a	New Berlin Yield bu/a	Urbana Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a
				Lodging	Height in	Protein @13%						
	*Producer Nominated											
DIENER	D 3405 CR	72.5	9/14	1.8	37	34.5	19.7	79.0	70.8	67.8		
DIENER	D 3668 CR	65.7	9/12	1.9	39	35.0	18.6	71.0	66.1	59.9		
DIENER	D 3899 CR*	59.0	9/18	1.9	44	33.8	19.2	68.6	56.7	51.6		
EXCEL	8374 RR CYSTX	64.1	9/14	2.1	39	33.0	19.2	72.0	64.1	56.2		
EXCEL	8376 RR	65.2	9/18	2.3	39	35.7	19.4	71.4	61.9	62.4		
EXCEL	8384 NRR	57.9	9/16	2.0	46	34.1	19.0	69.9	53.4	50.2	55.2	56.0
EXCEL	8390 NNRR	59.7	9/15	1.9	42	33.8	19.4	71.2	53.2	54.6		
FS HISOY	HS 3236	63.1	9/8	1.8	38	33.8	20.1	72.3	60.1	57.0	61.4	
FS HISOY	HS 3306*	63.5	9/9	2.0	41	32.3	19.9	72.4	59.4	58.7	59.8	61.4
FS HISOY	HS 3536	70.5	9/16	1.5	37	34.1	19.8	78.6	65.6	67.3	65.9	
FS HISOY	HS 3616	65.1	9/17	2.2	38	33.0	20.0	77.0	66.1	52.1	61.6	63.2
FS HISOY	HS 3706*	60.4	9/11	1.7	42	34.9	18.5	69.7	59.0	52.5	58.1	60.0
FS HISOY	HS 3726	66.0	9/13	2.1	40	35.5	18.4	72.4	68.4	57.2	65.1	67.5
FS HISOY	HS 3916	65.9	9/18	1.8	39	32.4	19.6	75.7	64.5	57.5	63.9	66.4
FS HISOY	HS 3936	70.0	9/17	2.1	38	33.7	19.9	76.1	68.7	65.1	67.1	
FS HISOY	X 3346	65.0	9/8	1.8	41	33.8	18.9	76.3	63.7	55.0		
FS HISOY	X 3446	63.7	9/14	1.9	39	33.7	19.6	73.9	61.7	55.5		
FS HISOY	X 3646	65.5	9/14	1.6	41	35.8	17.8	71.6	62.2	62.7		
FS HISOY	X 3846	69.7	9/17	1.8	40	32.4	19.4	78.2	67.9	63.0		
FS HISOY	X 3848	55.2	9/18	1.7	39	33.2	19.8	62.8	52.8	49.8		
GARST	3212 RR/N*	62.1	9/9	2.0	42	32.2	19.9	70.1	60.1	56.2		
GARST	3512 RR/N	69.8	9/15	1.7	37	34.3	19.7	78.1	64.3	67.1		
GARST	3624 RR/N	64.9	9/14	1.8	40	35.2	18.4	71.6	64.9	58.2		
GARST	3712 RR/N	66.8	9/15	2.1	37	32.8	20.0	71.8	66.6	62.0	61.9	62.4
GMA	SVI 3349 SCNRR	58.9	9/9	1.9	39	32.9	19.8	70.0	55.1	51.6		
GMA	SVI 3350 SCNRR	58.8	9/6	1.9	39	33.5	19.8	66.7	57.1	52.6		
GMA	SVI 3455 SCNRR	56.5	9/7	1.7	39	33.1	19.6	66.8	54.0	48.6		
GMA	SVI 3458 SCNRR	55.8	9/6	1.9	43	33.7	19.7	66.9	50.2	50.3		
GMA	SVI 3641 SCNRR	57.2	9/13	2.0	47	34.5	19.4	67.7	52.2	51.8		
GMA	SVI 3645 SCNRR	56.6	9/9	1.5	43	34.2	19.1	65.1	56.1	48.7		
GMA	SVI 3648 SCNRR	51.2	9/13	1.6	38	32.1	20.4	56.5	50.4	46.6		
GMA	SVI 3650 SCNRR	57.6	9/11	2.0	41	32.5	20.4	74.0	50.0	48.9		
GMA	SVI 3651 SCNRR	56.0	9/14	2.0	45	32.9	19.9	66.3	53.5	48.1		
GOLDEN HARVEST	H-3189 RR*	66.2	9/8	1.9	40	33.2	19.6	71.6	66.2	60.8		
GOLDEN HARVEST	H-3281 RR*	59.8	9/11	1.9	37	34.7	18.9	69.4	57.8	52.3	58.2	
GOLDEN HARVEST	H-3383 RR*	62.6	9/13	2.0	40	34.5	19.3	70.8	59.1	58.0	60.4	61.6
GOLDEN HARVEST	H-3505 RR	62.0	9/18	2.1	39	34.9	19.8	68.5	61.8	55.7		
GOLDEN HARVEST	H-3588 RR	60.5	9/17	2.4	43	36.0	19.3	68.9	57.6	55.0	57.6	
GOLDEN HARVEST	H-3606 RR*	64.5	9/14	1.9	40	34.8	18.6	71.6	60.7	61.2		
GOLDEN HARVEST	H-3631 RR*	63.9	9/13	2.2	37	32.1	20.2	73.7	60.5	57.5	60.7	62.0
GOLDEN HARVEST	H-3921 RR	69.5	9/21	1.5	40	35.1	19.6	75.6	68.0	64.8		
GOLDEN HARVEST	H-3945 RR*	66.1	9/16	1.8	41	32.6	19.5	76.9	59.8	61.7	63.0	65.6
GREAT HEART	GT-345 CRR*	68.7	9/15	1.6	36	34.2	19.7	76.5	63.5	66.2		
GREAT HEART	GT-360 CRR*	64.3	9/17	1.8	39	35.1	18.4	74.7	59.3	59.0	63.2	

2004 Soybean Test Results

Region 3: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY*	Yield bu/a	Maturity Date	Regional Results			Oil @13%	Perry Yield bu/a	New Berlin Yield bu/a	Urbana Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a
				Lodging	Height in	Protein @13%						
	*Producer Nominated											
GREAT LAKES	GL 3007 RR*	65.3	9/7	1.5	37	32.7	19.8	68.0	66.7	61.2		
GREAT LAKES	GL 3409 RR*	66.0	9/8	1.8	41	32.9	19.6	73.3	63.5	61.1		
GREAT LAKES	GL 3619 RR*	60.9	9/11	1.5	42	34.1	18.6	69.5	57.6	55.7	59.4	
GREAT LAKES	GL 3710 RR*	69.0	9/14	2.1	39	32.9	19.9	74.8	69.2	63.1		
GREAT LAKES	GL 3819 RR*	63.4	9/17	1.7	41	32.2	19.7	73.7	59.6	57.1	61.9	
HELENA	3773	68.9	9/13	1.9	39	35.5	18.4	75.3	68.6	62.8	66.3	
HOBLIT	HB 335 NRR	65.0	9/12	2.0	41	34.1	18.7	71.3	66.3	57.4		
HOBLIT	HB 355 NRR	73.3	9/13	1.8	37	35.1	19.4	77.4	73.1	69.2		
HOBLIT	HB 364 NRR*	67.1	9/16	2.1	38	32.4	20.1	77.3	62.1	61.8	62.8	
HOBLIT	HB 376 NRR	68.9	9/14	1.9	40	35.5	18.3	78.3	67.0	61.3	67.0	
HORIZON	H 324 NRR*	58.6	9/8	1.8	39	33.5	19.0	65.3	57.6	53.0	56.2	
HORIZON	H 328 NRR	65.2	9/17	2.2	39	32.7	20.0	72.2	63.1	60.2	62.3	64.1
HORIZON	H 333 NRR	64.7	9/11	1.8	42	34.3	18.7	73.7	62.2	58.2		
HORIZON	H 341 RR	62.0	9/13	2.1	38	33.5	19.4	69.0	60.0	57.0	56.3	57.1
HORIZON	H 352 NRR*	71.9	9/16	1.5	38	34.8	19.4	79.2	70.2	66.2	65.6	
HORIZON	H 357 NRR	67.2	9/18	2.1	38	32.4	20.1	75.0	65.3	61.3	62.6	64.2
HORIZON	H 374 NRR*	63.8	9/13	1.8	39	34.9	18.6	71.1	61.8	58.3	62.9	
HORIZON	H 387 NRR	67.3	9/17	1.9	37	33.4	20.0	77.7	65.1	59.1	62.7	
HORIZON	H 394 NRR	64.7	9/19	1.9	43	34.2	19.8	74.2	63.7	56.3	61.1	61.5
HUBNER	H 325 NRR*	59.7	9/8	1.8	40	33.1	19.1	67.8	56.5	54.8		
KITCHEN	KSC 3433 CRR*	62.7	9/7	1.5	42	34.6	18.4	67.2	64.0	57.0		
KITCHEN	KSC 3546 CRR*	69.3	9/14	1.5	37	34.0	19.8	79.5	64.1	64.3		
KITCHEN	KSC 3706 CRR*	58.1	9/13	1.6	41	34.3	18.9	70.4	51.4	52.5		
KRUGER	313 RR/SCN	64.6	9/10	2.4	40	33.6	18.6	71.2	61.4	61.1		
KRUGER	323 RR	61.8	9/9	1.6	38	31.8	20.0	69.6	59.3	56.5		
KRUGER	328 RR	62.5	9/9	1.8	40	33.0	19.7	66.6	63.4	57.4		
KRUGER	341 RR/SCN	64.6	9/12	1.7	37	34.6	19.0	71.3	64.4	58.1		
KRUGER	343 RR/SCN	61.2	9/13	1.8	37	35.1	18.8	68.7	59.8	55.2		
KRUGER	346 RR/SCN	65.0	9/13	1.9	41	33.9	19.6	74.8	62.2	57.9		
KRUGER	346A RR/SCN	64.4	9/13	1.9	39	33.9	19.6	73.5	60.6	59.0		
KRUGER	349 RR*	61.7	9/10	2.0	37	33.9	20.1	70.9	57.1	57.0	60.8	62.2
KRUGER	355 RR/SCN*	73.6	9/14	1.5	38	34.6	19.5	78.7	71.3	70.7	66.9	
KRUGER	363 RR/SCN	65.7	9/14	1.5	41	35.5	18.0	74.7	62.9	59.6		
KRUGER	373 RR	68.3	9/16	1.6	40	32.5	19.7	75.4	67.7	61.8		
KRUGER	375 RR	65.6	9/19	2.2	40	35.4	19.6	70.2	65.3	61.4		
KRUGER	379 RR/SCN	64.9	9/16	1.9	40	35.3	18.5	72.2	63.1	59.5	64.0	66.0
KRUGER	379A RR/SCN	65.3	9/15	1.9	40	35.3	18.4	74.9	57.3	63.7		
KRUGER	380 RR/SCN*	65.8	9/18	1.7	41	32.7	19.5	73.6	64.7	59.0	64.9	67.1
KRUGER	380A RR/SCN	65.8	9/18	1.7	41	32.4	19.6	74.4	65.4	57.6		
KRUGER	381 RR/SCN	65.2	9/18	1.7	44	34.3	19.5	74.4	61.4	59.9		
KRUGER	389 RR/SCN	69.3	9/16	1.7	40	32.6	19.3	75.9	67.8	64.1		
KRUGER	389A RR/SCN	68.8	9/17	1.8	38	32.6	19.4	74.0	69.4	63.0		
LEWIS	3308	60.7	9/11	1.8	41	34.0	18.8	73.3	55.9	53.0		
LEWIS	3444	63.5	9/13	1.5	37	35.3	18.7	69.8	65.0	55.7		

2004 Soybean Test Results

Region 3: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY*	Yield bu/a	Maturity Date	Regional Results			Oil @13%	Perry Yield bu/a	New Berlin Yield bu/a	Urbana Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a
				Lodging	Height in	Protein @13%						
	*Producer Nominated											
LEWIS	3513	63.9	9/13	2.1	39	34.0	19.5	70.4	61.6	59.7		
LEWIS	3566	70.8	9/16	1.5	37	34.3	19.7	78.5	69.0	65.0	66.4	
LEWIS	3677*	66.3	9/18	2.3	37	32.7	20.0	74.7	66.8	57.5	62.3	63.8
LEWIS	3715	66.3	9/16	1.9	40	35.0	18.6	74.2	63.8	61.0	64.3	65.7
LEWIS	3875	68.9	9/17	2.0	39	33.8	19.9	79.9	62.8	64.2	67.0	
LEWIS	3915*	63.7	9/22	1.8	45	33.5	18.7	73.7	58.8	58.5		
LEWIS	3944	65.7	9/19	1.8	40	32.8	19.5	77.8	65.1	54.3	63.8	
LEWIS	3995	65.5	9/19	2.0	38	33.3	19.9	75.2	63.3	58.2	61.5	
LG SEEDS	C 3110 NRR*	59.6	9/8	1.7	37	33.6	20.2	63.6	56.7	58.5		
LG SEEDS	C 3444 NRR*	73.4	9/14	1.5	36	34.8	19.5	78.4	74.5	67.4		
LG SEEDS	C 3655 RR*	67.0	9/16	1.9	37	32.6	20.1	75.4	64.6	61.0	62.3	
MARTIN	M-435 NRR	67.6	9/18	2.0	41	36.0	17.6	73.3	62.6	66.8	66.0	
MARTIN	M-533 RR	63.8	9/12	2.3	36	33.4	19.9	73.4	62.2	55.9		
MARTIN	M-538 NRR	68.4	9/18	1.8	40	32.3	19.5	77.3	65.2	62.5		
MERSCHMAN	CLEVELAND VIIRR	66.2	9/19	2.1	37	33.1	20.1	79.2	59.8	59.7	62.0	
MERSCHMAN	COOLIDGE IIIIRR	61.4	9/12	2.0	38	34.4	19.3	67.3	59.2	57.7	59.1	
MERSCHMAN	GRANT IIIIRR	72.2	9/15	1.5	38	34.5	19.5	77.3	71.1	68.0	66.3	
MERSCHMAN	KENNEDY 538RR	70.9	9/15	1.4	38	34.4	19.7	76.9	68.4	67.3		
MERSCHMAN	KENNEDY VIRR*	67.8	9/17	2.1	39	32.6	20.1	76.4	67.6	59.3	62.0	62.7
MERSCHMAN	WASHINGTON IXRR	68.9	9/18	2.3	39	34.1	19.8	74.8	66.6	65.4	66.8	64.8
MIDWEST SEED GEN	GR 3101*	64.7	9/8	1.3	35	33.6	18.8	72.2	63.5	58.5		
MIDWEST SEED GEN	GR 3732*	66.4	9/15	1.9	40	35.2	18.4	73.6	65.4	60.3	65.5	
MIDWEST SEED GEN	GR 3931*	65.8	9/17	1.8	40	32.2	19.6	72.6	64.1	60.7	63.6	66.1
MOWEAQUA SEED	MSC-9A373*	63.3	9/14	1.9	39	35.1	18.4	69.1	62.6	58.4		
MUNSON	8339 RR*	60.9	9/11	1.6	37	33.6	19.5	73.1	55.4	54.3		
MWS	3266 CRR*	62.5	9/12	1.7	37	35.4	18.8	70.2	62.7	54.7	60.8	
NC+	3A53 RR*	70.0	9/17	1.6	37	34.5	19.6	74.1	69.5	66.5		
NC+	3A61 RR*	66.0	9/18	1.9	39	32.4	20.1	75.3	61.6	61.0	61.5	
NC+	3N31 RR*	63.0	9/8	1.9	41	32.2	19.8	70.5	61.3	57.4		
NK BRAND	S 37-N4*	62.4	9/19	1.8	45	35.2	17.9	68.8	58.5	59.8	61.0	
NU-AG	354 NRR*	70.4	9/16	1.7	36	34.0	19.7	79.3	68.0	63.9		
NU-AG	374 NRR*	68.3	9/13	1.9	40	35.3	18.4	71.6	72.3	61.0	66.7	
NU-AG	394 NRR*	72.0	9/21	1.4	40	34.2	19.9	80.1	68.8	66.9		
PIONEER	93B68*	66.3	9/13	1.9	39	34.8	20.0	72.3	64.6	62.1		
PIONEER	93M11	63.0	9/8	1.1	36	33.7	20.6	66.7	66.1	56.2		
PIONEER	93M50	62.8	9/13	1.6	42	32.7	19.6	71.5	58.6	58.2		
PIONEER	93M60*	63.8	9/12	2.3	42	33.9	19.5	70.0	58.4	63.0		
PIONEER	93M90*	65.0	9/18	1.8	45	34.4	18.8	77.3	58.7	59.1	62.8	
PIONEER	93M93	64.3	9/19	2.0	43	33.6	19.5	72.5	61.7	58.7		
QUALITY PLUS	Q 370 RR*	66.7	9/14	1.9	40	35.0	18.4	74.3	66.8	59.1		
SIEBEN	SS 3203 NRR	61.7	9/9	1.9	40	33.8	18.8	67.8	61.2	56.2		
SIEBEN	SS 3304 NRR	61.1	9/10	1.7	41	34.7	19.1	69.0	60.4	53.9		
SIEBEN	SS 3704 NRR	70.2	9/17	2.1	38	32.5	20.0	79.1	69.9	61.7		
STEWART	SB 3659 R*	63.9	9/13	1.6	43	34.6	18.2	69.0	65.5	57.3		

2004 Soybean Test Results

Region 3: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY*	Yield bu/a	Maturity Date	Regional Results			Oil @13%	Perry Yield bu/a	New Berlin Yield bu/a	Urbana Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a
				Lodging	Height in	Protein @13%						
	*Producer Nominated											
STEWART	SB 3999 R*	69.0	9/19	2.0	41	34.6	19.4	74.6	70.8	61.5	62.7	
STINE	S 3242-4	63.9	9/12	2.0	39	34.0	19.5	71.7	62.7	57.4		
STINE	S 3532-4	72.1	9/15	1.5	37	34.6	19.6	79.1	71.1	66.2	66.2	
STINE	S 3600-4	66.2	9/16	1.4	40	32.3	19.7	78.6	62.0	58.0		
STINE	S 3632-4*	65.6	9/18	1.8	38	32.5	20.1	75.1	61.9	59.9		
STINE	S 3832-4	69.5	9/19	2.0	40	34.0	19.9	77.4	63.8	67.2	66.6	
STONE	HC-2351 RR*	67.3	9/17	2.2	39	32.7	20.0	73.8	66.5	61.7	62.8	64.0
STONE	HC-2373 NRR	65.3	9/15	1.9	40	35.2	18.4	71.9	63.4	60.6	65.0	
TRISLER TRISOY	3222 RR(CN)	60.6	9/8	1.9	40	33.6	18.8	67.0	61.7	53.0	56.0	58.4
TRISLER TRISOY	3530 RR(CN)	63.9	9/15	1.8	40	35.0	18.5	72.6	59.4	59.8	64.0	
TRISLER TRISOY	3717 RR(CN)*	66.1	9/18	2.2	38	32.5	20.1	73.7	63.0	61.6	62.8	63.5
TRISLER TRISOY	3833 RR(CN)	67.1	9/18	1.9	40	33.6	20.0	78.1	62.0	61.4	66.1	
VIGORO	V 35N4 RR	74.4	9/13	1.6	37	34.9	19.5	79.7	73.5	70.1	67.6	
VIGORO	V 36N5 RR	67.8	9/16	2.1	42	35.8	17.7	72.3	66.0	65.0		
VIGORO	V 37N3 RR	66.3	9/15	1.9	37	35.5	18.4	73.7	66.8	58.4	65.0	
VIGORO	V 38N5 RS	68.8	9/17	1.9	39	32.6	19.3	74.6	69.3	62.4		
VIGORO	V 39N4 RR	73.3	9/18	2.1	38	33.9	19.9	80.3	73.1	66.6	69.1	
WILKEN	3410 RR	64.1	9/9	1.9	39	33.0	19.6	69.0	63.5	59.6		
WILKEN	3411 NRR*	63.1	9/9	1.8	37	34.0	20.0	70.3	62.4	56.7	60.9	
WILKEN	3419 NRR*	63.8	9/9	2.0	41	32.0	19.9	72.5	59.9	59.0	59.6	61.3
WILKEN	3421 NRR	59.5	9/8	2.2	40	33.7	18.8	65.8	57.7	55.1	56.7	
WILKEN	3425 NRR	62.5	9/11	1.8	41	34.0	18.9	74.0	55.4	58.2		
WILKEN	3453 NRR	71.5	9/16	1.5	37	34.5	19.5	76.8	70.5	67.1	65.6	
WILKEN	3461 NRR	65.2	9/15	1.7	38	32.1	20.2	73.3	62.5	59.8	60.5	62.0
WILKEN	3470 CRR	62.4	9/15	2.2	38	33.3	19.2	69.2	62.3	55.7		
WILKEN	3471 NRR	61.5	9/11	1.8	42	34.7	18.6	71.3	58.4	54.8	59.7	61.7
WILKEN	3473 NRR	65.5	9/13	1.6	40	35.0	18.6	73.6	61.4	61.5	65.5	
WILKEN	3475 RR	64.4	9/16	1.4	39	32.8	19.7	76.6	56.9	59.7	59.2	
WILKEN	3479 NRR	69.2	9/18	1.8	39	32.4	19.5	76.1	69.7	61.8		
WILKEN	3491 NRR	72.8	9/20	2.0	39	33.8	19.9	79.9	72.4	66.1	69.0	
WILKEN	3499 NRR*	64.3	9/18	1.8	41	32.4	19.6	72.1	60.2	60.8	61.4	64.7
WILKEN	WX 137 RR	62.6	9/6	1.4	35	33.4	19.8	65.8	64.2	57.6	56.2	
WILKEN	WX 177 RR	62.8	9/10	2.4	40	33.5	18.7	70.1	59.1	59.4	60.1	
WILLCROSS	RR 2303 N*	61.3	9/9	1.7	37	33.8	20.3	72.0	55.5	56.3	58.8	
WILLCROSS	RR 2331 N*	66.8	9/9	1.8	41	32.7	19.7	70.8	67.8	61.7	61.5	
WILLCROSS	RR 2335 N	64.4	9/10	1.7	41	34.5	18.6	73.4	58.7	61.1		
WILLCROSS	RR 2354 N*	70.9	9/14	1.5	36	34.6	19.6	76.9	68.2	67.7	65.9	
WILLCROSS	RR 2355 N	66.3	9/17	1.7	42	35.8	17.9	73.8	64.0	61.1		
WILLCROSS	RR 2373 N	63.5	9/16	2.0	39	35.1	18.5	69.4	61.3	59.9	63.6	65.2
WILLCROSS	RR 2383	71.0	9/20	2.2	40	33.8	19.9	79.4	69.9	63.7		
WILLCROSS	RR 2385 NS	66.3	9/18	1.6	39	32.1	19.5	77.1	65.4	56.4		
WILLCROSS	RR 2392 N	65.3	9/17	1.7	41	31.7	19.8	78.4	59.2	58.2	63.4	66.3
WILLCROSS	RR 2393 N	68.2	9/19	2.0	39	33.5	19.9	77.8	61.4	65.5	66.5	

2004 Soybean Test Results

Region 3: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY*	Yield bu/a	Maturity Date	Regional Results		Protein @13%	Oil @13%	Perry Yield bu/a	New Berlin Yield bu/a	Urbana Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a
				Lodging	Height in							
	*Producer Nominated											
	AVERAGE	65.1	9/14	1.8	39	33.9	19.3	73.0	62.8	59.4	62.7	63.3
	L.S.D. 25% LEVEL	2.5		0.2	1	0.59	0.26	3.1	4.6	3.0		
	COEFF. OF VAR. (%)	7.0		24.8	6	3.2	2.4	4.5	7.7	5.4		
MATURITY GROUP 4												
BECK	417 NRR*	65.1	9/17	1.9	42	32.4	19.6	73.1	63.2	59.1		
DAIRYLAND	DSR-4100 RR	55.7	9/23	1.9	46	33.8	19.1	66.1	54.0	46.9		
EXCEL	8426 NNRR	57.6	9/24	2.2	46	33.8	19.2	66.8	57.8	48.3		
EXCEL	8427 NRR*	70.7	9/23	1.3	37	33.4	19.7	78.7	69.3	64.0	66.9	67.5
FS HISOY	HS 4028*	69.7	9/19	1.4	38	34.8	19.8	77.8	68.4	63.0		
GARST	4112 RR/N	69.3	9/20	1.4	39	34.5	19.8	76.5	69.8	61.5	67.8	
GOLDEN HARVEST	H-4024 RR	65.9	9/24	1.6	39	34.5	19.8	78.7	65.2	53.9		
HORIZON	H 406 NRR	70.1	9/20	2.2	38	34.5	19.6	72.6	72.4	65.4		
KRUGER	377 RR	64.8	9/17	2.1	38	32.7	19.9	73.7	67.6	53.2		
KRUGER	393 RR/SCN*	71.1	9/22	2.2	39	34.5	19.7	73.0	73.9	66.4	67.9	
KRUGER	393+ RR/SCN	62.5	9/24	2.1	44	35.1	18.8	71.1	58.5	57.8	63.4	
KRUGER	404 RR*	70.7	9/20	2.5	38	33.5	19.8	79.2	70.2	62.7	65.4	
KRUGER	424 RR/SCN	65.8	9/25	1.8	41	34.9	19.8	69.0	64.1	64.4		
KRUGER	434 RR/SCN	63.1	9/24	2.2	45	34.9	19.3	71.7	61.5	56.2		
MERSCHMAN	PHOENIX III RR	68.8	9/23	1.6	39	33.5	19.7	73.4	69.2	63.9		
NK BRAND	S 42-P7*	59.8	9/22	1.8	39	34.7	18.7	67.8	58.9	52.6		
NK BRAND	S 43-B1*	65.8	9/21	2.1	43	34.1	18.5	72.3	67.2	58.1		
STINE	S 3932-4	68.7	9/22	2.1	38	34.2	19.7	75.3	67.2	63.6	64.4	
WILLCROSS	RR 2445 N	60.5	9/24	2.1	43	34.6	19.4	71.5	58.1	51.8		
	AVERAGE	65.4	9/22	1.9	41	34.2	19.4	73.0	64.8	58.5	66.0	67.5
	L.S.D. 25% LEVEL	2.8		0.2	2	0.31	0.16	2.5	3.4	3.4		
	COEFF. OF VAR. (%)	7.8		22.2	7	1.7	1.5	3.6	5.5	6.0		