

2004 Soybean Test Results
Region 4: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY*	Yield bu/a	Maturity Date	Regional Results			Protein @13%	Oil @13%	Brownstown Yield bu/a	Belleville Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a
				Lodging	Height in							
MATURITY GROUP 3												
ASGROW	AG 3802	61.8	9/21	1.7	37	35.0	18.7	59.7	63.9			
ASGROW	AG 3905*	63.1	9/24	1.4	35	34.3	19.5	60.7	65.4			
ASGROW	AG 3906	69.0	9/22	1.6	33	34.2	20.4	70.1	67.8			
ATLAS	5B381 NRR*	64.2	9/23	1.4	30	32.8	20.8	58.0	70.4			
ATLAS	5N327 RR*	56.9	9/13	1.5	30	33.5	20.7	55.8	58.0			
ATLAS	5N351 RR*	61.9	9/14	1.6	31	32.7	20.7	57.8	66.0			
ATLAS	5N391 RR	66.0	9/20	1.9	33	33.4	20.7	62.4	69.5			
BAKER	3945 CRR	61.2	9/18	1.9	31	33.3	20.8	58.0	64.5			
BECK	375 NRR*	60.9	9/17	1.5	32	35.3	19.0	58.8	63.0			
BERGMANN-TAYLOR	BT 365 CR	65.2	9/18	1.9	35	35.7	18.4	61.2	69.2			
BERGMANN-TAYLOR	BT 371 CR*	62.4	9/17	1.5	35	34.7	19.2	58.3	66.5	56.6	52.1	
BERGMANN-TAYLOR	BT 375 CXR	59.2	9/18	1.8	31	32.7	19.8	59.7	58.7			
BERGMANN-TAYLOR	BT 385 CRS	59.7	9/20	1.4	30	32.2	20.0	52.1	67.3			
BERGMANN-TAYLOR	BT 394 CR*	64.2	9/20	1.7	34	33.2	20.8	59.9	68.5	56.5		
CROW'S	C 3715 R*	61.7	9/16	1.4	34	35.0	19.1	58.8	64.5			
CROW'S	C 3717 R*	59.3	9/16	1.5	32	35.3	19.1	58.5	60.0			
CROW'S	C 3915 R*	60.4	9/21	1.6	32	32.5	20.0	55.9	65.0	56.4		
DEKALB	DKB 36-52	63.4	9/15	1.4	32	34.8	18.9	62.0	64.8			
DEKALB	DKB 37-51*	62.5	9/19	1.5	32	34.7	19.2	60.5	64.5			
DEKALB	DKB 38-52*	62.2	9/16	1.5	29	32.7	20.1	62.9	61.6			
DELTA KING	DK 3964 RR	61.7	9/19	2.4	38	33.8	19.9	59.5	63.9			
DELTA KING	DK 3968 RR*	66.0	9/18	1.6	31	33.9	19.7	66.3	65.7	58.3	53.3	
DIENER	D 3805 CR	65.6	9/24	1.7	30	33.5	20.4	60.1	71.1			
DIENER	D 3899 CR*	60.7	9/20	1.8	36	33.5	20.0	57.1	64.3			
EXCEL	8390 NNRR	55.8	9/16	1.5	33	32.9	20.4	54.1	57.4			
FS HISOY	HS 3706*	62.1	9/17	1.4	34	34.6	19.2	58.0	66.3	56.2	51.6	
FS HISOY	HS 3916	59.7	9/20	1.5	32	32.7	20.1	55.1	64.3	55.4	51.4	
FS HISOY	HS 3936	63.8	9/22	1.9	33	33.7	20.6	62.7	65.0	56.9		
GARST	3512 RR/N	67.4	9/18	1.5	31	33.6	20.5	66.1	68.6			
GOLDEN HARVEST	H-3383 RR*	54.2	9/15	1.7	32	33.4	20.1	48.4	60.0			
GOLDEN HARVEST	H-3606 RR*	60.7	9/18	1.5	32	34.6	19.3	59.0	62.4			
GOLDEN HARVEST	H-3921 RR	65.8	9/24	1.5	30	34.7	20.3	63.0	68.6			
GOLDEN HARVEST	H-3945 RR*	59.7	9/18	1.4	31	32.5	20.2	54.5	64.8	56.4	52.2	
GREAT HEART	GT-345 CRR*	63.7	9/16	1.6	31	33.3	20.6	59.4	68.1			
GREAT HEART	GT-360 CRR*	62.9	9/17	2.1	30	34.5	19.3	64.9	60.9	56.6		
GREAT LAKES	GL 3619 RR*	55.7	9/13	1.7	35	34.0	19.0	50.5	60.8			
GREAT LAKES	GL 3710 RR*	61.9	9/21	1.5	28	32.4	20.8	56.3	67.5			
GREAT LAKES	GL 3819 RR*	61.6	9/18	1.4	29	32.8	20.1	60.1	63.2			

*Producer Nominated

2004 Soybean Test Results
Region 4: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY*	Yield bu/a	Maturity Date	Regional Results				Oil @13%	Brownstown Yield bu/a	Belleville Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a
				Lodging	Height in	Protein @13%						
	*Producer Nominated											
HELENA	3773	61.0	9/16	1.6	30	35.3	19.1	61.3	60.6	56.4	52.6	
HOBLIT	HB 364 NRR*	60.0	9/20	1.6	29	31.8	20.9	52.2	67.7			
HOBLIT	HB 376 NRR	59.6	9/16	1.6	31	35.0	19.2	57.1	62.1			
HOFFMAN	H 3372 CR	62.8	9/20	1.5	35	34.3	19.0	58.4	67.1	55.8		
HOFFMAN	H 3382 CR	60.7	9/19	2.0	38	33.5	19.9	55.2	66.1	53.0		
HORIZON	H 374 NRR*	58.9	9/17	1.5	32	34.9	19.2	55.3	62.6	55.1		
HORIZON	H 387 NRR	66.5	9/21	1.6	28	33.0	20.7	62.7	70.3	56.0		
HORIZON	H 394 NRR	63.9	9/21	1.6	34	33.4	20.6	61.5	66.4	55.4	49.6	
KITCHEN	KSC 3736 CRR	60.0	9/20	1.8	31	35.1	19.0	56.5	63.5	54.7	49.7	
KITCHEN	KSC 3856 CRR	65.0	9/25	2.2	39	33.8	19.7	63.9	66.0			
KITCHEN	KSC 3902 CRR	66.2	9/22	1.4	30	34.4	20.3	62.8	69.6			
KRUGER	323 RR	50.4	9/13	1.6	30	31.7	20.4	48.1	52.8			
KRUGER	363 RR/SCN	62.1	9/18	1.7	32	34.6	18.9	56.9	67.4			
KRUGER	373 RR	61.5	9/19	1.5	32	31.9	20.6	55.0	68.1			
KRUGER	375 RR	59.7	9/21	1.8	34	34.8	20.3	52.2	67.2			
KRUGER	379 RR/SCN	59.3	9/17	1.6	34	34.7	19.3	54.7	63.9	54.1	49.4	
KRUGER	379A RR/SCN	61.9	9/17	1.7	32	35.0	19.1	60.5	63.3			
KRUGER	380 RR/SCN*	60.9	9/21	1.5	30	32.7	20.1	57.6	64.2	56.3	51.2	
KRUGER	380A RR/SCN	58.0	9/19	1.5	32	32.4	20.1	53.3	62.7			
KRUGER	381 RR/SCN	61.5	9/21	1.6	36	34.1	20.1	58.4	64.6			
KRUGER	389 RR/SCN	61.6	9/23	1.4	31	32.5	19.7	59.6	63.6			
KRUGER	389A RR/SCN	64.2	9/20	1.6	30	32.4	19.7	60.5	67.8			
LEWIS	3715	59.8	9/18	1.6	32	35.4	19.0	61.4	58.3	55.7	51.3	
LEWIS	3875	62.5	9/21	1.8	32	33.0	20.8	55.8	69.1	55.4		
LG SEEDS	C 3944 NRR*	61.2	9/18	1.3	31	32.8	20.2	59.4	62.9			
LG SEEDS	C 3999 NRR*	64.4	9/21	2.0	32	33.7	20.6	62.9	66.0			
M & D SEED	9370 NRR*	59.0	9/16	1.6	31	34.5	19.2	55.5	62.4			
MERSCHMAN	KENNEDY 538RR	64.9	9/23	1.5	29	34.2	20.2	61.2	68.7			
MERSCHMAN	WASHINGTON IXRR	62.5	9/20	2.0	35	33.1	20.8	59.8	65.2	55.9	50.5	
MIDLAND	9A402 NRR*	65.7	9/24	1.9	36	32.6	19.6	62.2	69.2	59.0		
MIDLAND	9B375 XRR	58.5	9/17	1.6	31	32.9	19.7	57.0	60.0			
MILES	SC ABRAHAM NRR*	65.7	9/24	1.4	31	34.0	20.5	62.0	69.3	57.6		
MILES	SC STEPHEN NRR	65.0	9/22	1.8	32	33.1	20.7	64.8	65.3			
MOWEAQUA SEED	MSC-9A373*	60.3	9/20	1.9	33	34.9	19.1	55.6	65.1			
MOWEAQUA SEED	MSC-9A394*	62.4	9/20	2.1	33	33.5	20.6	56.7	68.1			
NC+	3A92 RR*	62.8	9/20	1.4	30	32.2	20.3	58.4	67.1			
NK BRAND	S 37-N4*	57.5	9/22	2.0	36	35.6	18.4	56.0	59.0	54.4		
NU-AG	374 NRR*	60.0	9/20	1.7	32	34.8	19.2	57.0	63.0			
NU-AG	394 NRR*	65.5	9/22	1.3	30	33.6	20.7	61.1	70.0			
PIONEER	93M50	59.4	9/13	1.6	36	32.1	20.4	57.5	61.3			

2004 Soybean Test Results

Region 4: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY*	Yield bu/a	Maturity Date	Regional Results				Brownstown Yield bu/a	Belleville Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a
				Lodging	Height in	Protein @13%	Oil @13%				
	*Producer Nominated										
PIONEER	93M60*	57.8	9/14	2.1	36	33.4	20.1	55.4	60.2		
PIONEER	93M90*	63.6	9/23	1.6	36	33.6	19.6	56.4	70.7	57.6	
PIONEER	93M93	64.7	9/21	1.7	36	33.3	20.1	61.9	67.5		
STEWART	SB 3659 R*	58.5	9/18	1.5	35	34.0	19.0	55.1	61.9		
STEWART	SB 3999 R*	63.8	9/17	1.3	31	33.4	20.5	59.1	68.5		
STINE	S 3532-4	64.3	9/15	1.6	31	33.3	20.6	59.2	69.3		
STINE	S 3832-4	61.3	9/20	1.8	33	33.2	20.8	56.7	65.9	55.6	
STONE	HC-2373 NRR	59.9	9/18	1.7	32	34.6	19.1	54.6	65.2		
TRISLER TRISOY	3717 RR(CN)*	63.9	9/21	1.6	29	32.2	20.8	57.4	70.5		
TRISLER TRISOY	3833 RR(CN)	64.2	9/18	1.7	33	33.0	20.8	58.4	70.1		
VIGORO	V 38N5 RS	60.8	9/20	1.6	31	31.9	19.9	54.5	67.2		
VIGORO	V 39N4 RR	63.9	9/20	1.8	32	33.6	20.6	59.4	68.3	58.2	
WILKEN	3479 NRR	62.6	9/21	1.5	29	32.1	19.9	57.2	68.0		
WILKEN	3491 NRR	64.5	9/20	1.7	32	33.2	20.8	63.9	65.2	57.5	
WILKEN	3499 NRR*	62.5	9/18	1.5	32	32.8	20.1	58.0	67.0	58.0	
WILLCROSS	RR 2383	63.6	9/21	1.7	33	33.3	20.8	60.0	67.2		
WILLCROSS	RR 2393 N	63.8	9/23	2.0	32	32.8	20.9	63.6	63.9	57.2	
	AVERAGE	61.8	9/19	1.6	32	33.6	20.0	58.5	65.2	56.2	51.2
	L.S.D. 25% LEVEL	3.5		0.3	2	0.65	0.27	4.8	3.1		
	COEFF. OF VAR. (%)	8.4		23.5	7	2.9	2.1	8.6	5.0		

MATURITY GROUP 4

AGVENTURE	41J8 NRR*	64.7	9/27	1.7	32	34.5	20.2	61.5	68.0		
ASGROW	AG 4102	64.7	9/27	1.7	38	34.9	19.4	63.4	66.0		
ATLAS	5B430 NRR*	70.2	9/29	1.5	35	32.9	20.3	68.3	72.1		
ATLAS	5B482 NRR*	64.6	10/1	2.4	41	35.8	19.1	63.3	65.9		
ATLAS	5N445 RR	65.2	9/26	1.7	35	34.3	20.2	61.9	68.4		
BAKER	4955 CRR	65.9	10/1	2.8	39	32.5	19.9	61.9	69.8		
BECK	405 NRR*	68.3	9/24	2.1	35	33.3	20.6	65.2	71.4	59.3	
BECK	434 NRR	59.9	9/29	2.0	38	33.7	20.2	59.7	60.1		
BERGMANN-TAYLOR	BT 425 CR	62.3	9/25	2.0	43	32.3	20.3	60.1	64.4		
BERGMANN-TAYLOR	BT 434 CR*	68.7	9/27	1.7	33	32.9	20.3	67.8	69.6	61.0	
BERGMANN-TAYLOR	BT 441 CR*	69.1	9/27	2.0	41	32.6	20.6	65.2	73.0	58.8	53.3
BERGMANN-TAYLOR	BT 455 CR	61.9	9/28	3.1	46	33.4	19.5	59.5	64.3		
BERGMANN-TAYLOR	BT 484 CR*	64.6	9/30	2.4	40	35.3	19.2	63.5	65.8	58.1	
BERGMANN-TAYLOR	BT 485 CXR	60.0	9/26	2.1	42	32.3	20.6	59.8	60.2		
BIO GENE	BG 4200 NRRST*	67.5	9/26	1.5	32	32.9	20.2	62.6	72.4		

2004 Soybean Test Results

Region 4: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY*	Yield bu/a	Maturity Date	Regional Results			Oil @13%	Brownstown	Belleville	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a
				Lodging	Height in	Protein @13%		Yield bu/a	Yield bu/a		
	*Producer Nominated										
BIO GENE	BG 4205 NRR	60.5	9/25	2.0	40	33.1	19.4	54.2	66.8		
DELTA KING	DK 4461 RR	70.4	9/30	2.2	41	33.6	20.1	70.6	70.2	60.2	54.9
DELTA KING	DK 4763 RR*	67.4	10/1	2.6	39	35.0	19.0	67.2	67.6	60.0	55.2
DELTA KING	DK 4868 RR	68.3	9/30	2.0	42	34.4	19.7	70.6	66.1	58.9	52.9
DELTA KING	DK 4967 RR	67.9	10/1	2.4	41	35.9	19.1	67.2	68.6	60.3	
DELTA KING	DK XTJ 446	55.8	10/2	2.0	45	34.4	19.1	55.1	56.5	48.7	
DELTA KING	DK XTJ 448	59.6	10/1	3.2	47	33.7	19.6	61.3	57.9	49.9	
DELTA KING	DK XTJ 541	69.8	9/24	1.4	38	33.8	19.5	69.4	70.3		
DELTA KING	DK XTJ 543	64.5	9/28	2.3	38	33.8	20.4	66.9	62.0		
DELTA KING	DK XTJ 546	65.0	9/29	2.4	41	35.6	19.0	69.2	60.7		
DELTA KING	DK XTJ 548	69.4	10/1	2.2	42	33.9	18.8	72.3	66.6		
DELTA KING	DK XTJ 54J9	64.4	10/3	2.6	46	34.2	19.9	67.2	61.6		
DELTA KING	DK XTJ 54X9	65.5	9/30	2.5	41	33.2	20.5	67.6	63.4		
DIENER	D 4001 CR	68.4	9/27	1.3	34	33.2	20.2	66.8	69.9		
DIENER	D 4304 CR	66.2	9/29	1.9	40	32.5	20.6	61.1	71.2		
DIENER	D 4725 CR	63.9	10/1	2.4	41	35.4	19.2	63.1	64.7		
EXCEL	8400 NNRR	63.4	9/25	2.2	37	33.4	19.8	61.0	65.8		
EXCEL	8412 NNRR	62.1	9/22	2.2	43	33.3	19.5	58.7	65.5		
EXCEL	8424 NRR	61.7	9/27	2.1	38	33.5	19.9	57.1	66.3		
EXCEL	8427 NRR*	72.6	9/26	1.5	32	33.3	20.2	67.7	77.4	62.4	
EXCEL	8430 NRR	61.2	9/29	1.8	39	34.6	19.7	63.2	59.1		
EXCEL	8472 NRR	63.9	10/1	2.3	40	33.0	20.1	62.4	65.4		
FS HISOY	HS 4028*	64.1	9/27	1.6	33	34.3	20.3	60.9	67.4	57.1	51.5
FS HISOY	HS 4228	66.9	9/27	1.7	36	33.2	20.2	61.4	72.5	58.6	53.3
FS HISOY	HS 4336	62.5	9/29	2.2	37	32.1	20.3	61.1	64.0		
FS HISOY	HS 4516*	67.2	9/29	1.8	40	32.1	20.6	62.1	72.2	56.3	51.2
FS HISOY	HS 4536	62.3	9/28	2.5	38	35.0	19.8	64.4	60.2	56.5	
FS HISOY	HS 4736	63.0	10/1	3.1	43	33.3	19.5	64.2	61.7	56.8	
FS HISOY	HS 4826	63.0	10/2	2.2	42	34.9	19.3	62.1	63.9	57.3	52.1
FS HISOY	X 4146	63.2	9/25	2.0	43	32.1	20.4	59.7	66.6		
FS HISOY	X 4446	62.0	9/30	2.0	39	34.0	20.1	60.7	63.3		
FS HISOY	X 4646	68.3	9/27	2.6	38	33.4	20.1	65.7	71.0		
GARST	4212 RR/STS/N	68.7	9/27	1.6	34	33.9	20.0	66.5	70.8		
GARST	4512 RR/N*	66.3	9/29	2.0	38	32.7	20.6	60.3	72.4	56.7	51.4
GARST	D 484 RR/N	65.9	10/1	2.8	46	34.5	19.1	67.9	63.8	58.3	53.1
GATEWAY	4R451	62.1	9/29	2.5	39	34.8	19.9	63.5	60.7		
GATEWAY	4RS421	66.6	9/27	1.6	34	32.9	20.3	60.9	72.4		
GATEWAY	4RS463	62.1	9/29	2.5	43	33.5	20.1	59.0	65.2		
GOLDEN HARVEST	H-4024 RR	65.2	9/26	1.4	31	33.4	20.7	58.8	71.7	58.0	
GOLDEN HARVEST	H-4368 RR*	62.4	9/27	1.5	34	33.5	20.7	55.1	69.7	56.3	50.5

2004 Soybean Test Results

Region 4: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY*	Yield bu/a	Maturity Date	Regional Results				Oil @13%	Brownstown Yield bu/a	Belleville Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a
				Lodging	Height in	Protein @13%						
	*Producer Nominated											
GOLDEN HARVEST	H-4534 RR	65.2	9/29	2.0	40	31.8	20.9	59.2	71.1	55.6	50.9	
GOLDEN HARVEST	H-4772 RR*	64.6	10/1	2.2	40	34.9	19.0	62.0	67.2	57.2	52.6	
GOLDEN HARVEST	H-4850 RR	64.5	10/1	2.5	44	34.6	19.3	63.6	65.5	58.2	52.3	
GREAT HEART	GT-401 CRR	61.5	9/27	2.2	39	32.2	19.8	57.2	65.9			
GREAT LAKES	GL 4009 RR*	66.7	9/25	1.4	33	34.2	20.5	62.7	70.6	57.9		
GREAT LAKES	GL 4800 RR*	64.0	9/29	2.6	44	32.3	20.7	60.9	67.2			
HELENA	4875	65.7	9/29	2.8	39	32.7	19.8	62.6	68.8			
HOBLIT	HB 421 NRR	59.6	9/25	1.9	40	33.0	20.3	54.5	64.7	54.6		
HOFFMAN	H 3403 CR	65.7	9/24	1.4	34	34.0	20.5	63.6	67.9			
HOFFMAN	H 3431 CR	61.8	9/25	2.5	38	34.4	19.3	60.6	63.0	53.8		
HOFFMAN	H 3441 CR*	57.7	9/26	1.5	38	34.1	19.8	55.3	60.2	52.8		
HOFFMAN	H 3443 CR	69.2	9/27	1.9	33	33.5	20.1	68.4	70.0			
HORIZON	H 406 NRR	66.6	9/23	2.0	36	33.3	20.7	65.4	67.8	58.2		
HORIZON	H 424 NRR	71.0	9/27	1.7	35	33.5	20.1	68.4	73.5	62.0	55.2	
HORIZON	H 444 NRR	67.3	9/29	2.0	41	32.3	20.7	61.0	73.6	57.0	51.5	
HORIZON	H 481 NRR	64.6	9/29	2.1	39	35.6	19.4	62.1	67.1	57.5	51.4	
KITCHEN	KSC 4226 CRR	68.8	9/26	1.7	40	32.0	20.7	63.7	74.0	59.3	53.4	
KITCHEN	KSC 4256 CRR	67.2	9/25	1.5	40	32.9	19.8	62.8	71.6			
KRUGER	377 RR	61.0	9/23	1.8	31	31.5	20.9	52.8	69.1			
KRUGER	393 RR/SCN*	63.6	9/24	2.1	36	32.5	20.9	59.4	67.9	55.7		
KRUGER	393+ RR/SCN	65.2	9/29	2.4	39	34.1	19.7	62.6	67.8	58.8		
KRUGER	404 RR*	62.6	9/23	2.3	33	32.2	20.9	53.1	72.1	53.9		
KRUGER	424 RR/SCN	66.6	9/27	2.4	36	34.3	20.5	66.2	67.0			
KRUGER	431 RR	59.7	9/23	1.6	35	32.7	20.1	58.3	61.1			
KRUGER	434 RR/SCN	63.1	9/27	2.1	40	33.7	20.3	62.3	64.0			
KRUGER	442 RR/SCN	66.5	10/1	1.6	33	34.1	19.7	63.3	69.7			
KRUGER	444 RR/SCN	66.8	9/27	1.9	41	32.7	20.6	64.3	69.2			
KRUGER	445 RR/SCN	60.4	9/28	2.0	39	33.1	20.4	56.3	64.6			
KRUGER	445+ RR/SCN	65.4	9/25	2.0	32	32.1	20.9	56.0	74.9			
KRUGER	474 RR/SCN	65.2	10/1	2.5	41	34.6	19.1	64.9	65.5			
LEWIS	4005*	58.9	9/25	1.8	38	33.1	20.7	52.7	65.0			
LEWIS	4010	65.5	9/28	2.6	40	34.5	19.5	64.2	66.9			
LEWIS	4106*	65.4	9/24	1.5	32	33.2	20.8	57.7	73.0	57.5		
LEWIS	4292	61.6	9/26	2.0	45	32.3	20.3	60.3	62.9			
LEWIS	4366	67.9	9/26	1.7	32	33.3	20.3	67.3	68.5	60.3		
LG SEEDS	C 4112 NRR*	65.5	9/25	1.4	34	34.0	20.5	62.4	68.5	58.6		
LG SEEDS	C 4444 NRR*	68.7	9/28	2.1	41	33.2	20.4	65.2	72.3	57.4		
M & D SEED	9440 NRR*	69.8	9/29	1.6	34	32.7	20.4	67.9	71.8			
M & D SEED	9470 RR*	59.0	10/2	2.3	41	33.5	20.5	60.1	57.9	52.2	48.7	
MERSCHMAN	AUSTIN RR	70.7	9/27	1.7	34	33.4	20.1	69.8	71.7	61.7	55.2	

2004 Soybean Test Results
Region 4: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY*	Yield bu/a	Maturity Date	Regional Results				Oil @13%	Brownstown Yield bu/a	Belleville Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a
				Lodging	Height in	Protein @13%						
	*Producer Nominated											
MERSCHMAN	DALLAS RR	65.6	10/1	2.1	40	35.3	19.4	63.8	67.4	58.8	53.4	
MERSCHMAN	DENVER RRSTS	60.2	9/28	2.9	44	33.5	20.1	59.6	60.9	55.5	51.1	
MERSCHMAN	PHOENIX IIIRR	67.9	9/27	1.5	34	32.6	20.4	62.4	73.4	60.5	54.4	
MIDLAND	9A434 NRR	59.9	9/27	2.1	39	32.0	19.7	59.1	60.6	55.8		
MIDLAND	9A445 NRR	61.3	9/29	2.6	38	31.7	20.3	60.2	62.4			
MIDLAND	9A475 XRR	59.8	9/28	1.9	41	32.9	20.5	57.9	61.8			
MIDLAND	9B485 XRR	59.7	9/29	2.1	44	32.5	20.5	60.4	59.1			
MIDWEST PREMIUM GEN	AE RR 53 076	53.0	9/29	2.1	41	35.5	18.9	50.5	55.4			
MIDWEST PREMIUM GEN	AE RR 53 685	61.8	9/29	2.3	49	33.2	20.2	58.4	65.1			
MIDWEST PREMIUM GEN	AE RR 53 976	59.8	9/30	2.5	46	34.8	19.4	57.9	61.8			
MILES	SC JONAH NRR	65.5	9/30	2.5	40	35.2	19.4	65.5	65.6			
MILES	SC MICHAEL NRRSTS	65.7	9/27	1.8	34	33.1	20.2	61.4	70.0	58.6		
MILES	SC SILAS NRR*	68.4	10/1	2.2	42	32.4	20.5	65.7	71.1	57.8	52.0	
MILES	SC TITUS NRR	66.0	10/3	2.5	44	34.4	19.3	67.0	65.1	58.0	52.5	
NC+	4N41 RR*	67.3	9/30	1.8	35	33.2	20.0	61.1	73.5			
NC+	4N79 RR*	66.6	10/1	2.2	44	34.1	19.3	68.0	65.3			
NK BRAND	S 42-P7*	61.4	9/26	1.9	34	34.0	19.6	59.3	63.4	56.7		
NK BRAND	S 43-B1*	64.0	9/25	2.0	37	33.0	19.5	60.8	67.1			
PIONEER	94B73	65.9	9/28	2.4	41	34.9	20.3	61.1	70.7			
PIONEER	94M70*	68.3	9/28	2.9	44	34.3	19.8	67.5	69.0			
STEWART	SB 4159 R*	62.7	9/25	1.7	31	34.4	20.5	61.5	64.0			
STINE	S 3932-4	64.2	9/24	2.5	37	33.2	20.6	61.7	66.7	53.2		
STINE	S 4102-4*	67.7	9/29	1.7	34	33.4	20.0	63.5	71.9			
STINE	S 4300-4	66.9	9/27	1.7	36	34.4	20.2	63.9	70.0			
STINE	S 4842-4	66.0	9/30	2.6	39	32.9	19.7	62.9	69.0			
STONE	HC-2403 NRR*	64.5	9/26	1.5	34	33.7	20.6	57.4	71.6			
STONE	HC-2413 NRR	71.0	9/27	1.8	36	33.6	20.0	68.1	73.9			
STONE	HC-2441 NRR*	69.6	10/1	1.8	41	32.4	20.5	66.0	73.1	58.2	53.1	
TRISLER TRISOY	4030 RR(CN)	66.4	9/26	1.3	34	33.4	20.6	59.8	73.0			
TRISLER TRISOY	4227 RR(CN)	68.0	9/27	1.5	32	33.1	20.2	64.3	71.7	59.9	54.1	
TRISLER TRISOY	4697 RR(CN)*	60.9	9/26	2.3	43	33.3	20.2	57.3	64.5			
VIGORO	V 40N3 RR	65.3	9/25	1.4	35	34.7	20.3	62.2	68.5	58.7	52.0	
VIGORO	V 42N3 RR*	67.8	9/25	1.5	34	33.6	20.1	64.0	71.6	59.3	53.9	
WILLCROSS	RR 2445 N	62.5	9/30	2.0	39	34.1	20.2	60.5	64.4			
	AVERAGE	64.8	9/28	2.0	38	33.5	20.0	62.3	67.2	57.4	52.7	
	L.S.D. 25% LEVEL	4.2		0.4	2	0.73	0.33	3.5	2.5			
	COEFF. OF VAR. (%)	9.8		31.4	7	3.3	2.5	6.0	4.0			