

**2004 Conventional Soybean Entries**

Company-Brand	Variety*	**M	***Regions Entered						****			
			1	2	3	4	5	6	SN	ST	HC	
AGRISOY	2008	2.2	1							S	U	G
AGRISOY	2023	2.9	1							S	U	BL
AGVENTURE	28J0 N*	2.8		2	3					A	U	BL
AGVENTURE	38J0 N*	3.8			3	4				A	U	BL
ATLAS	5344 STS*	3.4			3					S	U	BL
ATLAS	5364 N*	3.6			3					A	U	IB
ATLAS	5383*	3.8		2						S	U	BL
ATLAS	5N281*	2.8			3					A	U	IB
BECK	379 N*	3.7		2	3	4		6		A	T	BL
BERGMANN-TAYLOR	BT 411 C	4.1				4				A	T	IB
CROW'S	C 37003 N*	3.7			3					A	U	IB
DAIRYLAND	DSR-218*	2.1	1							S	T	G
DAIRYLAND	DSR-2900	2.9	1							S	T	BL
DAIRYLAND	DSR-309 STS*	3.1	1							S	T	BL
DAIRYLAND	DSR-3100*	3.2		2						S	T	BR
DAIRYLAND	DSR-355*	3.5		2						A	T	BR
DERAEDT	2544*	2.5	1							S	U	IB
DIENER	D 253	2.5		2						S	T	BL
DIENER	D 290 C	2.9		2						A	T	IB
DIENER	D 292 S	2.9		2						S	T	IB
DIENER	D 348	3.4		2						S	T	BL
FS HISOY	HS 2431	2.4	1							A	U	BR
FS HISOY	HS 2861	2.8	1	2						S	U	IB
FS HISOY	HS 2911	2.9	1	2						A	U	IB
FS HISOY	HS 3591	3.5		2	3					A	U	IB
FS HISOY	HS 3892	3.8			3	4	5			A	U	IB
FS HISOY	HS 4421*	4.4				4	5			A	U	BL
FS HISOY	HS 4426	4.4				4	5			A	U	BL
FS HISOY	X 3241	3.2		2	3					A	U	BR
FS HISOY	X 4341	4.3				4	5			A	U	BL
GARST	2918*	2.9	1	2						S	T	BL
GARST	3585 N*	3.5		2	3	4				A	T	BL
GARST	3906 N*	3.9			3	4	5			A	T	BL
GATEWAY	427	4.2				4				R?	U	BL
GATEWAY	471	4.7					5			R?	U	BL
GMA	SVI 3138	2.5	1							AC	U	BR
GMA	SVI 3346	3.3		2						AC	U	IB
GOLDEN HARVEST	H-2885*	2.8	1	2	3			6		S	U	IB
GOLDEN HARVEST	H-3178	3.1			3					A	U	M
GOLDEN HARVEST	H-3395*	3.3		2	3					A	U	BR
GOLDEN HARVEST	H-3777*	3.7			3	4		6		A	U	BU
GOLDEN HARVEST	H-3802*	3.8			3	4				A	U	BL
GOLDEN HARVEST	H-4151	4.1			3	4				A	U	BL
GOLDEN HARVEST	X 42892	2.8		2						A	U	Y
HENKEL	SS 2233	2.2	1							S	U	G
HENKEL	SS 7296	2.6	1							A	U	BL
HOFFMAN	H 400	4.0				4				A	T	BL
HOFFMAN	H 459 STS	4.5				4				A	T	BL
HOFFMAN	H 471	4.7				4				A	T	BL
HORIZON	H 291 N*	2.9	1	2	3			6		A	T	IB
HORIZON	H 376 N	3.7		2	3			6		A	T	IB
HORIZON	H 421 N	4.2				4				A	T	IB

## 2004 Conventional Soybean Entries

Company-Brand	Variety*	**M	***Regions Entered						****		
			1	2	3	4	5	6	SN	ST	HC
ILLINOIS PRIDE	INA*	4.5				4	5		AC	U	BU
ILLINOIS PRIDE	LODA*	2.1	1	2	3			6	A	U	G
ILLINOIS PRIDE	MACON*	3.9	1	2	3	4	5	6	S	U	BL
ILLINOIS PRIDE	MAVERICK*	3.8	1	2	3	4	5	6	A	U	BU
ILLINOIS PRIDE	REND*	4.4				4	5		A	U	BU
IPAP	IP 2800	2.8	1						S	U	IB
IPAP	IP 2902 N	2.9		2					A	U	Y
IPAP	IP 2991 N	2.9	1	2					A	U	BL
IPAP	IP 31550 X	4.0				4			A	U	BL
IPAP	IP 3400 N	3.4		2					A	U	BU
IPAP	IP 4242 N	4.2				4			A	U	BL
IPAP	IP-EX 32748	3.6		2					R?	T	BR
KITCHEN	KSC 3352 C*	3.5			3				A	U	BL
KITCHEN	KSC 3372 C*	3.7			3				A	U	IB
KRUGER	1919	1.9	1						S	U	BR
KRUGER	2320 SCN	2.3	1	2	3				A	U	IB
KRUGER	2525+	2.5	1	2					S	U	BU
KRUGER	2918 SCN	2.8	1	2	3	4			A	U	IB
KRUGER	3777 SCN*	3.7			3	4	5		A	U	IB
LATHAM	830	2.7	1						S	U	BL
LATHAM	E 2980	2.9	1						A	U	IB
LEWIS	372*	3.7			3	4			A	T	BR
LEWIS	392	3.9				4			A	T	BL
LEWIS	420*	4.2				4			A	T	BL
M & D SEED	9430 NONRR*	4.3				4	5		R?	U	BL
M & D SEED	9490 NONRR*	4.9				4	5		R?	U	BL
MAVRICK	8270*	2.7		2	3				S	U	BL
MAVRICK	9330*	3.3		2	3				S	U	BR
MERSCHMAN	ATLANTA 543	4.3				4			A	U	BL
MERSCHMAN	CHEYENNE VII	2.4	1						A	T	BR
MERSCHMAN	GARFIELD III	3.5		2	3				S	T	BL
MERSCHMAN	MOHAVE V*	2.9	1	2					S	T	BR
MIDLAND	9B435 X	4.3				4	5		D	T	BR
MIDLAND	9B442 X*	4.3				4	5		X	T	BR
MIDLAND	9E394 N*	3.9				4	5		A	T	BL
MIDLAND	9E482 X*	4.8				4	5		X	T	IB
MIDLAND	9G485 X	4.8				4	5		D	T	BL
MILES	SC AARON NSTS*	4.5				4	5		A	U	BL
MILES	SC HOSHEA N	3.7				4	5		A	U	IB
MILES	SC JOSHUA	4.8				4	5		S	U	BL
MOWEAQUA SEED	MSC-9355	3.5			3				S	T	BL
MOWEAQUA SEED	MSC-9B370	3.7			3				A	T	IB
MUNSON	8299*	2.9	1	2	3			6	A	T	IB
NK BRAND	S 32-Z3*	3.2	1	2	3				S	U	BL
NK BRAND	S 38-T8*	3.8			3	4			AB	U	BL
NU-AG	363 N*	3.6		2	3				A	U	BU
PIONEER	92M72	2.7	1						S	T	BL
PIONEER	93B15*	3.1	1	2	3				AB	T	BR
PIONEER	93B82*	3.8		2	3				S	T	BL
PIONEER	93B86	3.8		2	3				AB	T	BL
PUBLIC	DWIGHT*	2.9	1	2	3			6	A	U	BL
PUBLIC	IA 3005*	3.5	1	2	3	4	5	6	A	U	BL

**2004 Conventional Soybean Entries**

Company-Brand	Variety*	**M	***Regions Entered						****		
			1	2	3	4	5	6	SN	ST	HC
PUBLIC	JACK*	2.9	1	2	3			6	A	U	Y
PUBLIC	LD 00-1938*	2.5	1	2	3			6	A	U	BL
PUBLIC	LD 00-3309*	4.5				4	5		A	U	BL
PUBLIC	LD 00-4970*	2.7	1	2	3			6	A	U	BU
PUBLIC	LINFORD*	3.8	1	2	3	4	5	6	A	U	BL
PUBLIC	LN 92-7369*	2.8	1	2	3			6	S	U	BL
PUBLIC	LN 97-15076*	4.3				4	5		S	U	BL
PUBLIC	PANA*	3.8	1	2	3	4	5	6	A	U	BU
PUBLIC	WILLIAMS 82*	3.8	1	2	3	4	5	6	S	U	IB
PUBLIC	YALE*	3.8	1	2	3	4	5	6	A	U	BU
SIEBEN	SS 293 N	2.9	1	2					A	U	IB
STEWART	SB 4249 STS*	4.2				4			A	U	BL
STINE	2788*	2.7	1	2	3				S	U	BL
STINE	3300-0*	3.3		2	3				S	U	BL
SUN PRAIRIE	3103*	3.1		2					S	U	IB
TRISLER TRISOY	4380 CN*	4.3				4	5		A	U	BU
WILKEN	2325	2.2	1	2					S	U	BR
WILKEN	2573	2.7		2					S	U	BL
WILKEN	2584*	2.8		2					S	U	BL
WILKEN	2595 N	2.9		2					A	U	Y
WILKEN	2661 N*	2.6		2					A	U	BL
WILKEN	2786 N	2.8		2					A	U	BL
WILKEN	3401 N*	3.0		2					A	U	BL
WILKEN	3447 N	3.4		2	3				A	U	BR
WILKEN	3494	3.9		2	3				S	U	BL

\* Producer Nominated Variety

\*\* Maturity Group

\*\*\*1 = Region 1: Erie, Mt. Morris & DeKalb  
 2 = Region 2: Monmouth, Goodfield & Dwight  
 3 = Region 3: Perry, New Berlin & Urbana  
 4 = Region 4: Belleville & Brownstown  
 5 = Region 5: Dixon Springs & Carbondale  
 6 = Urbana 7" Row

\*\*\*\*SN- Source of Soybean Cyst Nematode Resistance

A = PI 88788, B = PI 548402 (Peking), C = PI 437654 (Hartwig), S = Susceptible, X = cystx®,  
 D = PU-SCN 14, R? = resistant, source unknown.

ST = Seed Treatment

T- Treated, U- Untreated

HC = Hilum Color

Bl- black, IB- imperfect black, BU- buff, BR- Brown, Y- Yellow, G- Gray, M- Mixed