

**2005 Soybean Test Results**  
**Region 2: Roundup Resistant (30-inch row spacing)**

COMPANY	VARIETY*	IST <sup>1</sup>	Yield bu/a	Maturity Date	Regional Results				Monmouth Yield bu/a	Monmouth Protein @ 13%	Monmouth Oil @ 13%	Goodfield Yield bu/a	Goodfield Protein @ 13%	Goodfield Oil @ 13%	Dwight Yield bu/a	Dwight Protein @ 13%	Dwight Oil @ 13%	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a
					Lodging	Height in	Protein @ 13%	Oil @ 13%											
Maturity Group 2																			
AGSOURCE	9256*	U	51.0	9/8	1.6	31	36.2	19.6	47.4	37.7	19.1	59.6	35.4	20.0	46.0	35.6	19.7		
AGSOURCE	9263*	U	60.8	9/11	1.8	35	37.2	19.1	64.3	37.9	18.9	66.5	36.5	19.4	51.7	37.1	19.0	63.1	
AGSOURCE	9285*	U	60.9	9/13	2.4	37	36.4	19.2	61.4	37.6	19.0	62.2	36.2	19.3	59.1	35.5	19.4	64.1	
AGVENTURE	AV 28J6 NRR*	U	59.4	9/13	1.5	34	37.4	19.0	66.8	37.9	19.1	62.2	37.0	19.0	49.1	37.3	18.9		
AGVENTURE	AV 6273 NRR*	U	61.3	9/14	1.7	35	37.5	18.9	66.4	38.6	18.8	60.1	36.9	19.0	57.6	37.1	19.0		
ASGROW	AG 2801	B	62.0	9/16	1.7	34	37.2	19.1	64.5	38.2	19.2	66.1	36.6	19.4	55.5	36.9	18.7	64.8	
BECK	295 NRR*	F	64.0	9/17	2.4	37	36.7	19.7	66.3	38.0	19.5	68.3	36.1	19.8	57.5	36.0	19.7	65.2	60.3
BECK	297 NRR	F	62.7	9/14	2.1	37	36.7	19.4	68.2	37.3	19.6	65.7	35.9	19.8	52.5	37.0	18.9		
CROW'S	C 2815 R*	U	59.3	9/12	2.5	36	36.6	19.2	61.0	38.0	18.9	63.3	36.0	19.4	53.7	35.7	19.3		
DAIRYLAND	DSR-234 RR*	B	55.8	9/8	1.3	30	36.3	19.7	57.1	37.4	19.6	56.4	36.1	19.8	54.0	35.4	19.8		
DAIRYLAND	DSR-2501 RR*	B	55.7	9/13	1.8	35	37.5	19.4	57.6	38.6	18.9	55.4	37.4	19.6	54.1	36.4	19.7	61.6	
DAIRYLAND	DSR-2600 RR*	B	52.9	9/14	1.6	32	34.9	19.5	48.4	36.4	18.6	54.7	34.3	20.2	55.5	33.9	19.7		
DAIRYLAND	DSR-2850 RRHP	B	61.1	9/13	1.9	38	36.3	19.2	62.9	37.1	19.2	65.9	35.6	19.5	54.6	36.2	19.0		
DIENER	2605 CR	F	60.1	9/13	1.9	31	37.1	19.5	63.9	38.5	19.1	62.6	36.4	19.6	53.9	36.3	19.7	62.4	
DIENER	2615 RR	F	52.4	9/15	1.5	32	36.0	19.1	48.4	37.8	18.5	56.3	35.4	19.4	52.6	34.8	19.5	59.2	
DIENER	2920 RR	F	57.1	9/16	1.6	31	36.6	19.5	59.4	37.6	19.5	59.1	36.2	19.6	52.7	36.2	19.4		
DIENER	2980 CR	F	61.8	9/13	2.2	36	36.6	19.5	66.8	37.3	19.7	62.5	35.9	19.8	55.9	36.8	19.1		
DYNA-GRO	37B28	F	55.7	9/13	1.8	35	34.7	20.2	54.1	35.5	20.1	60.9	34.2	20.5	52.1	34.3	20.1		
EXCEL	8260 NNRR	B	56.0	9/12	1.7	35	37.4	19.5	52.5	38.8	19.0	59.2	36.9	19.9	56.3	36.4	19.7	61.2	
EXCEL	8283 RR	B	57.2	9/17	1.7	35	35.9	19.3	53.2	37.6	18.7	66.7	35.1	19.7	51.5	35.0	19.4		
EXCEL	8285 RRSTS	B	54.8	9/13	1.4	34	37.4	19.7	54.8	39.0	19.3	60.4	36.7	20.1	49.2	36.5	19.8		
EXCEL	8287 RRSTS	B	56.8	9/18	1.9	36	37.0	19.2	54.2	38.3	19.0	59.8	36.3	19.3	56.5	36.3	19.2		
EXCEL	8294 RR	B	60.0	9/15	1.6	36	36.3	19.3	56.7	38.1	18.6	68.7	35.3	19.9	54.6	35.4	19.5	59.6	
GARST	2332 RR*	U	47.8	9/9	1.5	33	36.8	19.5	45.6	37.7	19.3	52.8	36.4	19.8	45.1	36.4	19.4		
GARST	2812 RR/N*	U	58.4	9/13	1.6	34	37.6	18.9	61.4	38.3	18.9	62.2	36.7	19.2	51.5	37.6	18.7	62.7	56.9
GMA	SVI 2781 SCNRR*	U	57.7	9/12	2.3	36	36.7	19.6	62.2	37.8	19.5	61.6	35.8	19.9	49.3	36.5	19.4	60.3	
GMA	SVI 2959 SCNRR*	U	56.6	9/15	2.5	36	37.1	19.0	62.1	38.5	18.8	60.0	36.1	19.5	47.7	36.7	18.8	59.4	
GOLDEN HARVEST	H-2448 RR	U	54.9	9/10	1.5	29	36.7	19.5	53.5	38.4	18.9	57.5	35.9	20.0	53.8	35.8	19.6		
GOLDEN HARVEST	H-2712 RR	U	48.2	9/17	1.4	31	36.5	18.9	47.2	38.3	18.1	46.4	36.5	19.1	51.1	34.6	19.6		
GOLDEN HARVEST	H-2824 RR	F	63.0	9/15	1.7	37	35.9	19.8	69.6	36.9	19.7	65.2	34.8	20.1	54.3	36.0	19.5	64.5	60.4
GREAT LAKES	GL 2429 RR*	B	54.8	9/8	1.8	31	37.0	19.2	51.8	38.5	18.9	58.4	36.9	19.3	54.1	35.7	19.5		
GREAT LAKES	GL 2705 RR*	B	43.0	9/11	1.3	25	35.5	19.6	35.3	36.9	18.8	47.0	35.4	20.3	46.6	34.2	19.8		
HORIZON	H 270 N	F	57.3	9/12	1.7	31	36.9	19.6	61.6	38.4	19.3	59.9	36.5	19.8	50.4	35.8	19.8	60.3	53.8
HORIZON	H 283 N	F	58.2	9/14	2.4	35	36.7	19.1	59.5	37.9	18.9	59.7	36.3	19.3	55.5	35.8	19.2	61.5	
HORIZON	H 294 N	F	60.0	9/12	1.5	35	36.6	20.0	65.3	38.1	19.5	61.0	35.9	20.3	53.8	35.7	20.1		
HUBNER	H 262 NRR*	F	59.6	9/12	1.8	31	36.7	19.6	61.3	38.4	19.1	61.9	36.1	19.8	55.5	35.8	19.8		
HUBNER	H 289 NRR*	F	62.9	9/15	2.4	36	36.4	19.2	66.7	37.6	19.0	65.2	36.3	19.2	56.7	35.3	19.5		
HUBNER	H 291 NRR*	F	60.0	9/15	2.2	35	36.6	19.8	62.9	37.9	19.8	65.9	35.2	20.3	51.2	36.6	19.5	63.5	
KRUGER	K-255 RR	B	53.3	9/11	1.7	33	36.9	19.4	46.3	38.0	18.8	59.8	36.9	19.7	53.9	35.7	19.7		
KRUGER	K-260 RR	B	58.0	9/12	1.9	31	36.5	19.7	59.0	37.9	19.5	62.9	36.2	19.8	52.1	35.4	19.8		
KRUGER	K-266 RR/SCN	B	53.7	9/11	1.7	32	36.8	19.5	54.9	37.6	19.3	53.4	36.8	19.7	52.7	36.1	19.6		
KRUGER	K-267 RR/CX	B	55.5	9/11	1.6	35	37.8	18.4	49.6	38.9	18.3	60.3	37.5	18.5	56.6	36.9	18.4		
KRUGER	K-273 RR	B	53.6	9/9	1.8	34	36.5	19.7	47.6	37.9	19.3	59.1	36.1	19.9	54.0	35.5	19.9	59.0	
KRUGER	K-277+ RR/SCN	B	61.1	9/12	1.8	31	36.5	19.8	64.3	38.1	19.4	63.2	36.0	20.0	55.8	35.5	19.8	64.4	
KRUGER	K-280 RR	B	53.8	9/16	1.7	32	36.6	19.5	54.0	38.7	18.9	60.4	35.5	20.2	46.9	35.5	19.6		
KRUGER	K-284 RR/CX	B	57.8	9/13	1.6	34	38.3	18.2	53.9	39.6	17.7	61.4	38.3	18.5	58.2	36.9	18.5		
KRUGER	K-287 RR/SCN	B	59.4	9/15	2.3	36	36.8	19.2	63.0	37.7	19.2	61.7	37.1	19.1	53.7	35.6	19.4	63.9	
KRUGER	K-289+ RR	B	49.0	9/18	1.4	31	36.4	18.7	40.0	38.5	17.6	52.0	35.9	19.1	55.1	34.8	19.4	54.7	52.3
KRUGER	K-292 RR/SCN	B	60.5	9/13	1.6	34	36.4	20.0	62.1	37.9	19.6	62.2	35.9	20.3	57.3	35.6	20.0		
KRUGER	K-294 RR/SCN	B	64.2	9/14	1.8	38	36.4	19.3	67.7	37.0	19.2	67.0	35.9	19.5	57.9	36.3	19.1		
LEWIS	2909	F	63.1	9/15	1.6	36	36.3	20.0	62.8	37.8	19.7	66.3	35.5	20.2	60.3	35.8	20.0		
MERSCHMAN	CHEROKEE 628RR	F	48.7	9/15	1.3	32	35.9	19.2	44.7	37.4	18.7	58.2	35.3	19.4	43.1	34.9	19.5		
MERSCHMAN	CHICKASAW 8RR*	F	61.3	9/14	1.6	34	37.5	18.9	64.3	38.6	18.8	66.2	36.8	19.2	53.5	36.9	18.9	64.1	57.6
MERSCHMAN	SHAWNEE 527RR	F	59.8	9/12	1.8	31	37.1	19.5	63.8	38.6	19.1	63.9	36.3	19.7	51.7	36.3	19.6	63.5	
MUNSON	8264 RR*	U	61.1	9/12	1.7	31	36.8	19.5	63.3	38.3	19.2	63.3	36.1	19.8	56.6	36.0	19.6		
MUNSON	8296 RR	U	59.6	9/14	1.6	34	36.3	20.0	59.2	38.0	19.5	66.6	35.2	20.4	53.1	35.8	20.0		
MWS	2856 CRR*	F	61.3	9/13	1.7	34	37.4	18.9	66.8	38.3	18.8	64.1	36.6	19.2	53.1	37.4	18.7	64.1	57.0
MWS	2951 CRR*	F	62.4	9/12	2.0	35	36.8	19.5	63.5	38.0	19.6	67.3	35.7	19.8	56.6	36.7	19.0		
NK	S 26-V6*	B	53.4	9/11	2.3	30	35.4	20.3	54.4	36.4	20.0	54.9	35.4	20.5	50.8	34.3	20.5		
PIONEER	92M61	B	60.4	9/11	1.8	33	35.2	20.1	65.6	36.4	20.3	66.0	34.3	20.5	49.7	35.0	19.6		
PIONEER	92M70*	B	59.4	9/13	2.2	34	35.0	20.2	65.6	36.5	20.3	60.1	34.0	20.6	52.7	34.5	19.8	64.2	59.5
PIONEER	92M91*	B	58.6	9/13	1.8	35	35.3												

**2005 Soybean Test Results**  
**Region 2: Roundup Resistant (30-inch row spacing)**

COMPANY	VARIETY*	IST <sup>1</sup>	Regional Results						Monmouth	Monmouth	Monmouth	Goodfield	Goodfield	Goodfield	Dwight	Dwight	Dwight	2 yr	3 yr
			Yield bu/a	Maturity Date	Lodging	Height in	Protein @ 13%	Oil @ 13%	Yield bu/a	Protein @ 13%	Oil @ 13%	Yield bu/a	Protein @ 13%	Oil @ 13%	Yield bu/a	Protein @ 13%	Oil @ 13%	Avg Yield bu/a	Avg Yield bu/a
	*Producer Nominated																		
PRAIRIE BRAND	PB-2643 RR*	U	49.9	9/17	1.4	30	36.2	18.9	46.2	37.8	18.1	52.0	35.9	19.1	51.6	34.7	19.6	57.2	54.0
PRAIRIE BRAND	PB-2994 NRR	U	62.5	9/12	1.7	36	36.4	20.0	63.6	37.7	19.7	63.9	36.0	20.1	59.9	35.6	20.0		
QUALITY PLUS	Q 293 RR	U	64.5	9/13	1.6	34	36.2	20.0	69.9	37.4	19.7	67.9	35.7	20.2	55.7	35.4	20.2		
SIEBEN	2304 NRR	F	51.8	9/11	1.4	29	37.2	19.4	50.6	38.8	18.8	58.3	36.4	19.8	46.4	36.2	19.5	57.5	
SIEBEN	2805 NRR	F	61.0	9/12	1.8	34	37.3	19.0	69.3	38.2	18.9	59.2	36.7	19.1	54.6	36.9	18.9	64.1	
SIEBEN	2903 NRR*	F	58.5	9/13	1.4	33	36.8	19.2	60.0	37.7	19.3	66.5	36.0	19.4	49.2	36.8	18.8		
SIEBEN	2905 NRR	F	62.6	9/14	1.6	35	36.2	20.0	62.6	37.3	19.6	65.4	35.4	20.4	59.8	35.9	19.8		
SIEBEN	S 28 N	F	60.1	9/14	2.4	38	36.7	19.3	64.2	37.6	19.3	61.7	36.6	19.2	54.4	35.9	19.3		
STINE	2702-4	U	58.6	9/12	1.7	30	36.8	19.6	60.9	38.3	19.2	60.2	36.2	19.8	54.7	36.0	19.8	62.0	
STINE	2783-4*	U	55.7	9/10	1.5	30	36.6	19.7	59.3	38.4	19.4	54.4	35.6	20.1	53.3	35.8	19.6	58.6	53.8
STONE	HC 2295	F	62.4	9/13	1.7	36	36.2	20.0	65.5	36.8	20.0	63.2	36.0	20.1	58.5	35.9	19.9		
TRISOY	2907 RR(CN)*	U	58.7	9/16	1.5	33	35.8	19.7	63.5	36.2	19.9	61.8	35.2	20.0	50.9	36.1	19.2		
TRISOY	2933 RR*	U	57.2	9/15	1.7	30	36.4	19.4	57.5	37.6	19.3	61.7	35.2	19.8	52.5	36.4	19.2	58.4	54.2
TRISOY	2940 RR(CN)*	U	60.5	9/12	2.0	36	36.5	19.6	65.3	36.9	19.8	61.6	36.1	19.8	54.7	36.5	19.2		
TRISOY	2952 RR(CN)	U	62.2	9/13	1.7	35	36.3	20.1	67.1	37.8	19.7	64.5	35.5	20.3	55.1	35.5	20.2		
WILKEN	W 2319 RR*	F	51.9	9/8	1.7	31	36.6	19.7	49.6	37.6	19.6	54.9	36.6	19.7	51.2	35.7	19.7	56.4	52.0
WILKEN	W 2341 NRR	F	50.7	9/9	1.2	29	36.7	19.4	45.4	38.1	18.8	57.4	35.8	19.9	49.4	36.3	19.4	57.4	53.3
WILKEN	W 2343 RR	F	53.9	9/5	1.7	33	36.0	19.8	53.4	37.5	19.3	57.2	35.4	20.2	51.2	35.2	19.7		
WILKEN	W 2531 NRR	F	53.5	9/6	1.7	31	36.7	20.1	51.7	38.6	19.3	55.1	35.9	20.7	53.8	35.7	20.3	57.4	53.1
WILKEN	W 2541 NRR*	F	56.8	9/15	1.6	29	35.7	19.6	56.4	36.2	19.7	63.8	35.5	19.7	50.3	35.4	19.3	59.7	
WILKEN	W 2550 RR	F	50.1	9/12	1.5	30	37.2	19.3	44.0	38.8	18.7	56.8	36.6	19.8	49.6	36.2	19.5		
WILKEN	W 2574 RR	F	50.6	9/17	1.5	30	35.9	19.0	49.9	37.6	18.0	57.0	35.4	19.3	44.9	34.7	19.5	57.4	53.5
WILKEN	W 2663 RR	F	51.5	9/15	1.8	36	35.7	19.4	45.9	37.3	18.4	58.3	35.1	20.1	50.2	34.8	19.8	55.7	52.5
WILKEN	W 2671 NRR*	F	60.4	9/14	1.8	36	37.4	19.0	62.5	38.6	18.8	67.4	36.7	19.2	51.3	37.0	18.9	63.9	57.8
WILKEN	W 2685 RR*	F	52.5	9/18	1.6	33	35.4	19.9	50.0	37.9	19.2	58.5	34.3	20.3	48.8	34.2	20.2	58.5	54.1
WILKEN	W 2763 RR	F	53.9	9/13	1.9	33	36.8	19.4	45.6	38.7	18.8	59.2	36.5	19.7	56.9	35.2	19.8		
WILKEN	W 2765 NRR*	F	59.7	9/13	1.7	31	36.9	19.5	65.0	38.4	19.1	65.1	36.1	19.8	49.1	36.0	19.6	61.9	
WILKEN	W 2782 NRR	F	60.2	9/12	2.3	34	35.5	19.5	63.5	36.0	19.6	61.9	35.0	19.8	55.3	35.5	19.1	63.1	
WILKEN	W 2788 NRR	F	59.5	9/11	1.6	35	37.4	18.9	66.3	38.4	18.8	61.1	36.4	19.2	51.2	37.4	18.8	63.0	
WILKEN	W 2792 NRR*	F	61.7	9/13	2.4	38	36.6	19.2	63.8	37.8	19.0	63.5	36.5	19.3	57.9	35.5	19.4		
WILKEN	W 2999 NRR	F	62.3	9/13	1.8	34	36.4	19.9	66.4	37.0	19.7	66.9	35.6	20.3	53.8	36.5	19.7		
WILKEN	WX 256 NRR	F	52.7	9/12	1.7	35	37.5	19.4	56.2	38.6	19.1	58.1	37.1	19.8	43.8	36.8	19.5		
WILLCROSS	RR 2283 N*	U	59.9	9/13	1.9	35	37.0	19.0	62.4	37.7	19.0	65.7	36.3	19.1	51.6	37.1	18.9	62.5	57.1
WILLCROSS	RR 2284*	U	51.9	9/19	1.7	35	35.4	20.0	55.1	36.6	19.9	57.3	34.2	20.5	43.3	35.4	19.7	58.4	
WILLCROSS	RR 2295 N	U	60.3	9/13	2.4	37	36.6	19.2	63.0	37.5	19.2	59.7	36.7	19.1	58.1	35.6	19.3	62.9	
	AVERAGE		57.5	9/13	1.8	34	36.5	19.5	58.4	37.8	19.2	61.1	35.9	19.8	53.0	35.9	19.5	61.2	55.4
	L.S.D. 25% LEVEL		3.9		0.2	1	0.48	0.29	4.0	0.5	0.3	4.0	0.5	0.2	4.1	0.5	0.2		
	COEFF. OF VAR. (%)		12.6		18.0	7	2.4	2.8	7.2	1.4	1.7	6.9	1.5	1.1	8.2	1.4	1.2		

**MATURITY GROUP 3**

AGSOURCE	9315*	U	62.5	9/20	1.9	37	37.1	18.6	73.0	37.5	18.4	65.5	36.2	19.2	49.0	37.7	18.2		
AGSOURCE	9354*	U	64.8	9/25	1.9	36	37.6	18.6	77.0	38.2	18.5	67.4	36.8	19.1	50.0	37.8	18.2		
AGVENTURE	AV 30T2 NRR*	U	52.6	9/19	1.4	36	37.1	19.0	57.5	38.3	18.7	56.3	35.7	19.6	43.9	37.2	18.7		
AGVENTURE	AV 32T3 NRR*	U	63.9	9/19	1.9	39	37.3	18.5	72.2	37.6	18.5	66.7	36.2	19.2	52.7	38.2	17.8		
AGVENTURE	AV 34J1 NRR*	U	64.5	9/22	1.9	36	35.0	20.1	73.3	35.2	20.3	67.4	34.0	20.5	52.8	35.9	19.4	67.2	
ASGROW	AG 3006	B	63.0	9/15	2.1	38	35.4	19.5	64.9	36.3	19.3	65.3	35.1	19.6	58.7	34.9	19.5		
ASGROW	AG 3101	B	67.0	9/18	1.6	38	38.2	18.2	72.4	39.2	17.8	68.6	37.2	18.7	60.0	38.2	18.1	66.9	
ASGROW	AG 3203	B	63.5	9/16	1.4	35	36.4	19.3	68.3	37.0	19.2	68.8	35.5	19.6	53.5	36.6	19.2		
ASGROW	AG 3305*	B	67.0	9/19	1.3	33	34.8	19.0	70.0	35.4	19.0	71.2	33.8	19.2	59.9	35.2	18.8	68.2	
ASGROW	AG 3505	B	63.1	9/17	1.5	36	36.5	19.1	69.7	37.3	19.0	63.9	35.7	19.5	55.6	36.6	18.8		
ASGROW	AG 3602	B	64.2	9/21	2.3	41	37.8	18.2	67.5	39.0	17.8	66.5	36.8	18.7	58.7	37.6	18.1	68.7	
ATLAS	5B381 NRR*	U	56.1	9/25	1.6	35	37.1	19.6	55.3	37.4	19.6	65.0	36.1	19.8	48.0	37.7	18.4	63.1	58.2
ATLAS	5N290 RR	U	58.1	9/12	1.4	34	36.3	20.0	63.8	37.5	19.6	59.2	35.4	20.4	51.3	36.1	20.0		
ATLAS	5N327 RR*	U	60.7	9/14	1.7	34	35.9	20.5	69.4	36.8	20.4	63.2	35.0	20.9	49.6	35.9	20.2	64.8	
ATLAS	5N351 RR*	U	64.7	9/23	1.9	35	35.3	20.0	71.2	35.4	20.2	68.2	34.8	20.2	54.7	35.7	19.5	68.3	63.0
BECK	321 NRR	F	65.4	9/20	2.0	35	35.4	20.0	72.4	36.1	20.0	69.6	34.4	20.4	54.2	35.6	19.7		
BECK	323 RR*	F	60.5	9/12	1.6	35	35.9	20.5	69.2	36.7	20.4	57.1	34.9	21.0	55.2	36.2	20.0	65.5	61.8
BECK	333 RR	F	56.5	9/23	1.1	33	36.6	19.2	61.0	38.1	18.7	61.0	34.9	19.9	47.5	36.8	18.9		
BECK	349 NRR	F	61.7	9/18	1.5	37	36.5	19.5	69.3	37.4	19.4	61.9	35.2	20.0	53.8	36.8	19.0		
BECK	354 NRR*	F	63.0	9/21	1.8	39	38.2	18.1	69.3	39.0	17.8	66.3	37.3	18.8	53.3	38.2	17.8	65.8	
BECK	367 NRR*	F	54.2	9/26	1.6	36	37.0	19.4	54.8	38.3	19.4	63.5	35.6	20.0	44.3	37.0	18.9	61.9	57.6
BECK	375 NRR*	F	63.9	9/21	1.8	36	37.7	18.5	75.1	38.4	18.4	65.6	36.8	19.0	50.9	38.1	17.9	65.5	63.0
CROW'S	C 3318 R*	U	63.0	9/20															

2005 Soybean Test Results

Region 2: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY*	IST <sup>1</sup>	Regional Results						Monmouth	Monmouth	Monmouth	Goodfield	Goodfield	Goodfield	Dwight	Dwight	Dwight	2 yr	3 yr
			Yield bu/a	Maturity Date	Lodging	Height in	Protein @ 13%	Oil @ 13%	Yield bu/a	Protein @ 13%	Oil @ 13%	Yield bu/a	Protein @ 13%	Oil @ 13%	Yield bu/a	Protein @ 13%	Oil @ 13%	Avg Yield bu/a	Avg Yield bu/a
CROW'S	C 3518 R*	U	65.2	9/23	1.9	34	35.3	19.9	72.2	35.8	20.1	68.0	34.3	20.2	55.2	35.8	19.5		
DAIRYLAND	DSR-3000 RRSTS*	B	57.5	9/15	1.9	35	38.0	19.2	61.5	39.7	18.7	61.8	36.8	19.7	49.2	37.4	19.2	60.3	
DAIRYLAND	DSR-3002 RR*	B	58.0	9/21	1.9	39	37.0	19.2	63.0	38.7	18.9	62.7	35.8	19.7	48.2	36.5	19.0	62.3	
DAIRYLAND	DSR-301 RR*	B	64.9	9/22	2.0	40	35.7	19.8	67.4	36.7	19.7	70.0	34.7	20.2	57.4	35.9	19.5	65.0	57.8
DAIRYLAND	DSR-3101 RRSTS	B	55.8	9/19	1.8	41	38.1	18.1	56.3	39.8	17.6	61.9	37.0	18.7	49.1	37.4	18.0		
DAIRYLAND	DSR-326 RR*	B	60.1	9/22	1.9	39	37.7	18.8	68.0	38.4	18.9	64.4	36.3	19.5	47.7	38.3	18.1	63.5	57.7
DAIRYLAND	DSR-3502 RR	U	56.5	9/18	2.2	37	35.0	19.5	58.8	35.7	19.4	60.2	34.6	19.7	50.4	34.8	19.3		
DAIRYLAND	DSR-3601 RRSTS	B	56.0	9/18	1.8	37	36.7	18.8	57.0	38.1	18.4	60.5	35.3	19.5	50.6	36.9	18.7		
DAIRYLAND	DSR-3801 RR	B	63.8	9/23	2.5	39	36.1	19.0	73.5	36.8	19.0	64.9	35.2	19.6	53.1	36.4	18.6		
DAIRYLAND	DSR-385 RR*	B	58.7	9/26	1.1	34	36.6	19.7	64.7	37.7	19.5	63.7	35.4	20.3	47.7	36.7	19.2	64.8	61.3
DAIRYLAND	DST 31-000 RR	B	60.7	9/17	1.9	39	35.7	19.7	63.5	36.4	19.4	62.9	34.8	20.1	55.8	35.8	19.5		
DAIRYLAND	DST 34-002 RR	B	62.5	9/22	2.3	42	38.1	17.8	69.8	38.9	17.6	62.1	37.5	18.2	55.6	37.9	17.5		
DEKALB	DKB 31-51*	B	63.5	9/15	1.6	35	35.9	20.3	70.0	37.1	19.8	66.8	34.0	21.3	53.6	36.6	19.7	66.2	63.0
DEKALB	DKB 36-52*	B	61.9	9/19	1.7	38	38.0	18.2	71.8	38.9	18.1	61.3	37.0	18.9	52.7	38.2	17.7	64.6	
DIENER	3005 CR	F	52.9	9/17	1.5	35	37.1	18.9	56.9	37.9	18.7	57.1	36.1	19.4	44.7	37.2	18.6	58.8	
DIENER	3130 RR	F	55.7	9/17	1.8	36	36.5	19.2	57.9	37.8	18.9	62.8	35.4	19.5	46.4	36.3	19.1		
DIENER	3205 CR	F	63.0	9/19	2.1	39	37.4	18.6	71.1	37.7	18.5	63.0	36.5	19.1	54.9	38.1	18.2		
DIENER	3300 CR	U	62.8	9/22	1.5	36	37.8	18.2	70.4	38.9	17.8	67.2	36.6	18.8	50.9	37.9	17.9		
DIENER	3405 CR	F	65.1	9/20	1.9	36	35.6	19.8	76.5	36.5	19.7	70.3	33.8	20.4	48.5	36.4	19.2		
DIENER	3610 CR	F	60.7	9/24	2.6	41	38.4	17.8	70.2	38.9	17.8	60.5	37.4	18.4	51.2	38.9	17.2		
DYNA-GRO	31T31	F	61.2	9/15	1.8	34	36.1	20.3	66.8	37.3	20.2	64.1	34.8	20.9	52.8	36.3	19.8		
DYNA-GRO	35D33	F	64.5	9/21	2.2	39	37.5	18.5	71.9	37.8	18.5	67.5	36.5	19.0	54.0	38.2	18.0		
DYNA-GRO	37K32	F	55.3	9/20	1.8	36	36.1	19.4	58.1	37.3	19.2	58.7	35.3	19.6	48.9	35.8	19.3		
EXCEL	8317 RRSTS	B	58.1	9/18	1.8	39	37.8	18.2	61.4	38.6	18.1	62.3	37.2	18.7	50.5	37.7	17.9		
EXCEL	8343 NNRR	B	62.1	9/21	2.3	40	38.2	17.7	70.5	39.1	17.6	59.7	37.5	18.2	56.2	38.1	17.5	64.6	
FS HISOY	HS 3135	B	56.1	9/17	2.0	39	36.0	19.3	57.9	37.0	19.1	61.9	35.2	19.6	48.6	35.7	19.2	60.8	57.7
FS HISOY	HS 3236	B	60.9	9/15	1.5	36	36.1	20.4	67.7	37.4	20.2	64.3	34.6	21.2	50.7	36.3	19.9	65.5	62.5
FS HISOY	HS 3346	B	64.8	9/19	2.0	40	37.1	18.9	71.0	37.6	18.7	66.8	36.2	19.5	56.6	37.4	18.4	67.1	
FS HISOY	HS 3536	B	64.2	9/21	1.7	35	35.5	19.9	70.7	36.0	20.0	68.7	34.5	20.3	53.2	36.0	19.4	66.9	61.8
FS HISOY	HS 3726*	B	64.8	9/22	1.8	38	37.6	18.6	75.7	38.2	18.6	65.8	36.9	19.1	52.9	37.7	18.1	66.9	
FS HISOY	X 05-34	B	61.6	9/18	1.4	34	36.6	19.4	69.0	37.4	19.3	63.3	35.8	19.8	52.6	36.7	19.2		
GARST	3065 RR/STS	U	56.0	9/15	1.5	34	37.5	19.7	55.4	39.3	19.1	61.5	36.6	20.1	51.1	36.5	19.7		
GARST	3212 RR/N*	U	62.2	9/18	2.3	39	35.3	19.4	66.7	36.0	19.3	66.5	34.8	19.6	53.4	35.2	19.4	65.6	59.5
GARST	3448 RR/N*	U	60.8	9/15	1.9	36	36.2	20.3	64.4	37.5	20.0	61.7	35.0	20.9	56.1	36.1	19.9		
GARST	3624 RR/N	U	65.8	9/23	1.9	35	37.6	18.6	78.9	38.4	18.6	63.5	36.7	19.1	55.1	37.7	18.1		
GARST	3712 RR/N*	U	54.7	9/25	1.8	36	36.3	19.4	56.8	36.9	19.6	60.4	35.2	19.9	46.8	36.9	18.8		
GREAT HEART	GT-345 CRR*	B	62.7	9/24	1.8	35	35.5	19.8	73.2	35.5	20.1	65.2	34.3	20.3	49.7	36.6	19.1	66.2	
GREAT LAKES	GL 3119 RR*	B	61.2	9/16	1.5	35	36.1	20.3	69.0	37.7	19.9	61.9	34.7	21.0	52.8	36.0	20.1		
GREAT LAKES	GL 3409 RR*	B	60.2	9/16	2.1	38	35.6	19.3	66.4	36.6	19.1	64.8	34.7	19.7	49.3	35.6	19.2	64.1	58.3
GUTWEIN	X53104 RR	U	56.9	9/20	1.3	32	37.0	19.2	62.0	37.7	19.1	61.6	35.8	19.7	47.2	37.5	18.7		
HORIZON	H 303 N	F	61.9	9/17	1.6	36	36.3	20.4	69.6	37.4	20.1	63.5	35.3	21.1	52.5	36.3	20.1		
HORIZON	H 328 N	F	54.2	9/27	1.6	35	36.6	19.3	60.4	37.1	19.5	57.4	35.6	19.8	44.8	36.9	18.7		56.7
HORIZON	H 333 N	F	64.9	9/23	2.0	40	37.3	18.6	70.5	37.6	18.5	70.1	36.2	19.1	54.1	38.0	18.1	67.5	
HORIZON	H 342 N	F	60.6	9/19	1.6	34	37.9	18.2	67.4	38.4	18.1	64.0	36.9	18.8	50.3	38.4	17.7		
HORIZON	H 342 N-CR	B	61.9	9/18	1.4	36	37.8	18.3	70.7	38.6	17.9	64.4	36.5	19.0	50.6	38.2	17.8		
HORIZON	H 352 N	F	64.2	9/23	1.8	36	35.3	19.9	72.9	35.7	20.0	68.9	34.2	20.2	51.0	36.1	19.4	67.0	
HORIZON	H 357 N*	F	55.2	9/26	1.7	33	36.8	19.2	60.0	37.4	19.6	60.2	35.6	19.7	45.4	37.4	18.4	63.0	
HORIZON	H 374 N	F	63.9	9/23	1.6	37	37.6	18.6	74.4	38.5	18.4	62.9	36.9	19.0	54.5	37.6	18.3	66.3	
HUBNER	H 333 NRR*	F	61.5	9/18	2.0	38	37.4	18.6	68.4	37.9	18.7	62.1	36.6	18.9	54.1	37.6	18.2		
HUBNER	H 355 NRR*	F	55.5	9/26	1.8	35	36.3	19.4	65.3	36.0	19.9	55.0	35.8	19.6	46.2	37.1	18.6		
KALTENBERG	KB 335 RR	B	60.6	9/22	1.7	35	37.6	18.6	69.5	38.1	18.6	60.8	36.4	19.2	51.6	38.4	18.1	64.6	
KALTENBERG	KB 354 RR	B	64.8	9/22	1.8	37	37.8	18.5	76.8	38.5	18.7	67.1	36.9	18.9	50.6	37.9	18.0	66.1	
KRUGER	K-300 RR/CX	B	62.1	9/16	1.4	36	37.5	18.8	66.0	38.1	18.8	62.6	37.3	18.8	57.8	37.0	18.8		
KRUGER	K-301 RR/SCN	B	63.1	9/12	1.6	35	34.9	19.8	68.3	35.9	19.5	63.6	34.3	20.0	57.5	34.5	19.7		
KRUGER	K-310 RR	B	54.7	9/22	1.0	32	36.9	19.1	52.8	39.1	18.4	63.8	35.0	19.9	47.7	36.6	19.0		
KRUGER	K-311 RR/SCN	B	60.7	9/16	2.1	36	37.6	19.0	67.9	38.6	18.8	60.1	37.0	19.1	54.0	37.1	19.1		
KRUGER	K-328 RR	B	54.5	9/20	1.9	38	36.2	19.3	58.8	37.0	19.1	59.4	35.4	19.6	45.3	36.2	19.2	60.3	
KRUGER	K-330 RR	B	57.8	9/21	1.1	34	36.4	19.3	56.3	38.3	18.8	67.8	34.9	20.0	49.2	36.2	19.1		
KRUGER	K-333 RR/SCN	B	65.7	9/19	1.8	35	35.4	20.0	74.0	36.3	20.0	67.2	34.4	20.3	56.0	35.6	19.7		
KRUGER	K-340 RR	B	65.9	9/20	1.8	36	35.3	19.8	74.8	35.9	19.8	68.8	34.4	20.2	54.0	35.7	19.5		
KRUGER	K-341 RR/SCN	B	63.1	9/17	1.5	35	36.3	19.6	72.1	36.7	19.7	63.8	35.7	19.8	53.4	36.4	19.2		
KRUGER	K-349 RR	B																	

**2005 Soybean Test Results**  
**Region 2: Roundup Resistant (30-inch row spacing)**

COMPANY	VARIETY*	IST <sup>1</sup>	Yield bu/a	Maturity Date	Regional Results				Monmouth Yield bu/a	Monmouth Protein @ 13%	Monmouth Oil @ 13%	Goodfield Yield bu/a	Goodfield Protein @ 13%	Goodfield Oil @ 13%	Dwight Yield bu/a	Dwight Protein @ 13%	Dwight Oil @ 13%	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a
					Lodging	Height in	Protein @ 13%	Oil @ 13%											
	*Producer Nominated																		
LEWIS	3308*	F	62.4	9/22	2.0	39	37.3	18.5	72.2	37.6	18.4	62.8	36.3	19.2	52.3	38.1	17.8	65.4	
LEWIS	3677*	F	53.5	9/25	1.6	35	36.2	19.5	52.6	37.1	19.6	63.7	34.4	20.2	44.2	37.2	18.6		
MAVRICK	3344 RR*	U	63.9	9/23	1.7	37	35.5	19.9	70.1	35.9	19.9	65.9	34.4	20.3	55.8	36.2	19.4		
MERSCHMAN	GRANT III RR*	F	65.4	9/24	1.9	35	35.2	19.9	73.5	35.3	20.1	68.6	34.2	20.4	54.1	36.1	19.2	68.1	62.5
MERSCHMAN	JEFFERSON 630RR	F	62.9	9/15	1.8	37	36.4	20.0	67.2	37.4	19.6	64.7	35.5	20.3	56.9	36.2	20.0		
MERSCHMAN	KENNEDY 538RR*	F	60.6	9/26	1.7	39	36.6	19.6	69.6	37.7	19.3	61.8	35.1	20.2	50.2	37.1	19.1	65.1	
MERSCHMAN	TRUMAN 636RR	F	59.4	9/26	1.4	36	35.4	19.8	59.9	36.8	19.7	58.8	33.9	20.4	59.5	35.4	19.3		
MERSCHMAN	WASHINGTON 9RR*	F	62.1	9/27	2.3	39	36.0	19.6	68.2	36.2	19.7	64.8	35.2	20.2	53.3	36.6	19.0	65.8	61.0
MIDWEST SEED GEN	GR 3533*	U	62.8	9/23	1.9	35	35.3	19.9	69.4	35.7	20.1	64.4	34.1	20.3	54.6	36.1	19.4		
MUNSON	8306 RR	U	54.0	9/17	1.6	32	37.1	19.2	52.6	38.4	18.8	60.6	36.3	19.5	48.7	36.6	19.2		
MUNSON	8346 RR	U	62.1	9/21	1.5	35	37.9	18.1	69.7	38.8	17.8	64.6	36.7	18.9	52.0	38.2	17.8		
MUNSON	8358 RR*	U	65.9	9/25	1.8	36	37.5	18.6	78.3	38.2	18.6	65.8	36.5	19.2	53.7	37.8	18.2		
MUNSON	8366 RR	U	58.7	9/24	1.3	35	35.5	19.9	59.6	36.5	19.9	59.2	34.5	20.4	57.2	35.4	19.5		
NK	S 31-V3*	B	60.7	9/18	1.8	34	37.8	18.7	62.8	38.7	18.4	62.3	37.5	19.0	56.9	37.3	18.6	63.4	
NK	S 35-F9*	B	55.9	9/23	1.6	36	35.8	19.3	62.7	36.0	19.6	60.5	34.7	19.7	44.6	36.8	18.6		
NK	S 37-N4*	B	61.2	9/26	2.4	43	37.2	18.1	67.0	38.2	18.1	65.3	35.8	18.7	51.3	37.7	17.5		
NK	S 39-K6*	B	63.2	9/27	2.1	41	36.5	19.2	68.8	37.3	19.2	67.6	35.2	19.9	53.3	37.1	18.6		
PIONEER	93M10	B	60.3	9/15	2.3	39	35.4	19.3	61.4	36.9	19.3	62.5	34.4	19.3	56.9	34.9	19.4	64.7	
PIONEER	93M11*	B	57.5	9/15	1.5	34	36.5	20.4	56.2	37.5	20.2	58.8	35.6	20.8	57.5	36.5	20.2	61.6	
PIONEER	93M42	B	64.9	9/20	1.5	40	37.0	19.1	70.6	37.9	18.9	69.7	36.0	19.6	54.5	37.1	18.8		
PIONEER	93M50*	B	61.6	9/16	2.0	42	35.7	19.3	67.8	36.0	19.4	62.1	35.1	19.7	55.0	36.1	18.8	65.0	
PRAIRIE BRAND	PB-3123 RR*	U	55.2	9/18	2.0	37	36.1	19.4	51.3	37.1	19.1	60.8	35.4	19.7	53.4	35.8	19.3	59.7	
QUALITY PLUS	Q 315 RR	U	64.7	9/21	2.2	39	37.2	18.6	71.9	37.6	18.6	67.2	36.6	19.1	54.9	37.5	18.2		
QUALITY PLUS	Q 345 RR	U	61.3	9/19	1.5	36	37.8	18.2	68.0	38.7	17.9	63.4	36.5	19.1	52.5	38.3	17.7		
QUALITY PLUS	Q 370 RR*	U	64.1	9/22	1.7	36	37.5	18.6	76.2	37.9	18.6	64.7	36.5	19.1	51.3	38.0	18.0	66.9	
ROESCHLEY	4351 CRR*	B	63.4	9/18	2.0	38	37.2	18.5	73.5	37.6	18.4	63.7	36.3	19.1	53.0	37.8	18.1	66.5	
ROESCHLEY	5372 CRR	B	61.6	9/16	1.6	37	37.9	16.3	65.9	39.1	16.1	65.2	36.9	16.9	53.7	37.6	16.0		
SCHILLINGER	335.RCP*	U	56.0	9/21	1.1	33	36.8	19.2	61.0	38.1	18.8	56.2	35.2	19.8	50.8	36.9	19.0		
SIEBEN	3104 NRR	F	62.0	9/13	1.9	36	37.0	19.4	63.6	38.4	19.0	66.3	36.4	19.6	56.0	36.2	19.5		
SIEBEN	3203 NRR*	F	59.9	9/19	1.7	39	36.9	18.8	62.5	38.3	18.4	65.6	35.7	19.4	51.6	36.7	18.6	61.0	55.5
SIEBEN	3305 RR	F	56.6	9/20	1.9	35	36.3	19.3	67.4	36.5	19.5	59.1	35.4	19.7	43.3	37.0	18.6		
SIEBEN	3704 RR	F	54.6	9/27	1.9	35	36.6	19.3	58.8	37.5	19.4	63.0	35.1	19.9	41.9	37.3	18.5	62.7	
SIEBEN	3905 NRR	F	58.8	9/28	2.3	39	37.2	18.5	69.0	37.1	18.9	56.1	35.8	19.1	51.3	38.7	17.4		
SIEBEN	S 31 N	F	63.5	9/21	2.0	38	37.6	18.4	70.4	37.9	18.2	66.2	36.7	18.8	54.0	38.1	18.0		
STINE	3012-4	U	62.6	9/15	1.6	35	36.8	19.8	67.1	38.1	19.4	64.8	36.0	20.2	55.8	36.3	19.9	66.5	
STINE	3532-4	U	65.1	9/22	1.8	36	35.4	19.9	73.1	35.4	20.0	70.0	34.6	20.2	52.3	36.2	19.4	67.2	
STINE	3600-4	U	59.9	9/27	1.4	37	35.5	19.8	59.5	36.7	19.7	63.8	34.7	20.2	56.5	35.1	19.6	64.5	
TRISOY	3144 RR(CN)	U	64.1	9/19	1.9	38	37.2	18.6	70.2	37.8	18.4	66.9	36.0	19.2	55.2	37.8	18.1	67.2	
WILKEN	W 3410 RR	F	58.2	9/18	1.9	38	35.9	19.4	61.8	36.9	19.3	63.6	34.9	19.6	49.2	35.8	19.4	62.2	
WILKEN	W 3411 NRR*	F	59.2	9/16	1.7	34	36.2	20.3	65.8	37.3	20.1	62.5	34.8	20.9	49.3	36.5	19.9	64.0	61.3
WILKEN	W 3419 NRR*	F	58.8	9/19	2.0	37	35.7	19.3	63.3	36.8	19.2	62.4	34.4	19.8	50.6	36.0	19.0	62.7	57.0
WILKEN	W 3425 NRR*	F	61.8	9/20	2.0	40	37.6	18.5	67.1	38.1	18.4	64.1	36.5	19.2	54.1	38.3	17.8	66.2	
WILKEN	W 3429 NRR	F	63.5	9/19	1.9	34	35.4	20.0	69.1	36.0	20.0	66.8	34.5	20.3	54.7	35.8	19.6		
WILKEN	W 3450 NRR	F	61.3	9/17	1.4	33	36.6	19.5	69.1	37.1	19.4	62.4	36.0	19.7	52.4	36.7	19.2		
WILKEN	W 3467 NRR	F	62.9	9/21	1.7	38	38.2	18.1	71.8	38.6	18.0	63.0	37.5	18.6	53.8	38.4	17.6		
WILKEN	W 3473 NRR	F	64.7	9/24	1.7	36	37.6	18.6	75.9	38.4	18.6	64.1	36.7	19.1	54.1	37.7	18.2	66.4	63.5
WILLCROSS	RR 2303 N*	U	61.2	9/15	1.6	35	36.3	20.3	65.8	37.4	20.0	64.3	34.9	21.0	53.4	36.6	19.8	65.6	62.5
WILLCROSS	RR 2306 N	U	61.4	9/13	1.5	34	36.5	20.0	62.8	37.8	19.6	64.5	35.2	20.4	56.8	36.3	20.0		
WILLCROSS	RR 2331 N*	U	59.7	9/19	2.0	35	35.8	19.4	70.1	36.2	19.5	60.7	35.0	19.7	48.3	36.3	19.1	64.4	58.7
WILLCROSS	RR 2335 N	U	65.8	9/21	2.1	38	37.2	18.6	71.8	37.2	18.6	67.8	36.6	19.2	58.0	37.7	18.1	68.8	
WILLCROSS	RR 2356 NX1	U	63.9	9/18	1.4	35	36.8	19.3	71.8	37.5	19.2	66.6	35.8	19.8	53.4	36.9	19.0		
	AVERAGE		61.1	9/20	1.8	37	36.6	19.2	67.0	37.4	19.1	63.9	35.6	19.7	52.2	36.9	18.8	64.9	60.2
	L.S.D. 25% LEVEL		3.3		0.2	1	0.45	0.24	3.9	0.6	0.3	3.8	0.4	0.2	3.2	0.4	0.2		
	COEFF. OF VAR. (%)		10.0		23.3	7	2.3	2.3	6.2	1.7	1.4	6.2	1.3	1.2	6.6	1.0	1.1		

<sup>1</sup>IST= Insecticide Seed Treatment: U= Untreated, F= Fungicide, B= Insecticide+Fungicide