

2005 Conventional Soybean Entries

Company-Brand	Variety*	**M	***Regions Entered						SN	****			
			1	2	3	4	5	6		PRR	IST	HC	
ATLAS	5344 STS*	3.4			3				S	Rps1k	U	BL	
ATLAS	5383*	3.8			3				S	Rps1a	U	BL	
ATLAS	5N281*	2.8		2	3				A	NG	U	IB	
BECK	379 N*	3.7			3	4		6	A	Rps1c	F	BL	
DAIRYLAND	DSR-265 STS*	2.8	1						S	NG	B	BR	
DAIRYLAND	DSR-2900*	2.9	1						S	NG	B	BL	
DERAEDT	2544*	2.5	1						S	NG	B	IB	
FS HISOY	HS 2431	2.4	1						A	NG	B	BL	
FS HISOY	HS 2861	2.8	1						S	Rps1k	B	IB	
FS HISOY	HS 2911	2.9	1	2					A	NG	B	IB	
FS HISOY	HS 3591	3.5		2	3				A	Rps1c	B	IB	
FS HISOY	HS 3892	3.8		2	3	4			A	Rps1c	B	IB	
FS HISOY	HS 4341	4.3			3	4			A	NG	B	BL	
FS HISOY	HS 4426*	4.4			3	4	5		A	NG	B	BL	
GARST	2972 N*	2.9	1	2				6	A	NG	U	BL	
GARST	3906 N*	3.9			3	4	5	6	A	Rps1c	U	BL	
GOLDEN HARVEST	H-2494	2.4	1						S	NG	U	BU	
GOLDEN HARVEST	H-2892	2.8		2					A	NG	U	BU	
GOLDEN HARVEST	H-3178	3.1		2	3				A	NG	U	BR	
GOLDEN HARVEST	H-3395	3.3		2	3				A	NG	F	BU	
GOLDEN HARVEST	H-3802	3.8			3	4		6	A	NG	F	BL	
GOLDEN HARVEST	H-4151	4.1			3	4			A	NG	U	BL	
HENKEL	SS 7296 CN	2.6	1						A	NG	U	BL	
HENKEL	SS 925	2.9	1						S	NG	U	BL	
HOFFMAN	H 400	4.0				4			A	NG	F	BL	
HOFFMAN	H 445 STS	4.4				4			A	Rps1k	F	BL	
HOFFMAN	H 459 STS	4.5				4			A	NG	F	BL	
HORIZON	EX 5351 N	3.5		2	3			6	A	NG	F	BR	
HORIZON	H 291 N	2.9	1	2	3			6	A	NG	F	IB	
HORIZON	H 376 N	3.7		2	3			6	A	Rps1c	F	IB	
ILLINOIS PRIDE	INA*	4.5				4	5		AC	NG	U	BU	
ILLINOIS PRIDE	LODA*	2.1	1	2	3			6	A	NG	U	G	
ILLINOIS PRIDE	MACON*	3.9	1	2	3	4	5	6	S	NG	U	BL	
ILLINOIS PRIDE	MAVERICK*	3.8	1	2	3	4	5	6	A	Rps1k	U	BU	
ILLINOIS PRIDE	REND*	4.4				4	5		A	NG	U	BU	
IPAP	435	4.3				4			S	NG	U	BL	
IPAP	IP 2702	2.7	1						S	NG	U	Y	
IPAP	IP 2902 N	2.9		2					A	NG	U	Y	
IPAP	IP 3002	3.0	1	2					S	R 3,4	U	Y	
IPAP	IP 3250 N	3.2		2	3				A	NG	U	BL	
IPAP	IP 3602	3.6		2	3	4			S	NG	U	Y	
IPAP	IP 3920	3.9			3	4			S	NG	U	BL	
IPAP	IP 4242 N	4.2				4			A	NG	U	BL	
IPAP	KE 119	3.7			3				S	NG	U	Y	
IPAP	KE 17	3.8				4			S	NG	U	Y	
IPAP	KE 85	3.0	1						S	NG	U	IB	
KALTENBERG	KB 220	2.2	1						S	NG	B	G	
KALTENBERG	KB 262	2.6	1						S	NG	U	IB	
KRUGER	K-1999	1.9	1						S	NG	B	M	
KRUGER	K-2320 SCN	2.3	1						A	NG	B	BR	
KRUGER	K-2552	2.5	1	2					S	Rps1k	B	BL	
KRUGER	K-2918 SCN	2.9		2					A	NG	B	IB	

2005 Conventional Soybean Entries

Company-Brand	Variety*	**M	***Regions Entered						SN	****			
			1	2	3	4	5	6		PRR	IST	HC	
KRUGER	K-3777 SCN	3.8			3				A	Rps1c	B	IB	
LATHAM	830	2.7	1						S	NG	U	BL	
LATHAM	E 3160	3.1	1						S	NG	U	BR	
LEWIS	392	3.9				4			A	Rps1c	F	BL	
LG SEEDS	C 3883 N*	3.8			3				A	Rps1c	B	BL	
MAVRICK	4343*	3.4			3				A	Rps1a	U	BL	
MIDLAND	9B435 X	4.2				4	5		X	Rps1k	B	BR	
MIDLAND	9E394 N	3.9				4	5		A	Rps1k	B	BL	
MIDLAND	9E482 X	4.8				4	5		X	Rps1k	B	IB	
MIDLAND	9G485 X	4.8				4	5		X	NG	B	BL	
MILES	SC BENJAMIN 4.3N	4.3				4	5		A	Rps1c	U	BL	
MILES	SC HOSHEA 3.7N	3.7				4	5		A	Rps1k	U	IB	
MUNSON	8301	3.0		2					A	NG	U	IB	
MUNSON	M 5365 N	3.6		2					A	NG	U	BR	
NK	S 38-T8*	3.8		2	3	4	5	6	A	Rps1c	B	BL	
NK	S 42-H1*	4.2			3	4	5	6	A	NG	B	BR	
PIONEER BRAND	92M72	2.7	1	2					S	Rps1k	B	BL	
PIONEER BRAND	93B15	3.1	1	2	3				A	Rps1c	B	BR	
PIONEER BRAND	93B82	3.8		2	3				S	Rps1k	B	BL	
PIONEER BRAND	93B86*	3.8		2	3				A	Rps1k	B	BL	
PUBLIC	DWIGHT*	2.9	1	2	3			6	A	NG	U	BL	
PUBLIC	IA 3005*	3.5	1	2	3	4	5	6	A	NG	U	BL	
PUBLIC	JACK*	2.9	1	2	3			6	A	NG	U	Y	
PUBLIC	LD 00-2817*	4.6				4	5		C	NG	U	BU	
PUBLIC	LD 00-3309*	4.5				4	5		A	NG	U	BL	
PUBLIC	LD 00-4970*	2.7	1	2	3			6	A	NG	U	BU	
PUBLIC	LINFORD*	3.8	1	2	3	4	5	6	A	NG	U	BL	
PUBLIC	LN 92-7369*	2.8	1	2	3			6	S	R 1,7	U	BL	
PUBLIC	LN 97-15076*	4.3				4	5		S	NG	U	BL	
PUBLIC	PANA*	3.8	1	2	3	4	5	6	A	NG	U	BU	
PUBLIC	WILLIAMS 82*	3.8	1	2	3	4	5	6	S	R	U	IB	
PUBLIC	YALE*	3.8	1	2	3	4	5	6	A	NG	U	BU	
ROESCHLEY	4229 C*	2.9		2					A	NG	B	IB	
SCHILLINGER	235.TC	2.3	1						A	NG	U	BR	
SCHILLINGER	291.TCB*	2.9	1	2					A	NG	U	IB	
STINE	2788*	2.9	1	2	3				S	NG	U	BL	
STINE	3300-0*	3.3		2	3				S	NG	U	BL	
STINE	3600-0*	3.6		2	3	4			S	NG	U	BL	
STINE	3870-0*	3.9			3	4			S	NG	U	BL	
STINE	4000-0*	4.0			3	4			S	NG	U	BL	
TRISOY	2925 (CN)*	2.9			3				A	NG	U	IB	
WILKEN	W 2558	2.5		2					S	?	F	BL	
WILKEN	W 2584	2.8		2					S	?	F	BL	
WILKEN	W 2661 N*	2.6		2					A	?	F	BL	
WILKEN	W 2668	2.6		2					S	?	F	BR	
WILKEN	W 2694 N*	2.9		2					A	?	F	BL	
WILKEN	W 2697	2.9		2					S	?	F	BU	
WILKEN	W 2786 N	2.8		2					A	?	F	BL	
WILKEN	W 3401 N*	3.0		2					A	?	F	BL	
WILKEN	W 3442*	3.4		2	3				S	?	F	BR	
WILKEN	W 3447 N*	3.7		2	3				A	?	F	BR	
WILKEN	W 3494	3.9			3				S	?	F	BL	

2005 Conventional Soybean Entries

Company-Brand	Variety*	**M	***Regions Entered						****			
			1	2	3	4	5	6	SN	PRR	IST	HC
WILKEN	WX 382 N	3.6		2					A	?	F	BR
WILLCROSS	9309 NS*	3.0		2	3				A	NG	U	BL

* Producer Nominated Variety

** Maturity Group

***1 = Region 1: Erie, Mt. Morris & DeKalb

2 = Region 2: Monmouth, Goodfield & Dwight

3 = Region 3: Perry, New Berlin & Urbana

4 = Region 4: Belleville & Brownstown

5 = Region 5: Harrisburg & Carbondale

6 = Urbana 7" Row

****SN- Source of Soybean Cyst Nematode Resistance

A = PI 88788, B = PI 548402 (Peking), C = PI 437654 (Hartwig), S = Susceptible, X = cystx®,

D = PU-SCN 14, R? = resistant, source unknown.

IST = Insecticide Seed Treatment

U= Untreated, F= Fungicide, B= Insecticide+Fungicide

PRR = Phythophthora Root Rot

Rps1* = resistance gene, R # = resistance to specified race, NG = No Gene, ? = unknown

HC = Hilum Color

Bl- black, IB- imperfect black, BU- buff, BR- Brown, Y- Yellow, G- Gray, M- Mixed