

**2005 Roundup Resistant Soybean Entries**

Company-Brand	Variety*	**M	***Regions Entered						SN	****		
			1	2	3	4	5	6		PRR	IST	HC
AGSOURCE	9383	3.8			3	4			A	NG	U	BU
AGSOURCE	9256*	2.5	1	2					S	Rps1k	U	BL
AGSOURCE	9263*	2.6		2	3				A	NG	U	BL
AGSOURCE	9285*	2.8		2	3				A	Rps1c	U	BL
AGSOURCE	9315*	3.1		2	3				A	Rps1k	U	IB
AGSOURCE	9354*	3.5		2	3				A	Rps1c	U	IB
AGSOURCE	9362*	3.6			3	4			S	Rps1k	U	BL
AGSOURCE	9394*	3.9			3	4			A	Rps1k	U	BL
AGVENTURE	AV 28J6 NRR*	2.8		2	3				A	Rps1k	U	BL
AGVENTURE	AV 30T2 NRR*	3.0		2	3				A	Rps1c	U	BL
AGVENTURE	AV 32T3 NRR*	3.2		2	3				A	Rps1k	U	BL
AGVENTURE	AV 34J1 NRR*	3.4		2	3	4			A	Rps1k	U	BL
AGVENTURE	AV 39J3 NRR*	3.9				4	5		A	Rps1k	U	BL
AGVENTURE	AV 41J8 NRR*	4.1				4	5		A	Rps1c	U	BL
AGVENTURE	AV 42T2 NRR*	4.2				4	5		A	Rps1c	U	BL
AGVENTURE	AV 6273 NRR*	2.7		2					A	Rps1k	U	M
AGVENTURE	AV 6361 NRR*	3.6			3	4			A	Rps1c	U	BL
ASGROW	AG 2403*	2.4	1						S	Rps1k	B	BL
ASGROW	AG 2801	2.8	1	2	3				A	Rps1a	B	BL
ASGROW	AG 3006	3.0	1	2	3				A	Rps1k+7	B	IB
ASGROW	AG 3101	3.1	1	2	3				A	Rps1c	B	IB
ASGROW	AG 3203	3.2		2	3				A	Rps1c	B	IB
ASGROW	AG 3305*	3.3		2	3				A	Rps1c	B	IB
ASGROW	AG 3505	3.5		2	3				A	Rps1k	B	IB
ASGROW	AG 3602	3.6		2	3	4	5		A	Rps1c	B	IB
ASGROW	AG 3802	3.8				4	5		A	Rps1c	B	IB
ASGROW	AG 3905	3.9				4	5		A	Rps1c	B	BL
ASGROW	AG 3906	3.9				4	5		A	NG	B	BL
ASGROW	AG 4403*	4.4				4	5		A	Rps1a	B	BL
ASGROW	AG 4502*	4.5				4	5		A	Rps7	B	BL
ASGROW	AG 4703	4.7				4	5		S	Rps1a	B	BL
ASGROW	AG 4801*	4.8				4	5		A	NG	B	BL
ASGROW	AG 4903*	4.9				4	5		S	NG	B	BL
ASGROW	AG 5301*	5.3					5		A	Rps3a	B	BU
ASGROW	AG 5501*	5.5					5		A	NG	B	IB
ATLAS	5B261 RR	2.6	1						S	Rps1c	U	IB
ATLAS	5B381 NRR*	3.8		2	3	4			A	Rps1k	U	BL
ATLAS	5B430 NRR*	4.3				4			A	NG	U	BL
ATLAS	5N290 RR	3.0		2					A	NG	U	BL
ATLAS	5N327 RR*	3.2		2	3				A	Rps1c	U	IB
ATLAS	5N351 RR*	3.5		2	3				A	Rps1k	U	BL
ATLAS	5N391 RR	3.9				4			A	Rps1k	U	BL
ATLAS	5N445 RR*	4.4				4			A	NG	U	BL
ATLAS	5N471 RR*	4.7					5		A	NG	U	BL
BAKER	3865 RR	3.8				4			A	NG	U	BL
BAKER	3945 NRR	3.9				4			A	Rps1k	U	BL
BAKER	4565 NRR	4.5				4	5		A	NG	U	BR
BAKER	4825 NRR	4.8					5		A	NG	U	BL
BAKER	4865 NRR	4.8					5		A	Rps1a	U	BL

**2005 Roundup Resistant Soybean Entries**

Company-Brand	Variety*	**M	***Regions Entered					SN	****			
			1	2	3	4	5		6	PRR	IST	HC
BECK	295 NRR*	2.9	1	2	3			6	A	Rps1c	F	BL
BECK	297 NRR	2.9		2	3			6	A	Rps1c	F	BL
BECK	321 NRR	3.2		2	3			6	A	Rps1k	F	BL
BECK	323 RR*	3.2	1	2	3			6	A	Rps1c	F	IB
BECK	333 RR	3.3		2	3			6	A	Rps1k	F	BL
BECK	349 NRR	3.4		2	3			6	A	Rps1k	F	IB
BECK	354 NRR*	3.5		2	3			6	A	Rps1c	F	IB
BECK	367 NRR*	3.7		2	3	4		6	A	Rps1k	F	BL
BECK	375 NRR*	3.7		2	3			6	A	Rps1c	F	BL
BECK	405 NRR*	4.0			3	4			A	Rps1k	F	BL
BECK	444 NRR	4.3				4			A	NG	F	BR
BERGMANN-TAYLOR	BT 365 CR	3.6				4			A	Rps1c	B	IB
BERGMANN-TAYLOR	BT 371 CR	3.7				4			A	Rps1c	B	IB
BERGMANN-TAYLOR	BT 376 CR	3.7				4			A	Rps1k	B	BL
BERGMANN-TAYLOR	BT 426 CR	4.2				4			A	Rps1a	B	BR
BERGMANN-TAYLOR	BT 434 CR	4.3				4			A	NG	B	BL
BERGMANN-TAYLOR	BT 441 CR	4.4				4			A	Rps1a	B	BL
BERGMANN-TAYLOR	BT 446 CR	4.4				4			A	NG	B	BL
BERGMANN-TAYLOR	BT 484 CR	4.8				4			A	NG	B	BL
BIO GENE	BG 3806 RN	3.8			3				A	NG	F	BL
BIO GENE	BG 4206 RN	4.2				4			A	Rps1c	F	BL
BIO GENE	BG 4406 RN	4.4				4			A	NG	F	BR
CROW'S	C 2815 R*	2.8		2	3				A	Rps1c	U	BL
CROW'S	C 3318 R*	3.3		2					A	Rps1k	U	IB
CROW'S	C 3518 R*	3.5		2	3				A	Rps1k	U	BL
CROW'S	C 3715 R*	3.7				4			A	Rps1c	U	IB
CROW'S	C 3717 R*	3.7				4			A	Rps1c	U	IB
CROW'S	C 3915 R*	3.9				4			A	Rps1c	U	BU
CROW'S	C 4142 R*	4.1				4			A	NG	U	IB
CROW'S	C 4815 R*	4.8					5		A	NG	U	BL
DAIRYLAND	DSR-2100 RR	2.1	1						A	NG	B	BL
DAIRYLAND	DSR-221 RR*	2.1	1					6	R?	seg1k	B	BL
DAIRYLAND	DSR-234 RR*	2.3	1	2	3			6	R?	seg1k	B	BL
DAIRYLAND	DSR-2500 RR*	2.5	1						R?	Rps1k	B	BL
DAIRYLAND	DSR-2501 RR*	2.5		2				6	A	?	B	BR
DAIRYLAND	DSR-2600 RR*	2.6	1	2				6	R?	Rps1k	B	BL
DAIRYLAND	DSR-2700 RRSTS	2.7	1						R?	?	B	BL
DAIRYLAND	DSR-2800 RRSTS*	2.8	1						R?	seg1c	B	M
DAIRYLAND	DSR-2850 RRHP	2.8	1	2				6	BC	NG	B	BL
DAIRYLAND	DSR-3000 RRSTS*	3.0	1	2	3			6	R?	Rps1k	B	BL
DAIRYLAND	DSR-3002 RR*	3.0	1	2				6	A	Rps1k	B	BL
DAIRYLAND	DSR-301 RR*	3.0	1	2				6	A	NG	B	BL
DAIRYLAND	DSR-3101 RRSTS	3.1	1	2				6	R?	seg1k	B	BL
DAIRYLAND	DSR-326 RR*	3.2	1	2	3				A	seg1k	B	BL
DAIRYLAND	DSR-345 RR*	3.4			3				R?	Rps1k	B	BL
DAIRYLAND	DSR-3500 RR*	3.5			3				A	Rps1k	B	BL
DAIRYLAND	DSR-3502 RR	3.5		2	3			6	A	seg1k	U	BL
DAIRYLAND	DSR-3601 RRSTS	3.6		2	3			6	R?	seg1k	B	BL
DAIRYLAND	DSR-3801 RR	3.8		2	3				A	?	B	IB

**2005 Roundup Resistant Soybean Entries**

Company-Brand	Variety*	**M	***Regions Entered						SN	****		
			1	2	3	4	5	6		PRR	IST	HC
DAIRYLAND	DSR-385 RR*	3.8		2	3				A	?	B	BL
DAIRYLAND	DST 31-000 RR	3.1		2					R?	?	B	BL
DAIRYLAND	DST 34-002 RR	3.4		2	3			6	A	NG	B	IB
DEKALB	DKB 26-53	2.6	1						S	Rps1c	B	IB
DEKALB	DKB 31-51*	3.1	1	2	3				S	Rps1k	B	IB
DEKALB	DKB 36-52*	3.6		2	3				A	Rps1c	B	IB
DEKALB	DKB 44-51*	4.4				4	5		A	Rps1a	B	BL
DEKALB	DKB 46-51*	4.6				4	5		A	NG	B	BL
DELTA & PINE LAND	DP 3861 RR	3.8					5		A	Rps1c	U	IB
DELTA & PINE LAND	DP 4331 RR	4.3					5		A	Rps1a	U	BL
DELTA & PINE LAND	DP 4546 RR	4.5					5		A	NG	U	BL
DELTA & PINE LAND	DP 4724 RR	4.7					5		A	Rps1k	U	BL
DELTA & PINE LAND	DPX 1908 RR	4.1					5		NA	?	U	BL
DELTA KING	DK 3967	3.8				4	5		R?	Rps1c	F	BL
DELTA KING	DK 3968	3.9				4	5		A	Rps1c	F	BU
DELTA KING	DK 4461	4.6				4	5		A	Rps1a	F	BL
DELTA KING	DK 4566	4.3				4	5		R?	R?	F	BL
DELTA KING	DK 4667	4.6				4	5		R?	R?	F	BL
DELTA KING	DK 4763	4.7				4	5		A	R?	F	BL
DELTA KING	DK 4866	4.8				4	5		A	Rps1a	F	BL
DELTA KING	DK 4967	4.9				4	5		A	R?	F	BL
DELTA KING	DK 5066	5.0					5		A	R?	F	BL
DELTA KING	DK 5161	5.1					5		A	R?	F	BU
DELTA KING	DK 5366	5.3					5		A	Rps1c	F	BR
DELTA KING	DK 5567	5.5					5		A	R?	F	BL
DELTA KING	DK 55T6	5.5					5		A	R?	F	BU
DELTA KING	DK XTJ 638	3.8				4	5		R?	R?	F	BL
DELTA KING	DK XTJ 640	4.0				4	5		A	Rps1a	F	BR
DELTA KING	DK XTJ 6D44	4.4				4	5		R?	R?	F	BR
DELTA KING	DK XTJ 6L49	4.9				4	5		R?	R?	F	BL
DERAEDT	2121 RR*	2.3	1						A	NG	B	BL
DERAEDT	2650 RR*	2.6	1						S	Rps1k	B	BL
DERAEDT	2660 RR	2.6	1						A	NG	B	BL
DIENER	2356 RR*	2.3	1						A	NG	F	BL
DIENER	2605 CR	2.6	1	2					A	NG	F	BL
DIENER	2615 RR	2.6	1	2					S	Rps1k	F	BL
DIENER	2920 RR	2.9		2					S	Rps1k	F	BL
DIENER	2980 CR	2.9	1	2					A	Rps1c	F	BL
DIENER	3005 CR	3.0		2					A	Rps1c	F	BL
DIENER	3130 RR	3.1		2					S	Rps1c	F	BL
DIENER	3205 CR	3.2		2	3				A	Rps1k	F	IB
DIENER	3300 CR	3.3		2	3				A	Rps1k	U	IB
DIENER	3405 CR	3.4		2	3				A	Rps1k	F	BL
DIENER	3610 CR	3.6		2	3				A	Rps1c	F	BR
DIENER	3782 CR	3.7			3				A	Rps1c	F	BU
DIENER	3805 CR	3.8			3				A	Rps1k	F	BL
DIENER	4020 CR	4.0			3				A	Rps1c	F	BL
DIENER	4304 CR*	4.3					5		A	Rps1a	F	BL
DIENER	4725 CR*	4.8					5		A	NG	F	BL

**2005 Roundup Resistant Soybean Entries**

Company-Brand	Variety*	**M	***Regions Entered						SN	****		
			1	2	3	4	5	6		PRR	IST	HC
DYNA-GRO	31T31	3.1	1	2	3				A	Rps1c	F	IB
DYNA-GRO	32C38*	3.8				4	5		A	Rps1c	F	BL
DYNA-GRO	33A37	3.7			3	4			A	Rps1c	F	IB
DYNA-GRO	35B40*	4.0				4	5		A	Rps1a	F	BR
DYNA-GRO	35D33	3.3		2	3				A	Rps1k	F	IB
DYNA-GRO	36K40	4.0				4	5		A	Rps1a	F	BR
DYNA-GRO	37B28	2.8	1	2					S	Rps1c	F	BL
DYNA-GRO	37K32	3.2	1	2	3				S	Rps1c	F	BL
DYNA-GRO	37R39*	3.9				4	5		A	Rps1k	F	BL
DYNA-GRO	38T47	4.7					5		A	NG	F	BL
DYNA-GRO	39G43	4.3					5		A	Rps1a	F	BL
DYNA-GRO	39V26	2.6	1						A	NG	F	BL
DYNA-GRO	DG 3362 NRR	3.6				4			A	Rps1k	F	BL
DYNA-GRO	DG 3390 NRR*	3.9				4	5		A	Rps1c	F	BR
DYNA-GRO	DG 3437 NRR	4.3				4	5		A	NG	F	BL
DYNA-GRO	DG 3443 NRR*	4.4				4	5		A	Rps1a	F	BR
EXCEL	8192 RR	1.9	1						S	seg1k	B	BL
EXCEL	8200 RR	2.1	1						S	seg1k	U	BL
EXCEL	8210 RR	2.1	1						S	seg1k	B	BL
EXCEL	8211 NRR	2.1	1						A	NG	B	BL
EXCEL	8226 RR	2.2	1						S	seg1k	B	BL
EXCEL	8236 NRR	2.3	1						R?	NG	B	BL
EXCEL	8238 RR	2.3	1						R?	?	B	BL
EXCEL	8253 RR	2.5	1						S	Rps1k	B	BL
EXCEL	8259 RR	2.6	1						S	Rps1k	B	BL
EXCEL	8260 NNRR	2.6	1	2					A	?	B	BR
EXCEL	8274 NRR	2.7	1						A	NG	U	BL
EXCEL	8283 RR	2.9	1	2					S	?	B	BL
EXCEL	8285 RRSTS	2.8		2					S	?	B	BL
EXCEL	8287 RRSTS	2.8		2					S	?	B	BL
EXCEL	8294 RR	2.9		2					S	seg1c	B	M
EXCEL	8302 RR	3.0	1						S	Rps1k	B	BL
EXCEL	8317 RRSTS	3.1	1	2					S	seg1k	B	BL
EXCEL	8343 NNRR	3.4	1	2					A	NG	B	IB
EXCEL	8377 NRRSTS	3.7			3	4			A	?	B	IB
EXCEL	8384 NRR	3.8				4			A	NG	B	IB
EXCEL	8398 NRR	3.9			3	4			A	?	B	BL
EXCEL	8400 NNRR	4.0			3				A	NG	B	IB
EXCEL	8416 NRR	4.1			3				A	?	B	BL
EXCEL	8427 NRR*	4.2			3	4			A	?	B	BL
EXCEL	8430 NNRRSTS	4.3				4			A	NG	B	BL
EXCEL	8448 NRR	4.4					5		A	?	B	BL
EXCEL	8509 NRR	4.9					5		A	seg1k	B	BL
EXCEL	8530 NNRR	5.3					5		A	seg1k	B	BU
FARM ADVANTAGE	FA 7285 N	2.8	1						A	NG	U	BL
FARM ADVANTAGE	FA 7295 N	2.9	1						A	Rps1c	U	BL
FARM ADVANTAGE	FA 7316	3.1	1						S	Rps1c	U	BL
FARM ADVANTAGE	FA 7345 N	3.4	1						A	Rps1k	U	BL
FS HISOY	HS 2645	2.6	1						S	Rps1c	B	IB

**2005 Roundup Resistant Soybean Entries**

Company-Brand	Variety*	**M	***Regions Entered						SN	****		
			1	2	3	4	5	6		PRR	IST	HC
FS HISOY	HS 2846	2.8	1						A	Rps1c	B	BL
FS HISOY	HS 3135	3.1	1	2					S	Rps1c	B	BL
FS HISOY	HS 3236	3.2	1	2					A	Rps1c	B	IB
FS HISOY	HS 3346	3.3		2					A	Rps1k	B	IB
FS HISOY	HS 3536	3.5		2	3				A	Rps1k	B	BL
FS HISOY	HS 3616*	3.8			3	4			S	Rps1k	B	BL
FS HISOY	HS 3726*	3.7		2	3				A	Rps1c	B	IB
FS HISOY	HS 3846	3.8			3	4			A	Rps1c	B	BU
FS HISOY	HS 3916*	3.7			3	4			A	Rps1c	B	BU
FS HISOY	HS 3936	3.9			3	4			A	Rps1k	B	BL
FS HISOY	HS 4028*	4.0			3	4			A	NG	B	BL
FS HISOY	HS 4046	4.0			3	4			A	NG	B	BR
FS HISOY	HS 4228	4.2				4	5		A	NG	B	BL
FS HISOY	HS 4646	4.6				4	5		A	NG	B	BL
FS HISOY	HS 4736*	4.7				4	5		A	NG	B	BL
FS HISOY	HS 4826*	4.8					5		A	NG	B	BL
FS HISOY	HS 5036	4.9					5		A	NG	B	BL
FS HISOY	HS 5426*	5.4					5		A	NG	B	BU
FS HISOY	X 05-25	2.5	1						S	NG	B	BR
FS HISOY	X 05-27	2.7	1						S	Rps1k	B	BL
FS HISOY	X 05-29	2.9	1						A	NG	B	BL
FS HISOY	X 05-34	3.4		2					A	Rps1k	B	IB
FS HISOY	X 05-42 B	4.2				4	5		A	Rps1c	B	BU
FS HISOY	X 05-44	4.4				4	5		A	NG	B	BR
FS HISOY	X 05-48	4.8					5		A	NG	B	BL
FS HISOY	X 05-49	4.9					5		A	NG	B	BL
GARST	2332 RR*	2.3	1	2				6	S	NG	U	BL
GARST	2721 RR/N	2.7	1						A	Rps1c	U	BL
GARST	2812 RR/N*	2.8	1	2	3				A	Rps1c	U	IB
GARST	2903 RR	2.9	1						S	Rps1k	U	BL
GARST	3065 RR/STS	3.0		2				6	S	NG	U	BL
GARST	3212 RR/N*	3.2	1	2	3				A	Rps1k	U	BL
GARST	3448 RR/N*	3.4		2	3			6	A	Rps1c	U	IB
GARST	3512 RR/N	3.5			3				A	Rps1k	U	BL
GARST	3624 RR/N	3.6		2				6	A	Rps1c	U	IB
GARST	3712 RR/N*	3.7		2	3	4		6	A	Rps1k	U	BL
GARST	3824 RR/N*	3.8			3	4			A	Rps1c	U	BL
GARST	4112 RR/N	4.1			3				A	NG	U	BL
GARST	4212 RR/STS/N	4.2				4	5		A	NG	U	BL
GARST	4512 RR/N*	4.5				4	5		A	Rps1a	U	BL
GARST	484 RR/N	4.8				4	5		A	NG	U	BL
GMA	SVI 2781 SCNRR*	2.7	1	2					AC	?	U	IB
GMA	SVI 2959 SCNRR*	2.9	1	2					AC	?	U	IB
GOLDEN HARVEST	H-2448 RR	2.4	1	2					A	NG	U	BL
GOLDEN HARVEST	H-2712 RR	2.7	1	2					S	Rps1k	U	BL
GOLDEN HARVEST	H-2824 RR	2.8	1	2	3				A	NG	F	BU
GOLDEN HARVEST	H-2929 RR	2.9	1						S	Rps1k	U	IB
GOLDEN HARVEST	H-3383 RR	3.3			3				A	NG	F	BL
GOLDEN HARVEST	H-3606 RR	3.6			3	4			A	Rps1c	F	IB

**2005 Roundup Resistant Soybean Entries**

Company-Brand	Variety*	**M	***Regions Entered						SN	****		
			1	2	3	4	5	6		PRR	IST	HC
GOLDEN HARVEST	H-3631 RR	3.6			3				A	Rps1k	U	BL
GOLDEN HARVEST	H-3945 RR	3.9			3	4			A	Rps1c	U	BU
GOLDEN HARVEST	H-4024 RR	4.0			3	4			A	NG	U	BL
GOLDEN HARVEST	H-4368 RR	4.3				4			A	NG	U	BL
GOLDEN HARVEST	H-4534 RR	4.5				4			A	Rps1a	U	BL
GOLDEN HARVEST	H-4850 RR	4.8				4			A	NG	U	BL
GOLDEN HARVEST	H-4878 RR	4.8				4			A	NG	U	IB
GREAT HEART	GT-345 CRR*	3.5		2	3	4			A	Rps1k	B	BL
GREAT HEART	GT-375 CRR*	3.7			3				A	Rps1c	B	BU
GREAT HEART	GT-382 CRR*	3.8			3				A	Rps1k	U	BL
GREAT HEART	GT-444 CRR*	4.4				4			A	NG	B	BR
GREAT LAKES	GL 2429 RR*	2.4		2					A	Rps1k	B	IB
GREAT LAKES	GL 2705 RR*	2.7		2					S	Rps1k	B	Y
GREAT LAKES	GL 3119 RR*	3.1	1	2					A	Rps1c	B	IB
GREAT LAKES	GL 3409 RR*	3.4		2					A	Rps1k	B	BL
GREAT LAKES	GL 3710 RR*	3.7				4			S	Rps1k	B	BL
GREAT LAKES	GL 4009 RR*	4.0				4			A	NG	B	BL
GREAT LAKES	GL 4419 RR*	4.4				4			A	Rps1a	B	BL
GUTWEIN	X53104 RR	3.1	1	2	3			6	S	Rps1c	U	IB
HELENA	3676	3.6				4			A	Rps1c	F	BL
HELENA	3975	3.9				4			A	Rps1a	F	BR
HELENA	4375	4.3				4			A	Rps1a	F	BL
HELENA	4576	4.5				4			A	NG	F	BR
HELENA	4875	4.8				4			A	NG	F	BL
HENKEL	SS 3205 RR	2.3	1						S	Rps1c	U	BL
HENKEL	SS 6401 RR	2.6	1						A	Rps1c	U	BL
HENKEL	SS 8506 RR	2.8	1						A	NG	U	BL
HENKEL	SS 9405 RR	2.9	1						A	Rps1c	U	BL
HIGH CYCLE	2222 RR*	2.2	1						S	seg1k	F	BU
HIGH CYCLE	2263 RR	2.6	1						S	Rps1c	U	IB
HIGH CYCLE	2274 RR	2.7	1						S	Rps1k	F	BL
HIGH CYCLE	2292 RR	2.9	1						S	Rps1c	F	BL
HIGH CYCLE	2293 RR/SCN	2.9	1						A	NG	U	BL
HOBLIT	HB 287 NRR	2.9			3				A	Rps1c	U	BL
HOBLIT	HB 319 NRR*	3.1			3				A	Rps1k	U	BL
HOBLIT	HB 335 NRR	3.3			3				A	Rps1k	U	IB
HOBLIT	HB 355 NRR	3.5			3				A	Rps1k	U	BL
HOBLIT	HB 364 NRR	3.6			3				A	Rps1k	U	BL
HOBLIT	HB 376 NRR*	3.7			3				A	Rps1c	U	IB
HOBLIT	HB 387 NRR	3.8			3				A	Rps1k	U	BL
HOBLIT	HB 424 NRR	4.2				4			A	Rps1c	U	BL
HOFFMAN	H 3384 CR	3.8				4			A	Rps1c	F	BL
HOFFMAN	H 3441 CR*	4.4				4			A	NG	F	BL
HOFFMAN	H 3456 CR	4.5				4			A	NG	F	BL
HOFFMAN	H 3466 CR	4.6				4			A	NG	F	BL
HOFFMAN	H 3474 CR	4.7				4			A	NG	F	BL
HORIZON	H 270 N	2.7	1	2					A	NG	F	BL
HORIZON	H 283 N	2.8	1	2					A	Rps1c	F	BL
HORIZON	H 283 N-CR	2.8	1						A	Rps1c	B	BL

**2005 Roundup Resistant Soybean Entries**

Company-Brand	Variety*	**M	***Regions Entered						SN	****		
			1	2	3	4	5	6		PRR	IST	HC
HORIZON	H 294 N	2.9	1	2					A	NG	F	BL
HORIZON	H 303 N	3.0	1	2	3				A	Rps1k	F	IB
HORIZON	H 328 N	3.2		2	3				A	Rps1k	F	BL
HORIZON	H 333 N	3.3		2	3			6	A	Rps1k	F	IB
HORIZON	H 342 N	3.4		2	3			6	A	Rps1k	F	IB
HORIZON	H 342 N-CR	3.4		2	3				A	Rps1k	B	IB
HORIZON	H 352 N	3.5		2	3			6	A	Rps1k	F	BL
HORIZON	H 357 N*	3.6		2	3			6	A	Rps1k	F	BL
HORIZON	H 374 N	3.7		2	3	4			A	Rps1c	F	IB
HORIZON	H 380	3.8			3	4			S	NG	F	BL
HORIZON	H 380-CR	3.8				4			A	NG	B	BL
HORIZON	H 387 N*	3.8			3	4		6	A	Rps1k	F	BL
HORIZON	H 406 N*	4.0			3	4		6	A	Rps1k	F	BL
HORIZON	H 424 N*	4.2				4			A	NG	F	BL
HORIZON	H 425 N	4.2			3	4		6	A	Rps1c	F	IB
HORIZON	H 451 N	4.5				4			A	NG	F	BR
HUBNER	H 262 NRR*	2.6	1	2					A	NG	F	BL
HUBNER	H 289 NRR*	2.8	1	2					A	Rps1c	F	BL
HUBNER	H 291 NRR*	2.9		2	3				A	Rps1c	F	BL
HUBNER	H 333 NRR*	3.3		2	3				A	Rps1k	F	IB
HUBNER	H 355 NRR*	3.7		2	3	4	5		A	Rps1k	F	BL
HUBNER	H 383 NRR*	3.8				4	5		A	NG	F	BL
HUBNER	H 402 NRR*	4.0				4	5		A	NG	F	BL
HUBNER	H 427 NRR*	4.2					5		A	NG	F	BL
HUBNER	H 431 NRR*	4.3					5		A	Rps1a	F	BL
HUGHES	405	2.4	1						S	Rps1k	B	BL
HUGHES	567	2.5	1						S	Rps1k	B	BL
HUGHES	754	2.7	1						A	NG	B	BL
HUGHES	835	2.8	1						A	Rps1c	B	BL
HUGHES	852	2.8	1						A	Rps1c	B	BL
HUGHES	309*	2.3	1						S	Rps1k	B	Y
KALTENBERG	KB 226 RR	2.3	1						A	NG	B	BL
KALTENBERG	KB 248 RR	2.4	1						S	Rps1c	B	IB
KALTENBERG	KB 265 RR	2.6	1						A	NG	B	BL
KALTENBERG	KB 276 RR	2.8	1						S	Rps1k	B	BL
KALTENBERG	KB 335 RR	3.3		2					A	seg1c	B	BL
KALTENBERG	KB 354 RR	3.5		2					A	Rps1c	B	IB
KITCHEN	KSC 3546 CRR	3.5			3				A	Rps1a	U	BL
KITCHEN	KSC 3736 CRR	3.6			3				A	Rps1a	U	IB
KITCHEN	KSC 3856 CRR	3.8			3	4			A	Rps1a	U	BR
KITCHEN	KSC 3902 CRR	3.9			3	4			A	NG	U	BL
KITCHEN	KSC 4256 CRR	4.2				4			A	Rps1a	U	BL
KITCHEN	KSC 4266 CRR	4.2				4			A	NG	U	BR
KRUGER	K-188 RR/SCN	1.8	1						A	NG	B	IB
KRUGER	K-192 RR	1.9	1						S	NG	B	BU
KRUGER	K-193 RR	2.0	1						S	NG	B	BL
KRUGER	K-195+ RR/SCN	2.0	1						A	Rps1k	B	IB
KRUGER	K-211+ RR	2.2	1						S	seg1k	B	BU
KRUGER	K-212 RR	2.1	1						S	seg1k	B	BL

**2005 Roundup Resistant Soybean Entries**

Company-Brand	Variety*	**M	***Regions Entered						SN	****			
			1	2	3	4	5	6		PRR	IST	HC	
KRUGER	K-213 RR/SCN	2.2	1						A	NG	B	BL	
KRUGER	K-214 RR	2.1	1						S	NG	B	BL	
KRUGER	K-223+ RR	2.2	1						S	Rps1k	B	BR	
KRUGER	K-224 RR	2.2	1						S	NG	B	IB	
KRUGER	K-226 RR	2.2	1						S	NG	B	BL	
KRUGER	K-233+ RR	2.3	1						S	seg1k	B	BL	
KRUGER	K-235 RR/SCN	2.4	1						A	seg1c	B	BR	
KRUGER	K-236 RR/SCN	2.4	1						A	NG	B	BL	
KRUGER	K-255 RR	2.5	1	2					S	NG	B	BR	
KRUGER	K-260 RR	2.6	1	2					S	Rps1k	B	IB	
KRUGER	K-266 RR/SCN	2.6	1	2					A	NG	B	IB	
KRUGER	K-267 RR/CX	2.6	1	2					X	NG	B	BL	
KRUGER	K-273 RR	2.7	1	2					S	Rps1c	B	IB	
KRUGER	K-277+ RR/SCN	2.7	1	2					A	NG	B	BL	
KRUGER	K-280 RR	2.8	1	2					S	Rps1k	B	IB	
KRUGER	K-284 RR/CX	2.8	1	2					X	NG	B	BL	
KRUGER	K-287 RR/SCN	2.8	1	2					A	Rps1c	B	BL	
KRUGER	K-289+ RR	2.8	1	2					S	Rps1k	B	BL	
KRUGER	K-292 RR/SCN	2.9		2					A	NG	B	BL	
KRUGER	K-294 RR/SCN	2.9		2					BC	NG	B	BL	
KRUGER	K-300 RR/CX	3.0		2					X	NG	B	BL	
KRUGER	K-301 RR/SCN	3.0		2					A	NG	B	M	
KRUGER	K-310 RR	3.1		2					S	Rps1k	B	BL	
KRUGER	K-311 RR/SCN	3.1		2					A	Rps1c	B	BL	
KRUGER	K-328 RR	3.2		2					S	Rps1c	B	BL	
KRUGER	K-330 RR	3.3		2	3				S	Rps1k	B	BL	
KRUGER	K-333 RR/SCN	3.3		2	3				A	NG	B	BL	
KRUGER	K-340 RR	3.4		2	3				S	NG	B	BL	
KRUGER	K-341 RR/SCN	3.4		2	3				A	Rps1k	B	IB	
KRUGER	K-349 RR	3.4		2	3				S	Rps1c	B	IB	
KRUGER	K-355 RR/SCN	3.5		2	3				A	Rps1k	B	BL	
KRUGER	K-370 RR/SCN	3.7			3				A	NG	B	IB	
KRUGER	K-373 RR/SCN	3.7			3				A	Rps1k	B	BL	
KRUGER	K-389 RR/SCN	3.8			3				A	Rps1c	B	BL	
KRUGER	K-397 RR/SCN	3.8			3	4			A	NG	B	IB	
KRUGER	K-399 RR/SCN	3.9			3	4			A	NG	B	IB	
KRUGER	K-403 RR/SCN	4.0			3	4			A	NG	B	BL	
KRUGER	K-404 RR	4.0			3	4			S	Rps1k	B	BL	
KRUGER	K-410 RR/SCN	4.1			3	4			A	NG	B	BL	
KRUGER	K-411 RR/SCN	4.1			3	4			A	NG	B	BL	
KRUGER	K-433 RR/SCN	4.3				4			A	NG	B	BR	
KRUGER	K-473 RR/SCN	4.8				4	5		A	NG	B	BL	
LATHAM	E 2450 R	2.4	1						S	Rps1k	U	IB	
LATHAM	E 2646 R	2.6	1						S	Rps1k	U	BL	
LATHAM	E 3157 R	3.1	1						S	Rps1c	U	BL	
LATHAM	L 2811 RX*	2.8	1						D	NG	U	BL	
LATHAM	L 2900 R	2.9	1						S	NG	U	M	
LEWIS	2909	2.9		2					A	NG	F	BL	
LEWIS	3192	3.1		2					A	Rps1k	F	BL	



**2005 Roundup Resistant Soybean Entries**

Company-Brand	Variety*	**M	***Regions Entered						SN	****			
			1	2	3	4	5	6		PRR	IST	HC	
LEWIS	3515	3.5		2	3				A	Rps1k	F	IB	
LEWIS	3566	3.5			3				A	Rps1k	F	BL	
LEWIS	3706	3.7			3				A	Rps1k	F	BL	
LEWIS	3716	3.7			3	4			A	Rps1c	F	IB	
LEWIS	3822	3.8			3				S	NG	F	BL	
LEWIS	3875	3.8			3	4			A	Rps1k	F	BL	
LEWIS	4010	4.0				4			A	NG	F	BR	
LEWIS	4395	4.3				4			A	NG	F	BR	
LEWIS	3308*	3.3		2	3				A	Rps1k	F	IB	
LEWIS	3677*	3.6		2	3				S	Rps1k	F	BL	
LEWIS	3715*	3.7			3	4			A	Rps1c	F	IB	
LEWIS	3853*	3.8			3	4			A	Rps1c	F	BL	
LEWIS	4106*	4.1			3	4			A	NG	F	BL	
LEWIS	4366*	4.3				4			A	NG	F	BL	
LEWIS	4404*	4.4				4			A	Rps1a	F	BL	
LG SEEDS	C 3444 NRR*	3.4			3				A	Rps1k	B	BL	
LG SEEDS	C 3655 RR*	3.7			3				S	Rps1k	U	BL	
LG SEEDS	C 4444 NRR*	4.4				4			A	Rps1c	B	BL	
M & D SEED	9400 NRR	4.0				4			A	NG	U	BL	
M & D SEED	9420 NRR	4.2				4			A	NG	U	IB	
M & D SEED	9440 NRR*	4.4				4	5		A	NG	U	BL	
M & D SEED	9550 RRSTS*	5.5					5		A	NG	U	BU	
MARTIN	M 435 NRR	3.5			3				A	Rps1c	U	IB	
MARTIN	M 538 NRR	3.8			3				A	Rps1c	U	BU	
MARTIN	M 627 RR	2.7			3				S	Rps1k	U	BL	
MARTIN	M 631 NRR	3.1			3				A	Rps1c	U	BL	
MAVRICK	1363 RR*	3.6			3				A	Rps1k	U	BL	
MAVRICK	2373 RR*	3.7			3				A	Rps1c	U	BR	
MAVRICK	3344 RR*	3.4		2	3				A	Rps1k	U	BL	
MAVRICK	3399 RR*	3.9			3				A	Rps1k	U	IB	
MAVRICK	4430 RR*	4.3			3	4			A	Rps1k	U	BL	
MERSCHMAN	MARS 618RR	1.8	1						S	NG	F	BU	
MERSCHMAN	MUNSEE IVRR	2.0	1						S	Rps1k	F	BU	
MERSCHMAN	MOHEGAN 624RR	2.4	1						A	NG	U	BL	
MERSCHMAN	APACHE 626RR	2.6	1						A	NG	F	BR	
MERSCHMAN	SIOUX IIRR	2.6	1						S	Rps1k	F	IB	
MERSCHMAN	SHAWNEE 527RR	2.7	1	2	3				A	NG	F	BL	
MERSCHMAN	CHEROKEE 628RR	2.8	1	2	3				S	Rps1k	F	BL	
MERSCHMAN	CHICKASAW 8RR*	2.9		2					A	Rps1c	F	IB	
MERSCHMAN	JEFFERSON 630RR	3.0		2	3				A	NG	F	BL	
MERSCHMAN	GRANT IIIRR*	3.3		2	3				A	Rps1k	F	BL	
MERSCHMAN	TRUMAN 636RR	3.6		2	3				S	NG	F	BL	
MERSCHMAN	KENNEDY 538RR*	3.8		2	3				A	NG	F	BL	
MERSCHMAN	WASHINGTON 9RR*	3.9		2	3				A	Rps1k	F	BL	
MERSCHMAN	PHOENIX IIIRR*	4.0			3	4			A	NG	F	BL	
MERSCHMAN	MEMPHIS 642RR	4.2				4	5		A	NG	U	BR	
MERSCHMAN	AUSTIN 643RR	4.3				4	5		A	NG	U	BL	
MERSCHMAN	DENVER RRSTS	4.5				4			A	NG	F	BL	
MERSCHMAN	ROCKY RR	4.6				4	5		A	NG	F	BL	

**2005 Roundup Resistant Soybean Entries**

Company-Brand	Variety*	**M	***Regions Entered						SN	****			
			1	2	3	4	5	6		PRR	IST	HC	
MERSCHMAN	DALLAS RR	4.8				4	5		A	NG	F	BL	
MERSCHMAN	RICHMOND 649RR	4.9				4			A	NG	U	BL	
MERSCHMAN	OLYMPUS RR	5.0					5		A	NG	F	BL	
MERSCHMAN	EVEREST RR	5.3					5		A	NG	F	BU	
MERSCHMAN	RUSHMORE 553RR	5.3					5		A	NG	F	BL	
MIDLAND	9A305 NRR	3.0						6	A	NG	B	BL	
MIDLAND	9A345 XRR	3.4						6	X	Rps1k	B	BL	
MIDLAND	9A402 NRR*	3.9				4	5	6	A	NG	B	BU	
MIDLAND	9A445 NRR	4.4				4	5		A	NG	B	BL	
MIDLAND	9A475 XRR	4.7				4	5		X	NG	B	BL	
MIDLAND	9A485 XRR	4.8				4	5		X	NG	B	BL	
MIDLAND	MG 3306 NRR	3.3			3			6	A	Rps1c	B	IB	
MIDLAND	MG 3836 NRRSTS	3.8			3	4		6	A	Rps1c	B	BL	
MIDLAND	MG 4006 NRR	4.0				4	5		A	NG	B	BL	
MIDLAND	MG 4606 NRR	4.6				4	5		A	NG	B	BL	
MIDWEST SEED GEN	GR 3533*	3.5		2	3				A	Rps1k	U	BL	
MIDWEST SEED GEN	GR 3832*	3.8			3	4			A	Rps1c	U	BU	
MIDWEST SEED GEN	GR 3931*	3.9			3	4			A	Rps1c	U	BU	
MIDWEST SEED GEN	GR 4152*	4.1				4			A	NG	U	IB	
MIDWEST SEED GEN	GR 4752*	4.7					5		A	NG	U	BL	
MILES	SC LEVI 4.4NRR	4.4				4	5		A	Rps1a	U	BL	
MILES	SC MOAB 4.5NRR	4.5				4	5		A	NG	U	BR	
MILES	SC REUBEN 4.8NRR	4.8				4	5		A	Rps1a	U	BL	
MILES	SC STEPHEN 3.8NRR	3.8				4	5		A	Rps1k	U	BL	
MUNSON	8264 RR*	2.6	1	2	3				A	NG	U	BL	
MUNSON	8296 RR	2.9		2					A	NG	U	BL	
MUNSON	8306 RR	3.0		2					S	Rps1k	U	BL	
MUNSON	8346 RR	3.4		2					A	Rps1k	U	IB	
MUNSON	8358 RR*	3.5	1	2	3				A	Rps1c	U	IB	
MUNSON	8366 RR	3.6		2					S	NG	U	BL	
MWS	2414 CRR*	2.4	1						A	Rps1k	F	BL	
MWS	2856 CRR*	2.8		2					A	Rps1c	F	IB	
MWS	2951 CRR*	2.9		2					A	Rps1c	F	BL	
MWS	3412 CRR*	3.3			3				A	Rps1k	F	BL	
MWS	3520 CRR*	3.5			3				A	Rps1k	F	BL	
NK	S 26-V6*	2.6	1	2					A	Rps1a	B	BL	
NK	S 31-V3*	3.1	1	2	3	4			A	NG	B	BR	
NK	S 35-F9*	3.5	1	2	3	4	5	6	S	Rps1c	B	BL	
NK	S 37-N4*	3.7		2	3	4	5	6	A	Rps1c	B	BL	
NK	S 39-K6*	3.9		2	3	4	5	6	A	NG	B	BL	
NK	S 39-Q4*	3.9			3	4	5	6	S	Rps1c	B	BR	
NK	S 42-P7*	4.2			3	4	5	6	A	NG	B	BL	
NK	S 43-B1*	4.3			3	4	5	6	A	Rps1c	B	BR	
NK	S 49-Q9*	4.9				4	5		A	Rps1c	B	IB	
NU-AG	354 NRR*	3.5			3				A	Rps1k	U	BR	
NU-AG	374 NRR*	3.7			3				A	Rps1c	U	IB	
NU-AG	386 NRRSTS	3.8			3				A	Rps1c	U	BU	
NU-AG	394 NRR*	3.9			3	4			A	NG	U	BL	
NU-AG	446 NRR	4.4				4			A	NG	U	BR	

**2005 Roundup Resistant Soybean Entries**

Company-Brand	Variety*	**M	***Regions Entered						SN	****		
			1	2	3	4	5	6		PRR	IST	HC
PIONEER	92M40	2.4	1						A	Rps1c	B	BL
PIONEER	92M61	2.6	1	2					A	NG	B	BU
PIONEER	92M70*	2.7	1	2	3				A	NG	B	BU
PIONEER	92M91*	2.9	1	2	3				S	Rps1k	B	BL
PIONEER	92M92	2.9	1	2					A	NG	B	BR
PIONEER	93M10	3.1	1	2	3				A	NG	B	BL
PIONEER	93M11*	3.1	1	2	3				S	Rps1k	B	BL
PIONEER	93M42	3.4		2	3	4			A	NG	B	BL
PIONEER	93M50*	3.5		2	3	4			A	Rps1k	B	BL
PIONEER	93M90*	3.9			3	4	5		A	NG	B	IB
PIONEER	93M93*	3.9			3	4	5		A	NG	B	BL
PIONEER	94M30	4.3				4	5		A	Rps1k	B	BL
PIONEER	94M50	4.5				4	5		A	Rps1c	B	BL
PIONEER	94M70*	4.7				4	5		A	Rps1k	B	BL
PIONEER	94M80	4.8				4	5		A	NG	B	BL
PRAIRIE BRAND	PB-2141 RR*	2.1	1						S	Rps1k	U	BR
PRAIRIE BRAND	PB-2243 RR*	2.2	1						S	Rps1k	U	Y
PRAIRIE BRAND	PB-2385 NRR	2.3	1						A	NG	U	BL
PRAIRIE BRAND	PB-2443 RR*	2.4	1						S	Rps1k	U	BL
PRAIRIE BRAND	PB-2565 RR	2.5	1						S	Rps1c	U	IB
PRAIRIE BRAND	PB-2643 RR*	2.6	1	2					S	Rps1k	U	BL
PRAIRIE BRAND	PB-2994 NRR	2.9	1	2					A	NG	U	BL
PRAIRIE BRAND	PB-3123 RR*	3.1		2					S	Rps1c	U	BL
QUALITY PLUS	Q 293 RR	2.9		2					A	NG	U	BL
QUALITY PLUS	Q 315 RR	3.1		2					A	Rps1k	U	IB
QUALITY PLUS	Q 345 RR	3.4		2	3				A	Rps1k	U	IB
QUALITY PLUS	Q 370 RR*	3.6		2	3				A	Rps1c	U	IB
QUALITY PLUS	Q 402 RR	4.0			3				A	Rps1a	U	BR
QUALITY PLUS	Q 420 RR	4.2			3				A	Rps1c	U	IB
RENK	RS 223 RR	2.2	1						S	Rps1k	B	BL
RENK	RS 234 RR	2.3	1						S	NG	B	Y
RENK	RS 253 RR	2.5	1						S	NG	B	BR
RENK	RS 265 RR	2.6	1						S	Rps1c	B	IB
RENK	RS 272 RR	2.7	1						S	NG	B	BL
RENK	RS 295 NRR	2.9	1						A	NG	B	BL
ROESCHLEY	4279 CRR	2.9	1						A	NG	B	BL
ROESCHLEY	4351 CRR*	3.1		2					A	Rps1k	B	IB
ROESCHLEY	5372 CRR	3.2		2					A	Rps1c	B	BR
SCHILLINGER	335.RCP*	3.3		2	3				A	Rps1k	U	IB
SIEBEN	2304 NRR	2.3	1	2					A	Rps1k	F	BL
SIEBEN	2600 NRR	2.6	1						A	NG	F	BR
SIEBEN	2704 NRR	2.7	1						A	NG	F	BR
SIEBEN	2805 NRR	2.8	1	2					A	NG	F	BL
SIEBEN	2903 NRR*	2.9	1	2	3				A	Rps1c	F	BU
SIEBEN	2905 NRR	2.9	1	2	3				A	NG	F	BL
SIEBEN	3104 NRR	3.1		2					A	Rps1c	F	BL
SIEBEN	3203 NRR*	3.2	1	2	3				A	Rps1c	F	IB
SIEBEN	3305 RR	3.3	1	2					S	NG	F	BL
SIEBEN	3704 RR	3.7		2	3				S	Rps1k	F	BL

**2005 Roundup Resistant Soybean Entries**

Company-Brand	Variety*	**M	***Regions Entered						SN	****		
			1	2	3	4	5	6		PRR	IST	HC
SIEBEN	3905 NRR	3.9		2	3				A	Rps1a	F	BR
SIEBEN	S 28 N	2.8	1	2					A	Rps1c	F	BL
SIEBEN	S 31 N	3.1	1	2	3				A	Rps1k	F	IB
SOUTHERN STATES	RT 3851 N	3.8						5	A	Rps1c	F	BL
SOUTHERN STATES	RT 3951 N	3.9						5	A	Rps1c	U	BL
SOUTHERN STATES	RT 4151 N	4.1						5	A	Rps1b	F	BL
SOUTHERN STATES	RT 4230 N	4.2						5	A	Rps1c	F	BL
SOUTHERN STATES	RT 4440 N	4.4						5	A	Rps1c	F	BL
SOUTHERN STATES	RT 4451 N	4.4						5	A	Rps1a	U	BR
SOUTHERN STATES	RT 4502 N	4.5						5	A	Rps1c	F	BL
SOUTHERN STATES	RT 4551 N	4.5						5	A	Rps1a	F	BL
SOUTHERN STATES	RT 4651 N	4.6						5	A	Rps1c	F	BL
SOUTHERN STATES	RT 4808 N	4.8						5	A	Rps1a	U	IB
SOUTHERN STATES	RT 4981 N	4.9						5	A	Rps1c	F	BL
SOUTHERN STATES	RT 5130 N	5.1						5	A	Rps1c	F	BU
SOUTHERN STATES	RT 5302 N	5.3						5	A	Rps1c	F	BL
STEYER	4000 RRSCN	4.0					4	5	A	NG	U	BL
STEYER	4030 RRSCN	4.0					4	5	A	NG	U	BL
STEYER	4420 RRSCN	4.4					4	5	A	NG	U	BR
STINE	2402-4	2.4	1						A	NG	U	BL
STINE	2688-4	2.6	1						S	NG	U	BR
STINE	2702-4	2.7	1	2	3				A	NG	U	BL
STINE	2783-4*	2.7		2					S	NG	U	IB
STINE	3012-4	3.0		2	3				A	NG	U	BL
STINE	3532-4	3.4		2	3	4			A	Rps1k	U	BL
STINE	3600-4	3.7		2					S	NG	U	BL
STINE	3832-4	3.8			3	4			A	Rps1k	U	BL
STINE	3932-4*	3.9			3				A	NG	U	BL
STINE	3942-4	3.8			3	4			A	NG	U	BL
STINE	4842-4	4.7				4	5		A	NG	U	BL
STONE	HC 2295	2.9		2					A	seg	F	IB
STONE	HC 2335	3.3			3				A	Rps1k	F	IB
STONE	HC 2355	3.5			3				A	Rps1k	F	IB
STONE	HC 2373*	3.7			3	4			A	Rps1k	F	IB
STONE	HC 2403*	4.0			3	4			A	Rps1k	F	IB
TRISOY	2907 RR(CN)*	2.9		2					A	Rps1k	U	BU
TRISOY	2933 RR*	2.9		2					S	Rps1k	U	BL
TRISOY	2940 RR(CN)*	2.9		2					A	Rps1c	U	BL
TRISOY	2952 RR(CN)	2.9		2					A	Rps1k	U	BL
TRISOY	3144 RR(CN)	3.1		2					A	Rps1k	U	IB
TRISOY	3343 RR(CN)*	3.3			3				A	Rps1c	U	IB
TRISOY	3450 RR(CN)	3.4			3				A	NG	U	IB
TRISOY	3530 RR(CN)*	3.5			3				A	NG	U	IB
TRISOY	3550 RR(CN)	3.5			3				A	Rps1k	B	IB
TRISOY	3642 RR*	3.6			3				S	NG	U	BL
TRISOY	3717 RR(CN)*	3.7			3	4			A	NG	U	BL
TRISOY	3833 RR(CN)	3.8			3				A	Rps1k	U	BL
TRISOY	4227 RR(CN)	4.2				4	5		A	Rps1k	U	BL
TRISOY	4254 RR(CN)	4.2				4	5		A	Rps1c	U	BR

**2005 Roundup Resistant Soybean Entries**

Company-Brand	Variety*	**M	***Regions Entered						SN	****		
			1	2	3	4	5	6		PRR	IST	HC
TRISOY	4557 RR(CN)	4.5				4	5		A	NG	U	BR
TRISOY	4858 RR(CN)	4.8				4	5		A	NG	U	BL
VIGORO	EX 122229	2.9	1						S	?	F	BL
VIGORO	EX 220203	2.9	1						A	Rps1c	F	BL
VIGORO	EX 230269	3.2			3				A	Rps1c	F	BL
VIGORO	EX 630107	3.3			3				A	Rps1c	F	IB
VIGORO	EX 821065	2.9	1						A	NG	F	BL
VIGORO	EX 831061	3.2			3				A	Rps1k	F	IB
VIGORO	V 315 RR	3.1	1						S	Rps1c	F	BL
VIGORO	V 35N4 RR	3.5			3				A	Rps1k	F	BL
VIGORO	V 35N6 RR	3.5			3				A	Rps1k	F	BL
VIGORO	V 36N5 RR	3.6			3	4	5		A	Rps1c	F	IB
VIGORO	V 386 RR	3.8			3				S	NG	F	BL
VIGORO	V 38N5 RS	3.8			3				A	Rps1c	F	BL
VIGORO	V 39N4 RR	3.9			3	4	5		A	Rps1k	F	BL
VIGORO	V 40N3 RR	4.0				4			A	NG	F	BL
VIGORO	V 42N3 RR*	4.2				4	5		A	NG	F	BL
VIGORO	V 44N6 RR	4.4				4	5		A	NG	F	BL
WILKEN	W 1493 RR	1.9	1						S	?	F	BR
WILKEN	W 2217RR	2.1	1						S	?	F	Y
WILKEN	W 2301 NRR	2.0	1						A	?	F	IB
WILKEN	W 2319 RR*	2.1		2					S	?	F	BL
WILKEN	W 2321 NRR	2.2	1						A	?	F	BL
WILKEN	W 2341 NRR	2.4		2					A	?	F	BL
WILKEN	W 2343 RR	2.4		2					S	?	F	BL
WILKEN	W 2531 NRR	2.3		2					A	?	F	BL
WILKEN	W 2541 NRR*	2.4		2					A	?	F	IB
WILKEN	W 2550 RR	2.5		2					S	?	F	BL
WILKEN	W 2574 RR	2.7	1	2				6	S	?	F	BL
WILKEN	W 2663 RR	2.6		2					S	?	F	IB
WILKEN	W 2671 NRR*	2.7	1	2				6	A	?	F	BL
WILKEN	W 2685 RR*	2.8	1	2				6	S	?	F	BL
WILKEN	W 2763 RR	2.6		2					S	?	F	BL
WILKEN	W 2765 NRR*	2.6		2				6	A	?	F	BL
WILKEN	W 2782 NRR	2.8		2					A	?	F	BL
WILKEN	W 2788 NRR	2.8		2					A	?	F	IB
WILKEN	W 2792 NRR*	2.9		2	3			6	A	?	F	BL
WILKEN	W 2999 NRR	2.9		2	3				A	?	F	BL
WILKEN	W 3410 RR	3.1		2	3			6	S	?	F	BL
WILKEN	W 3411 NRR*	3.1		2	3			6	A	?	F	IB
WILKEN	W 3419 NRR*	3.1		2	3			6	A	?	F	BL
WILKEN	W 3425 NRR*	3.2		2	3			6	A	?	F	IB
WILKEN	W 3429 NRR	3.2		2	3				A	?	F	BL
WILKEN	W 3450 NRR	3.5		2	3			6	A	?	F	BL
WILKEN	W 3453 NRR	3.5			3				A	?	F	BL
WILKEN	W 3461 NRR	3.6			3			6	A	?	F	BL
WILKEN	W 3467 NRR	3.6		2	3			6	A	?	F	BL
WILKEN	W 3473 NRR	3.7		2	3			6	A	?	F	BU
WILKEN	W 3479 NRR	3.7			3	4			A	?	F	BU

**2005 Roundup Resistant Soybean Entries**

Company-Brand	Variety*	**M	***Regions Entered						SN	****		
			1	2	3	4	5	6		PRR	IST	HC
WILKEN	W 3482 RR	3.8			3			6	S	?	F	BL
WILKEN	W 3491 NRR	3.9			3	4		6	A	?	F	BL
WILKEN	W 3499 NRR	3.9			3	4		6	A	?	F	BU
WILKEN	W 4001 NRR	4.0			3				A	?	F	BL
WILKEN	W 4006 NRR	4.0			3				A	?	F	BL
WILKEN	WX 256 NRR	2.6		2					A	?	F	BR
WILKEN	WX 353 NRR	3.5			3				A	?	F	BL
WILKEN	WX 365 NRR	3.8			3				A	?	F	BL
WILLCROSS	RR 2246 NX1	2.4	1						A	NG	U	IB
WILLCROSS	RR 2283 N*	2.8	1	2					A	NG	U	BL
WILLCROSS	RR 2284*	2.8	1	2					S	Rps1c	U	BL
WILLCROSS	RR 2295 N	2.9	1	2					A	Rps1c	U	BL
WILLCROSS	RR 2303 N*	3.3		2	3				A	Rps1c	U	IB
WILLCROSS	RR 2306 N	3.0		2					A	NG	U	BL
WILLCROSS	RR 2331 N*	3.3		2					A	Rps1k	U	BL
WILLCROSS	RR 2335 N	3.3		2					A	Rps1k	U	IB
WILLCROSS	RR 2354 N*	3.5			3				A	Rps1k	U	BL
WILLCROSS	RR 2355 N	3.6			3	4			A	Rps1c	U	IB
WILLCROSS	RR 2356 NX1	3.6		2	3				A	Rps1k	U	IB
WILLCROSS	RR 2385 N	3.8			3	4			A	Rps1c	U	BU
WILLCROSS	RR 2386 X1	3.8			3	4			S	NG	U	BL
WILLCROSS	RR 2392 N	3.9			3	4			A	Rps1c	U	BU
WILLCROSS	RR 2393 N	3.9			3	4			A	Rps1k	U	BL
WILLCROSS	RR 2446 N	4.4			3	4			A	NG	U	BR

\* Producer Nominated Variety

\*\* Maturity Group

- \*\*\*1 = Region 1: Erie, Mt. Morris & DeKalb
- 2 = Region 2: Monmouth, Goodfield & Dwight
- 3 = Region 3: Perry, New Berlin & Urbana
- 4 = Region 4: Belleville & Brownstown
- 5 = Region 5: Harrisburg & Carbondale
- 6 = Urbana 7" Row

\*\*\*\*SN- Source of Soybean Cyst Nematode Resistance

A = PI 88788, B = PI 548402 (Peking), C = PI 437654 (Hartwig), S = Susceptible, X = cystx®,  
D = PU-SCN 14, R? = resistant, source unknown.

PRR = Phytophthora Root Rot Resistance

Rps1\* = resistance gene, seg1\* = segregating for specified gene, NG = No Gene, ? = unknown

IST = Insecticide Seed Treatment

U= Untreated, F= Fungicide, B= Insecticide+Fungicide

HC = Hilum Color

Bl- black, IB- imperfect black, BU- buff, BR- Brown, Y- Yellow, G- Gray, M- Mixed