

**2006 Soybean Test Results**  
**Region 5: Roundup Resistant (30-inch row spacing)**

COMPANY	VARIETY*	IST <sup>1</sup>	Yield bu/a	Maturity Date	Regional Results				Elkville Yield bu/a	Elkville Protein @13%	Elkville Oil @13%	Harrisburg Yield bu/a	Harrisburg Protein @13%	Harrisburg Oil @13%	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a
					Lodging	Height in	Protein @13%	Oil @13%								
<b>MATURITY GROUP 3</b>																
AGVENTURE	AV 39J3 NRR*	U	61.2	9/24	2.6	38	34.3	20.7	59.6	33.4	21.1	62.8	35.2	20.3	60.2	
ASGROW	AG 3802	B	60.9	9/20	2.5	43	35.7	18.6	60.1	35.1	18.9	61.8	36.2	18.3	59.9	59.3
ASGROW	AG 3905	B	59.4	9/26	2.3	42	35.2	19.2	61.9	34.9	19.5	56.8	35.4	18.8	59.4	59.2
ASGROW	AG 3906	B	60.1	9/26	2.2	40	34.8	20.2	60.4	34.3	20.5	59.8	35.2	19.9	60.1	60.9
BERGMANN-TAYLOR	BT 365 CR*	F	56.0	9/19	2.4	40	36.5	18.1	54.1	36.1	18.4	57.9	36.9	17.8		
BERGMANN-TAYLOR	BT 371 CR*	F	55.8	9/21	2.1	40	35.7	18.6	58.0	35.2	19.1	53.6	36.2	18.1		
DELTA KING	DK 3964	F	53.9	9/23	2.8	45	35.1	19.4	53.1	33.7	20.2	54.7	36.5	18.7		
DELTA KING	DK 3967	F	58.1	9/20	2.6	44	35.2	19.9	56.4	34.7	20.3	59.9	35.7	19.5	58.9	
DELTA KING	DK 3968*	F	63.1	9/22	2.1	39	34.1	20.1	61.6	33.2	20.7	64.6	35.1	19.6	61.3	60.7
DELTA KING	DK XTJ 39T6	F	54.2	9/27	2.8	42	35.3	19.8	56.0	34.9	20.2	52.3	35.6	19.4		
FS HISOY	HS 3846	U	61.3	9/20	2.3	37	33.3	19.7	58.6	32.6	20.3	64.0	34.0	19.2		
FS HISOY	X 06-38	U	59.6	9/19	2.0	38	34.4	21.0	54.1	33.4	21.5	65.2	35.4	20.6		
GATEWAY	3R385*	F	60.5	9/24	2.4	40	34.5	20.6	59.3	33.6	21.1	61.7	35.4	20.1		
KRUGER	K-382 RR/SCN	B	61.8	9/21	2.0	40	34.7	20.9	58.2	33.9	21.2	65.4	35.5	20.6		
KRUGER	K-389 RR/SCN	B	64.6	9/21	2.2	39	33.6	19.6	62.2	33.0	20.2	67.0	34.3	19.0		
KRUGER	K-399 RR/SCN	B	60.4	9/19	2.8	40	34.5	19.6	63.3	33.7	20.0	57.5	35.3	19.2		
M & D SEED	9370 NRRSTS*	U	57.4	9/21	2.5	37	33.8	19.9	58.5	33.5	20.1	56.4	34.1	19.6		
MAVRICK	1363 RR*	U	58.6	9/23	2.2	36	34.3	20.2	58.7	34.4	20.3	58.5	34.3	20.1		
MAVRICK	2373 RR*	U	54.9	9/20	2.3	38	35.8	19.0	53.4	35.4	19.4	56.3	36.3	18.6		
MAVRICK	5394 RR*	U	58.0	9/29	2.5	43	35.1	19.1	60.2	34.5	19.6	55.9	35.7	18.5		
MIDLAND	9A402 NRR	F	56.0	9/25	2.7	40	34.1	19.0	59.8	33.6	19.6	52.2	34.7	18.4	55.8	56.9
MIDLAND	9B375 XRR	F	53.3	9/21	2.2	37	33.0	19.7	55.8	32.6	20.2	50.8	33.4	19.2		
MIDLAND	MG 3807 NRR	F	57.1	9/22	2.9	43	34.4	20.1	56.1	33.7	20.4	58.2	35.2	19.8		
MOWEAQUA	9A394 RR*	F	62.4	9/24	2.6	42	34.6	20.6	60.1	33.7	21.0	64.7	35.6	20.1		
NK	H-3425 RR	F	59.3	9/21	2.4	38	34.9	19.4	59.4	34.1	19.8	59.2	35.7	19.0		
NK	S 37-N4*	B	60.1	9/23	2.5	42	36.4	18.3	60.8	35.5	18.9	59.4	37.2	17.8	59.1	
NK	S 39-K6*	B	54.5	9/24	2.5	42	35.6	19.4	57.1	34.8	19.9	51.9	36.3	19.0	56.0	
SOUTHERN CROSS	STEPHEN 3.8NRR	F	62.2	9/22	2.5	39	34.6	20.6	61.4	33.7	21.0	63.1	35.4	20.3	61.3	60.6
SOUTHERN STATES	RT 3760 N	F	56.3	9/18	2.2	42	34.1	19.6	57.5	33.3	20.1	55.0	34.9	19.2		
SOUTHERN STATES	RT 3851 N	F	58.9	9/24	2.5	44	34.0	19.4	60.9	33.0	20.1	56.9	35.1	18.7	56.1	
SOUTHERN STATES	RT 3860	U	59.6	9/22	2.3	37	34.4	20.1	55.0	33.8	20.4	64.2	34.9	19.8		
SOUTHERN STATES	RT 3951 N	F	59.8	9/23	2.4	44	35.0	19.8	59.7	34.9	20.1	59.9	35.1	19.5	56.2	
	AVERAGE		58.7	9/22	2.4	40	34.7	19.7	58.5	34.1	20.1	59.0	35.4	19.3	58.7	59.6
	L.S.D. 25% LEVEL		3.8		0.2	2	0.50	0.22	2.8	0.4	0.2	1.7	0.3	0.2		
	COEFF. OF VAR. (%)		9.5		12.6	9	2.1	1.7	5.1	1.2	0.8	3.0	1.0	0.9		

**MATURITY GROUP 4**

AGVENTURE	AV 40J4 NRR*	U	61.2	9/27	2.0	38	35.2	20.2	61.0	34.4	20.8	61.3	35.9	19.5		
ASGROW	AG 4103	B	66.3	9/26	2.5	46	35.0	19.4	68.5	34.4	19.7	64.1	35.5	19.0		
ASGROW	AG 4403*	U	56.0	10/2	2.5	46	34.3	19.8	57.6	33.6	20.3	54.5	35.0	19.3	56.1	
ASGROW	AG 4404	B	64.0	9/28	2.7	44	36.2	18.9	67.9	35.5	19.4	60.1	36.9	18.4		
ASGROW	AG 4703	B	61.1	10/3	2.7	44	35.8	18.4	66.3	35.6	18.7	56.0	36.0	18.2	60.3	
ASGROW	AG 4801*	B	61.9	10/5	2.7	43	35.8	19.5	62.7	35.2	19.8	61.1	36.3	19.1	60.1	60.5
BAKER	4565 NRR	U	56.5	9/27	2.8	50	35.3	18.8	62.5	34.4	19.3	50.5	36.2	18.2	56.5	
BAKER	4825 NRR	F	58.4	10/2	2.8	48	35.8	18.6	63.6	35.4	19.0	53.2	36.3	18.1	54.2	
BERGMANN-TAYLOR	BT 441 CR*	F	60.2	10/2	2.3	46	34.7	19.8	62.2	34.1	20.5	58.2	35.2	19.2		
BERGMANN-TAYLOR	BT 446 CR*	F	61.0	10/2	3.0	41	35.7	19.0	61.6	35.3	19.4	60.4	36.1	18.7		
CROW'S	C 4817 R	U	58.8	10/7	3.0	45	35.1	17.9	62.2	34.8	18.2	55.3	35.4	17.5		
DEKALB	DKB 40-51*	B	57.1	9/26	2.6	46	35.8	19.1	61.4	35.0	19.5	52.8	36.5	18.7		
DEKALB	DKB 42-51*	B	65.3	9/28	2.4	43	33.6	19.8	66.3	33.2	20.1	64.3	34.0	19.4		
DEKALB	DKB 46-51*	B	61.4	9/29	2.6	44	36.8	18.4	66.3	36.3	18.9	56.4	37.3	18.0	59.8	60.1
DELTA & PINE LAND	DP 4331 RR	U	60.2	9/29	2.5	46	34.6	19.7	62.7	34.0	20.1	57.6	35.2	19.3	58.5	60.9
DELTA & PINE LAND	DP 4724 RR	U	57.8	10/4	3.1	43	37.4	18.5	61.6	37.2	19.0	54.1	37.6	18.1	57.2	58.0
DELTA & PINE LAND	DP 4919 RRS	U	57.6	10/6	3.4	49	36.1	18.8	60.3	35.6	19.1	54.9	36.7	18.5		
DELTA KING	DK 4461	F	59.8	10/5	2.7	46	34.9	19.4	61.2	34.0	20.0	58.3	35.8	18.9	60.5	61.5
DELTA KING	DK 4667	F	59.0	9/30	3.6	47	35.4	18.5	57.3	35.1	18.7	60.6	35.7	18.3	58.1	
DELTA KING	DK 4763*	F	59.8	9/30	2.7	42	36.7	18.6	63.4	36.0	19.2	56.1	37.3	18.1	60.1	60.6
DELTA KING	DK 4764	F	59.1	9/30	3.1	47	35.5	18.9	62.7	34.2	19.5	55.6	36.9	18.3		

**2006 Soybean Test Results**  
**Region 5: Roundup Resistant (30-inch row spacing)**

COMPANY	VARIETY*	IST <sup>1</sup>	Yield bu/a	Maturity Date	Regional Results				Elkville Yield bu/a	Elkville Protein @13%	Elkville Oil @13%	Harrisburg Yield bu/a	Harrisburg Protein @13%	Harrisburg Oil @13%	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a
					Lodging	Height in	Protein @13%	Oil @13%								
	*Producer Nominated															
DELTA KING	DK 4866	F	60.3	10/6	2.9	46	35.2	17.9	63.6	34.3	18.3	57.0	36.0	17.4	58.5	
DELTA KING	DK 4967	F	59.5	10/1	3.2	44	37.7	18.3	62.1	36.8	19.0	56.9	38.6	17.7	57.6	
DELTA KING	DK 4968	F	52.0	10/4	3.1	45	35.3	18.0	56.8	34.4	18.5	47.2	36.3	17.5		
DELTA KING	DK XTJ 744	F	62.7	9/30	2.6	42	35.8	19.4	63.3	35.3	19.8	62.0	36.3	19.0		
DELTA KING	DK XTJ 750	F	55.4	10/5	3.1	45	38.0	17.7	59.1	37.4	18.0	51.8	38.6	17.3		
DIENER	4725 CR*	F	58.1	10/4	2.9	44	37.6	18.4	62.7	36.9	18.9	53.5	38.4	17.8	57.3	
DYNA-GRO	31A48	B	59.0	10/6	2.8	48	35.1	17.9	62.2	34.7	18.3	55.8	35.5	17.5		
DYNA-GRO	37A44	B	58.4	9/29	2.9	47	35.2	19.0	63.3	34.2	19.5	53.5	36.1	18.5		
DYNA-GRO	SX06646	B	66.3	10/3	2.1	40	33.5	19.9	65.6	33.1	20.3	67.0	33.9	19.4		
EXCEL	8447 NRR	B	60.0	10/6	2.4	43	36.0	18.1	63.1	35.3	18.6	56.8	36.7	17.6		
EXCEL	8448 NRR	B	65.4	9/27	2.3	39	34.9	19.8	67.6	34.5	20.1	63.2	35.2	19.6	63.1	
EXCEL	8450 NRR	B	57.8	10/5	2.7	43	36.0	18.7	60.2	35.9	19.0	55.3	36.1	18.3		
EXCEL	8481 NRR	B	53.6	10/6	3.5	48	36.4	18.2	58.4	36.4	18.5	48.9	36.4	18.0		
FS HISOY	HS 4228*	U	60.4	9/26	2.2	38	34.7	19.9	61.5	34.4	20.2	59.3	35.0	19.6	57.8	
FS HISOY	HS 4256	U	64.5	9/23	2.4	41	33.5	19.9	63.6	33.0	20.4	65.4	33.9	19.3	59.8	
FS HISOY	HS 4456	U	59.6	9/30	2.7	47	35.1	19.1	61.5	34.3	19.6	57.6	35.9	18.7	59.1	
FS HISOY	HS 4646	U	62.4	10/4	2.9	42	35.4	19.2	63.1	34.9	19.6	61.7	35.9	18.8	60.6	
FS HISOY	HS 4856	U	57.9	10/5	3.4	41	35.1	18.9	57.1	34.8	19.0	58.7	35.3	18.8	56.6	
FS HISOY	X 06-42	U	62.8	9/26	2.2	38	35.4	19.7	64.3	35.0	20.1	61.2	35.8	19.3		
FS HISOY	X 06-46	U	63.1	10/4	2.2	40	33.7	19.7	64.1	33.2	20.2	62.1	34.1	19.2		
GARST	4112 RRN*	U	63.0	9/25	1.9	37	35.6	20.2	61.1	34.9	20.8	65.0	36.2	19.6		
GATEWAY	4R485	F	59.0	10/5	2.9	45	37.7	18.4	63.5	37.0	19.0	54.5	38.3	17.8		
GATEWAY	4R495	F	58.7	10/4	3.5	43	35.6	18.8	59.2	34.9	19.1	58.2	36.2	18.5		
GATEWAY	4RS401*	F	56.5	9/24	2.8	42	34.5	19.2	55.7	33.8	19.8	57.3	35.1	18.6		
GATEWAY	4RS421*	F	62.2	9/26	2.1	37	35.1	19.4	63.7	35.1	19.6	60.7	35.1	19.2		
GATEWAY	4RS455	F	57.5	9/28	2.1	40	35.4	19.4	62.8	34.9	19.9	52.3	36.0	18.9		
GUTWEIN	H-4878 RR	U	57.4	10/4	3.2	48	36.0	18.2	66.3	35.7	18.4	48.5	36.3	18.1		
HOFFMAN	H 3437 CR	B	63.0	10/2	3.2	42	36.2	19.1	62.5	35.5	19.5	63.4	36.9	18.7		
HOFFMAN	H 3476 CR	B	58.3	10/7	2.8	44	36.1	18.0	61.8	35.5	18.4	54.7	36.8	17.6		
KRUGER	K-410 RR/SCN	B	62.1	9/27	2.6	42	35.0	19.9	65.9	33.8	20.3	58.3	36.1	19.4		
KRUGER	K-433 RR/SCN	B	61.2	10/5	3.1	47	35.4	18.9	67.9	34.3	19.3	54.4	36.4	18.4		
KRUGER	K-456 RR/SCN	B	56.6	9/28	2.9	46	34.8	19.0	60.8	34.5	19.4	52.4	35.1	18.7		
KRUGER	K-476 RR/SCN	B	66.3	10/6	1.9	39	33.5	19.9	63.7	33.1	20.2	69.0	34.0	19.5		
LG SEEDS	C 4555 NRR	F	60.0	10/3	3.0	44	35.1	19.0	65.6	34.3	19.4	54.4	35.8	18.6		
M & D SEED	9410 NRR*	F	61.7	9/28	2.4	39	35.6	19.6	64.1	35.6	19.7	59.3	35.6	19.4		
M & D SEED	9440 NRR*	U	56.5	9/30	2.4	42	36.0	19.3	59.0	35.5	19.8	54.0	36.4	18.8	57.5	
M & D SEED	9450 NRR*	U	56.1	9/27	3.1	49	35.2	18.6	65.4	34.3	19.2	46.9	36.0	18.0		
M & D SEED	9490 NRR	U	52.8	10/6	3.2	45	36.5	18.2	53.9	36.4	18.4	51.7	36.5	18.0		
MERSCHMAN	AUSTIN 643RR	F	62.1	10/3	2.4	40	35.2	19.5	63.9	35.0	19.8	60.3	35.4	19.3	60.7	
MERSCHMAN	CHARLESTON 649RR	F	54.0	10/4	2.7	45	35.2	19.1	58.5	34.6	19.4	49.4	35.8	18.7		
MERSCHMAN	DALLAS RR	F	57.6	10/4	2.9	44	37.6	18.5	61.7	36.9	19.1	53.4	38.2	18.0	57.6	
MERSCHMAN	DENVER 742RR	F	62.5	9/28	2.4	38	35.6	19.7	66.2	35.0	20.0	58.8	36.1	19.3	59.1	
MERSCHMAN	HOUSTON 747RR	F	64.5	10/5	2.2	37	33.5	20.1	63.4	33.1	20.5	65.5	33.8	19.6		
MERSCHMAN	RICHMOND 649RR	F	54.3	10/7	3.4	49	34.8	18.7	61.0	34.3	19.1	47.7	35.2	18.3		
MERSCHMAN	ROCKY RR	F	59.3	10/4	3.5	44	35.7	18.8	59.4	35.2	19.0	59.2	36.2	18.5	57.7	
MIDLAND	MG 4407 NRR	F	64.0	9/30	1.9	40	36.0	18.6	66.9	35.7	18.9	61.1	36.3	18.3		
MIDLAND	MG 4606 NRR	F	63.3	10/6	2.5	44	35.6	18.8	66.1	35.0	19.2	60.5	36.2	18.4	60.9	
MIDLAND	MG 4707 XRR	F	50.8	10/6	3.4	45	37.0	17.7	54.0	36.5	18.1	47.5	37.4	17.4		
MIDWEST SEED GEN	GR 4455	U	57.6	9/29	2.8	46	35.4	18.9	62.0	34.4	19.4	53.2	36.3	18.3		
MOWEAQUA	9415 RR*	F	61.7	9/27	2.2	44	34.0	19.8	62.4	33.5	20.2	61.0	34.5	19.4		
NK	S 40-R9*	B	54.1	9/28	3.4	45	35.9	18.9	59.0	35.4	19.3	49.2	36.5	18.6		
NK	S 42-P7*	B	57.5	9/29	2.5	39	36.7	18.8	63.3	36.2	19.0	51.7	37.1	18.5	55.5	
NK	S 43-B1*	B	60.0	9/27	2.6	44	36.3	18.0	62.4	35.7	18.3	57.6	36.9	17.6	57.9	
PIONEER	94M30	B	60.4	9/30	2.6	42	37.7	19.1	63.5	37.0	19.4	57.2	38.3	18.8	59.1	
PIONEER	94M50*	B	61.3	9/27	2.3	39	35.9	19.5	63.9	35.3	19.9	58.7	36.4	19.1	59.2	
PIONEER	94M70*	B	58.9	10/1	3.3	46	35.8	19.3	63.4	35.2	19.5	54.4	36.3	19.0	57.6	
PIONEER	94M80	B	58.9	10/4	3.1	45	37.1	18.4	62.2	36.6	18.7	55.7	37.6	18.0	59.2	
SOUTHERN CROSS	ABRAHAM 4.0NRR	F	60.2	9/26	2.1	41	35.5	20.1	59.9	35.1	20.5	60.5	36.0	19.7		
SOUTHERN CROSS	DAN 4.8NRR	U	59.6	10/3	3.5	44	35.0	19.0	61.7	34.3	19.4	57.4	35.7	18.7		
SOUTHERN CROSS	ELI 4.7NSTSRR	U	65.9	10/2	2.0	38	33.4	20.1	68.1	32.9	20.6	63.7	33.9	19.6		
SOUTHERN CROSS	LEVI 4.4NRR	F	56.7	9/28	2.5	41	34.9	19.2	57.5	34.7	19.7	55.9	35.2	18.8	55.2	
SOUTHERN CROSS	MICHAEL 4.2NSTSRR	F	61.6	9/27	1.9	37	34.5	19.7	64.2	34.4	19.9	59.0	34.5	19.4		

**2006 Soybean Test Results**  
**Region 5: Roundup Resistant (30-inch row spacing)**

COMPANY	VARIETY*	IST <sup>1</sup>	Yield bu/a	Maturity Date	Regional Results				Elkville Yield bu/a	Elkville Protein @13%	Elkville Oil @13%	Harrisburg Yield bu/a	Harrisburg Protein @13%	Harrisburg Oil @13%	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a
					Lodging	Height in	Protein @13%	Oil @13%								
	*Producer Nominated															
SOUTHERN CROSS	MOAB 4.5NRR	F	56.6	9/29	3.0	50	35.4	18.7	63.3	34.6	19.3	50.0	36.2	18.1	55.9	
SOUTHERN CROSS	SILAS 4.4NRR	U	57.6	10/1	2.5	45	34.2	19.8	60.1	33.8	20.2	55.1	34.6	19.4		
SOUTHERN STATES	RT 4151 N	B	54.8	9/28	2.5	42	36.8	18.8	59.0	36.3	19.1	50.6	37.3	18.4	55.4	
SOUTHERN STATES	RT 4440 N	F	58.0	9/29	2.6	47	34.4	19.7	61.4	33.8	20.3	54.6	35.0	19.2	57.8	
SOUTHERN STATES	RT 4451 N	F	56.9	9/28	2.8	47	34.9	19.0	62.4	34.2	19.4	51.3	35.6	18.6	57.8	
SOUTHERN STATES	RT 4551 N	F	56.4	9/29	2.8	44	36.9	18.9	60.4	36.4	19.2	52.4	37.4	18.7	54.2	
SOUTHERN STATES	RT 4760 N	U	64.1	10/2	3.4	44	34.3	19.2	67.5	33.9	19.6	60.7	34.7	18.9		
SOUTHERN STATES	RT 4777 N	B	62.3	10/5	3.4	47	35.1	19.1	68.1	34.6	19.6	56.6	35.6	18.7		
SOUTHERN STATES	RT 4808 N	F	59.4	10/5	2.8	46	34.8	17.9	63.2	34.3	18.4	55.7	35.2	17.5	57.9	
SOUTHERN STATES	RT 4981 N	F	52.4	10/7	3.4	49	34.4	18.9	59.4	34.2	19.2	45.3	34.7	18.6	50.4	
SOUTHERN STATES	RT 4996 N	U	61.6	10/8	3.5	49	36.0	19.0	65.5	35.2	19.5	57.7	36.8	18.4		
STEYER	4040 RRSCN	U	60.3	9/21	3.2	42	36.8	18.5	63.3	36.1	18.8	57.2	37.5	18.1		
STEYER	4300 RRSCN	U	53.2	9/26	2.9	42	37.3	18.6	54.5	36.7	19.1	51.8	37.9	18.1		
STEYER	4420 RRSCN	U	57.8	9/28	3.0	47	35.4	18.8	64.1	34.4	19.3	51.4	36.3	18.3	56.1	
STEYER	4510 RRSCN	U	60.1	9/29	2.0	40	35.8	18.7	60.3	35.6	18.9	59.8	35.9	18.6		
STEYER	4600 RRSCN	U	61.2	10/3	2.9	41	35.7	19.0	62.0	35.1	19.3	60.3	36.3	18.6		
TRISOY	4227 RR(CN)	U	60.7	9/27	2.2	38	34.8	19.7	62.7	34.7	20.0	58.7	34.9	19.5	58.8	
TRISOY	4254 RR(CN)	U	66.2	9/28	2.4	42	33.3	19.8	65.6	32.9	20.2	66.9	33.7	19.5	61.2	
TRISOY	4557 RR(CN)	U	56.0	9/27	2.8	48	35.3	18.7	61.3	34.4	19.3	50.7	36.2	18.2	56.9	
TRISOY	4838 RR(CN)	U	57.6	10/5	3.1	42	37.1	18.7	61.3	36.3	19.3	53.8	37.9	18.0		
VIGORO	V 42N3 RR*	F	58.2	9/25	2.1	40	34.5	20.0	59.2	34.6	20.2	57.2	34.5	19.7	57.4	
VIGORO	V 42N7 RS	F	62.5	9/28	2.4	39	35.8	19.5	65.7	35.4	19.8	59.4	36.2	19.3		
VIGORO	V 44N6 RR	F	58.2	9/28	2.8	47	35.2	19.1	62.8	34.2	19.5	53.6	36.1	18.6	58.5	
	AVERAGE		59.4	10/1	2.7	44	35.4	19.1	62.3	34.9	19.5	56.5	36.0	18.6	57.9	
	L.S.D. 25% LEVEL		3.7		0.3	2	0.42	0.20	2.8	0.7	0.2	2.2	0.3	0.2		
	COEFF. OF VAR. (%)		9.3		14.0	7	1.8	1.6	4.8	1.2	1.2	4.2	1.0	1.0		
<b>MATURITY GROUP 5</b>																
DELTA KING	DK 5066	F	59.9	10/7	3.1	45	37.1	18.5	62.1	36.2	19.1	57.8	38.1	17.9	56.3	
DELTA KING	DK 5161	F	49.7	10/5	3.5	36	34.7	18.6	52.9	34.2	18.8	46.5	35.1	18.3	48.1	
DELTA KING	DK 52K6	F	54.0	10/16	3.2	39	37.4	17.7	57.9	37.3	17.8	50.2	37.4	17.5		
DELTA KING	DK 5366	F	50.8	10/13	3.8	39	35.7	17.4	52.9	35.6	17.6	48.7	35.7	17.2	49.7	
DELTA KING	DK 5567	F	56.5	10/15	3.4	36	35.4	17.6	60.2	35.5	17.8	52.8	35.4	17.4	54.7	
DELTA KING	DK 55T6	F	51.9	10/15	3.4	41	35.0	18.0	60.2	34.7	18.4	43.5	35.3	17.7	50.4	
DELTA KING	DK XTJ 703	F	51.8	10/1	3.1	46	35.6	18.0	57.0	34.6	18.5	46.7	36.5	17.5		
DELTA KING	DK XTJ 704	F	54.2	10/3	2.6	44	38.3	17.5	59.9	37.8	17.8	48.5	38.7	17.1		
DELTA KING	DK XTJ 753	F	51.3	10/10	3.4	38	36.5	17.6	59.8	35.7	18.0	42.9	37.3	17.3		
EXCEL	8512 NRR	B	56.4	10/13	3.3	50	36.7	17.6	61.8	37.0	17.7	51.0	36.4	17.4		
M & D SEED	9550 NRRSTS*	U	55.4	10/13	3.0	40	35.2	17.8	61.6	35.4	17.9	49.3	35.0	17.7	51.9	
SOUTHERN CROSS	DAMASCUS 5.0NRR	U	56.2	10/7	3.3	48	36.5	18.6	61.5	36.0	19.1	50.9	36.9	18.2		
SOUTHERN STATES	RT 5130 N	F	52.5	10/5	3.1	40	37.0	17.3	59.7	36.9	17.6	45.2	37.1	17.0	48.8	
SOUTHERN STATES	RT 5160 N	B	50.3	10/6	2.9	41	34.8	17.9	56.2	34.9	17.9	44.3	34.6	17.8		
	AVERAGE		53.6	10/9	3.2	42	36.1	17.9	58.8	35.9	18.2	48.5	36.4	17.6	51.4	
	L.S.D. 25% LEVEL		3.5		0.5	3	0.71	0.27	1.0	0.2	0.1	1.9	0.2	0.1		
	COEFF. OF VAR. (%)		9.3		23.6	9	2.8	2.2	3.1	0.8	1.0	7.2	1.1	1.1		

<sup>1</sup>IST= Insecticide Seed Treatment: U= Untreated, F= Fungicide, B= Insecticide+Fungicide