

2007 Soybean Test Results
 Region 2: Roundup Resistant (30-inch row spacing)

| COMPANY | VARIETY* | IST ¹ | Yield bu/a | Regional Results | | | Height in | Monmouth Yield bu/a | Goodfield Yield bu/a | Dwight Yield bu/a | 2 yr Avg Yield bu/a | 3 yr Avg Yield bu/a | Goodfield Protein @ 13% | Goodfield Oil @ 13% |
|-------------------------|------------------|------------------|---------------|------------------|---------|----|--------------|---------------------------|----------------------------|-------------------------|------------------------------|------------------------------|-------------------------------|---------------------------|
| | | | | Maturity Date | Lodging | | | | | | | | | |
| MATURITY GROUP 2 | | | | | | | | | | | | | | |
| ASGROW | AG 2603* | U | 57.9 | 9/8 | 2.8 | 41 | 52.7 | 65.4 | 55.7 | | | | 36.5 | 18.7 |
| ASGROW | AG 2802 | B | 59.1 | 9/13 | 3.1 | 45 | 53.5 | 65.5 | 58.4 | 61.4 | | | 35.4 | 20.1 |
| ASGROW | AG 2906 | B | 56.2 | 9/11 | 2.9 | 40 | 59.0 | 49.7 | 60.0 | | | | 37.0 | 18.4 |
| ASOYIA | 2536 RR | B | 44.0 | 9/3 | 3.9 | 43 | 38.0 | 47.6 | 46.5 | | | | 33.7 | 19.7 |
| ASOYIA | 2707 RR | B | 47.2 | 9/7 | 2.3 | 35 | 44.6 | 50.9 | 46.1 | | | | 32.3 | 20.1 |
| ASOYIA | 2937 RR | B | 46.9 | 9/7 | 3.4 | 45 | 45.1 | 49.9 | 45.7 | | | | 34.6 | 19.4 |
| BECK | 274 NRR* | B | 59.8 | 9/10 | 3.4 | 41 | 62.3 | 65.5 | 51.6 | 61.6 | | | 36.6 | 19.1 |
| BECK | 286 NRR | B | 52.1 | 9/12 | 3.1 | 41 | 48.1 | 57.7 | 50.5 | 57.3 | | | 35.9 | 19.0 |
| BECK | 297 NRR* | B | 51.0 | 9/12 | 3.6 | 42 | 40.7 | 60.7 | 51.5 | 55.5 | | 57.7 | 37.8 | 18.5 |
| DAIRYLAND | DSR-2600 RR* | B | 60.7 | 9/13 | 3.0 | 37 | 61.7 | 61.3 | 59.2 | | | | 34.3 | 19.6 |
| DAIRYLAND | DSR-2770 RR | B | 61.0 | 9/15 | 3.1 | 41 | 58.3 | 65.6 | 59.2 | | | | 36.2 | 19.5 |
| DAIRYLAND | DSR-2850 RRSTSH* | B | 49.5 | 9/15 | 3.5 | 44 | 40.1 | 54.6 | 53.7 | 53.3 | | | 36.7 | 18.8 |
| DAIRYLAND | DSR-2929 RR* | B | 62.6 | 9/14 | 3.2 | 42 | 55.4 | 70.9 | 61.4 | 61.1 | | | 35.4 | 19.1 |
| FS HISOY | HS 2766 | B | 58.3 | 9/12 | 3.2 | 47 | 50.6 | 64.6 | 59.6 | | | | 35.6 | 20.0 |
| FS HISOY | HS 2846 | B | 59.2 | 9/14 | 3.2 | 41 | 59.7 | 63.0 | 54.9 | 61.0 | | | 36.6 | 19.1 |
| FS HISOY | R 07-29 | B | 59.1 | 9/17 | 3.3 | 42 | 54.0 | 60.9 | 62.4 | | | | 36.0 | 17.9 |
| HELENA | 2976 | B | 55.6 | 9/14 | 3.1 | 41 | 47.6 | 61.6 | 57.7 | | | | 37.4 | 19.0 |
| HORIZON | H 288 N* | U | 59.0 | 9/14 | 2.7 | 46 | 58.6 | 60.5 | 57.9 | 60.0 | | | 36.1 | 19.1 |
| HORIZON | H 296 N* | U | 65.1 | 9/17 | 3.2 | 41 | 65.7 | 71.8 | 57.8 | | | | 36.3 | 18.9 |
| KRUGER | EX 28A07 | B | 54.4 | 9/10 | 2.8 | 38 | 53.7 | 56.8 | 52.7 | | | | 35.6 | 19.2 |
| KRUGER | K-235 RRSCN* | B | 53.4 | 9/8 | 3.0 | 37 | 48.4 | 58.7 | 53.1 | 56.2 | | | 36.5 | 18.9 |
| KRUGER | K-239 RR | B | 59.7 | 9/7 | 2.8 | 41 | 56.7 | 63.2 | 59.1 | | | | 35.7 | 19.5 |
| KRUGER | K-248 RRSCN | B | 53.9 | 9/9 | 3.5 | 38 | 47.8 | 56.4 | 57.5 | | | | 36.1 | 19.3 |
| KRUGER | K-251 RRSCN | B | 62.4 | 9/12 | 3.5 | 38 | 57.9 | 67.7 | 61.6 | | | | 35.6 | 18.5 |
| KRUGER | K-263 RRSCN | B | 54.0 | 9/13 | 3.6 | 43 | 45.2 | 55.0 | 61.8 | | | | 35.0 | 19.5 |
| KRUGER | K-271 RR | B | 63.3 | 9/14 | 3.1 | 42 | 59.2 | 66.4 | 64.2 | | | | 36.5 | 19.4 |
| KRUGER | K-272 RRSCNLINO | B | 51.8 | 9/14 | 2.8 | 38 | 47.1 | 56.4 | 52.0 | | | | 36.9 | 18.6 |
| KRUGER | K-274 RRSCN | B | 64.0 | 9/11 | 3.2 | 41 | 62.2 | 69.6 | 60.1 | | | | 36.3 | 19.5 |
| KRUGER | K-275 RRSCN | B | 60.6 | 9/14 | 3.4 | 44 | 53.8 | 68.2 | 59.9 | 61.6 | | | 35.3 | 20.2 |
| KRUGER | K-278 RRSCN | B | 57.4 | 9/12 | 3.0 | 43 | 49.8 | 63.8 | 58.6 | | | | 36.4 | 18.1 |
| KRUGER | K-283 RRSCN* | B | 52.0 | 9/11 | 3.2 | 41 | 49.6 | 56.5 | 50.0 | 56.3 | | | 36.1 | 18.8 |
| KRUGER | K-287 RRSCN | B | 64.2 | 9/12 | 3.4 | 42 | 66.4 | 66.2 | 60.2 | 65.1 | 63.2 | | 36.7 | 18.9 |
| KRUGER | K-294 RRSCN | B | 52.1 | 9/15 | 3.2 | 44 | 39.9 | 59.7 | 56.7 | 54.5 | 57.7 | | 36.3 | 18.9 |
| KRUGER | K-297 RRSCN | B | 59.4 | 9/16 | 3.5 | 42 | 50.9 | 66.6 | 60.7 | | | | 36.0 | 18.1 |
| LEWIS | 2908 | B | 60.0 | 9/16 | 3.2 | 40 | 52.4 | 65.1 | 62.5 | | | | 36.3 | 18.0 |
| LG SEEDS | C 2662 NRR* | F | 51.5 | 9/11 | 3.3 | 39 | 46.8 | 56.8 | 50.8 | | | | 36.9 | 18.5 |
| LG SEEDS | C 2985 NRR | F | 60.2 | 9/17 | 3.3 | 43 | 53.6 | 66.2 | 60.8 | | | | 36.0 | 18.2 |
| MAVRICK | 3299 RR* | U | 49.9 | 9/13 | 3.6 | 36 | 52.1 | 52.4 | 45.2 | | | | 36.8 | 19.2 |
| MAVRICK | 4262 RR* | U | 55.2 | 9/8 | 3.1 | 41 | 49.1 | 60.2 | 56.3 | | | | 36.1 | 19.0 |
| MAVRICK | 5284 RR* | U | 52.7 | 9/14 | 3.4 | 41 | 40.9 | 64.4 | 52.8 | | | | 37.0 | 19.1 |
| MERSCHMAN | APACHE 828RR | B | 57.4 | 9/16 | 3.3 | 42 | 52.3 | 59.6 | 60.4 | | | | 36.0 | 18.1 |
| MERSCHMAN | CHEROKEE 729RR* | B | 61.1 | 9/14 | 2.7 | 41 | 56.9 | 63.9 | 62.5 | 62.3 | | | 35.8 | 19.2 |
| MERSCHMAN | CHEYENNE 827RRV | B | 59.2 | 9/10 | 2.0 | 37 | 48.7 | 63.9 | 64.9 | | | | 35.8 | 19.3 |
| MERSCHMAN | CHICKASAW 728RR* | B | 50.7 | 9/12 | 3.0 | 41 | 44.7 | 52.3 | 55.2 | 56.5 | | | 35.7 | 18.8 |
| MIDWEST SEED GEN | GR 2831* | U | 60.1 | 9/13 | 3.4 | 41 | 59.3 | 64.2 | 56.7 | 62.2 | | | 36.5 | 19.0 |
| MIDWEST SEED GEN | GR 2933* | U | 54.1 | 9/15 | 3.3 | 41 | 44.5 | 62.1 | 55.7 | | | | 37.5 | 19.0 |
| MUNSON | 8287 RR | U | 62.4 | 9/18 | 3.4 | 41 | 53.6 | 72.4 | 61.3 | 61.8 | | | 34.8 | 19.5 |
| MUNSON | 8298 RR | U | 64.5 | 9/16 | 3.1 | 42 | 65.0 | 69.0 | 59.5 | | | | 35.9 | 19.0 |
| MWS | 2856 CRR* | F | 51.7 | 9/14 | 2.8 | 40 | 46.6 | 54.9 | 53.5 | 55.7 | 57.5 | | 37.9 | 18.4 |
| MWS | 2911 CRR* | F | 47.2 | 9/14 | 3.5 | 43 | 38.8 | 52.8 | 50.0 | 52.0 | | | 36.7 | 18.8 |
| NC+ | 2A94 RR* | U | 54.1 | 9/13 | 3.3 | 43 | 49.3 | 61.9 | 51.2 | | | | 37.5 | 18.9 |
| NK BRAND | S 27-L4* | B | 60.6 | 9/9 | 2.6 | 38 | 58.8 | 63.5 | 59.4 | | | | 35.5 | 19.5 |
| NK BRAND | S 28-B4* | B | 53.2 | 9/12 | 3.4 | 39 | 52.2 | 55.9 | 51.5 | | | | 35.7 | 18.6 |
| NK BRAND | S 28-Y2* | B | 55.9 | 9/10 | 2.5 | 38 | 62.6 | 62.2 | 42.8 | | | | 35.3 | 19.5 |
| NK BRAND | S 29-J6* | B | 64.3 | 9/14 | 3.1 | 45 | 54.7 | 70.4 | 67.9 | 65.6 | | | 35.9 | 19.0 |
| NUTECH | NT-2324+RRSCN | B | 61.5 | 9/6 | 2.4 | 35 | 53.0 | 69.2 | 62.2 | | | | 35.8 | 19.6 |
| NUTECH | NT-6281 | B | 60.4 | 9/15 | 3.2 | 42 | 58.9 | 63.0 | 59.2 | | | | 36.6 | 19.3 |
| NUTECH | NT-7282 | B | 59.4 | 9/12 | 3.1 | 41 | 52.8 | 65.6 | 60.0 | | | | 35.7 | 19.5 |
| NUTECH | NT-7297 | U | 66.0 | 9/17 | 3.1 | 41 | 66.1 | 73.4 | 58.3 | | | | 35.9 | 19.2 |
| PIONEER | 92M61* | B | 61.1 | 9/8 | 3.4 | 40 | 54.6 | 65.7 | 62.9 | | | | 36.0 | 19.4 |
| PIONEER | 92M75* | B | 58.0 | 9/8 | 3.5 | 41 | 59.0 | 60.5 | 54.4 | | | | 35.8 | 19.8 |
| PIONEER | 92M81 | B | 58.2 | 9/10 | 3.1 | 40 | 56.4 | 61.7 | 56.6 | | | | 35.7 | 19.5 |
| PIONEER | 92M91* | B | 60.4 | 9/14 | 3.0 | 42 | 57.3 | 63.9 | 60.2 | 61.1 | 60.2 | | 35.7 | 20.6 |
| ROESCHLEY | 2860 CRR | U | 63.2 | 9/14 | 3.4 | 40 | 56.5 | 67.7 | 65.4 | | | | 34.3 | 19.8 |
| ROESCHLEY | 4278 CRR* | U | 60.1 | 9/10 | 3.3 | 42 | 62.3 | 62.2 | 55.7 | | | | 36.1 | 19.1 |
| ROESCHLEY | 4279 CRR* | U | 52.1 | 9/13 | 3.3 | 43 | 45.2 | 59.9 | 51.1 | | | | 37.3 | 19.0 |
| SCHILLINGER | 287.RC | U | 61.8 | 9/14 | 2.9 | 42 | 64.2 | 66.6 | 54.5 | | | | 35.1 | 19.0 |
| SHEPHERD | SB 180 CNRR* | U | 47.9 | 9/2 | 3.4 | 40 | 48.7 | 46.0 | 49.1 | | | | 36.0 | 19.2 |
| SHEPHERD | SB 195 CNRR* | U | 51.8 | 9/6 | 3.2 | 39 | 53.2 | 55.6 | 46.6 | | | | 36.7 | 18.9 |
| SHEPHERD | SB 239 CNRR* | U | 55.7 | 9/10 | 3.1 | 40 | 52.6 | 59.8 | 54.7 | | | | 36.5 | 19.4 |
| SHEPHERD | SB 251 CNRR* | U | 52.1 | 9/12 | 3.0 | 40 | 50.5 | 57.1 | 48.8 | | | | 36.6 | 19.1 |
| SIEBEN | SS 2708 NRR | U | 55.5 | 9/10 | 3.1 | 38 | 56.5 | 61.4 | 48.7 | | | | 36.1 | 19.6 |
| SIEBEN | SS 2807 NRR* | U | 64.1 | 9/16 | 3.4 | 41 | 59.7 | 70.6 | 61.9 | 62.6 | | | 34.8 | 19.6 |
| SIEBEN | SS 2905 NRR* | U | 52.7 | 9/14 | 3.2 | 43 | 45.3 | 60.9 | 52.0 | 56.6 | 58.6 | | 37.2 | 19.2 |
| SIEBEN | SS 2908 NRR | U | 65.7 | 9/17 | 3.0 | 41 | 64.7 | 71.9 | 60.4 | | | | 35.8 | 19.3 |
| STINE | 2702-4* | U | 57.6 | 9/13 | 2.9 | 37 | 56.4 | 67.9 | 48.4 | 59.5 | 59.2 | | 36.9 | 19.1 |
| STINE | 2862-4 | U | 60.2 | 9/14 | 3.5 | 41 | 54.2 | 64.4 | 62.1 | | | | 36.1 | 18.0 |
| STINE | 2882-4* | U | 65.6 | 9/17 | 2.6 | 41 | 64.8 | 71.5 | 60.5 | | | | 36.1 | 19.1 |
| STINE | 2932-4* | U | 55.3 | 9/12 | 3.1 | 41 | 51.6 | 59.6 | 54.5 | | | | 35.1 | 19.2 |
| SUN PRAIRIE | SP 2765 NRR* | U | 60.5 | 9/16 | 2.8 | 37 | 60.6 | 67.7 | 53.1 | | | | 36.6 | 19.2 |
| SUN PRAIRIE | SP 2896 NRR* | U | 60.3 | 9/14 | 2.9 | 45 | 56.2 | 61.9 | 62.8 | | | | 36.3 | 19.0 |

2007 Soybean Test Results
Region 2: Roundup Resistant (30-inch row spacing)

| COMPANY | VARIETY* | IST [†] | Regional Results | | | | Height in | Monmouth Yield bu/a | Goodfield Yield bu/a | Dwight Yield bu/a | 2 yr Avg Yield bu/a | 3 yr Avg Yield bu/a | Goodfield Protein @ 13% | Goodfield Oil @ 13% |
|-------------|---------------------|------------------|------------------|------------------|---------|----|--------------|---------------------------|----------------------------|-------------------------|------------------------------|------------------------------|-------------------------------|---------------------------|
| | | | Yield bu/a | Maturity Date | Lodging | | | | | | | | | |
| | *Producer Nominated | | | | | | | | | | | | | |
| SUN PRAIRIE | SP 2904 NRR* | U | 56.1 | 9/11 | 3.4 | 40 | 58.0 | 54.9 | 55.3 | | | 36.3 | 19.1 | |
| TRISOY | 2575 RR(CN) | F | 61.3 | 9/10 | 3.2 | 38 | 55.4 | 67.1 | 61.4 | | | 35.1 | 18.7 | |
| TRISOY | 2878 RRV(CN) | U | 54.5 | 9/16 | 3.2 | 45 | 53.9 | 60.0 | 49.6 | | | 36.5 | 18.8 | |
| TRISOY | 2973 RR(CN) | F | 59.1 | 9/17 | 3.3 | 41 | 54.5 | 61.4 | 61.5 | | | 36.0 | 18.1 | |
| WILKEN | W 2320 NRR | B | 63.6 | 9/5 | 2.6 | 35 | 61.1 | 69.7 | 60.1 | 61.0 | | 35.1 | 19.9 | |
| WILKEN | W 2322 NRR | B | 60.6 | 9/5 | 2.4 | 34 | 57.2 | 65.7 | 58.8 | 59.5 | | 36.8 | 18.7 | |
| WILKEN | W 2330 NRR | B | 54.3 | 9/4 | 3.1 | 38 | 44.9 | 58.9 | 59.1 | | | 35.2 | 19.3 | |
| WILKEN | W 2339 NRR | B | 63.9 | 9/8 | 2.5 | 34 | 57.6 | 68.4 | 65.7 | | | 37.4 | 19.3 | |
| WILKEN | W 2341 NRR | B | 50.9 | 9/7 | 2.9 | 37 | 48.4 | 50.1 | 54.3 | 54.3 | 53.1 | 36.6 | 18.8 | |
| WILKEN | W 2664 NRR | B | 63.2 | 9/12 | 3.3 | 39 | 60.1 | 69.2 | 60.4 | | | 36.1 | 18.4 | |
| WILKEN | W 2671 NRR* | B | 53.9 | 9/13 | 2.7 | 40 | 50.3 | 58.7 | 52.8 | 57.3 | 58.3 | 38.0 | 18.5 | |
| WILKEN | W 2792 NRR* | B | 60.9 | 9/13 | 3.2 | 42 | 63.8 | 62.3 | 56.5 | 62.4 | 62.2 | 36.9 | 18.9 | |
| WILKEN | W 2871 NRR* | B | 58.2 | 9/13 | 3.3 | 44 | 54.0 | 58.9 | 61.7 | 60.3 | | 36.0 | 19.6 | |
| WILKEN | W 2881 NRR* | B | 53.7 | 9/12 | 3.3 | 41 | 48.1 | 63.7 | 49.3 | 57.5 | | 35.9 | 18.9 | |
| WILKEN | W 2889 NRR | B | 58.3 | 9/11 | 3.3 | 40 | 53.4 | 61.7 | 59.8 | | | 35.9 | 19.1 | |
| WILKEN | W 2993 NRR | B | 57.9 | 9/15 | 3.3 | 42 | 49.6 | 59.4 | 64.8 | | | 36.0 | 18.0 | |
| WILKEN | W 2999 NRR | B | 52.1 | 9/12 | 3.4 | 43 | 44.2 | 58.3 | 53.8 | 56.7 | 58.5 | 37.8 | 18.8 | |
| | AVERAGE | | 57.4 | 9/12 | 3.1 | 41 | 53.6 | 62.0 | 56.6 | 59.0 | 58.7 | 36.1 | 19.1 | |
| | L.S.D. 25% LEVEL | | 4.0 | | 0.2 | 1 | 7.2 | 4.2 | 4.1 | | | 0.35 | 0.23 | |
| | COEFF. OF VAR. (%) | | 12.8 | | 11.4 | 6 | 8.3 | 7.1 | 7.7 | | | 1.0 | 1.3 | |

MATURITY GROUP 3

| | | | | | | | | | | | | | |
|------------|-----------------|---|------|------|-----|----|------|------|------|------|------|------|------|
| AGSOURCE | 9383 RR* | B | 57.1 | 9/21 | 3.0 | 43 | 53.9 | 60.8 | 56.5 | | | 35.5 | 18.9 |
| AGSOURCE | 9406 RR* | B | 57.0 | 9/27 | 2.8 | 44 | 52.9 | 57.8 | 60.3 | | | 35.4 | 19.2 |
| ASGROW | AG 3005* | U | 55.2 | 9/11 | 3.4 | 40 | 60.2 | 54.3 | 51.1 | | | 36.4 | 19.5 |
| ASGROW | AG 3101 | B | 56.8 | 9/16 | 3.0 | 45 | 52.9 | 61.6 | 55.9 | 59.5 | 62.0 | 39.4 | 17.4 |
| ASGROW | AG 3203 | B | 60.5 | 9/18 | 3.0 | 42 | 57.9 | 64.3 | 59.3 | 60.8 | 61.7 | 37.3 | 18.8 |
| ASGROW | AG 3402 | B | 66.5 | 9/21 | 3.3 | 45 | 61.8 | 69.0 | 68.8 | | | 36.9 | 18.5 |
| ASGROW | AG 3505* | U | 57.9 | 9/19 | 3.3 | 43 | 53.6 | 62.0 | 58.1 | | | 37.1 | 18.7 |
| ASGROW | AG 3602* | U | 62.0 | 9/23 | 2.8 | 46 | 62.6 | 66.5 | 57.0 | 62.7 | 63.2 | 37.7 | 17.5 |
| ASOYIA | 3027 RR | B | 44.0 | 9/9 | 4.0 | 42 | 43.3 | 42.2 | 46.6 | | | 34.0 | 19.7 |
| ASOYIA | 3217 RR | B | 48.6 | 9/10 | 3.2 | 43 | 51.4 | 51.8 | 42.5 | | | 35.0 | 19.3 |
| ASOYIA | 3407 RR | B | 39.1 | 9/11 | 3.0 | 43 | 47.0 | 36.9 | 33.5 | | | 34.2 | 19.5 |
| BECK | 307 NRR | B | 59.6 | 9/19 | 3.0 | 42 | 59.1 | 67.7 | 51.9 | | | 36.1 | 19.2 |
| BECK | 321 NRR | B | 63.7 | 9/23 | 3.0 | 40 | 62.9 | 67.0 | 61.0 | 64.9 | 65.1 | 36.7 | 19.3 |
| BECK | 323 RR* | F | 54.1 | 9/18 | 3.4 | 42 | 55.6 | 56.6 | 50.1 | 56.1 | 57.6 | 37.7 | 19.5 |
| BECK | 342 NRR | B | 61.8 | 9/23 | 2.8 | 44 | 55.7 | 66.7 | 63.1 | 62.4 | | 35.1 | 19.2 |
| CAMPBELL | 347 NRR* | F | 63.3 | 9/23 | 2.9 | 43 | 63.5 | 65.3 | 61.1 | | | 35.0 | 19.1 |
| CROW'S | C 3318 R* | U | 55.3 | 9/19 | 3.1 | 45 | 58.0 | 53.1 | 54.9 | | | 38.0 | 18.0 |
| CROW'S | C 3518 R* | U | 57.5 | 9/21 | 2.9 | 40 | 56.1 | 61.1 | 55.3 | | | 36.6 | 19.3 |
| DAIRYLAND | DSR-3003 RRSTS | B | 57.9 | 9/16 | 3.2 | 43 | 60.4 | 59.7 | 53.7 | 58.2 | | 36.8 | 19.2 |
| DAIRYLAND | DSR-3130 RR* | B | 52.2 | 9/14 | 3.5 | 43 | 52.5 | 50.0 | 54.0 | 55.6 | | 35.9 | 19.3 |
| DAIRYLAND | DSR-3320 RRSTS | B | 50.2 | 9/17 | 3.2 | 42 | 55.0 | 44.3 | 51.3 | | | 36.0 | 18.9 |
| DAIRYLAND | DSR-3535 RR | B | 57.9 | 9/20 | 3.2 | 43 | 58.3 | 56.3 | 59.0 | | | 36.9 | 18.9 |
| DYNA-GRO | 37J34* | B | 65.7 | 9/24 | 2.9 | 45 | 65.0 | 65.9 | 66.1 | | | 35.2 | 19.2 |
| EXCEL | 8343 NRR* | B | 61.9 | 9/20 | 3.1 | 48 | 62.7 | 64.4 | 58.7 | 60.3 | 60.9 | 38.1 | 17.6 |
| FONTANELLE | 9412 NRR* | U | 57.1 | 9/20 | 3.1 | 42 | 60.6 | 55.9 | 54.9 | | | 38.5 | 17.7 |
| FONTANELLE | 9609 NRR* | U | 52.8 | 9/13 | 3.5 | 43 | 46.1 | 63.6 | 48.6 | | | 37.0 | 19.3 |
| FONTANELLE | 9652 NRR* | U | 60.6 | 9/22 | 3.0 | 44 | 59.9 | 62.3 | 59.7 | | | 35.0 | 19.1 |
| FS HISOY | HS 3156 | B | 62.7 | 9/20 | 3.4 | 43 | 63.0 | 61.5 | 63.6 | 62.1 | | 37.6 | 19.9 |
| FS HISOY | HS 3266 | B | 61.8 | 9/18 | 2.9 | 40 | 57.7 | 64.6 | 63.0 | 63.2 | | 36.7 | 19.5 |
| FS HISOY | HS 3466 | B | 65.7 | 9/23 | 2.8 | 44 | 62.0 | 69.4 | 65.6 | | | 35.1 | 19.2 |
| FS HISOY | HS 3536* | B | 59.2 | 9/20 | 3.0 | 41 | 58.0 | 64.2 | 55.4 | 61.5 | 62.4 | 36.8 | 19.1 |
| FS HISOY | HS 3766 | B | 55.2 | 9/20 | 2.8 | 46 | 58.3 | 41.7 | 65.5 | | | 37.2 | 18.6 |
| FS HISOY | HS 3846 | B | 56.9 | 9/23 | 2.8 | 44 | 50.8 | 66.2 | 53.7 | | | 35.6 | 18.8 |
| FS HISOY | R 07-31 | B | 59.2 | 9/16 | 2.5 | 39 | 66.4 | 57.2 | 54.1 | | | 37.5 | 18.8 |
| FS HISOY | R 07-33 | B | 63.1 | 9/17 | 3.2 | 44 | 58.2 | 64.9 | 66.2 | | | 37.1 | 18.3 |
| FS HISOY | R 07-35 | B | 56.1 | 9/20 | 3.2 | 46 | 52.4 | 57.3 | 58.5 | | | 37.9 | 18.3 |
| FS HISOY | R 07-37 | B | 58.7 | 9/22 | 2.5 | 46 | 53.2 | 59.6 | 63.2 | | | 35.5 | 19.3 |
| HELENA | 3378 | B | 62.3 | 9/23 | 3.2 | 46 | 57.5 | 65.1 | 64.4 | | | 34.8 | 19.2 |
| HOBLOT | HB 312 NRR | U | 60.8 | 9/18 | 3.4 | 43 | 61.2 | 64.5 | 56.7 | | | 37.5 | 19.9 |
| HORIZON | H 303 N* | U | 60.9 | 9/18 | 3.6 | 42 | 60.2 | 63.0 | 59.6 | 60.2 | 60.8 | 37.3 | 20.0 |
| HORIZON | H 340 N* | F | 62.2 | 9/24 | 2.5 | 44 | 58.3 | 65.1 | 63.2 | 62.8 | | 34.4 | 19.5 |
| HORIZON | H 352 N* | F | 58.5 | 9/22 | 3.0 | 41 | 56.6 | 59.8 | 59.2 | 58.6 | 60.5 | 36.8 | 19.0 |
| HORIZON | H 356 N | U | 59.1 | 9/20 | 3.2 | 45 | 56.0 | 59.0 | 62.2 | | | 38.0 | 18.4 |
| HORIZON | H 378 N | F | 62.8 | 9/24 | 3.0 | 44 | 63.3 | 67.9 | 57.1 | 64.2 | | 35.9 | 19.6 |
| KRUGER | K-302 RRSCNLINO | B | 51.8 | 9/16 | 3.1 | 44 | 49.6 | 54.4 | 51.3 | | | 38.2 | 19.2 |
| KRUGER | K-315 RRSCN | B | 56.1 | 9/16 | 3.5 | 45 | 51.7 | 60.4 | 56.3 | 56.4 | | 35.7 | 19.0 |
| KRUGER | K-316 RRSCN | B | 58.8 | 9/15 | 2.4 | 40 | 66.7 | 56.3 | 53.5 | 62.2 | | 37.5 | 18.7 |
| KRUGER | K-321 RRSCNLINO | B | 57.5 | 9/14 | 3.6 | 43 | 57.7 | 55.2 | 59.7 | | | 35.9 | 19.7 |
| KRUGER | K-333 RRSCN | B | 59.2 | 9/12 | 3.0 | 37 | 50.8 | 65.5 | 61.2 | 61.7 | | 35.4 | 19.9 |
| KRUGER | K-340 RRSCN | B | 61.9 | 9/19 | 3.0 | 41 | 60.5 | 66.6 | 58.7 | 61.4 | 62.9 | 37.0 | 19.3 |
| KRUGER | K-341 RRSCN | B | 59.7 | 9/19 | 2.9 | 42 | 58.3 | 59.4 | 61.3 | 59.6 | 60.7 | 37.1 | 18.8 |
| KRUGER | K-348 RRSCN | B | 69.1 | 9/20 | 3.0 | 44 | 67.0 | 72.6 | 67.7 | | | 34.6 | 19.7 |
| KRUGER | K-363 RRSCN | B | 56.3 | 9/21 | 2.7 | 45 | 53.9 | 60.2 | 54.9 | 58.5 | | 35.6 | 18.8 |
| KRUGER | K-382 RRSCN | B | 61.6 | 9/24 | 2.9 | 44 | 59.8 | 64.1 | 60.9 | 63.2 | | 36.9 | 19.1 |
| KRUGER | K-384 RRSCN | B | 66.9 | 9/26 | 3.1 | 46 | 65.7 | 67.6 | 67.4 | | | 36.2 | 18.8 |
| KRUGER | K-389 RRSCN | B | 56.6 | 9/22 | 2.8 | 44 | 53.4 | 58.4 | 58.2 | 61.1 | | 35.3 | 18.7 |
| KRUGER | KY 3817 RN | B | 46.7 | 9/23 | 3.5 | 50 | 41.7 | 55.8 | 42.4 | | | 36.5 | 18.8 |
| LEWIS | 3258 | B | 59.6 | 9/14 | 2.6 | 40 | 64.4 | 59.7 | 54.8 | | | 37.0 | 18.9 |
| LEWIS | 3558 | B | 58.7 | 9/16 | 3.4 | 44 | 57.4 | 58.4 | 60.4 | | | 37.9 | 18.3 |

2007 Soybean Test Results
Region 2: Roundup Resistant (30-inch row spacing)

| COMPANY | VARIETY* | IST ¹ | Yield bu/a | Regional Results | | | Height in | Monmouth Yield bu/a | Goodfield Yield bu/a | Dwight Yield bu/a | 2 yr Avg Yield bu/a | 3 yr Avg Yield bu/a | Goodfield Protein @ 13% | Goodfield Oil @ 13% |
|------------------|---------------------|------------------|---------------|------------------|---------|----|--------------|---------------------------|----------------------------|-------------------------|------------------------------|------------------------------|-------------------------------|---------------------------|
| | | | | Maturity Date | Lodging | | | | | | | | | |
| | *Producer Nominated | | | | | | | | | | | | | |
| LEWIS | 3308* | F | 54.4 | 9/19 | 3.0 | 46 | 57.5 | 53.8 | 51.9 | | | 38.5 | 17.4 | |
| LEWIS | 3407* | B | 63.0 | 9/22 | 2.8 | 45 | 61.2 | 65.6 | 62.1 | | | 34.8 | 19.3 | |
| LG SEEDS | C 3232 NRR* | F | 52.5 | 9/19 | 3.3 | 45 | 48.4 | 60.0 | 49.2 | 55.0 | | 35.5 | 19.1 | |
| LG SEEDS | C 3242 NRR | F | 53.6 | 9/19 | 2.7 | 42 | 58.2 | 53.1 | 49.6 | | | 35.2 | 19.7 | |
| LG SEEDS | L 3155 RR* | F | 54.8 | 9/19 | 2.8 | 40 | 54.9 | 58.0 | 51.5 | | | 35.3 | 19.4 | |
| MAVRICK | 6343 RR* | U | 61.4 | 9/24 | 2.7 | 45 | 57.2 | 63.3 | 63.6 | | | 35.2 | 19.1 | |
| MERSCHMAN | COOLIDGE 734RR* | B | 57.4 | 9/23 | 3.0 | 40 | 56.3 | 61.7 | 54.3 | 61.1 | | 36.6 | 19.2 | |
| MERSCHMAN | FILLMORE 731RRV | B | 56.1 | 9/14 | 2.5 | 38 | 62.1 | 54.9 | 51.3 | | | 35.8 | 19.0 | |
| MERSCHMAN | HAYES 832RRV | B | 50.2 | 9/16 | 3.6 | 43 | 55.8 | 46.2 | 48.7 | | | 36.2 | 19.4 | |
| MERSCHMAN | HOOVER 730RR | B | 54.7 | 9/11 | 2.4 | 39 | 57.3 | 59.1 | 47.7 | 57.8 | | 36.8 | 18.7 | |
| MERSCHMAN | JEFFERSON 830RR | B | 57.1 | 9/14 | 2.2 | 40 | 68.9 | 52.8 | 49.7 | | | 37.0 | 18.9 | |
| MERSCHMAN | KENNEDY 836RR | B | 55.1 | 9/23 | 2.6 | 46 | 59.4 | 52.3 | 53.7 | | | 35.5 | 19.1 | |
| MERSCHMAN | MONROE 735RR* | B | 51.8 | 9/20 | 2.9 | 43 | 48.8 | 49.0 | 57.5 | 57.3 | | 36.4 | 18.1 | |
| MERSCHMAN | NORFOLK 741RR* | B | 57.7 | 9/25 | 2.9 | 46 | 50.0 | 61.3 | 61.8 | 59.2 | | 35.5 | 19.0 | |
| MERSCHMAN | ROOSEVELT 737RR* | B | 56.0 | 9/19 | 2.9 | 46 | 59.4 | 60.5 | 48.1 | 59.4 | | 36.7 | 19.0 | |
| MERSCHMAN | TRUMAN 636RR | B | 51.7 | 9/23 | 2.8 | 45 | 42.1 | 60.5 | 52.7 | 54.2 | 55.9 | 35.7 | 19.2 | |
| MIDWEST SEED GEN | GR 3333* | U | 55.7 | 9/21 | 3.2 | 46 | 56.1 | 58.5 | 52.6 | 58.6 | | 38.7 | 17.7 | |
| MUNSON | 8328 RR | U | 63.7 | 9/18 | 2.5 | 41 | 66.0 | 67.2 | 57.9 | | | 37.3 | 18.5 | |
| MUNSON | 8357 RR | U | 61.3 | 9/23 | 2.9 | 44 | 57.1 | 67.4 | 59.2 | 60.7 | | 35.0 | 19.2 | |
| MUNSON | 8368 RR | U | 55.7 | 9/23 | 2.4 | 44 | 59.5 | 53.2 | 54.6 | | | 35.1 | 19.5 | |
| MUNSON | 8377 RR | U | 62.3 | 9/22 | 2.7 | 45 | 65.0 | 60.1 | 61.8 | 63.6 | | 36.5 | 19.3 | |
| MWS | 3128 CRR* | F | 58.9 | 9/19 | 3.4 | 42 | 61.4 | 60.2 | 55.0 | 59.7 | | 37.1 | 20.0 | |
| MYCOGEN | 5N351 RR* | U | 64.5 | 9/22 | 2.7 | 43 | 64.3 | 67.4 | 61.8 | 64.7 | 64.7 | 34.8 | 19.3 | |
| NC+ | 3A32 RR* | U | 55.3 | 9/18 | 3.2 | 46 | 60.9 | 54.8 | 50.1 | | | 38.6 | 17.9 | |
| NC+ | 3A53 RR* | U | 56.7 | 9/21 | 3.0 | 40 | 50.5 | 63.6 | 56.0 | | | 36.4 | 19.3 | |
| NK BRAND | S 32-E2* | B | 62.0 | 9/16 | 3.4 | 44 | 61.9 | 60.1 | 64.0 | 64.2 | | 35.7 | 19.8 | |
| NK BRAND | S 33-A8* | B | 49.0 | 9/19 | 3.5 | 45 | 45.3 | 52.7 | 49.0 | | | 35.9 | 19.2 | |
| NK BRAND | S 36-C7* | B | 58.4 | 9/20 | 2.2 | 39 | 58.7 | 57.1 | 59.3 | 59.2 | | 37.5 | 17.9 | |
| NK BRAND | S 37-F7* | B | 58.1 | 9/21 | 3.2 | 46 | 52.1 | 61.4 | 60.9 | | | 36.7 | 17.8 | |
| NK BRAND | S 37-P5* | B | 53.0 | 9/22 | 3.3 | 43 | 47.9 | 56.4 | 54.7 | | | 36.6 | 18.3 | |
| NK BRAND | S 38-D5* | B | 51.1 | 9/26 | 2.8 | 42 | 41.3 | 59.5 | 52.5 | | | 36.6 | 18.0 | |
| NK BRAND | S 39-A3* | B | 53.4 | 9/22 | 3.3 | 45 | 43.2 | 60.0 | 57.0 | | | 35.9 | 18.3 | |
| NK BRAND | XR 3473 | U | 54.8 | 9/18 | 3.1 | 42 | 51.0 | 59.3 | 54.0 | | | 36.2 | 19.5 | |
| NUTECH | NT-3777 RR* | B | 53.9 | 9/24 | 2.5 | 45 | 43.0 | 61.1 | 57.6 | | | 35.4 | 19.2 | |
| NUTECH | NT-3888 RRSCN | B | 56.6 | 9/18 | 2.9 | 45 | 55.4 | 62.3 | 52.2 | | | 36.7 | 19.0 | |
| NUTECH | NT-3909 RRSCNSTS | B | 58.0 | 9/23 | 2.8 | 46 | 57.0 | 60.5 | 56.4 | | | 35.4 | 18.7 | |
| NUTECH | NT-7325 | B | 57.9 | 9/13 | 2.4 | 41 | 65.2 | 57.1 | 51.4 | | | 37.2 | 18.9 | |
| NUTECH | NT-7345 | B | 60.8 | 9/16 | 3.1 | 44 | 66.3 | 60.0 | 56.0 | | | 36.9 | 18.4 | |
| NUTECH | NT-7353 | B | 58.5 | 9/20 | 2.9 | 45 | 58.3 | 64.3 | 52.8 | | | 35.7 | 18.9 | |
| NUTECH | NT-7366 | B | 59.3 | 9/24 | 2.5 | 45 | 56.6 | 62.5 | 58.8 | | | 35.4 | 19.1 | |
| PIONEER | 93M10* | B | 60.9 | 9/19 | 3.4 | 48 | 58.8 | 63.8 | 60.2 | 60.1 | 60.1 | 35.5 | 19.3 | |
| PIONEER | 93M11* | B | 57.5 | 9/15 | 2.3 | 41 | 60.5 | 52.6 | 59.4 | 58.4 | 58.1 | 36.2 | 20.3 | |
| PIONEER | 93M42* | B | 64.5 | 9/21 | 2.5 | 48 | 62.6 | 67.3 | 63.6 | 65.5 | 65.3 | 36.6 | 19.0 | |
| PIONEER | 93M61 | B | 57.5 | 9/17 | 2.9 | 44 | 59.2 | 55.1 | 58.3 | | | 35.6 | 19.1 | |
| PIONEER | 93M95* | B | 54.7 | 9/23 | 3.3 | 49 | 47.5 | 61.9 | 54.7 | | | 37.7 | 18.2 | |
| QUALITY PLUS | Q 308 RR | U | 61.0 | 9/18 | 3.0 | 43 | 58.9 | 66.9 | 57.2 | | | 36.1 | 19.2 | |
| QUALITY PLUS | Q 315 RR | U | 56.3 | 9/21 | 3.1 | 45 | 57.5 | 59.5 | 51.9 | 59.2 | 61.0 | 38.8 | 17.9 | |
| QUALITY PLUS | Q 343 RR | U | 62.1 | 9/24 | 3.0 | 44 | 59.0 | 65.3 | 62.0 | 63.4 | | 34.8 | 19.3 | |
| QUALITY PLUS | Q 368 RR | U | 65.0 | 9/22 | 2.9 | 46 | 65.1 | 60.9 | 69.0 | | | 36.3 | 19.5 | |
| QUALITY PLUS | Q 370 RR | U | 56.6 | 9/22 | 3.1 | 44 | 52.3 | 62.0 | 55.5 | 58.7 | 60.5 | 37.7 | 18.2 | |
| QUALITY PLUS | Q 374 RR* | U | 53.0 | 9/20 | 2.8 | 43 | 56.2 | 51.2 | 51.6 | 58.2 | | 36.9 | 19.1 | |
| ROESCHLEY | 3172 CRR | U | 62.1 | 9/17 | 2.6 | 42 | 55.7 | 69.5 | 61.1 | | | 37.0 | 18.5 | |
| ROESCHLEY | 3462 CRR* | U | 61.2 | 9/23 | 2.9 | 45 | 57.6 | 66.0 | 59.9 | 62.8 | | 35.3 | 19.3 | |
| ROESCHLEY | 4351 CRR* | U | 56.8 | 9/17 | 3.0 | 45 | 60.0 | 56.4 | 54.0 | 59.0 | 60.4 | 38.1 | 18.0 | |
| ROESCHLEY | 5372 CRR* | U | 54.7 | 9/15 | 3.0 | 44 | 47.2 | 59.4 | 57.6 | 57.3 | 58.7 | 38.0 | 16.7 | |
| SCHILLINGER | 307.RC | U | 56.2 | 9/18 | 3.1 | 41 | 49.1 | 60.3 | 59.1 | | | 37.8 | 18.0 | |
| SCHILLINGER | 337.RC | U | 53.0 | 9/23 | 3.3 | 46 | 54.0 | 60.6 | 44.2 | | | 38.1 | 18.5 | |
| SIEBEN | SS 3125 NRR* | U | 52.6 | 9/18 | 3.0 | 44 | 55.7 | 56.4 | 45.8 | 57.3 | | 38.2 | 18.1 | |
| SIEBEN | SS 3407 NRR* | U | 62.4 | 9/23 | 2.7 | 43 | 58.3 | 68.5 | 60.4 | 62.5 | | 35.2 | 18.9 | |
| SIEBEN | SS 3817 NRS* | F | 54.9 | 9/24 | 3.0 | 44 | 51.2 | 61.9 | 51.5 | | | 35.6 | 18.8 | |
| STINE | 3128-4 | U | 59.6 | 9/14 | 2.5 | 40 | 69.9 | 61.3 | 47.6 | | | 37.3 | 19.1 | |
| STINE | 3222-4 | U | 59.0 | 9/18 | 2.8 | 40 | 61.4 | 62.4 | 53.0 | | | 36.7 | 18.8 | |
| STINE | 3532-4 | U | 58.8 | 9/21 | 3.2 | 40 | 58.1 | 61.6 | 56.7 | 61.7 | 62.8 | 36.9 | 19.1 | |
| STINE | 3582-4* | U | 53.9 | 9/19 | 2.7 | 42 | 55.8 | 57.3 | 48.7 | | | 36.2 | 18.4 | |
| STINE | 3602-4* | U | 59.8 | 9/21 | 2.8 | 46 | 57.3 | 58.8 | 63.3 | | | 36.6 | 19.3 | |
| TRISOY | 3073 RR(CN) | U | 57.7 | 9/15 | 2.5 | 39 | 65.5 | 60.9 | 46.8 | | | 37.4 | 19.1 | |
| WILKEN | W 3332 NRR | B | 64.2 | 9/19 | 3.1 | 45 | 66.2 | 62.9 | 63.6 | | | 37.6 | 18.1 | |
| WILKEN | W 3411 NRR* | B | 55.0 | 9/18 | 3.5 | 40 | 55.7 | 62.0 | 47.2 | 56.5 | 57.4 | 37.5 | 19.7 | |
| WILKEN | W 3413 NRR | B | 56.6 | 9/14 | 2.3 | 39 | 60.2 | 63.7 | 45.9 | | | 37.0 | 19.1 | |
| WILKEN | W 3425 NRR* | B | 55.3 | 9/18 | 3.1 | 45 | 59.1 | 52.6 | 54.2 | 58.6 | 59.6 | 38.6 | 17.5 | |
| WILKEN | W 3429 NRR* | B | 64.4 | 9/22 | 3.1 | 39 | 60.5 | 64.5 | 64.5 | 65.7 | 65.0 | 36.5 | 19.4 | |
| WILKEN | W 3434 NRR* | B | 63.3 | 9/23 | 2.7 | 44 | 60.9 | 65.5 | 63.5 | 63.2 | | 35.1 | 19.2 | |
| | AVERAGE | | 58.0 | 9/19 | 3.0 | 43 | 57.1 | 60.3 | 56.5 | 60.3 | 61.2 | 36.5 | 18.9 | |
| | L.S.D. 25% LEVEL | | 4.4 | | 0.2 | 2 | 3.9 | 4.5 | 4.1 | | | 0.34 | 0.26 | |
| | COEFF. OF VAR. (%) | | 13.9 | | 14.3 | 7 | 7.3 | 8.0 | 7.7 | | | 1.0 | 1.5 | |

¹IST= Insecticide Seed Treatment: U= Untreated, F= Fungicide, I= Insecticide, B= Insecticide+Fungicide