

2007 Soybean Test Results
Region 2: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY*	IST ¹	Yield bu/a	Regional Results			Height in	Monmouth Yield bu/a	Goodfield Yield bu/a	Dwight Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a	Goodfield Protein @ 13%	Goodfield Oil @ 13%
				Maturity Date	Lodging									
MATURITY GROUP 2														
ASGROW	AG 2603*	U	57.9	9/8	2.8	41	52.7	65.4	55.7				36.5	18.7
ASGROW	AG 2802	B	59.1	9/13	3.1	45	53.5	65.5	58.4	61.4			35.4	20.1
ASGROW	AG 2906	B	56.2	9/11	2.9	40	59.0	49.7	60.0				37.0	18.4
ASOYIA	2536 RR	B	44.0	9/3	3.9	43	38.0	47.6	46.5				33.7	19.7
ASOYIA	2707 RR	B	47.2	9/7	2.3	35	44.6	50.9	46.1				32.3	20.1
ASOYIA	2937 RR	B	46.9	9/7	3.4	45	45.1	49.9	45.7				34.6	19.4
BECK	274 NRR*	B	59.8	9/10	3.4	41	62.3	65.5	51.6	61.6			36.6	19.1
BECK	286 NRR	B	52.1	9/12	3.1	41	48.1	57.7	50.5	57.3			35.9	19.0
BECK	297 NRR*	B	51.0	9/12	3.6	42	40.7	60.7	51.5	55.5		57.7	37.8	18.5
DAIRYLAND	DSR-2600 RR*	B	60.7	9/13	3.0	37	61.7	61.3	59.2				34.3	19.6
DAIRYLAND	DSR-2770 RR	B	61.0	9/15	3.1	41	58.3	65.6	59.2				36.2	19.5
DAIRYLAND	DSR-2850 RRSTSH*	B	49.5	9/15	3.5	44	40.1	54.6	53.7	53.3			36.7	18.8
DAIRYLAND	DSR-2929 RR*	B	62.6	9/14	3.2	42	55.4	70.9	61.4	61.1			35.4	19.1
FS HISOY	HS 2766	B	58.3	9/12	3.2	47	50.6	64.6	59.6				35.6	20.0
FS HISOY	HS 2846	B	59.2	9/14	3.2	41	59.7	63.0	54.9	61.0			36.6	19.1
FS HISOY	R 07-29	B	59.1	9/17	3.3	42	54.0	60.9	62.4				36.0	17.9
HELENA	2976	B	55.6	9/14	3.1	41	47.6	61.6	57.7				37.4	19.0
HORIZON	H 288 N*	U	59.0	9/14	2.7	46	58.6	60.5	57.9	60.0			36.1	19.1
HORIZON	H 296 N*	U	65.1	9/17	3.2	41	65.7	71.8	57.8				36.3	18.9
KRUGER	EX 28A07	B	54.4	9/10	2.8	38	53.7	56.8	52.7				35.6	19.2
KRUGER	K-235 RRSCN*	B	53.4	9/8	3.0	37	48.4	58.7	53.1	56.2			36.5	18.9
KRUGER	K-239 RR	B	59.7	9/7	2.8	41	56.7	63.2	59.1				35.7	19.5
KRUGER	K-248 RRSCN	B	53.9	9/9	3.5	38	47.8	56.4	57.5				36.1	19.3
KRUGER	K-251 RRSCN	B	62.4	9/12	3.5	38	57.9	67.7	61.6				35.6	18.5
KRUGER	K-263 RRSCN	B	54.0	9/13	3.6	43	45.2	55.0	61.8				35.0	19.5
KRUGER	K-271 RR	B	63.3	9/14	3.1	42	59.2	66.4	64.2				36.5	19.4
KRUGER	K-272 RRSCNLINO	B	51.8	9/14	2.8	38	47.1	56.4	52.0				36.9	18.6
KRUGER	K-274 RRSCN	B	64.0	9/11	3.2	41	62.2	69.6	60.1				36.3	19.5
KRUGER	K-275 RRSCN	B	60.6	9/14	3.4	44	53.8	68.2	59.9	61.6			35.3	20.2
KRUGER	K-278 RRSCN	B	57.4	9/12	3.0	43	49.8	63.8	58.6				36.4	18.1
KRUGER	K-283 RRSCN*	B	52.0	9/11	3.2	41	49.6	56.5	50.0	56.3			36.1	18.8
KRUGER	K-287 RRSCN	B	64.2	9/12	3.4	42	66.4	66.2	60.2	65.1	63.2		36.7	18.9
KRUGER	K-294 RRSCN	B	52.1	9/15	3.2	44	39.9	59.7	56.7	54.5	57.7		36.3	18.9
KRUGER	K-297 RRSCN	B	59.4	9/16	3.5	42	50.9	66.6	60.7				36.0	18.1
LEWIS	2908	B	60.0	9/16	3.2	40	52.4	65.1	62.5				36.3	18.0
LG SEEDS	C 2662 NRR*	F	51.5	9/11	3.3	39	46.8	56.8	50.8				36.9	18.5
LG SEEDS	C 2985 NRR	F	60.2	9/17	3.3	43	53.6	66.2	60.8				36.0	18.2
MAVRICK	3299 RR*	U	49.9	9/13	3.6	36	52.1	52.4	45.2				36.8	19.2
MAVRICK	4262 RR*	U	55.2	9/8	3.1	41	49.1	60.2	56.3				36.1	19.0
MAVRICK	5284 RR*	U	52.7	9/14	3.4	41	40.9	64.4	52.8				37.0	19.1
MERSCHMAN	APACHE 828RR	B	57.4	9/16	3.3	42	52.3	59.6	60.4				36.0	18.1
MERSCHMAN	CHEROKEE 729RR*	B	61.1	9/14	2.7	41	56.9	63.9	62.5	62.3			35.8	19.2
MERSCHMAN	CHEYENNE 827RRV	B	59.2	9/10	2.0	37	48.7	63.9	64.9				35.8	19.3
MERSCHMAN	CHICKASAW 728RR*	B	50.7	9/12	3.0	41	44.7	52.3	55.2	56.5			35.7	18.8
MIDWEST SEED GEN	GR 2831*	U	60.1	9/13	3.4	41	59.3	64.2	56.7	62.2			36.5	19.0
MIDWEST SEED GEN	GR 2933*	U	54.1	9/15	3.3	41	44.5	62.1	55.7				37.5	19.0
MUNSON	8287 RR	U	62.4	9/18	3.4	41	53.6	72.4	61.3	61.8			34.8	19.5
MUNSON	8298 RR	U	64.5	9/16	3.1	42	65.0	69.0	59.5				35.9	19.0
MWS	2856 CRR*	F	51.7	9/14	2.8	40	46.6	54.9	53.5	55.7	57.5		37.9	18.4
MWS	2911 CRR*	F	47.2	9/14	3.5	43	38.8	52.8	50.0	52.0			36.7	18.8
NC+	2A94 RR*	U	54.1	9/13	3.3	43	49.3	61.9	51.2				37.5	18.9
NK BRAND	S 27-L4*	B	60.6	9/9	2.6	38	58.8	63.5	59.4				35.5	19.5
NK BRAND	S 28-B4*	B	53.2	9/12	3.4	39	52.2	55.9	51.5				35.7	18.6
NK BRAND	S 28-Y2*	B	55.9	9/10	2.5	38	62.6	62.2	42.8				35.3	19.5
NK BRAND	S 29-J6*	B	64.3	9/14	3.1	45	54.7	70.4	67.9	65.6			35.9	19.0
NUTECH	NT-2324+RRSCN	B	61.5	9/6	2.4	35	53.0	69.2	62.2				35.8	19.6
NUTECH	NT-6281	B	60.4	9/15	3.2	42	58.9	63.0	59.2				36.6	19.3
NUTECH	NT-7282	B	59.4	9/12	3.1	41	52.8	65.6	60.0				35.7	19.5
NUTECH	NT-7297	U	66.0	9/17	3.1	41	66.1	73.4	58.3				35.9	19.2
PIONEER	92M61*	B	61.1	9/8	3.4	40	54.6	65.7	62.9				36.0	19.4
PIONEER	92M75*	B	58.0	9/8	3.5	41	59.0	60.5	54.4				35.8	19.8
PIONEER	92M81	B	58.2	9/10	3.1	40	56.4	61.7	56.6				35.7	19.5
PIONEER	92M91*	B	60.4	9/14	3.0	42	57.3	63.9	60.2	61.1	60.2		35.7	20.6
ROESCHLEY	2860 CRR	U	63.2	9/14	3.4	40	56.5	67.7	65.4				34.3	19.8
ROESCHLEY	4278 CRR*	U	60.1	9/10	3.3	42	62.3	62.2	55.7				36.1	19.1
ROESCHLEY	4279 CRR*	U	52.1	9/13	3.3	43	45.2	59.9	51.1				37.3	19.0
SCHILLINGER	287.RC	U	61.8	9/14	2.9	42	64.2	66.6	54.5				35.1	19.0
SHEPHERD	SB 180 CNRR*	U	47.9	9/2	3.4	40	48.7	46.0	49.1				36.0	19.2
SHEPHERD	SB 195 CNRR*	U	51.8	9/6	3.2	39	53.2	55.6	46.6				36.7	18.9
SHEPHERD	SB 239 CNRR*	U	55.7	9/10	3.1	40	52.6	59.8	54.7				36.5	19.4
SHEPHERD	SB 251 CNRR*	U	52.1	9/12	3.0	40	50.5	57.1	48.8				36.6	19.1
SIEBEN	SS 2708 NRR	U	55.5	9/10	3.1	38	56.5	61.4	48.7				36.1	19.6
SIEBEN	SS 2807 NRR*	U	64.1	9/16	3.4	41	59.7	70.6	61.9	62.6			34.8	19.6
SIEBEN	SS 2905 NRR*	U	52.7	9/14	3.2	43	45.3	60.9	52.0	56.6	58.6		37.2	19.2
SIEBEN	SS 2908 NRR	U	65.7	9/17	3.0	41	64.7	71.9	60.4				35.8	19.3
STINE	2702-4*	U	57.6	9/13	2.9	37	56.4	67.9	48.4	59.5	59.2		36.9	19.1
STINE	2862-4	U	60.2	9/14	3.5	41	54.2	64.4	62.1				36.1	18.0
STINE	2882-4*	U	65.6	9/17	2.6	41	64.8	71.5	60.5				36.1	19.1
STINE	2932-4*	U	55.3	9/12	3.1	41	51.6	59.6	54.5				35.1	19.2
SUN PRAIRIE	SP 2765 NRR*	U	60.5	9/16	2.8	37	60.6	67.7	53.1				36.6	19.2
SUN PRAIRIE	SP 2896 NRR*	U	60.3	9/14	2.9	45	56.2	61.9	62.8				36.3	19.0

2007 Soybean Test Results
Region 2: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY*	IST [†]	Regional Results				Height in	Monmouth Yield bu/a	Goodfield Yield bu/a	Dwight Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a	Goodfield Protein @ 13%	Goodfield Oil @ 13%
			Yield bu/a	Maturity Date	Lodging									
	*Producer Nominated													
SUN PRAIRIE	SP 2904 NRR*	U	56.1	9/11	3.4	40	58.0	54.9	55.3			36.3	19.1	
TRISOY	2575 RR(CN)	F	61.3	9/10	3.2	38	55.4	67.1	61.4			35.1	18.7	
TRISOY	2878 RRV(CN)	U	54.5	9/16	3.2	45	53.9	60.0	49.6			36.5	18.8	
TRISOY	2973 RR(CN)	F	59.1	9/17	3.3	41	54.5	61.4	61.5			36.0	18.1	
WILKEN	W 2320 NRR	B	63.6	9/5	2.6	35	61.1	69.7	60.1	61.0		35.1	19.9	
WILKEN	W 2322 NRR	B	60.6	9/5	2.4	34	57.2	65.7	58.8	59.5		36.8	18.7	
WILKEN	W 2330 NRR	B	54.3	9/4	3.1	38	44.9	58.9	59.1			35.2	19.3	
WILKEN	W 2339 NRR	B	63.9	9/8	2.5	34	57.6	68.4	65.7			37.4	19.3	
WILKEN	W 2341 NRR	B	50.9	9/7	2.9	37	48.4	50.1	54.3	54.3	53.1	36.6	18.8	
WILKEN	W 2664 NRR	B	63.2	9/12	3.3	39	60.1	69.2	60.4			36.1	18.4	
WILKEN	W 2671 NRR*	B	53.9	9/13	2.7	40	50.3	58.7	52.8	57.3	58.3	38.0	18.5	
WILKEN	W 2792 NRR*	B	60.9	9/13	3.2	42	63.8	62.3	56.5	62.4	62.2	36.9	18.9	
WILKEN	W 2871 NRR*	B	58.2	9/13	3.3	44	54.0	58.9	61.7	60.3		36.0	19.6	
WILKEN	W 2881 NRR*	B	53.7	9/12	3.3	41	48.1	63.7	49.3	57.5		35.9	18.9	
WILKEN	W 2889 NRR	B	58.3	9/11	3.3	40	53.4	61.7	59.8			35.9	19.1	
WILKEN	W 2993 NRR	B	57.9	9/15	3.3	42	49.6	59.4	64.8			36.0	18.0	
WILKEN	W 2999 NRR	B	52.1	9/12	3.4	43	44.2	58.3	53.8	56.7	58.5	37.8	18.8	
	AVERAGE		57.4	9/12	3.1	41	53.6	62.0	56.6	59.0	58.7	36.1	19.1	
	L.S.D. 25% LEVEL		4.0		0.2	1	7.2	4.2	4.1			0.35	0.23	
	COEFF. OF VAR. (%)		12.8		11.4	6	8.3	7.1	7.7			1.0	1.3	

MATURITY GROUP 3

AGSOURCE	9383 RR*	B	57.1	9/21	3.0	43	53.9	60.8	56.5			35.5	18.9
AGSOURCE	9406 RR*	B	57.0	9/27	2.8	44	52.9	57.8	60.3			35.4	19.2
ASGROW	AG 3005*	U	55.2	9/11	3.4	40	60.2	54.3	51.1			36.4	19.5
ASGROW	AG 3101	B	56.8	9/16	3.0	45	52.9	61.6	55.9	59.5	62.0	39.4	17.4
ASGROW	AG 3203	B	60.5	9/18	3.0	42	57.9	64.3	59.3	60.8	61.7	37.3	18.8
ASGROW	AG 3402	B	66.5	9/21	3.3	45	61.8	69.0	68.8			36.9	18.5
ASGROW	AG 3505*	U	57.9	9/19	3.3	43	53.6	62.0	58.1			37.1	18.7
ASGROW	AG 3602*	U	62.0	9/23	2.8	46	62.6	66.5	57.0	62.7	63.2	37.7	17.5
ASOYIA	3027 RR	B	44.0	9/9	4.0	42	43.3	42.2	46.6			34.0	19.7
ASOYIA	3217 RR	B	48.6	9/10	3.2	43	51.4	51.8	42.5			35.0	19.3
ASOYIA	3407 RR	B	39.1	9/11	3.0	43	47.0	36.9	33.5			34.2	19.5
BECK	307 NRR	B	59.6	9/19	3.0	42	59.1	67.7	51.9			36.1	19.2
BECK	321 NRR	B	63.7	9/23	3.0	40	62.9	67.0	61.0	64.9	65.1	36.7	19.3
BECK	323 RR*	F	54.1	9/18	3.4	42	55.6	56.6	50.1	56.1	57.6	37.7	19.5
BECK	342 NRR	B	61.8	9/23	2.8	44	55.7	66.7	63.1	62.4		35.1	19.2
CAMPBELL	347 NRR*	F	63.3	9/23	2.9	43	63.5	65.3	61.1			35.0	19.1
CROW'S	C 3318 R*	U	55.3	9/19	3.1	45	58.0	53.1	54.9			38.0	18.0
CROW'S	C 3518 R*	U	57.5	9/21	2.9	40	56.1	61.1	55.3			36.6	19.3
DAIRYLAND	DSR-3003 RRSTS	B	57.9	9/16	3.2	43	60.4	59.7	53.7	58.2		36.8	19.2
DAIRYLAND	DSR-3130 RR*	B	52.2	9/14	3.5	43	52.5	50.0	54.0	55.6		35.9	19.3
DAIRYLAND	DSR-3320 RRSTS	B	50.2	9/17	3.2	42	55.0	44.3	51.3			36.0	18.9
DAIRYLAND	DSR-3535 RR	B	57.9	9/20	3.2	43	58.3	56.3	59.0			36.9	18.9
DYNA-GRO	37J34*	B	65.7	9/24	2.9	45	65.0	65.9	66.1			35.2	19.2
EXCEL	8343 NRR*	B	61.9	9/20	3.1	48	62.7	64.4	58.7	60.3	60.9	38.1	17.6
FONTANELLE	9412 NRR*	U	57.1	9/20	3.1	42	60.6	55.9	54.9			38.5	17.7
FONTANELLE	9609 NRR*	U	52.8	9/13	3.5	43	46.1	63.6	48.6			37.0	19.3
FONTANELLE	9652 NRR*	U	60.6	9/22	3.0	44	59.9	62.3	59.7			35.0	19.1
FS HISOY	HS 3156	B	62.7	9/20	3.4	43	63.0	61.5	63.6	62.1		37.6	19.9
FS HISOY	HS 3266	B	61.8	9/18	2.9	40	57.7	64.6	63.0	63.2		36.7	19.5
FS HISOY	HS 3466	B	65.7	9/23	2.8	44	62.0	69.4	65.6			35.1	19.2
FS HISOY	HS 3536*	B	59.2	9/20	3.0	41	58.0	64.2	55.4	61.5	62.4	36.8	19.1
FS HISOY	HS 3766	B	55.2	9/20	2.8	46	58.3	41.7	65.5			37.2	18.6
FS HISOY	HS 3846	B	56.9	9/23	2.8	44	50.8	66.2	53.7			35.6	18.8
FS HISOY	R 07-31	B	59.2	9/16	2.5	39	66.4	57.2	54.1			37.5	18.8
FS HISOY	R 07-33	B	63.1	9/17	3.2	44	58.2	64.9	66.2			37.1	18.3
FS HISOY	R 07-35	B	56.1	9/20	3.2	46	52.4	57.3	58.5			37.9	18.3
FS HISOY	R 07-37	B	58.7	9/22	2.5	46	53.2	59.6	63.2			35.5	19.3
HELENA	3378	B	62.3	9/23	3.2	46	57.5	65.1	64.4			34.8	19.2
HOBLOT	HB 312 NRR	U	60.8	9/18	3.4	43	61.2	64.5	56.7			37.5	19.9
HORIZON	H 303 N*	U	60.9	9/18	3.6	42	60.2	63.0	59.6	60.2	60.8	37.3	20.0
HORIZON	H 340 N*	F	62.2	9/24	2.5	44	58.3	65.1	63.2	62.8		34.4	19.5
HORIZON	H 352 N*	F	58.5	9/22	3.0	41	56.6	59.8	59.2	58.6	60.5	36.8	19.0
HORIZON	H 356 N	U	59.1	9/20	3.2	45	56.0	59.0	62.2			38.0	18.4
HORIZON	H 378 N	F	62.8	9/24	3.0	44	63.3	67.9	57.1	64.2		35.9	19.6
KRUGER	K-302 RRSCNLINO	B	51.8	9/16	3.1	44	49.6	54.4	51.3			38.2	19.2
KRUGER	K-315 RRSCN	B	56.1	9/16	3.5	45	51.7	60.4	56.3	56.4		35.7	19.0
KRUGER	K-316 RRSCN	B	58.8	9/15	2.4	40	66.7	56.3	53.5	62.2		37.5	18.7
KRUGER	K-321 RRSCNLINO	B	57.5	9/14	3.6	43	57.7	55.2	59.7			35.9	19.7
KRUGER	K-333 RRSCN	B	59.2	9/12	3.0	37	50.8	65.5	61.2	61.7		35.4	19.9
KRUGER	K-340 RRSCN	B	61.9	9/19	3.0	41	60.5	66.6	58.7	61.4	62.9	37.0	19.3
KRUGER	K-341 RRSCN	B	59.7	9/19	2.9	42	58.3	59.4	61.3	59.6	60.7	37.1	18.8
KRUGER	K-348 RRSCN	B	69.1	9/20	3.0	44	67.0	72.6	67.7			34.6	19.7
KRUGER	K-363 RRSCN	B	56.3	9/21	2.7	45	53.9	60.2	54.9	58.5		35.6	18.8
KRUGER	K-382 RRSCN	B	61.6	9/24	2.9	44	59.8	64.1	60.9	63.2		36.9	19.1
KRUGER	K-384 RRSCN	B	66.9	9/26	3.1	46	65.7	67.6	67.4			36.2	18.8
KRUGER	K-389 RRSCN	B	56.6	9/22	2.8	44	53.4	58.4	58.2	61.1		35.3	18.7
KRUGER	KY 3817 RN	B	46.7	9/23	3.5	50	41.7	55.8	42.4			36.5	18.8
LEWIS	3258	B	59.6	9/14	2.6	40	64.4	59.7	54.8			37.0	18.9
LEWIS	3558	B	58.7	9/16	3.4	44	57.4	58.4	60.4			37.9	18.3

2007 Soybean Test Results
Region 2: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY*	IST ¹	Regional Results				Height in	Monmouth Yield bu/a	Goodfield Yield bu/a	Dwight Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a	Goodfield Protein @ 13%	Goodfield Oil @ 13%
			Yield bu/a	Maturity Date	Lodging									
	*Producer Nominated													
LEWIS	3308*	F	54.4	9/19	3.0	46	57.5	53.8	51.9			38.5	17.4	
LEWIS	3407*	B	63.0	9/22	2.8	45	61.2	65.6	62.1			34.8	19.3	
LG SEEDS	C 3232 NRR*	F	52.5	9/19	3.3	45	48.4	60.0	49.2	55.0		35.5	19.1	
LG SEEDS	C 3242 NRR	F	53.6	9/19	2.7	42	58.2	53.1	49.6			35.2	19.7	
LG SEEDS	L 3155 RR*	F	54.8	9/19	2.8	40	54.9	58.0	51.5			35.3	19.4	
MAVRICK	6343 RR*	U	61.4	9/24	2.7	45	57.2	63.3	63.6			35.2	19.1	
MERSCHMAN	COOLIDGE 734RR*	B	57.4	9/23	3.0	40	56.3	61.7	54.3	61.1		36.6	19.2	
MERSCHMAN	FILLMORE 731RRV	B	56.1	9/14	2.5	38	62.1	54.9	51.3			35.8	19.0	
MERSCHMAN	HAYES 832RRV	B	50.2	9/16	3.6	43	55.8	46.2	48.7			36.2	19.4	
MERSCHMAN	HOOVER 730RR	B	54.7	9/11	2.4	39	57.3	59.1	47.7	57.8		36.8	18.7	
MERSCHMAN	JEFFERSON 830RR	B	57.1	9/14	2.2	40	68.9	52.8	49.7			37.0	18.9	
MERSCHMAN	KENNEDY 836RR	B	55.1	9/23	2.6	46	59.4	52.3	53.7			35.5	19.1	
MERSCHMAN	MONROE 735RR*	B	51.8	9/20	2.9	43	48.8	49.0	57.5	57.3		36.4	18.1	
MERSCHMAN	NORFOLK 741RR*	B	57.7	9/25	2.9	46	50.0	61.3	61.8	59.2		35.5	19.0	
MERSCHMAN	ROOSEVELT 737RR*	B	56.0	9/19	2.9	46	59.4	60.5	48.1	59.4		36.7	19.0	
MERSCHMAN	TRUMAN 636RR	B	51.7	9/23	2.8	45	42.1	60.5	52.7	54.2	55.9	35.7	19.2	
MIDWEST SEED GEN	GR 3333*	U	55.7	9/21	3.2	46	56.1	58.5	52.6	58.6		38.7	17.7	
MUNSON	8328 RR	U	63.7	9/18	2.5	41	66.0	67.2	57.9			37.3	18.5	
MUNSON	8357 RR	U	61.3	9/23	2.9	44	57.1	67.4	59.2	60.7		35.0	19.2	
MUNSON	8368 RR	U	55.7	9/23	2.4	44	59.5	53.2	54.6			35.1	19.5	
MUNSON	8377 RR	U	62.3	9/22	2.7	45	65.0	60.1	61.8	63.6		36.5	19.3	
MWS	3128 CRR*	F	58.9	9/19	3.4	42	61.4	60.2	55.0	59.7		37.1	20.0	
MYCOGEN	5N351 RR*	U	64.5	9/22	2.7	43	64.3	67.4	61.8	64.7	64.7	34.8	19.3	
NC+	3A32 RR*	U	55.3	9/18	3.2	46	60.9	54.8	50.1			38.6	17.9	
NC+	3A53 RR*	U	56.7	9/21	3.0	40	50.5	63.6	56.0			36.4	19.3	
NK BRAND	S 32-E2*	B	62.0	9/16	3.4	44	61.9	60.1	64.0	64.2		35.7	19.8	
NK BRAND	S 33-A8*	B	49.0	9/19	3.5	45	45.3	52.7	49.0			35.9	19.2	
NK BRAND	S 36-C7*	B	58.4	9/20	2.2	39	58.7	57.1	59.3	59.2		37.5	17.9	
NK BRAND	S 37-F7*	B	58.1	9/21	3.2	46	52.1	61.4	60.9			36.7	17.8	
NK BRAND	S 37-P5*	B	53.0	9/22	3.3	43	47.9	56.4	54.7			36.6	18.3	
NK BRAND	S 38-D5*	B	51.1	9/26	2.8	42	41.3	59.5	52.5			36.6	18.0	
NK BRAND	S 39-A3*	B	53.4	9/22	3.3	45	43.2	60.0	57.0			35.9	18.3	
NK BRAND	XR 3473	U	54.8	9/18	3.1	42	51.0	59.3	54.0			36.2	19.5	
NUTECH	NT-3777 RR*	B	53.9	9/24	2.5	45	43.0	61.1	57.6			35.4	19.2	
NUTECH	NT-3888 RRSCN	B	56.6	9/18	2.9	45	55.4	62.3	52.2			36.7	19.0	
NUTECH	NT-3909 RRSCNSTS	B	58.0	9/23	2.8	46	57.0	60.5	56.4			35.4	18.7	
NUTECH	NT-7325	B	57.9	9/13	2.4	41	65.2	57.1	51.4			37.2	18.9	
NUTECH	NT-7345	B	60.8	9/16	3.1	44	66.3	60.0	56.0			36.9	18.4	
NUTECH	NT-7353	B	58.5	9/20	2.9	45	58.3	64.3	52.8			35.7	18.9	
NUTECH	NT-7366	B	59.3	9/24	2.5	45	56.6	62.5	58.8			35.4	19.1	
PIONEER	93M10*	B	60.9	9/19	3.4	48	58.8	63.8	60.2	60.1	60.1	35.5	19.3	
PIONEER	93M11*	B	57.5	9/15	2.3	41	60.5	52.6	59.4	58.4	58.1	36.2	20.3	
PIONEER	93M42*	B	64.5	9/21	2.5	48	62.6	67.3	63.6	65.5	65.3	36.6	19.0	
PIONEER	93M61	B	57.5	9/17	2.9	44	59.2	55.1	58.3			35.6	19.1	
PIONEER	93M95*	B	54.7	9/23	3.3	49	47.5	61.9	54.7			37.7	18.2	
QUALITY PLUS	Q 308 RR	U	61.0	9/18	3.0	43	58.9	66.9	57.2			36.1	19.2	
QUALITY PLUS	Q 315 RR	U	56.3	9/21	3.1	45	57.5	59.5	51.9	59.2	61.0	38.8	17.9	
QUALITY PLUS	Q 343 RR	U	62.1	9/24	3.0	44	59.0	65.3	62.0	63.4		34.8	19.3	
QUALITY PLUS	Q 368 RR	U	65.0	9/22	2.9	46	65.1	60.9	69.0			36.3	19.5	
QUALITY PLUS	Q 370 RR	U	56.6	9/22	3.1	44	52.3	62.0	55.5	58.7	60.5	37.7	18.2	
QUALITY PLUS	Q 374 RR*	U	53.0	9/20	2.8	43	56.2	51.2	51.6	58.2		36.9	19.1	
ROESCHLEY	3172 CRR	U	62.1	9/17	2.6	42	55.7	69.5	61.1			37.0	18.5	
ROESCHLEY	3462 CRR*	U	61.2	9/23	2.9	45	57.6	66.0	59.9	62.8		35.3	19.3	
ROESCHLEY	4351 CRR*	U	56.8	9/17	3.0	45	60.0	56.4	54.0	59.0	60.4	38.1	18.0	
ROESCHLEY	5372 CRR*	U	54.7	9/15	3.0	44	47.2	59.4	57.6	57.3	58.7	38.0	16.7	
SCHILLINGER	307.RC	U	56.2	9/18	3.1	41	49.1	60.3	59.1			37.8	18.0	
SCHILLINGER	337.RC	U	53.0	9/23	3.3	46	54.0	60.6	44.2			38.1	18.5	
SIEBEN	SS 3125 NRR*	U	52.6	9/18	3.0	44	55.7	56.4	45.8	57.3		38.2	18.1	
SIEBEN	SS 3407 NRR*	U	62.4	9/23	2.7	43	58.3	68.5	60.4	62.5		35.2	18.9	
SIEBEN	SS 3817 NRS*	F	54.9	9/24	3.0	44	51.2	61.9	51.5			35.6	18.8	
STINE	3128-4	U	59.6	9/14	2.5	40	69.9	61.3	47.6			37.3	19.1	
STINE	3222-4	U	59.0	9/18	2.8	40	61.4	62.4	53.0			36.7	18.8	
STINE	3532-4	U	58.8	9/21	3.2	40	58.1	61.6	56.7	61.7	62.8	36.9	19.1	
STINE	3582-4*	U	53.9	9/19	2.7	42	55.8	57.3	48.7			36.2	18.4	
STINE	3602-4*	U	59.8	9/21	2.8	46	57.3	58.8	63.3			36.6	19.3	
TRISOY	3073 RR(CN)	U	57.7	9/15	2.5	39	65.5	60.9	46.8			37.4	19.1	
WILKEN	W 3332 NRR	B	64.2	9/19	3.1	45	66.2	62.9	63.6			37.6	18.1	
WILKEN	W 3411 NRR*	B	55.0	9/18	3.5	40	55.7	62.0	47.2	56.5	57.4	37.5	19.7	
WILKEN	W 3413 NRR	B	56.6	9/14	2.3	39	60.2	63.7	45.9			37.0	19.1	
WILKEN	W 3425 NRR*	B	55.3	9/18	3.1	45	59.1	52.6	54.2	58.6	59.6	38.6	17.5	
WILKEN	W 3429 NRR*	B	64.4	9/22	3.1	39	60.5	64.5	64.5	65.7	65.0	36.5	19.4	
WILKEN	W 3434 NRR*	B	63.3	9/23	2.7	44	60.9	65.5	63.5	63.2		35.1	19.2	
	AVERAGE		58.0	9/19	3.0	43	57.1	60.3	56.5	60.3	61.2	36.5	18.9	
	L.S.D. 25% LEVEL		4.4		0.2	2	3.9	4.5	4.1			0.34	0.26	
	COEFF. OF VAR. (%)		13.9		14.3	7	7.3	8.0	7.7			1.0	1.5	

¹IST= Insecticide Seed Treatment: U= Untreated, F= Fungicide, I= Insecticide, B= Insecticide+Fungicide