

**2007 Soybean Test Results**  
**Region 3: Roundup Resistant (30-inch row spacing)**

COMPANY	VARIETY*	IST <sup>1</sup>	Regional Results				Perry Yield bu/a	New Berlin Yield bu/a	Urbana Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a	Urbana Protein @13%	Urbana Oil @13%
			Maturity Date	Lodging	Height in								
<b>MATURITY GROUP 2</b>													
AGVENTURE	28G9 NRR*	F	43.8	9/7	1.6	38	31.9	48.8	50.7			33.9	20.1
AGVENTURE	29G9 NRR*	F	47.6	9/6	2.3	40	36.6	53.5	52.7			32.4	20.7
ASOYIA	2707 RR	B	35.1	9/3	1.7	32	17.0	43.6	44.7			31.4	20.8
ASOYIA	2937 RR	B	35.5	9/1	2.8	41	20.8	41.2	44.4			32.2	20.6
DAIRYLAND	DSR-2770 RR	B	50.3	9/7	2.1	39	32.5	65.1	53.4			33.4	20.9
DAIRYLAND	DSR-2929 RR*	B	46.2	9/4	2.1	40	34.4	51.5	52.9	54.9		32.6	20.4
HORIZON	H 288 N*	U	52.9	9/10	2.0	44	39.2	65.1	54.4			34.4	20.1
HORIZON	H 296 N*	U	54.6	9/10	2.3	38	44.4	62.0	57.5			32.8	20.8
KRUGER	EX 28A07	B	45.1	9/5	1.8	36	29.3	50.4	55.7			33.1	20.7
KRUGER	K-271 RR	B	51.1	9/7	2.2	39	33.3	60.5	59.4			35.1	20.1
KRUGER	K-274 RRSCN	B	44.3	9/3	2.4	37	28.4	54.4	50.3			32.7	21.2
KRUGER	K-275 RRSCN	B	44.1	9/8	2.6	42	30.6	49.2	52.6	52.7		33.5	21.1
KRUGER	K-278 RRSCN	B	41.9	9/6	2.4	39	31.3	45.6	48.7			34.5	18.8
KRUGER	K-283 RRSCN*	B	42.9	9/8	1.9	37	29.9	47.8	50.9	55.0		32.8	20.4
KRUGER	K-287 RRSCN	B	55.7	9/8	2.5	39	44.5	66.4	56.2	58.0		34.3	20.4
KRUGER	K-297 RRSCN	B	56.1	9/9	1.9	38	42.7	67.3	58.4			32.3	19.8
MARTIN	M 727 RR	U	40.3	8/29	1.8	33	29.4	44.0	47.4	50.2		34.2	20.1
MARTIN	M 828 NRR	U	43.7	9/5	2.4	38	32.6	47.2	51.4			32.9	20.9
MAVRICK	5284 RR*	U	44.6	9/7	2.1	38	32.4	49.9	51.5			34.3	20.7
MERSCHMAN	APACHE 828RR	B	55.7	9/10	1.8	39	46.9	66.0	54.2			33.0	19.7
MERSCHMAN	CHEROKEE 729RR*	B	56.8	9/11	1.7	40	43.3	69.0	58.1	61.1		34.3	20.5
MERSCHMAN	CHICKASAW 728RR*	B	45.3	9/8	1.7	38	34.7	49.3	51.8	54.2		33.7	20.1
NK BRAND	S 27-L4*	B	53.5	9/5	2.0	37	37.4	65.2	57.8			32.8	21.2
NK BRAND	S 28-B4*	B	45.5	9/4	1.9	37	32.1	51.4	53.1			32.6	20.3
NK BRAND	S 28-Y2*	B	51.1	9/7	1.8	37	38.3	64.8	50.2			33.5	20.7
NK BRAND	S 29-J6*	B	48.0	9/8	2.4	41	38.3	52.3	53.3	56.6		33.6	19.8
NUTECH	NT-6277	B	59.2	9/11	1.7	39	44.8	68.2	64.7			33.6	20.1
NUTECH	NT-6297	B	48.0	9/9	2.5	39	40.0	50.4	53.6			33.8	20.2
NUTECH	NT-7282	B	44.2	9/6	2.3	38	35.3	47.5	49.8			32.7	21.0
NUTECH	NT-7297	U	56.4	9/10	2.5	39	44.0	64.3	61.0			34.0	20.3
PIONEER	92M81	B	47.1	9/6	1.8	37	36.0	55.0	50.2			33.7	20.7
PIONEER	92M91*	B	49.9	9/8	2.2	39	34.3	55.5	60.1			33.5	21.6
SHEPHERD	SB 180 CNRR*	U	34.3	8/29	2.5	35	22.2	40.4	40.1			33.0	20.7
SHEPHERD	SB 195 CNRR*	U	41.1	8/29	1.9	35	28.7	48.4	46.1			34.0	20.6
SHEPHERD	SB 239 CNRR*	U	47.1	9/2	2.3	35	32.2	58.8	50.4			34.0	20.5
SHEPHERD	SB 251 CNRR*	U	39.6	9/6	2.2	38	27.0	45.6	46.3			34.8	20.3
SOUTHERN CROSS	GOSHEN NRR	F	53.9	9/10	2.4	42	42.1	63.2	56.4	57.7		35.6	19.8
SUN PRAIRIE	SP 2765 NRR*	U	50.8	9/7	1.9	33	40.1	60.2	52.2			34.5	20.7
SUN PRAIRIE	SP 2896 NRR*	U	55.3	9/11	1.7	45	48.7	63.6	53.6			34.6	20.1
SUN PRAIRIE	SP 2904 NRR*	U	51.1	9/8	2.5	40	40.6	61.2	51.5			33.7	20.4
TRISOY	2952 RR(CN)	U	46.2	9/7	2.1	38	35.1	50.6	52.9			34.8	20.6
WILKEN	W 2792 NRR*	B	54.3	9/8	2.7	40	41.0	63.5	58.4	56.9	57.7	33.6	20.5
	AVERAGE		47.9	9/6	2.1	38	35.3	55.4	52.8	55.7	57.7	33.6	20.5
	L.S.D. 25% LEVEL		3.4		0.3	1	2.9	2.3	3.7			0.83	0.30
	COEFF. OF VAR. (%)		13.1		22.4	6	8.8	4.4	7.3			2.6	1.5

**MATURITY GROUP 3**

AGSOURCE	9383 RR*	B	54.5	9/16	2.3	43	40.8	66.4	56.3			34.9	19.0
AGVENTURE	33G3 NRR*	F	56.5	9/11	2.6	39	39.0	65.7	64.8			34.9	20.6
AGVENTURE	34G4 NRR*	F	58.0	9/16	2.3	42	44.0	67.3	62.7			33.9	20.1
ASGROW	AG 3101	B	53.6	9/9	2.2	44	37.4	64.2	59.1	58.2	59.3	36.7	18.6
ASGROW	AG 3203	B	52.6	9/9	2.5	41	33.8	66.0	58.2	58.9	58.1	35.7	19.9
ASGROW	AG 3402	B	53.8	9/14	3.0	43	37.2	60.4	63.8			35.5	19.1
ASGROW	AG 3505*	U	55.7	9/14	2.5	40	42.4	63.9	60.9			35.9	19.3
ASGROW	AG 3602*	U	52.6	9/14	2.7	41	36.9	61.8	59.2	58.7	58.7	36.2	18.2
ASGROW	AG 3705	B	52.2	9/21	2.3	43	37.6	63.1	55.9			34.2	19.3
ASGROW	AG 3802*	U	55.9	9/21	2.4	47	48.4	64.5	54.8	58.3		35.5	18.5
ASGROW	AG 3803	B	58.3	9/21	2.2	45	46.1	67.7	61.2			35.7	19.1
ASGROW	AG 3906*	U	52.0	9/23	2.4	41	40.0	59.8	56.3	56.8		34.9	19.9
ASOYIA	3027 RR	B	29.5	9/8	3.2	42	14.7	36.8	37.1			33.4	20.1
ASOYIA	3217 RR	B	32.5	9/4	2.5	41	16.9	38.2	42.4			33.0	20.3
ASOYIA	3407 RR	B	32.5	9/9	2.5	40	15.7	39.6	42.2			32.3	20.9
ASOYIA	3757 RR	B	38.5	9/11	3.0	48	22.4	44.6	48.3			33.6	19.5
BECK	321 NRR	B	57.8	9/13	2.3	38	37.4	70.1	65.9	61.7	61.7	35.0	20.7
BECK	323 RR*	F	52.2	9/10	2.5	38	34.4	61.5	60.7	58.5	58.1	35.4	20.7
BECK	326 RRL*	B	51.8	9/9	2.4	40	37.0	60.2	58.3			34.4	19.9
BECK	332 NRRL*	F	46.4	9/8	2.5	41	26.4	57.4	55.5			34.1	20.9
BECK	342 NRR	B	56.2	9/17	2.1	42	43.1	67.5	58.0	61.7		34.2	19.8
BECK	354 NRR	B	51.5	9/13	2.1	42	36.2	59.9	58.3	57.7	57.5	37.5	18.5
BECK	383 NRRL*	F	54.5	9/16	2.3	43	36.3	68.5	58.8	61.5		35.5	20.5
BECK	399 NRR	F	53.2	9/21	2.3	44	40.3	62.5	56.9			36.2	18.1
CAMPBELL	347 NRRL*	F	56.2	9/17	2.2	41	45.3	65.1	58.2			34.4	19.8
CROW'S	C 3518 R*	U	57.0	9/13	2.2	39	39.2	67.1	64.6			34.6	20.5
CROW'S	C 3619 R	U	50.8	9/15	2.3	42	31.7	63.4	57.4			35.5	19.1
CROW'S	C 3817 R*	U	54.4	9/19	2.2	41	39.6	65.4	58.1			34.3	19.3
CROW'S	C 3915 R*	U	48.5	9/18	2.2	44	35.7	56.8	52.9			34.5	20.1
DAIRYLAND	DSR-3003 RRSTS	B	54.2	9/7	2.7	41	39.9	61.0	61.7	55.7		34.5	20.4
DAIRYLAND	DSR-3130 RR*	B	46.0	9/8	2.8	42	28.4	52.2	57.4	52.7		34.5	20.3
DAIRYLAND	DSR-3535 RR	B	52.1	9/12	2.8	41	32.8	61.3	62.3			35.8	19.8

**2007 Soybean Test Results**  
**Region 3: Roundup Resistant (30-inch row spacing)**

COMPANY	VARIETY*	IST <sup>1</sup>	Regional Results				Perry Yield bu/a	New Berlin Yield bu/a	Urbana Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a	Urbana Protein @13%	Urbana Oil @13%
			Maturity	Lodging	Height in	Date							
DAIRYLAND	DSR-3675 RR	B	56.7	2.2	41	9/17	43.9	64.5	61.8	61.8		34.0	19.9
DYNA-GRO	32C38*	B	56.2	2.3	41	9/16	40.6	68.0	60.0			34.5	19.1
DYNA-GRO	3362 NRR*	B	45.0	2.8	39	9/17	32.7	49.9	52.4			35.6	19.4
DYNA-GRO	3390 NRR*	B	48.9	2.1	44	9/18	35.8	56.5	54.3			34.8	19.9
DYNA-GRO	37J34*	B	57.1	2.2	42	9/17	40.3	67.1	63.9			34.3	19.9
EXCEL	8357 NNRR*	B	52.7	2.6	43	9/19	39.4	60.4	58.4	56.5		36.8	18.9
EXCEL	8368 NRR	B	49.7	2.6	40	9/16	30.6	60.1	58.3			36.3	19.5
EXCEL	8369 NRR*	U	57.5	2.2	44	9/17	41.7	66.4	64.4	61.2		34.4	19.3
EXCEL	8396 RRSTS	B	48.6	2.4	43	9/19	39.9	56.5	49.6	54.9		36.2	18.9
FS HISOY	HS 3266	B	57.5	2.3	39	9/11	38.6	69.0	64.8	62.4		35.5	20.4
FS HISOY	HS 3466	B	59.1	2.1	42	9/17	47.9	68.6	60.8			34.1	19.9
FS HISOY	HS 3536*	B	57.0	2.4	39	9/18	40.5	67.9	62.5	62.1	62.5	35.4	20.4
FS HISOY	HS 3766	B	52.9	2.3	43	9/17	37.2	64.9	56.4			35.2	20.6
FS HISOY	HS 3846	B	56.3	2.2	42	9/17	41.4	65.4	62.0	62.3	63.5	34.1	19.4
FS HISOY	HS 3916*	B	50.6	2.2	44	9/20	35.4	57.5	58.8	56.5	59.1	34.7	20.0
FS HISOY	R 07-31	B	53.9	1.9	37	9/4	35.8	65.1	60.9			35.2	20.0
FS HISOY	R 07-33	B	55.1	2.3	43	9/11	38.8	68.4	58.1			35.4	19.1
FS HISOY	R 07-35	B	51.1	2.5	42	9/16	35.0	60.7	57.6			36.5	19.0
FS HISOY	R 07-37	B	56.5	2.0	43	9/16	43.5	66.2	59.9			34.3	20.3
FS HISOY	R 07-39	B	52.8	2.3	44	9/20	39.9	61.2	57.1			36.1	18.1
GREAT HEART	GT-314 CRR*	U	51.3	2.8	40	9/11	34.5	60.6	58.8			36.2	20.4
GREAT HEART	GT-378 CRR*	U	56.6	2.4	42	9/15	37.6	67.4	64.7			35.6	20.6
GREAT HEART	GT-397 CRR	U	52.1	2.8	46	9/19	38.7	60.5	57.1			36.7	18.3
HELENA	3378	B	54.1	2.4	41	9/17	41.3	65.6	55.3			34.7	19.7
HELENA	3576	B	52.8	2.5	41	9/18	39.6	61.7	57.2	58.5		36.5	18.9
HELENA	3676	B	51.7	3.0	47	9/17	31.1	61.3	62.6	56.2		35.6	19.7
HOBЛИT	HB 342 NRR	U	55.4	2.2	41	9/18	40.1	67.2	58.8			34.0	20.0
HOBЛИT	HB 354 NRR	U	50.8	2.3	43	9/14	33.8	60.4	58.2			36.8	18.9
HOBЛИT	HB 355 NRR	U	54.8	2.3	38	9/13	36.4	66.5	61.6	61.0	60.9	35.5	20.2
HOBЛИT	HB 375 NRR	U	55.1	2.3	43	9/18	39.7	66.6	59.0			34.1	20.5
HORIZON	H 303 N*	U	50.8	2.8	39	9/7	33.4	61.4	57.4			35.9	20.6
HORIZON	H 340 N*	F	55.2	2.0	41	9/16	42.3	66.5	56.9	60.5		34.0	19.9
HORIZON	H 352 N*	F	58.5	2.2	40	9/16	48.0	64.2	63.3	62.5	62.2	35.4	20.4
HORIZON	H 356 N	U	49.4	2.3	43	9/15	33.2	59.3	55.7			36.6	18.9
HORIZON	H 378 N	F	57.5	2.2	42	9/17	41.8	67.7	62.9	62.1		35.2	20.7
HORIZON	H 399 N*	F	52.1	2.6	45	9/21	40.4	61.0	54.9	57.8		36.9	18.4
HUBNER	H 346 NRR	F	55.4	2.1	42	9/16	41.7	65.4	59.2			34.0	20.0
HUBNER	H 388 RR	F	54.9	2.1	44	9/17	41.0	66.4	57.3			34.3	20.1
KITCHEN	KSC 3479 CRR	U	55.4	2.6	42	9/10	38.1	66.0	62.0			35.2	20.5
KITCHEN	KSC 3546 CRR	U	58.6	2.4	39	9/15	42.5	67.4	66.0	62.2	62.7	35.7	20.2
KITCHEN	KSC 3786 CRR	U	54.2	2.1	42	9/18	38.8	64.0	59.8			34.3	20.4
KITCHEN	KSC 3856 CRR*	U	48.4	2.5	47	9/25	34.6	56.9	53.6			35.9	18.7
KITCHEN	KSC 3869 CRR	U	56.4	2.2	42	9/15	43.5	65.5	60.2	62.2		34.6	19.1
KITCHEN	KSC 3982 CRR	U	53.9	1.9	43	9/22	39.7	62.9	59.0			35.2	19.0
KRUGER	K-315 RRSCN	B	46.4	2.7	43	9/7	27.5	54.9	56.8	54.5		34.4	19.7
KRUGER	K-316 RRSCN	B	52.6	1.8	37	9/7	36.3	64.1	57.3	58.0		35.8	19.8
KRUGER	K-333 RRSCN	B	44.0	1.8	37	9/7	23.6	54.7	53.9	56.2	58.7	35.3	20.4
KRUGER	K-340 RRSCN	B	57.3	2.3	39	9/16	38.9	68.5	64.5	62.5	63.2	35.7	20.1
KRUGER	K-341 RRSCN	B	51.4	2.2	40	9/9	31.8	64.3	58.2	57.3	56.8	35.6	19.7
KRUGER	K-348 RRSCN	B	58.8	2.3	41	9/14	44.9	70.3	61.1			33.8	20.2
KRUGER	K-363 RRSCN	B	51.7	2.2	42	9/17	33.5	65.0	56.6	57.6		35.2	19.5
KRUGER	K-382 RRSCN	B	55.2	2.3	43	9/19	39.3	67.8	58.5	60.5		35.2	20.7
KRUGER	K-384 RRSCN	B	58.6	2.4	45	9/20	44.9	67.9	63.0			36.0	19.2
KRUGER	K-389 RRSCN	B	54.8	2.3	42	9/18	38.5	65.3	60.5	61.2	62.7	33.9	19.4
KRUGER	KY 3817 RN	B	48.5	2.9	48	9/23	38.2	58.6	48.6			35.8	19.4
LEWIS	3698	B	55.1	2.1	44	9/17	37.4	66.4	61.7			34.5	20.3
LEWIS	3822	B	54.5	2.2	43	9/20	39.1	65.6	58.8	61.4	61.7	34.2	20.1
LEWIS	3827	B	58.0	2.2	44	9/17	43.9	68.1	61.9	63.3		35.2	20.5
LEWIS	3908	B	51.6	2.0	42	9/22	36.8	61.8	56.2			35.2	19.1
LEWIS	3968	B	53.9	2.2	44	9/21	39.8	63.7	58.1			36.1	18.0
LEWIS	3407*	B	52.4	2.2	42	9/20	38.1	64.6	54.5	58.9		34.1	19.9
LEWIS	3907*	B	51.6	2.8	47	9/21	36.4	59.7	58.6	57.9		36.6	18.3
LG SEEDS	C 3232 NRR*	F	48.5	2.6	42	9/8	31.6	55.9	58.1			34.2	19.8
LG SEEDS	C 3445 NRR	F	53.4	2.3	41	9/18	39.6	64.7	56.0	59.7		34.3	19.7
LG SEEDS	C 3777 NRR*	F	52.0	2.6	44	9/17	38.1	59.0	58.8	56.8		36.8	18.9
LG SEEDS	C 3888 NRR	F	56.3	2.4	43	9/17	38.3	67.2	63.3	62.3		35.1	20.8
LG SEEDS	L 3155 RR*	F	54.8	2.3	38	9/9	40.0	61.6	62.8			34.3	20.0
MARTIN	M 435 NRR*	U	53.8	2.7	44	9/18	38.2	63.5	59.6	57.9	58.1	37.4	17.7
MARTIN	M 538 NRR	U	52.2	2.2	42	9/17	36.5	61.1	59.1	59.8	61.4	34.3	19.1
MARTIN	M 734 NRR	U	50.4	2.7	43	9/14	31.9	58.4	60.9	56.6		36.5	18.3
MARTIN	M 831 NRR	U	52.4	1.8	37	9/9	31.1	64.3	61.6			36.1	19.7
MAVRICK	5394 RR*	U	49.1	2.3	45	9/25	38.9	55.6	52.8			35.9	18.5
MAVRICK	6343 RR*	U	54.1	2.3	41	9/18	41.0	64.2	57.1			34.4	19.7
MAVRICK	6369 RR*	U	54.9	2.2	43	9/18	37.9	64.3	62.5			35.3	20.5
MERSCHMAN	COOLIDGE 734RR*	B	57.1	2.3	40	9/13	39.9	67.3	64.1	61.7		35.0	20.4
MERSCHMAN	HOOVER 730RR	B	44.1	1.8	36	9/8	21.9	58.2	52.1	49.0		34.8	19.9
MERSCHMAN	JEFFERSON 830RR	B	51.5	1.8	37	9/8	28.4	65.6	60.6			35.2	20.1
MERSCHMAN	KENNEDY 836RR	B	57.4	2.0	45	9/16	46.7	67.0	58.4			34.2	20.3
MERSCHMAN	MONROE 735RR*	B	50.7	2.2	42	9/18	35.8	62.1	54.0	58.9		35.1	19.2
MERSCHMAN	ROOSEVELT 737RR*	B	53.0	2.6	42	9/14	34.9	65.7	58.3	60.8		35.3	20.6
MERSCHMAN	TRUMAN 636RR	B	56.3	2.1	42	9/21	43.4	67.5	57.9	62.2	61.9	34.3	20.0
MIDWEST SEED GEN	GR 333*	U	51.2	2.4	43	9/9	38.7	60.9	53.9	54.9		36.7	18.8
MIDWEST SEED GEN	GR 3832*	U	55.1	2.2	41	9/18	39.0	64.8	61.6	62.0	63.3	35.0	19.1

**2007 Soybean Test Results**  
**Region 3: Roundup Resistant (30-inch row spacing)**

COMPANY	VARIETY*	IST <sup>1</sup>	Regional Results				Perry Yield bu/a	New Berlin Yield bu/a	Urbana Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a	Urbana Protein @13%	Urbana Oil @13%	
			Maturity	Date	Lodging	Height in								
	*Producer Nominated													
MUNSON	8328 RR	U	56.7	9/11	2.3	39	35.3	69.2	65.5	60.5		35.5	19.3	
MUNSON	8357 RR	U	53.7	9/17	2.3	43	41.3	62.3	57.4			34.5	19.7	
MUNSON	8368 RR	U	55.2	9/17	2.1	43	38.3	68.5	58.9			34.1	20.5	
MUNSON	8377 RR	U	55.3	9/18	2.2	42	41.3	67.8	57.0	62.2		35.1	20.8	
NC+	3A32 RR*	U	54.8	9/11	2.5	43	37.3	64.6	62.3			36.4	19.0	
NC+	3A53 RR*	U	57.9	9/15	2.2	39	41.2	66.5	66.1			35.6	20.2	
NK BRAND	S 32-E2*	B	50.3	9/15	3.1	43	30.5	62.0	58.5			34.1	20.4	
NK BRAND	S 33-A8*	B	37.8	9/9	3.0	43	25.8	39.5	48.1	47.7		34.2	20.1	
NK BRAND	S 36-C7*	B	50.3	9/17	1.8	38	33.6	61.5	55.9	55.8		36.4	19.2	
NK BRAND	S 37-F7*	B	52.2	9/18	2.6	43	37.7	58.9	60.0			35.5	18.6	
NK BRAND	S 37-P5*	B	51.2	9/16	2.6	43	38.3	53.4	61.8			35.4	18.9	
NK BRAND	S 38-D5*	B	47.4	9/19	2.1	41	34.0	52.7	55.6			35.7	18.7	
NK BRAND	S 39-A3*	B	51.5	9/20	2.6	43	36.2	60.6	57.8			34.9	18.9	
NK BRAND	XR 3473	U	46.4	9/9	2.6	41	32.6	48.6	58.1			35.2	20.0	
NUTECH	NT-3099 RR	B	52.0	9/9	2.2	40	37.5	62.5	56.0			34.0	19.9	
NUTECH	NT-3777 RR*	B	55.8	9/18	2.1	43	44.3	67.5	55.7			34.0	20.1	
NUTECH	NT-3888 RRSCN	B	56.0	9/18	2.3	43	39.6	67.6	60.9			34.8	20.8	
NUTECH	NT-3909 RRSCNSTS	B	56.4	9/18	2.2	42	41.8	68.1	59.4			34.2	19.1	
NUTECH	NT-7312	B	49.7	9/5	2.1	40	36.4	57.0	55.6			34.3	20.1	
NUTECH	NT-7316	B	57.1	9/11	2.1	38	38.3	71.4	61.6			35.6	19.5	
NUTECH	NT-7325	B	53.6	9/6	1.9	36	32.8	66.0	61.9			35.6	20.0	
NUTECH	NT-7337	B	54.1	9/13	2.3	39	35.8	67.2	59.3			35.7	19.5	
NUTECH	NT-7345	B	54.1	9/8	2.4	42	34.7	64.9	62.8			35.3	19.1	
NUTECH	NT-7353	B	52.3	9/15	2.4	42	34.5	63.0	59.3			35.0	19.6	
NUTECH	NT-7366	B	54.8	9/17	2.2	44	34.3	68.1	61.9			34.7	20.3	
NUTECH	NT-7399	B	54.1	9/20	2.5	44	41.4	63.6	57.4			36.3	18.0	
PIONEER	93M10*	B	50.4	9/10	2.9	46	33.4	60.6	57.3			33.7	20.2	
PIONEER	93M11*	B	50.8	9/6	1.8	38	33.6	57.0	61.9	58.0	58.6	35.6	20.7	
PIONEER	93M42*	B	58.3	9/16	2.1	45	43.1	67.6	64.3	62.6	62.3	35.5	19.8	
PIONEER	93M61	B	56.3	9/14	2.2	43	43.7	65.8	59.4			34.2	20.0	
PIONEER	93M95*	B	42.5	9/19	2.8	47	29.8	47.1	50.6	52.7		37.2	18.6	
QUALITY PLUS	Q 343 RR	U	54.0	9/18	2.3	42	41.4	63.6	57.1	59.5		34.6	19.6	
QUALITY PLUS	Q 368 RR	U	55.5	9/16	2.2	41	41.6	67.3	57.7			34.9	20.9	
QUALITY PLUS	Q 370 RR	U	52.6	9/19	2.5	42	38.2	60.9	58.7	57.8	58.9	36.4	18.8	
QUALITY PLUS	Q 374 RR*	U	53.4	9/13	2.2	42	33.4	68.1	58.7	62.2		35.5	20.6	
STAUFFER	4380 NSR*	U	53.5	9/20	2.1	42	41.1	64.2	55.1			34.5	19.0	
STAUFFER	4391 R*	U	55.6	9/16	2.1	43	41.7	66.5	58.7			34.4	20.1	
STINE	3128-4	U	52.7	9/6	1.8	37	31.3	66.3	60.6			35.3	20.1	
STINE	3222-4	U	52.0	9/12	2.3	38	33.0	65.2	57.8			35.5	19.4	
STINE	3532-4	U	57.7	9/13	2.5	39	46.4	66.1	60.6	61.9	62.3	35.0	20.5	
STINE	3582-4*	U	53.4	9/17	2.3	42	39.5	63.1	57.7			35.0	19.4	
STINE	3602-4*	U	56.0	9/16	2.4	43	38.6	68.0	61.3			35.1	20.8	
STINE	3620-4	U	53.3	9/17	2.2	43	34.5	67.0	58.4			34.4	20.3	
STONE	2346 NRR	F	54.1	9/18	2.2	43	41.1	63.3	57.8	58.5		34.4	19.8	
STONE	2356 NRR*	F	51.9	9/12	2.4	37	34.2	67.7	53.9			34.9	19.9	
STONE	2375 NRR*	F	48.5	9/18	3.0	42	32.1	59.7	53.9			35.3	19.0	
STONE	2377 NRR	F	53.4	9/16	2.3	41	40.3	62.9	56.9			34.4	19.5	
SUN PRAIRIE	SP 3555 NRR*	U	50.6	9/17	2.4	40	35.9	62.1	53.8			36.3	18.7	
SUN PRAIRIE	SP 3602 NRR*	U	44.0	9/17	2.5	40	34.3	49.3	48.3			35.7	19.1	
SUN PRAIRIE	SP 3811 NRR*	U	55.7	9/20	2.3	45	43.6	65.3	58.2			35.5	20.0	
TRISOY	3144 RR(CN)	U	52.4	9/10	2.3	43	40.1	62.8	54.4			36.4	19.0	
TRISOY	3172 RRV	U	49.6	9/10	2.2	37	29.5	60.4	59.0			34.4	19.8	
TRISOY	3463 RR(CN)	U	55.5	9/17	2.1	42	45.5	62.3	58.8	60.4		34.3	19.7	
TRISOY	3874 RR(CN)	U	55.5	9/15	2.1	42	40.0	65.0	61.3			34.6	19.2	
WILKEN	W 3429 NRR*	B	56.4	9/10	2.5	39	39.7	67.7	61.9	61.6	62.5	35.3	20.5	
WILKEN	W 3434 NRR*	B	56.2	9/17	2.2	42	42.6	66.1	60.0	60.7		34.2	19.9	
WILKEN	W 3465 NRR	B	53.2	9/18	2.1	42	39.6	62.7	57.5	60.5		35.2	19.3	
WILKEN	W 3473 NRR	B	51.8	9/18	2.5	41	37.6	62.2	55.5	56.4	58.7	36.1	18.8	
WILKEN	W 3479 NRR	B	53.3	9/17	2.4	42	33.5	66.0	60.5	59.8	61.6	34.6	19.2	
WILKEN	W 3488 NRR	B	55.5	9/16	2.4	42	39.2	67.9	59.5	61.4		35.0	21.0	
WILKEN	W 3499 NRR	B	50.8	9/21	2.1	44	37.8	59.8	54.9	57.3	59.4	34.7	20.0	
WILKEN	W 3577 NRR	B	54.7	9/18	2.1	42	35.9	67.6	60.7			33.9	20.5	
WILKEN	W 3592 NRR	B	52.7	9/19	2.3	44	39.3	64.7	54.1			36.5	18.0	
	AVERAGE		52.8	9/15	2.3	42	37.4	62.8	58.4	59.0	60.6	35.1	19.7	
	L.S.D. 25% LEVEL		3.0		0.2	2	3.7	2.1	3.3			0.43	0.23	
	COEFF. OF VAR. (%)		10.4			17.2	7	10.5	3.6	6.1			1.3	1.2

**MATURITY GROUP 4**

AGSOURCE	9406 RR*	B	53.3	9/24	2.2	42	35.6	61.6	62.8			34.8	20.0
DAIRYLAND	DSR-4300 RR	U	41.2	9/24	2.6	42	28.0	48.5	47.2			36.6	18.8
FS HISOY	HS 4066	B	50.2	9/24	2.7	45	34.3	58.9	57.4			36.3	18.6
HORIZON	H 406 N*	U	49.4	9/22	2.6	40	32.1	59.8	56.4	57.1	57.9	35.9	19.8
HORIZON	H 419 N	U	51.8	9/23	1.8	42	33.1	63.5	58.6			35.7	19.6
HORIZON	H 422 N	U	52.4	9/25	2.0	41	36.0	62.7	58.7			36.2	19.4
HORIZON	H 424 N*	U	49.3	9/23	2.2	39	30.7	63.5	53.8	55.9		35.3	19.7
KITCHEN	KSC 4266 CRR*	U	42.9	9/26	2.6	48	33.8	45.5	49.5			35.1	18.7
KRUGER	K-410 RRSCN	B	54.8	9/23	2.1	41	34.8	69.0	60.6	58.5	57.9	35.1	19.9
KRUGER	K-433 RRSCN	B	45.2	9/27	2.4	48	33.9	47.8	53.9	53.1		35.0	18.7
LEWIS	4010*	B	47.4	9/25	2.3	45	32.6	56.3	53.1			35.8	18.8
MERSCHMAN	NORFOLK 741RR*	B	50.5	9/25	2.1	42	32.8	60.0	58.6	57.4		34.5	20.0
NUTECH	NT-4041 RRSCN	B	53.7	9/24	2.1	43	35.9	65.1	60.2			35.2	20.0

## 2007 Soybean Test Results

## Region 3: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY*	IST <sup>1</sup>	Regional Results			Height in	Perry Yield bu/a	New Berlin Yield bu/a	Urbana Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a	Urbana Protein @13%	Urbana Oil @13%
			Maturity Date	Lodging	Height in								
NUTECH STINE	*Producer Nominated NT-7417 4182-4*	B U	52.4 50.2	9/24 9/25	2.2 1.9	41 41	34.0 34.6	62.2 60.0	60.9 55.9			35.6 35.4	19.7 19.8
	AVERAGE		49.6	9/24	2.3	43	33.5	59.0	56.5	56.4	57.9	35.5 0.32	19.4 0.12
	L.S.D. 25% LEVEL		3.2		0.3	1	0.7	1.5	1.7			1.6	1.2
	COEFF. OF VAR. (%)		11.6		25.7	6	3.5	4.6	5.4				

<sup>1</sup>IST= Insecticide Seed Treatment: U= Untreated, F= Fungicide, B= Insecticide+Fungicide