

**2007 Roundup Resistant Soybean Entries**

Company-Brand	Variety*	**M	***Regions Entered					SN	****			
			1	2	3	4	5		6	PRR	IST	HC
AGSOURCE	9383 RR*	3.8		2	3	4		A	Rps1c	B	BU	
AGSOURCE	9406 RR*	4.0		2	3	4		A	NG	B	BL	
AGVENTURE	28G9 NRR*	2.8			3		6	A	Rps1k	F	BR	
AGVENTURE	29G9 NRR*	2.9			3		6	A	NG	F	BL	
AGVENTURE	33G3 NRR*	3.3			3		6	A	Rps1k	F	BL	
AGVENTURE	34G4 NRR*	3.4			3		6	A	Rps1c	F	BL	
ASGROW	AG 2403*	2.4	1					S	Rps1k	U	BL	
ASGROW	AG 2603*	2.6	1	2				A	Rps1c	U	IB	
ASGROW	AG 2606	2.6	1					A	Rps1c	B	IB	
ASGROW	AG 2802	2.8	1	2				A	Rps1k	B	IB	
ASGROW	AG 2906	2.9	1	2				A	NG	B	BL	
ASGROW	AG 3005*	3.0		2				S	Rps1c	U	IB	
ASGROW	AG 3006	3.0	1					A	Rps1k,7	B	IB	
ASGROW	AG 3101	3.1	1	2	3			A	Rps1c	B	IB	
ASGROW	AG 3203	3.2	1	2	3			A	Rps1c	B	IB	
ASGROW	AG 3402	3.4		2	3			A	Rps1c	B	BL	
ASGROW	AG 3505*	3.5		2	3			A	Rps1k	U	IB	
ASGROW	AG 3602*	3.6		2	3	4		A	Rps1c	U	IB	
ASGROW	AG 3705	3.7			3	4	5	A	Rps1c	B	BL	
ASGROW	AG 3802*	3.8			3	4		A	Rps1c	U	IB	
ASGROW	AG 3803	3.8			3	4	5	A	Rps1c	B	IB	
ASGROW	AG 3905	3.9				4	5	A	Rps1c	B	BL	
ASGROW	AG 3906*	3.9			3	4		A	NG	U	BL	
ASGROW	AG 4103	4.1				4	5	A	Rps1a	B	BU	
ASGROW	AG 4404	4.4				4	5	A	Rps1a	B	BL	
ASGROW	AG 4405	4.4				4	5	A	Rps1c	B	IB	
ASGROW	AG 4703	4.7				4	5	A	NG	B	BL	
ASGROW	AG 4801*	4.8					5	A	NG	U	BL	
ASOYIA	2536 RR	2.5		2				S	?	B	BL	
ASOYIA	2707 RR	2.7		2	3			S	?	B	BU	
ASOYIA	2937 RR	2.9		2	3			S	?	B	IB	
ASOYIA	3027 RR	3.0		2	3			S	?	B	IB	
ASOYIA	3217 RR	3.2		2	3			S	?	B	IB	
ASOYIA	3407 RR	3.4		2	3			S	?	B	IB	
ASOYIA	3757 RR	3.7			3			S	?	B	IB	
BAKER	3770 NRR	3.7				4		A	Rps1c	U	BU	
BAKER	3945 NRR	3.9				4		A	Rps1k	U	BL	
BAKER	3975 NRR	3.9				4		A	Rps1c	U	IB	
BAKER	4565 NRR	4.5				4		A	NG	U	BR	
BAKER	4825 NRR	4.8					5	A	NG	U	BL	
BAKER	4975 NRR	4.9					5	A	NG	U	BL	
BECK	274 NRR*	2.7		2				A	Rps1c	B	BL	
BECK	286 NRR	2.8		2				A	Rps1k	B	BL	
BECK	297 NRR*	2.9		2				A	Rps1c	B	BL	
BECK	307 NRR	3.0		2			6	A	Rps1c	B	IB	
BECK	321 NRR	3.2		2	3		6	A	Rps1k	B	BL	
BECK	323 RR*	3.2		2	3			A	Rps1c	F	IB	
BECK	326 RRL*	3.2			3			S	Rps1c	B	BL	
BECK	332 NRRL*	3.2			3			A	NG	F	BU	

**2007 Roundup Resistant Soybean Entries**

Company-Brand	Variety*	**M	***Regions Entered					SN	****			
			1	2	3	4	5		6	PRR	IST	HC
BECK	342 NRR	3.4		2	3			6	A	Rps1c	B	BL
BECK	354 NRR	3.5			3			6	A	Rps1c	B	IB
BECK	383 NRR*	3.8			3	4			A	NG	F	IB
BECK	399 NRR	3.9			3	4		6	A	Rps1c	F	BL
BECK	405 NRR	4.0				4			A	Rps1k	B	BL
BECK	422 NRR	4.2				4			A	NG	B	BL
BECK	444 NRR	4.4				4			A	NG	B	BR
BIO GENE	BG 3708 RN	3.7				4			A	NG	F	IB
BIO GENE	BG 3806 RN*	3.8				4			A	NG	F	BL
BIO GENE	BG 3807 RN*	3.8				4			A	NG	F	IB
BIO GENE	BG 4406 RN*	4.4				4			A	NG	F	BR
CAMPBELL	347 NRR*	3.4		2	3	4		6	A	Rps1c	F	BL
CROW'S	C 3318 R*	3.3		2					A	Rps1k	U	IB
CROW'S	C 3518 R*	3.5		2	3				A	Rps1k	U	BL
CROW'S	C 3619 R	3.6			3				A	NG	U	BL
CROW'S	C 3817 R*	3.8			3				A	Rps1c	U	BU
CROW'S	C 3915 R*	3.9			3				A	Rps1c	U	BU
CROW'S	C 4142 R*	4.1				4			A	Rps1a	U	BR
DAIRYLAND	DSR-2200 RR	2.2	1						S	NG	B	BL
DAIRYLAND	DSR-2300 RR	2.3	1						S	NG	B	BL
DAIRYLAND	DSR-2600 RR*	2.6	1	2					R?	Rps1k	B	BL
DAIRYLAND	DSR-2770 RR	2.7	1	2	3				S	Rps1k	B	BL
DAIRYLAND	DSR-2850 RRSTSHP*	2.8		2				6	B	Rps1k	B	BL
DAIRYLAND	DSR-2929 RR*	2.9	1	2	3			6	A	NG	B	BL
DAIRYLAND	DSR-3003 RRSTS	3.0	1	2	3				S	NG	B	BL
DAIRYLAND	DSR-3130 RR*	3.1	1	2	3			6	A	Rps1k	B	BL
DAIRYLAND	DSR-3320 RRSTS	3.3		2					A	Rps1k	B	BL
DAIRYLAND	DSR-3535 RR	3.5		2	3			6	A	NG	B	BL
DAIRYLAND	DSR-3675 RR	3.6			3				A	Rps1c	B	BL
DAIRYLAND	DSR-4300 RR	4.3			3				A	NG	U	BL
DELTA & PINE LAND	DP 4450 RR	4.3				4	5		A	NG	B	BR
DELTA & PINE LAND	DPX 4334 RR	4.3				4	5		S	NG	B	BL
DELTA GROW	3950 RR	3.9				4	5		A	Rps1k	F	BL
DELTA GROW	4150 RR	4.1				4	5		A	Rps1a	F	BR
DELTA GROW	4460 RR	4.4				4	5		A	NG	F	BL
DELTA GROW	4470 RRSTS	4.4				4	5		A	Rps1c	F	BL
DELTA GROW	4970 RR	4.9				4	5		A	NG	F	BL
DERAEDT	2121 RR*	2.3	1						S	NG	U	BL
DERAEDT	2677 NRR*	2.6	1						A	NG	U	BL
DERAEDT	2788 NRR*	2.7	1						A	NG	U	BL
DYNA-GRO	32C38*	3.8			3	4			A	Rps1c	B	BL
DYNA-GRO	3362 NRR*	3.6			3				A	Rps1k	B	BL
DYNA-GRO	3390 NRR*	3.8			3				A	Rps1c	B	BL
DYNA-GRO	36C28*	2.8	1						A	Rps1k	B	BR
DYNA-GRO	37A44*	4.4				4	5		A	NG	B	BR
DYNA-GRO	37J34*	3.4		2	3				A	Rps1c	B	BL
EXCEL	8236 NRR	2.3	1						R?	Rps1k	B	BL
EXCEL	8249 NRR	2.7	1						A	Rps1k	B	BL
EXCEL	8259 RR	2.5	1						S	Rps1k	B	BL

**2007 Roundup Resistant Soybean Entries**

Company-Brand	Variety*	**M	***Regions Entered						SN	****		
			1	2	3	4	5	6		PRR	IST	HC
EXCEL	8277 RR	2.7	1						S	NG	B	BL
EXCEL	8287 RRSTS	2.8	1						S	NG	B	BL
EXCEL	8288 NNRR	2.8	1						A	Rps1k	B	BL
EXCEL	8308 NRR	3.0	1						A	Rps1k	B	BL
EXCEL	8309 NRR	3.1						6	A	Rps1c	B	IB
EXCEL	8343 NRR*	3.4		2					A	NG	B	IB
EXCEL	8357 NNRR*	3.7			3				A	Rps1k	B	BL
EXCEL	8368 NRR	3.5			3				A	NG	B	BL
EXCEL	8369 NRR*	3.6			3				A	Rps1c	U	IB
EXCEL	8394 NRR*	3.9				4			A	Rps1c	B	BU
EXCEL	8396 RRSTS	3.9			3	4			S	NG	B	BL
EXCEL	8407 NRR	4.0				4			A	Rps1c	B	IB
EXCEL	8427 NRRSTS*	4.2				4			A	NG	B	BL
EXCEL	8430 NNRRSTS	4.3				4			A	NG	B	BL
EXCEL	8432 NRR	4.3				4			A	NG	U	BL
EXCEL	8450 NRR*	4.5					5		A	NG	B	BL
EXCEL	8455 NRR	4.5				4			A	NG	B	IB
EXCEL	8481 NRR	4.8				4			A	NG	B	BL
FARM ADVANTAGE	7296 N	2.9	1						A	Rps1c	U	IB
FARM ADVANTAGE	7305 N	3.0	1						A	Rps1c	U	BU
FARM ADVANTAGE	7324 N	3.2	1						A	NG	U	BL
FONTANELLE	8182 RR*	2.8	1						S	NG	U	IB
FONTANELLE	8665 NRR*	2.6	1						A	R?	U	BR
FONTANELLE	8687 NRR*	2.8	1						A	Rps1k	U	IB
FONTANELLE	9412 NRR*	3.1		2					A	R?	U	IB
FONTANELLE	9609 NRR*	3.0		2					A	NG	U	BL
FONTANELLE	9652 NRR*	3.5		2					A	Rps1c	U	BL
FS HISOY	HS 2766	2.7	1	2					A	Rps1k	B	IB
FS HISOY	HS 2846	2.8	1	2					A	Rps1c	B	BL
FS HISOY	HS 3156	3.1	1	2					A	Rps1c	B	IB
FS HISOY	HS 3266	3.2	1	2	3				A	Rps1k	B	BL
FS HISOY	HS 3466	3.4		2	3				A	Rps1c	B	BL
FS HISOY	HS 3536*	3.5		2	3				A	Rps1k	B	BL
FS HISOY	HS 3766	3.7		2	3	4			A	NG	B	IB
FS HISOY	HS 3846	3.8		2	3	4			A	Rps1c	B	BU
FS HISOY	HS 3916*	3.7			3	4			A	Rps1c	B	IB
FS HISOY	HS 4028*	4.0				4	5		A	NG	B	BL
FS HISOY	HS 4066	4.0			3	4			A	Rps1c	B	IB
FS HISOY	HS 4256	4.2				4	5		A	Rps1c	B	IB
FS HISOY	HS 4366	4.3				4	5		A	NG	B	BL
FS HISOY	HS 4456	4.4				4	5		A	NG	B	BL
FS HISOY	HS 4646	4.6				4	5		A	NG	B	BL
FS HISOY	HS 4766	4.7				4	5		A	NG	B	BL
FS HISOY	HS 4856*	4.8					5		A	NG	B	BL
FS HISOY	R 07-28	2.8	1						A	Rps1c	B	IB
FS HISOY	R 07-29	2.9	1	2					A	Rps1k	B	BL
FS HISOY	R 07-31	3.1	1	2	3				A	Rps1c	B	BU
FS HISOY	R 07-33	3.3		2	3				A	Rps1c	B	IB
FS HISOY	R 07-35	3.5		2	3				A	Rps1c	B	BL

**2007 Roundup Resistant Soybean Entries**

Company-Brand	Variety*	**M	***Regions Entered						SN	****		
			1	2	3	4	5	6		PRR	IST	HC
FS HISOY	R 07-37	3.7		2	3				A	Rps1c	B	BU
FS HISOY	R 07-39	3.9			3	4	5		A	Rps1c	B	BL
FS HISOY	R 07-45	4.5				4	5		A	NG	B	BL
FS HISOY	R 07-48	4.8				4	5		A	Rps1c	B	BL
FS HISOY	X 07-42	4.2				4	5		A	Rps1c	B	BL
GREAT HEART	GT-314 CRR*	3.1			3			6	A	Rps1k	U	IB
GREAT HEART	GT-378 CRR*	3.7			3	4		6	A	NG	U	BU
GREAT HEART	GT-397 CRR	3.9			3	4			A	Rps1c	U	IB
GREAT HEART	GT-467 CRR	4.6				4	5		A	Rps1a	U	BL
HELENA	2976	2.9		2					A	Rps1k	B	BL
HELENA	3378	3.3		2	3				A	Rps1c	B	BL
HELENA	3576	3.5			3				A	Rps1k	B	IB
HELENA	3676	3.6			3				A	Rps1c	B	BL
HOBLIT	HB 312 NRR	3.1		2					A	Rps1c	U	IB
HOBLIT	HB 342 NRR	3.4			3				A	Rps1c	U	BL
HOBLIT	HB 354 NRR	3.5			3				A	Rps1c	U	BL
HOBLIT	HB 355 NRR	3.5			3				A	Rps1k	U	BL
HOBLIT	HB 375 NRR	3.7			3				A	Rps1c	U	BU
HOBLIT	HB 422 NRR	4.2				4			A	NG	U	BL
HOFFMAN	H 3366 CR	3.6				4	5		A	Rps1c	B	IB
HOFFMAN	H 3437 CR	4.3				4	5		A	Rps1k	B	BL
HOFFMAN	H 3444 CR	4.4				4	5		A	Rps1k	B	BL
HOFFMAN	H 3456 CR*	4.5				4	5		A	NG	B	IB
HOFFMAN	H 39-06 CR	3.9				4	5		A	NG	B	IB
HOFFMAN	H 41-07 CR	4.1				4	5		A	NG	B	BL
HORIZON	H 288 N*	2.8	1	2	3			6	A	NG	U	BL
HORIZON	H 296 N*	2.9	1	2	3			6	A	Rps1c	U	IB
HORIZON	H 303 N*	3.0	1	2	3			6	A	Rps1c	U	IB
HORIZON	H 340 N*	3.4	1	2	3			6	A	Rps1c	F	BL
HORIZON	H 352 N*	3.5		2	3	4		6	A	Rps1k	F	BL
HORIZON	H 356 N	3.5		2	3	4		6	A	Rps1c	U	BL
HORIZON	H 378 N	3.7		2	3	4		6	A	NG	F	IB
HORIZON	H 399 N*	3.9			3	4		6	A	Rps1c	F	IB
HORIZON	H 406 N*	4.0			3	4	5	6	A	Rps1k	U	BL
HORIZON	H 419 N	4.1			3	4	5	6	A	NG	U	BL
HORIZON	H 422 N	4.2			3	4	5	6	A	NG	U	BL
HORIZON	H 424 N*	4.2			3	4	5	6	A	NG	U	BL
HUBNER	H 346 NRR	3.4			3				A	Rps1c	F	BL
HUBNER	H 388 RR	3.8			3				S	NG	F	BL
HUGHES	405	2.4	1						S	Rps1k	B	BL
HUGHES	555	2.5	1						A	NG	B	BL
HUGHES	796	2.7	1						A	Rps1a	B	BL
HUGHES	847	2.8	1						A	NG	B	BL
KALTENBERG	KB 226 RR	2.2	1						A	NG	F	BL
KALTENBERG	KB 249 RR	2.4	1						A	NG	F	BL
KALTENBERG	KB 258 RR	2.5	1						S	NG	F	BR
KALTENBERG	KB 268 RR	2.6	1						S	Rps1k	F	BL
KALTENBERG	KB 278 RR	2.7	1						A	NG	F	BL
KITCHEN	KSC 3479 CRR	3.4			3				A	NG	U	IB

**2007 Roundup Resistant Soybean Entries**

Company-Brand	Variety*	**M	***Regions Entered						SN	****		
			1	2	3	4	5	6		PRR	IST	HC
KITCHEN	KSC 3546 CRR	3.5			3				A	Rps1k	U	BL
KITCHEN	KSC 3786 CRR	3.7			3	4			A	Rps1c	U	BU
KITCHEN	KSC 3856 CRR*	3.8			3	4			A	NG	U	BR
KITCHEN	KSC 3869 CRR	3.8			3	4			A	Rps1c	U	BU
KITCHEN	KSC 3982 CRR	3.9			3	4			A	Rps1k	U	BU
KITCHEN	KSC 4266 CRR*	4.2			3	4			A	R?	U	IB
KRUGER	EX 28A07	2.8	1	2	3			6	A	Rps1k	B	BL
KRUGER	K-195+RRSCN	2.0	1						A	Rps1k	B	IB
KRUGER	K-201 RRSCN	2.0	1						A	Rps1c	B	BL
KRUGER	K-204 RRSCN	2.0	1						A	Rps1k	B	IB
KRUGER	K-228 RRSCN	2.2	1						A	Rps1k	B	M
KRUGER	K-235 RRSCN*	2.4	1	2					A	NG	B	BR
KRUGER	K-239 RR	2.3	1	2					S	NG	B	BL
KRUGER	K-248 RRSCN	2.5	1	2					A	NG	B	BR
KRUGER	K-251 RRSCN	2.5	1	2					A	Rps1k	B	BR
KRUGER	K-263 RRSCN	2.7		2					A	Rps1c	B	IB
KRUGER	K-271 RR	2.7	1	2	3				S	NG	B	IB
KRUGER	K-272 RRSCNLINO	2.7		2					A	NG	B	BU
KRUGER	K-274 RRSCN	2.7	1	2	3				A	NG	B	BU
KRUGER	K-275 RRSCN	2.8	1	2	3				A	Rps1k	B	IB
KRUGER	K-278 RRSCN	2.7	1	2	3				A	Rps1c	B	IB
KRUGER	K-283 RRSCN*	2.8	1	2	3				A	Rps1k	B	BR
KRUGER	K-287 RRSCN	2.8	1	2	3				A	Rps1c	B	BL
KRUGER	K-294 RRSCN	2.9		2					B	NG	B	BL
KRUGER	K-297 RRSCN	2.9	1	2	3				A	Rps1k	B	BR
KRUGER	K-302 RRSCNLINO	3.0		2					A	NG	B	BU
KRUGER	K-315 RRSCN	3.1	1	2	3				A	Rps1c	B	IB
KRUGER	K-316 RRSCN	3.1	1	2	3			6	A	Rps1c	B	BU
KRUGER	K-321 RRSCNLINO	3.2		2					A	NG	B	BU
KRUGER	K-333 RRSCN	3.3	1	2	3	4			A	Rps1k	B	BL
KRUGER	K-340 RRSCN	3.4	1	2	3	4	5	6	A	Rps1k	B	BL
KRUGER	K-341 RRSCN	3.4	1	2	3	4			A	Rps1k	B	IB
KRUGER	K-348 RRSCN	3.4	1	2	3	4		6	A	Rps1c	B	BL
KRUGER	K-363 RRSCN	3.7		2	3	4	5		A	NG	B	BL
KRUGER	K-382 RRSCN	3.8		2	3	4	5		A	NG	B	IB
KRUGER	K-384 RRSCN	3.8		2	3	4	5		A	Rps1c	B	BU
KRUGER	K-389 RRSCN	3.9		2	3	4	5		A	Rps1c	B	BU
KRUGER	K-410 RRSCN	4.0			3	4	5		A	NG	B	BL
KRUGER	K-433 RRSCN	4.3			3	4	5		A	NG	B	BR
KRUGER	K-476 RRSCN	4.6				4	5		A	NG	B	BL
KRUGER	K-478 RRSCN	4.7				4	5		A	Rps1a	B	BL
KRUGER	KY 3817 RN	3.7		2	3	4	5		A	NG	B	BL
LEWIS	2908	2.9		2					A	Rps1c	B	BR
LEWIS	3258	3.2		2					A	Rps1c	B	BU
LEWIS	3558	3.5		2					A	Rps1c	B	BL
LEWIS	3698	3.6			3				A	Rps1c	B	BU
LEWIS	3822	3.8			3				S	NG	B	BL
LEWIS	3827	3.8			3				A	NG	B	IB
LEWIS	3908	3.9			3				A	Rps1c	B	IB

## 2007 Roundup Resistant Soybean Entries

Company-Brand	Variety*	**M	***Regions Entered						SN	****		
			1	2	3	4	5	6		PRR	IST	HC
LEWIS	3968	3.9			3	4			A	Rps1c	B	BL
LEWIS	4207	4.2				4			A	NG	B	BL
LEWIS	4408	4.4				4			A	NG	B	BL
LEWIS	3308*	3.3		2					A	NG	F	BR
LEWIS	3407*	3.4		2	3				A	Rps1c	B	BL
LEWIS	3907*	3.9			3	4			A	Rps1c	B	IB
LEWIS	4010*	4.0			3	4			A	Rps1a	B	BR
LEWIS	4395*	4.3				4	5		A	NG	B	BR
LG SEEDS	C 2662 NRR*	2.6	1	2					A	NG	F	BL
LG SEEDS	C 2777 NRR	2.7	1						A	Rps1c	F	BL
LG SEEDS	C 2985 NRR	2.9	1	2					A	Rps1k	F	BR
LG SEEDS	C 3232 NRR*	3.2	1	2	3				A	Rps1k	F	IB
LG SEEDS	C 3242 NRR	3.2		2					A	Rps1c	F	BL
LG SEEDS	C 3445 NRR	3.4			3				A	Rps1c	F	BL
LG SEEDS	C 3777 NRR*	3.7			3	4	5		A	Rps1k	F	IB
LG SEEDS	C 3888 NRR	3.8			3				A	NG	F	IB
LG SEEDS	C 3988 NRR	3.9				4	5		A	Rps1c	F	BL
LG SEEDS	C 4330 NRR	4.3				4	5		A	NG	F	BL
LG SEEDS	L 3155 RR*	3.1	1	2	3				S	Rps1c	F	BL
M & D SEED	9440 MNRR*	4.4				4	5		A	NG	U	BL
M & D SEED	9470 MNRR*	4.7				4	5		A	NG	U	BL
M & D SEED	9480 BNRR*	4.8				4	5		R?	R?	U	M
M & D SEED	9540 MNRR*	5.4					5		A	NG	U	M
M & D SEED	9550 BNRR	5.5					5		R?	R?	U	BU
MARTIN	M 435 NRR*	3.5			3				A	Rps1c	U	IB
MARTIN	M 538 NRR	3.8			3				A	Rps1c	U	BU
MARTIN	M 727 RR	2.7			3				S	NG	U	BL
MARTIN	M 734 NRR	3.4			3				A	NG	U	IB
MARTIN	M 828 NRR	2.8			3				A	Rps1c	U	IB
MARTIN	M 831 NRR	3.1			3				A	Rps1c	U	BU
MAVRICK	3299 RR*	2.9		2					S	Rps1k	U	BL
MAVRICK	4262 RR*	2.6		2					A	NG	U	BL
MAVRICK	5284 RR*	2.8		2	3				A	NG	U	BL
MAVRICK	5394 RR*	3.9			3	4	5		A	Rps1a	U	BR
MAVRICK	6343 RR*	3.4		2	3				A	Rps1c	U	BL
MAVRICK	6369 RR*	3.6			3	4	5		A	NG	U	IB
MERSCHMAN	APACHE 828RR	2.8	1	2	3				A	NG	B	BR
MERSCHMAN	AUSTIN 643RR*	4.3				4	5		A	NG	B	BL
MERSCHMAN	CHEROKEE 729RR*	2.9	1	2	3				A	NG	B	BL
MERSCHMAN	CHEYENNE 827RRV	2.7		2					A	Rps1c	B	Y
MERSCHMAN	CHICKASAW 728RR*	2.8	1	2	3				A	Rps1k	B	BR
MERSCHMAN	COMANCHE 725RR	2.5	1						A	NG	B	BL
MERSCHMAN	COOLIDGE 734RR*	3.4		2	3	4			A	Rps1k	B	BL
MERSCHMAN	DALLAS RR	4.9				4	5		A	NG	B	BL
MERSCHMAN	DENVER 742RR	4.2				4	5		A	NG	B	BL
MERSCHMAN	EVEREST 755RR	5.5					5		A	Rps1a	B	BR
MERSCHMAN	FILLMORE 731RRV	3.1		2					S	NG	B	BL
MERSCHMAN	HAYES 832RRV	3.1		2					A	NG	B	BU
MERSCHMAN	HOOVER 730RR	3.0		2	3				A	Rps1c	B	BU

**2007 Roundup Resistant Soybean Entries**

Company-Brand	Variety*	**M	***Regions Entered						SN	****		
			1	2	3	4	5	6		PRR	IST	HC
MERSCHMAN	HOUSTON 747RR	4.7				4	5		A	NG	B	IB
MERSCHMAN	JEFFERSON 830RR	3.0		2	3				A	NG	B	BU
MERSCHMAN	KENNEDY 836RR	3.6		2	3	4			A	NG	B	BU
MERSCHMAN	MARS 819RR	1.9	1						A	NG	B	M
MERSCHMAN	MEMPHIS 642RR	4.2				4	5		A	NG	B	BR
MERSCHMAN	MOHEGAN 823RR	2.3	1						A	NG	B	BR
MERSCHMAN	MONROE 735RR*	3.5		2	3	4			A	NG	B	BL
MERSCHMAN	NASHVILLE 749RR	4.9				4	5		A	Rps1a	B	BL
MERSCHMAN	NAVAHO 720RR	2.0	1						A	Rps1c	B	BL
MERSCHMAN	NORFOLK 741RR*	4.1		2	3	4	5		A	Rps1a	B	BL
MERSCHMAN	ROCKY RR	4.6				4	5		A	Rps1a	B	BL
MERSCHMAN	ROOSEVELT 737RR*	3.7		2	3				A	NG	B	BL
MERSCHMAN	RUSHMORE 750RR	5.0					5		A	Rps1c	B	BL
MERSCHMAN	SHAWNEE 527RR	2.7	1						A	NG	B	BL
MERSCHMAN	TRUMAN 636RR	3.6		2	3				S	NG	B	BL
MIDLAND	MG 3807 NRR	3.8				4	5		A	NG	F	BL
MIDLAND	MG 3836 NRRSTS	3.8				4		6	A	NG	F	BU
MIDLAND	MG 4008 NRR	4.0				4	5		A	NG	F	BL
MIDLAND	MG 4407 NRR*	4.4				4	5		A	NG	F	BL
MIDLAND	MG 4606 NRR	4.6				4	5		A	NG	F	BL
MIDLAND	MG 4708 NRR	4.7				4	5		A	NG	F	BL
MIDWEST SEED GEN	GR 2831*	2.8	1	2					A	Rps1c	U	BL
MIDWEST SEED GEN	GR 2933*	2.9	1	2					A	NG	U	BL
MIDWEST SEED GEN	GR 3333*	3.3		2	3				A	Rps1k	U	IB
MIDWEST SEED GEN	GR 3832*	3.8			3				A	Rps1c	U	BU
MIDWEST SEED GEN	GR 3931*	3.9				4			A	Rps1c	U	BU
MIDWEST SEED GEN	GR 4154*	4.1				4			A	Rps1a	U	BR
MIDWEST SEED GEN	GR 4455*	4.4				4	5		A	NG	U	BR
MUNSON	8287 RR	2.8	1	2					A	Rps1a	U	IB
MUNSON	8298 RR	2.9	1	2					A	Rps1c	U	IB
MUNSON	8328 RR	3.2	1	2	3				A	Rps1c	U	IB
MUNSON	8357 RR	3.5		2	3				A	Rps1c	U	BL
MUNSON	8368 RR	3.6		2	3				A	Rps1c/1k	U	BU
MUNSON	8377 RR	3.7		2	3				A	NG	U	IB
MWS	2856 CRR*	2.8		2					A	Rps1c	F	BL
MWS	2911 CRR*	2.9		2					B	Rps1k	F	BL
MWS	2939 CRR	2.9						6	A	Rps1a	F	IB
MWS	3128 CRR*	3.1		2					A	Rps1k	F	BL
MYCOGEN	5B482 RR*	4.8				4	5		A	NG	F	BL
MYCOGEN	5N351 RR*	3.5		2					A	Rps1k	U	BL
MYCOGEN	5N382 RR*	3.7				4			A	Rps1c	F	BU
MYCOGEN	5N383 RR*	3.8				4			A	NG	F	IB
MYCOGEN	5N391 RR*	3.9				4	5		A	Rps1k	U	BL
MYCOGEN	5N441 RR*	4.4				4	5		A	NG	F	BR
MYCOGEN	5N461 RR*	4.6				4	5		A	NG	F	IB
NC+	2A94 RR*	2.9	1	2					A	NG	U	BL
NC+	3A32 RR*	3.3		2	3				A	Rps1k	U	IB
NC+	3A53 RR*	3.5		2	3				A	Rps1k	U	IB
NK BRAND	S 21-N6	2.1	1						S	Rps1k	B	BR

**2007 Roundup Resistant Soybean Entries**

Company-Brand	Variety*	**M	***Regions Entered						SN	****		
			1	2	3	4	5	6		PRR	IST	HC
NK BRAND	S 23-H2*	2.3	1						S	Rps1a	B	BL
NK BRAND	S 24-J1	2.4	1					6	S	Rps1k	B	BR
NK BRAND	S 27-L4*	2.7	1	2	3			6	S	Rps1a	B	BL
NK BRAND	S 28-B4*	2.8	1	2	3			6	S	Rps1k	B	BR
NK BRAND	S 28-Y2*	2.8	1	2	3			6	A	Rps1c	B	BR
NK BRAND	S 29-J6*	2.9	1	2	3	4		6	A	Rps1a	B	BL
NK BRAND	S 32-E2*	3.2	1	2	3	4		6	A	Rps1a	B	BR
NK BRAND	S 33-A8*	3.3		2	3	4	5		A	Rps1c	B	BL
NK BRAND	S 36-C7*	3.6		2	3				A	Rps1c	B	BR
NK BRAND	S 37-F7*	3.7		2	3			6	A	NG	B	BL
NK BRAND	S 37-P5*	3.7		2	3	4	5	6	A	NG	B	BR
NK BRAND	S 38-D5*	3.8		2	3	4	5	6	A	Rps1c	B	BR
NK BRAND	S 39-A3*	3.9		2	3	4	5	6	A	NG	B	BL
NK BRAND	S 43-B1*	4.3				4	5		A	Rps1c	B	BR
NK BRAND	S 45-E5*	4.5				4	5		A	Rps1k	B	BL
NK BRAND	S 49-Q9*	4.9				4	5		A	Rps1c	B	IB
NK BRAND	XR 3473	3.4		2	3	4	5	6	A	Rps1a	U	BL
NK BRAND	XR 4472	4.4				4	5		A	Rps1c	B	BR
NK BRAND	XR 4877	4.8				4	5		A	?	B	BL
NUTECH	NT-2220 RR	2.2	1						S	NG	B	BL
NUTECH	NT-2324+RRSCN	2.3	1	2					A	Rps1c	B	BR
NUTECH	NT-3099 RR	3.0			3				S	Rps1c	B	BL
NUTECH	NT-3532 RRSCN	3.5				4			A	Rps1c	U	BL
NUTECH	NT-3777 RR*	3.7		2	3	4			A	NG	B	BL
NUTECH	NT-3888 RRSCN	3.8		2	3	4			A	NG	B	IB
NUTECH	NT-3909 RRSCNSTS	3.9		2	3	4	5		A	Rps1c	B	BR
NUTECH	NT-4041 RRSCN	4.0			3	4			A	NG	B	BL
NUTECH	NT-4242 RRSCN	4.2				4			A	NG	B	BL
NUTECH	NT-6277	2.7			3				S	NG	B	BL
NUTECH	NT-6281	2.8	1	2					S	Rps1k	B	BL
NUTECH	NT-6297	2.9			3				S	NG	B	BL
NUTECH	NT-7222	2.2	1						A	Rps1k	B	IB
NUTECH	NT-7242	2.4	1						A	Rps1k	B	BU
NUTECH	NT-7252	2.5	1						A	Rps1k	B	BR
NUTECH	NT-7282	2.8	1	2	3				A	Rps1c	B	IB
NUTECH	NT-7293	2.9	1						A	Rps1k	B	BR
NUTECH	NT-7297	2.9		2	3				A	Rps1c	U	IB
NUTECH	NT-7312	3.1			3				A	Rps1c	B	BL
NUTECH	NT-7316	3.1			3				A	Rps1c	B	IB
NUTECH	NT-7325	3.3		2	3				A	Rps1c	B	BU
NUTECH	NT-7337	3.3			3				A	NG	B	BL
NUTECH	NT-7345	3.4		2	3				A	Rps1c	B	IB
NUTECH	NT-7353	3.6		2	3	4			A	NG	B	BL
NUTECH	NT-7366	3.6		2	3				A	Rps1k	B	BU
NUTECH	NT-7399	3.9			3	4			A	Rps1c	B	BL
NUTECH	NT-7417	4.1			3				A	NG	B	BL
NUTECH	NT-7438	4.3				4			A	NG	B	BL
NUTECH	NT-7443	4.4				4			A	NG	B	BR
PIONEER	92M54	2.5	1						A	Rps1c	B	BR



**2007 Roundup Resistant Soybean Entries**

Company-Brand	Variety*	**M	***Regions Entered						SN	****		
			1	2	3	4	5	6		PRR	IST	HC
PIONEER	92M61*	2.6	1	2					A	NG	B	BU
PIONEER	92M75*	2.7	1	2					B	Rps1k	B	BL
PIONEER	92M81	2.8	1	2	3				A	Rps1c	B	BL
PIONEER	92M91*	2.9	1	2	3				S	Rps1k	B	BL
PIONEER	93M10*	3.1	1	2	3				A	NG	B	BL
PIONEER	93M11*	3.1	1	2	3				S	Rps1k	B	BL
PIONEER	93M42*	3.4	1	2	3	4			A	NG	B	BL
PIONEER	93M61	3.6		2	3	4			A	Rps1k	B	BL
PIONEER	93M95*	3.9		2	3	4			A	Rps1k	B	BL
PIONEER	94M30*	4.3				4	5		A	Rps1k	B	BL
PIONEER	94M50*	4.5				4	5		A	Rps1c	B	BL
PIONEER	94M80*	4.8					5		A	NG	B	BL
QUALITY PLUS	Q 308 RR	3.0		2					A	Rps1c	U	IB
QUALITY PLUS	Q 315 RR	3.1		2					A	Rps1k	U	IB
QUALITY PLUS	Q 343 RR	3.4		2	3				A	Rps1c	U	BL
QUALITY PLUS	Q 368 RR	3.6		2	3				A	Rps1c	U	BU
QUALITY PLUS	Q 370 RR	3.7		2	3				A	Rps1c	U	IB
QUALITY PLUS	Q 374 RR*	3.7		2	3				A	NG	U	BR
RENK	RS 217 RR	2.1	1						S	NG	F	BL
RENK	RS 247 NRR	2.4	1						A	Rps1c	F	BL
RENK	RS 265 RR	2.6	1						S	Rps1c	F	IB
RENK	RS 277 NRR	2.7	1						A	NG	F	BL
ROESCHLEY	2860 CRR	2.8	1	2					A	Rps1a	U	BL
ROESCHLEY	3172 CRR	3.1		2					A	R?	U	M
ROESCHLEY	3462 CRR*	3.4		2					A	NG	U	IB
ROESCHLEY	4278 CRR*	2.8		2					A	Rps1c	U	BL
ROESCHLEY	4279 CRR*	2.9		2					A	NG	U	BL
ROESCHLEY	4351 CRR*	3.1		2					A	Rps1k	U	IB
ROESCHLEY	5372 CRR*	3.2		2					A	Rps1c	U	BR
SCHILLINGER	287.RC	2.8		2					A	Rps1k	U	BL
SCHILLINGER	307.RC	3.0		2					A	Rps1k	U	BR
SCHILLINGER	337.RC	3.3		2					A	NG	U	BR
SHEPHERD	SB 180 CNRR*	1.8	1	2	3		6		A	Rps1a	U	BL
SHEPHERD	SB 195 CNRR*	1.9	1	2	3		6		A	Rps1a	U	BL
SHEPHERD	SB 239 CNRR*	2.4	1	2	3		6		A	Rps1a	U	BL
SHEPHERD	SB 251 CNRR*	2.5	1	2	3		6		A	Rps1a	U	BL
SIEBEN	SS 2304 NRR*	2.3	1						A	Rps1k	U	BL
SIEBEN	SS 2407 NRR*	2.4	1						A	NG	U	BL
SIEBEN	SS 2708 NRR	2.7	1	2					A	NG	U	BU
SIEBEN	SS 2807 NRR*	2.8	1	2					A	Rps1a	U	BL
SIEBEN	SS 2905 NRR*	2.9	1	2					A	NG	U	BL
SIEBEN	SS 2908 NRR	2.9	1	2					A	Rps1c	U	IB
SIEBEN	SS 3125 NRR*	3.1		2					A	Rps1k	U	IB
SIEBEN	SS 3407 NRR*	3.4		2					A	Rps1c	U	BL
SIEBEN	SS 3817 NRS*	3.8		2					A	Rps1c	F	BU
SOUTHERN CROSS	CALEB NRRSTS	4.4				4	5		A	NG	F	BL
SOUTHERN CROSS	DAMASCUS NRRSTS	5.0					5		A	NG	F	IB
SOUTHERN CROSS	ELI NRRSTS	4.7				4	5		A	NG	F	IB
SOUTHERN CROSS	GALILEE NRR	4.7				4	5		A	Rps1c	F	BL

**2007 Roundup Resistant Soybean Entries**

Company-Brand	Variety*	**M	***Regions Entered						SN	****		
			1	2	3	4	5	6		PRR	IST	HC
SOUTHERN CROSS	GOSHEN NRR	2.9			3				A	NG	F	BL
SOUTHERN CROSS	HIRAM NRRSTS	4.9				4	5		A	?	F	BL
SOUTHERN CROSS	LUCAS NRR	3.8				4	5		A	Rps1c	F	IB
SOUTHERN CROSS	MICHAEL NRRSTS	4.2					5		A	NG	F	BL
SOUTHERN CROSS	MOAB NRR	4.5				4			A	NG	F	BR
SOUTHERN CROSS	STEPHEN NRR	3.8					5		A	Rps1k	F	BL
SOUTHERN STATES	RT 3860	3.8					5		S	NG	F	BL
SOUTHERN STATES	RT 3871 N	3.8					5		A	Rps1c	U	BL
SOUTHERN STATES	RT 3951 N	3.9					5		A	Rps1c	F	BL
SOUTHERN STATES	RT 3971 N	3.9					5		A	Rps1c	U	BR
SOUTHERN STATES	RT 4370 N	4.3					5		A	Rps1c	U	BL
SOUTHERN STATES	RT 4440 N	4.4					5		A	Rps1c	F	BL
SOUTHERN STATES	RT 4470 N	4.4					5		A	NG	U	BL
SOUTHERN STATES	RT 4551 N	4.5					5		A	Rps1a	F	BR
SOUTHERN STATES	RT 4760 N	4.7					5		A	NG	F	BL
SOUTHERN STATES	RT 4777 N	4.7					5		A	Rps1c	F	BL
SOUTHERN STATES	RT 4808 N	4.8					5		A	Rps1a	F	BL
SOUTHERN STATES	RT 4981 N	4.9					5		A	Rps1c	F	BL
SOUTHERN STATES	RT 4996 N	4.9					5		A	NG	F	IB
SOUTHERN STATES	RT 5160 N	5.1					5		A	Rps1c	F	BU
STAUFFER	4380 NSR*	3.8			3				A	Rps1c	U	BU
STAUFFER	4391 R*	3.9			3				S	NG	U	G
STAUFFER	4411 NSR*	4.1				4			A	NG	U	BL
STEYER	2960 RRSCN	2.9	1						A	Rps1c	U	IB
STEYER	3830 RRSCN	3.8				4	5		A	Rps1c	U	BL
STEYER	4040 RRSCN	4.0				4	5		A	Rps1c	U	IB
STEYER	4430 RRSCN	4.4				4	5		A	NG	U	BL
STINE	2402-4	2.2	1						A	NG	U	BL
STINE	2702-4*	2.6	1	2					A	NG	U	BL
STINE	2862-4	2.8	1	2					A	Rps1k	U	BR
STINE	2882-4*	2.9	1	2					A	NG	U	BL
STINE	2932-4*	2.8	1	2					A	NG	U	BR
STINE	3128-4	3.1	1	2	3				A	NG	U	BU
STINE	3222-4	3.2		2	3				A	NG	U	BL
STINE	3532-4	3.4		2	3	4			A	NG	U	BL
STINE	3582-4*	3.5		2	3				A	NG	U	BL
STINE	3602-4*	3.7		2	3	4			A	NG	U	IB
STINE	3620-4	3.6			3	4			A	Rps1c,1k	U	BU
STINE	4182-4*	4.1			3	4			A	NG	U	BL
STINE	4282-4	4.2				4			A	NG	U	BL
STINE	4392-4	4.3					5		A	NG	U	BL
STINE	4502-4	4.5					5		A	NG	U	BL
STINE	4782-4	4.7					5		A	NG	U	BL
STONE	2346 NRR	3.4			3	4			A	Rps1c	F	BL
STONE	2356 NRR*	3.5			3	4			A	Rps1k	F	IB
STONE	2375 NRR*	3.7			3	4			A	Rps1c	F	BR
STONE	2377 NRR	3.7			3	4			A	Rps1c	F	BL
STONE	2405 NRR*	4.0				4	5		A	Rps1a	F	BR
STONE	2475 NRR*	4.7				4	5		A	Rps1a	F	BL

**2007 Roundup Resistant Soybean Entries**

Company-Brand	Variety*	**M	***Regions Entered					SN	****			
			1	2	3	4	5		6	PRR	IST	HC
SUN PRAIRIE	SP 2765 NRR*	2.7		2	3			6	A	NG	U	BL
SUN PRAIRIE	SP 2896 NRR*	2.8		2	3			6	A	NG	U	BL
SUN PRAIRIE	SP 2904 NRR*	2.9		2	3			6	A	Rps1c	U	IB
SUN PRAIRIE	SP 3555 NRR*	3.5			3			6	A	Rps1k	U	G
SUN PRAIRIE	SP 3602 NRR*	3.6			3			6	A	Rps1k	U	BL
SUN PRAIRIE	SP 3811 NRR*	3.8			3			6	A	NG	U	M
TRELAY	2251	2.5	1						A	Rps1k	F	BR
TRELAY	2276	2.7	1						A	NG	F	BU
TRELAY	2299	2.9	1						A	Rps1k	F	BR
TRELAY	31L77	3.1	1						S	Rps1c	F	BL
TRISOY	2575 RR(CN)	2.5		2					A	Rps1k	F	BR
TRISOY	2878 RRV(CN)	2.8		2					A	?	U	Y
TRISOY	2952 RR(CN)	2.9			3				A	?	U	BL
TRISOY	2973 RR(CN)	2.9		2					A	Rps1k	F	BR
TRISOY	3073 RR(CN)	3.0		2					A	Rps1c	U	BU
TRISOY	3144 RR(CN)	3.1			3				A	Rps1k	U	IB
TRISOY	3172 RRV	3.1			3				S	Rps1c	U	BL
TRISOY	3276 RRV(CN)	3.2				4			A	?	U	BU
TRISOY	3463 RR(CN)	3.4			3				A	Rps1c	U	BL
TRISOY	3675 RR(CN)	3.6				4			A	Rps1c	U	BL
TRISOY	3874 RR(CN)	3.8			3				A	Rps1c	U	BU
TRISOY	3977 RR(CN)	3.9				4	5		A	Rps1c	U	BL
TRISOY	4227 RR(CN)	4.2				4			A	?	U	BL
TRISOY	4275 RR(CN)	4.2					5		A	?	U	BL
TRISOY	4470 RR(CN)	4.4				4			A	Rps1c	U	IB
TRISOY	4475 RR(CN)	4.4					5		A	?	U	BR
TRISOY	4760 RR(CN)	4.7					5		A	?	U	BL
WILKEN	W 2311 NRR	2.1	1						A	Rps1c	B	BL
WILKEN	W 2320 NRR	2.2		2					A	Rps1k	B	IB
WILKEN	W 2322 NRR	2.2		2					A	Rps1k	B	BL
WILKEN	W 2330 NRR	2.3	1	2					A	?	B	BL
WILKEN	W 2339 NRR	2.3		2					A	?	B	BL
WILKEN	W 2341 NRR	2.4		2					A	Rps1k	B	BL
WILKEN	W 2664 NRR	2.6		2					A	?	B	BL
WILKEN	W 2671 NRR*	2.7		2					A	Rps1k	B	BL
WILKEN	W 2792 NRR*	2.9		2	3				A	Rps1c	B	BL
WILKEN	W 2871 NRR*	2.7		2					A	Rps1k	B	IB
WILKEN	W 2881 NRR*	2.8		2					A	Rps1k	B	BR
WILKEN	W 2889 NRR	2.8		2					A	?	B	BL
WILKEN	W 2993 NRR	2.9		2					A	?	B	IB
WILKEN	W 2999 NRR	2.9		2					A	NG	B	BL
WILKEN	W 3332 NRR	3.3		2					A	?	B	BL
WILKEN	W 3411 NRR*	3.1		2					A	Rps1c	B	IB
WILKEN	W 3413 NRR	3.1		2					A	?	B	BL
WILKEN	W 3425 NRR*	3.2		2					A	Rps1k	B	IB
WILKEN	W 3429 NRR*	3.2		2	3				A	Rps1k	B	BL
WILKEN	W 3434 NRR*	3.3		2	3				A	Rps1c	B	BL
WILKEN	W 3465 NRR	3.6			3				A	NG	B	BL
WILKEN	W 3473 NRR	3.7			3				A	Rps1c	B	BU

**2007 Roundup Resistant Soybean Entries**

Company-Brand	Variety*	**M	***Regions Entered						SN	****		
			1	2	3	4	5	6		PRR	IST	HC
WILKEN	W 3479 NRR	3.7			3				A	Rps1c	B	BU
WILKEN	W 3488 NRR	3.8			3				A	NG	B	IB
WILKEN	W 3499 NRR	3.9			3				A	Rps1c	B	BU
WILKEN	W 3577 NRR	3.7			3				A	?	B	BU
WILKEN	W 3592 NRR	3.9			3				A	?	B	BL

\* Producer Nominated Variety

\*\* Maturity Group

- \*\*\*1 = Region 1: Erie, Mt. Morris & DeKalb
- 2 = Region 2: Monmouth, Goodfield & Dwight
- 3 = Region 3: Perry, New Berlin & Urbana
- 4 = Region 4: Belleville & St. Peter
- 5 = Region 5: Harrisburg & Elkhart
- 6 = Urbana 7" Row

\*\*\*\*SN- Source of Soybean Cyst Nematode Resistance

A = PI 88788, B = PI 548402 (Peking), C = PI 437654 (Hartwig), S = Susceptible, X = cystx®,  
D = PU-SCN 14, R? = resistant, source unknown.

PRR = Phytophthora Root Rot Resistance

Rps1\* = resistance gene, seg1\* = segregating for specified gene, NG = No Gene, ? = unknown

IST = Insecticide Seed Treatment

U= Untreated, F= Fungicide, B= Insecticide+Fungicide

HC = Hilum Color

Bl- black, IB- imperfect black, BU- buff, BR- Brown, Y- Yellow, G- Gray, M- Mixed