

2008 Soybean Test Results
Region 1: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY*	IST ¹	Regional Results				Erie Yield bu/a	Mt. Morris Yield bu/a	DeKalb Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a	Region Protein @13%	Region Oil @13%
			Yield bu/a	Maturity Date	Lodging	Height in							
MATURITY GROUP 2													
AGVENTURE	28G9 NRR*	U	61.5	9/22	2.6	33	63.6	62.4	58.5			33.3	19.4
AGVENTURE	29G9 NRR*	U	63.6	9/28	2.8	34	66.7	61.8	62.2			34.1	18.5
ASGROW	AG 2606	U	62.9	9/22	2.6	35	63.6	63.4	61.8	65.3		37.4	17.1
ASGROW	AG 2906	U	61.0	9/26	2.9	35	63.5	63.4	56.2	63.5		34.7	18.7
ASGROW	DKB 27-52	U	65.5	9/22	2.1	33	68.6	63.6	64.1			32.9	19.4
BECK	257 NRR*	F	61.3	9/21	2.6	34	61.8	63.7	58.4			37.6	17.2
BECK	274 NRR*	B	61.4	9/24	3.1	36	62.7	60.0	61.5			35.0	18.5
BECK	296 NRR	B	61.3	9/24	2.4	36	59.7	63.2	61.0			35.7	17.8
CROPLAN	RC 2517*	F	64.1	9/20	2.1	33	64.6	64.4	63.3			34.9	18.3
CROPLAN	RC 2867*	F	60.4	9/24	3.1	34	63.1	61.1	57.0			34.7	18.9
CROW'S	C 2417 R*	U	62.3	9/20	2.6	34	64.4	62.4	59.9			35.4	18.7
CROW'S	C 2515 R*	U	63.4	9/21	2.2	30	65.8	64.7	59.7			34.7	18.3
CROW'S	C 2718 R*	U	63.3	9/23	3.2	40	68.9	63.4	57.4			33.8	19.5
CROW'S	C 2918 R*	U	64.5	9/29	2.7	34	65.5	61.1	67.0			34.8	17.6
DAIRYLAND	DSR-2200 RR	U	63.0	9/21	2.4	34	66.2	62.9	59.9	64.0	63.3	35.3	18.9
DAIRYLAND	DSR-2300 RR	U	62.0	9/20	2.2	33	62.9	62.7	60.3	65.6	64.2	34.4	19.2
DAIRYLAND	DSR-2600 RR	U	60.6	9/25	2.5	31	65.3	59.9	56.7	63.8		33.9	18.8
DAIRYLAND	DSR-2770 RR	U	61.1	9/26	2.8	34	64.6	61.8	57.0	63.4		35.8	18.5
DAIRYLAND	DSR-2929 RR*	U	64.8	9/27	2.9	36	70.2	62.9	61.4	68.2	66.6	33.7	18.7
DAIRYLAND	DST 24-004 RR	U	62.5	9/20	2.5	32	63.5	63.3	60.8			36.0	18.8
DAIRYLAND	DST 25-002 RR	U	65.6	9/21	2.9	34	66.2	67.2	63.3			35.2	18.8
DERAEDT	2323 RR	F	62.8	9/21	2.4	33	62.1	67.2	59.2			35.2	18.9
DERAEDT	2788 RR	U	61.8	9/26	1.9	34	66.8	64.5	54.0	65.3		32.8	19.0
DIENER	2915 CR*	U	65.5	9/27	2.7	34	66.7	63.4	66.2			34.8	17.6
DYNA-GRO	34Y25	B	63.1	9/21	2.2	31	65.1	62.3	61.9			34.9	18.3
DYNA-GRO	38G23	B	63.4	9/20	1.9	32	68.3	62.5	59.6			33.4	19.8
DYNA-GRO	39R29	B	62.3	9/26	2.6	33	61.5	61.1	64.3			34.9	17.7
EXCEL	8203 HPRR*	U	55.8	9/19	2.2	31	57.7	52.4	57.3			35.2	19.1
EXCEL	8216 NRR	U	60.8	9/20	2.6	35	64.5	60.6	57.3			35.3	19.3
EXCEL	8238 RR	U	61.8	9/21	2.3	33	63.9	60.0	61.4			35.2	18.9
EXCEL	8250 NApRR	U	63.4	9/22	2.4	33	65.3	63.1	61.8			33.3	19.6
EXCEL	8273 RR	U	61.1	9/28	2.8	33	66.9	63.0	53.3			35.9	18.6
EXCEL	8288 NRR*	U	64.7	9/28	2.9	37	65.9	62.8	65.3	66.2		34.1	18.6
FONTANELLE	8665 NRR*	U	67.0	9/22	2.4	34	69.2	64.1	67.7	65.8		33.1	19.3
FONTANELLE	8749 NRR*	U	59.0	9/18	1.7	29	61.5	57.7	57.8			34.7	18.9
FONTANELLE	8777 NRR*	U	63.6	9/24	2.8	34	62.0	64.3	64.4			34.6	19.4
FS HISOY	HS 22R70*	B	61.9	9/19	1.9	33	64.5	61.9	59.4			33.4	19.8
FS HISOY	HS 2766	B	63.7	9/23	3.2	40	67.7	64.5	59.0	65.3		33.7	19.4
FS HISOY	HS 28R72	B	60.8	9/25	2.6	36	59.1	63.5	59.9			35.6	17.9
FS HISOY	HS 29R72	B	60.4	9/24	3.0	34	61.0	61.0	59.2	62.2		34.6	18.9
FS HISOY	R 08-26	B	61.8	9/22	2.0	33	66.0	61.8	57.4			34.2	18.9
FS HISOY	R 08-27	B	65.3	9/28	2.8	36	67.9	60.9	67.2			34.3	18.5
G2 GENETICS	7255	B	67.0	9/22	2.4	36	67.2	68.1	65.8			34.1	19.0
G2 GENETICS	7288	B	65.9	9/26	3.1	36	65.2	67.0	65.4			34.0	19.5
G2 GENETICS	7291	B	63.3	9/27	2.6	35	68.0	63.0	59.0			33.7	19.7
HORIZON	H 296 N*	U	59.6	9/27	2.9	35	63.1	56.5	59.3	63.3		34.8	18.1
HUGHES	327 RR	B	63.9	9/20	2.3	34	64.9	64.1	62.7			34.8	19.1
HUGHES	555 RR	B	66.5	9/21	2.2	33	67.3	65.5	66.7	67.2		36.3	18.4
HUGHES	668 RR	B	62.5	9/22	2.8	35	61.9	62.1	63.5			37.7	17.1
HUGHES	777 RR	B	67.3	9/22	2.7	35	64.1	67.8	70.1			36.3	18.0
HUGHES	796 RR	B	65.7	9/28	3.2	35	65.8	64.2	66.9	68.2	66.9	33.5	19.2
ICORN	2.850	U	62.6	9/21	2.5	33	64.3	61.9	61.5			37.4	17.2
ICORN	2.950	U	60.8	9/24	3.0	33	62.9	59.0	60.5			33.6	18.9
KALTENBERG	KB 2309 RR	F	58.2	9/18	1.8	31	63.8	57.0	53.9			35.0	18.7
KALTENBERG	KB 249 RR	F	64.8	9/20	2.5	34	67.5	63.5	63.3	66.0		36.4	18.3
KALTENBERG	KB 2609 RR	F	63.9	9/23	2.6	36	64.6	61.1	65.9			34.6	19.0
KALTENBERG	KB 278 RR	F	59.8	9/23	3.0	35	63.3	58.7	57.5	62.0		34.9	18.8
KRUGER	K-170 RRSCN	U	62.9	9/17	2.2	29	65.8	62.0	60.9			35.9	18.9
KRUGER	K-189 RRSCN	U	61.8	9/16	1.7	29	64.8	64.2	56.3			35.2	19.1
KRUGER	K-201 RRSCN	U	61.6	9/18	2.1	31	61.9	60.8	62.0	64.1	63.4	35.5	19.1
KRUGER	K-204 RRSCN	U	61.9	9/18	1.7	30	65.9	62.0	58.0	64.0		33.8	19.8
KRUGER	K-220 RRSCNLINO	U	60.9	9/20	1.8	31	61.9	58.6	62.2			35.6	18.7
KRUGER	K-228 RRSCN	U	61.0	9/18	2.0	30	61.0	62.1	59.9	63.0		33.6	19.8
KRUGER	K-239 RR	U	62.2	9/21	2.4	33	66.6	61.0	58.9	64.8		35.1	18.9
KRUGER	K-245 RRSCNLINO	U	61.0	9/21	2.2	33	61.1	61.5	60.5			34.8	18.9
KRUGER	K-248 RRSCN	U	60.5	9/21	2.5	32	61.6	59.5	60.2	61.2		35.0	19.2
KRUGER	K-249 RRSCN	U	64.3	9/20	2.3	33	64.2	64.9	63.8			36.1	18.4
KRUGER	K-251 RRSCN	U	63.8	9/21	2.4	31	64.7	61.7	64.9	65.4		34.8	18.3
KRUGER	K-256 RR	U	58.4	9/21	2.7	34	61.9	56.7	56.6			35.1	18.3
KRUGER	K-263 RRSCNLINO	U	61.4	9/20	3.0	35	62.5	63.6	58.0			34.1	19.0
KRUGER	K-271 RR	U	61.3	9/24	3.0	34	65.3	59.2	59.4	62.9		35.9	18.4
KRUGER	K-272 RRSCNLINO	U	58.0	9/24	2.4	31	59.5	57.4	57.1			35.3	18.5
KRUGER	K-274 RRSCN	U	61.5	9/22	2.7	33	62.7	60.9	61.0	66.5		34.8	19.3
KRUGER	K-275 RRSCN	F	62.7	9/24	3.4	40	67.5	62.0	58.8	65.5	62.3	33.6	19.4
KRUGER	K-285 RRSCN	U	61.0	9/26	3.1	35	61.9	59.7	61.3			33.6	19.0
KRUGER	K-297 RRSCN	U	64.1	9/27	2.5	34	66.2	62.0	64.1	63.4		35.0	17.6
LATHAM	L 2620 RX*	B	59.9	9/25	2.7	36	56.9	59.3	63.4			35.6	18.2
LG SEEDS	C 2568 NRR	F	61.6	9/21	2.1	32	63.0	64.2	57.5			34.0	19.0
MAVRICK	5284 RR*	U	59.0	9/27	2.7	34	59.4	57.3	60.5			35.5	18.5
MAVRICK	7270 RR*	U	60.9	9/28	3.1	34	61.9	58.3	62.4			33.0	19.2
MERSCHMAN	APACHE 925 RR	B	63.9	9/22	2.1	32	62.6	65.8	63.4			34.1	18.9

2008 Soybean Test Results
Region 1: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY*	IST [†]	Regional Results				Erie Yield bu/a	Mt. Morris Yield bu/a	DeKalb Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a	Region Protein @13%	Region Oil @13%
			Yield bu/a	Maturity Date	Lodging	Height in							
	*Producer Nominated												
MERSCHMAN	CHEROKEE 729 RR*	B	61.6	9/24	2.4	34	62.6	61.8	60.5	64.0	63.6	34.8	18.7
MERSCHMAN	SHAWNEE 928 RR	B	62.5	9/27	2.8	36	61.2	63.5	62.7			34.1	18.4
MIDWEST SEED GEN	GR 2531*	U	62.9	9/20	2.3	31	63.8	62.9	62.0			35.0	18.2
MIDWEST SEED GEN	GR 2731*	U	64.6	9/23	3.2	38	69.0	63.2	61.6			33.8	19.4
MIDWEST SEED GEN	GR 2751*	U	58.5	9/23	2.7	34	64.8	57.9	52.8			35.6	18.6
MIDWEST SEED GEN	GR 2934*	U	64.9	9/26	2.3	33	65.3	65.3	64.2			34.6	17.8
MWS	2641 XCRR*	U	56.6	9/25	2.9	36	56.7	55.7	57.4			35.5	18.1
NK BRAND	S 20-P3	B	62.8	9/18	2.5	32	63.9	63.5	60.9			35.4	18.8
NK BRAND	S 21-N6	B	62.8	9/18	2.0	28	63.5	64.0	60.7	65.4		33.1	20.1
NK BRAND	S 24-J1	B	63.8	9/20	2.2	30	63.8	67.5	60.2	65.9		36.2	18.6
NK BRAND	S 27-C4*	B	63.9	9/27	2.6	32	67.6	61.0	63.0			34.9	18.7
NK BRAND	S 27-L4*	B	63.7	9/22	2.0	33	68.0	63.5	59.5	63.9		33.9	19.2
NK BRAND	S 28-B4*	B	62.4	9/21	2.3	33	61.5	64.8	60.8	65.8		33.5	19.0
NK BRAND	S 29-J6*	B	64.1	9/27	2.9	38	65.8	62.1	64.6	65.7	63.9	34.2	18.8
NK BRAND	XR 2686*	B	59.6	9/21	2.8	33	59.8	58.3	60.6			34.9	18.7
NUTECH	7274	B	66.8	9/19	2.2	34	67.8	69.2	63.3			33.9	19.1
NUTECH	7277	B	66.7	9/23	3.3	39	67.9	67.7	64.6			34.0	19.4
NUTECH	7297	B	65.2	9/28	3.1	36	65.8	63.3	66.6			34.5	18.4
NUTECH	NT-2220 RR	B	64.1	9/22	2.3	32	65.7	64.3	62.3	67.3		34.2	18.8
NUTECH	NT-2324+RRSCN	B	68.3	9/20	1.9	31	69.0	68.9	67.1	67.7		35.2	19.5
PIONEER	92M54*	B	67.7	9/20	2.3	33	69.2	67.2	66.7	69.0		35.8	19.0
PIONEER	92Y30	B	66.1	9/18	2.2	33	67.2	65.6	65.6			33.8	20.0
PIONEER	92Y80*	B	66.9	9/26	2.9	37	68.5	64.3	68.0			36.5	18.7
PRAIRIE BRAND	PB-2207 NRR	B	65.2	9/18	2.1	33	66.8	65.7	63.0			33.5	19.7
PRAIRIE BRAND	PB-2347 NRR*	B	61.3	9/18	1.8	31	62.2	59.7	62.1			34.7	18.8
PRAIRIE BRAND	PB-2443 RR*	B	62.2	9/21	2.5	31	66.4	59.5	60.8			36.0	18.6
PRAIRIE BRAND	PB-2558 NRR	B	68.4	9/20	2.4	33	68.9	69.9	66.4			36.4	18.3
PRAIRIE BRAND	PB-2698 NRR	B	63.0	9/22	2.3	33	64.1	66.2	58.8			33.7	19.2
PRAIRIE BRAND	PB-2907 NRR*	B	64.7	9/27	2.8	35	67.5	62.9	63.8			35.0	17.7
PUBLIC	LD 06-50113 R*	U	59.0	9/21	2.1	30	64.6	55.7	56.8			33.0	19.8
PUBLIC	LD 06-50122 R*	U	57.1	9/19	2.7	29	59.4	51.8	60.0			33.4	20.5
RENK	RS 239 RR	U	60.3	9/20	2.1	32	64.0	63.0	53.9			34.4	19.2
RENK	RS 247 NRR	F	65.0	9/18	1.7	30	68.4	63.5	63.0	66.0		35.0	19.6
RENK	RS 259 NRR	U	65.9	9/20	2.2	32	68.1	64.6	64.9			36.2	18.4
RENK	RS 265 RR	F	62.2	9/19	2.9	35	63.1	64.8	58.6	66.1	64.1	35.6	18.8
RENK	RS 277 NRR	F	62.8	9/26	1.8	33	69.3	64.6	54.5	66.1		33.5	18.9
ROESCHLEY	2575 CRR	U	64.8	9/21	2.3	32	64.3	65.9	64.3			36.2	18.5
ROESCHLEY	2860 CRR*	U	60.9	9/27	3.2	35	61.4	58.2	63.1	63.4		33.2	19.3
ROESCHLEY	2960 CRR*	U	62.0	9/29	2.9	37	67.1	57.4	61.6			33.0	18.7
ROESCHLEY	2972 CRR*	U	61.6	9/26	3.0	35	66.2	58.7	59.7			35.0	18.2
SHEPHERD	SB 195 CNRR*	U	58.3	9/20	2.2	33	60.7	58.9	55.3	61.8	60.3	36.1	18.6
STEYER	2550 RR	U	62.2	9/20	2.4	31	63.4	59.7	63.6			34.8	18.3
STEYER	2960 RR	U	63.8	9/26	2.7	35	68.7	59.7	62.8	64.3		34.5	18.4
STINE	2862-4	U	62.5	9/28	2.5	35	63.4	60.4	63.8	62.4		34.8	17.8
STONE SEED GROUP	3A259 NRR	B	68.9	9/20	2.2	33	68.0	68.9	69.9			36.2	18.4
STONE SEED GROUP	3A278 NRR*	B	64.9	9/21	2.9	34	65.7	65.5	63.5			34.7	19.4
STONE SEED GROUP	3A288 NRR*	B	63.5	9/26	3.1	36	63.9	63.7	62.7			33.8	19.0
STONE SEED GROUP	3A298 NRR*	B	63.4	9/28	3.1	34	64.5	59.6	66.0			34.5	18.5
TRELAY	2252	B	65.9	9/20	2.2	33	67.6	66.3	63.8			36.0	18.6
TRELAY	2299	B	63.9	9/26	2.5	34	61.9	63.7	65.9	62.9		34.9	17.8
VIGORO	V 25N9 RR	F	66.9	9/20	2.4	34	69.8	67.6	63.4			36.3	18.4
VIGORO	V 28N9 RR	F	59.2	9/23	2.5	37	58.7	58.8	59.9			35.8	17.8
VIGORO	V 29N8 RR	F	63.3	9/27	2.6	34	61.4	62.1	66.4			34.9	17.7
WILLCROSS	RR 2239 N	T	61.5	9/18	2.1	30	60.8	62.7	61.0			33.7	19.7
WILLCROSS	RR 2298 N	T	63.0	9/26	2.6	33	65.3	62.2	61.5			34.9	17.7
	AVERAGE		62.8	9/23	2.5	34	64.5	62.4	61.4	64.8	63.9	34.8	18.7
	L.S.D. 25% LEVEL		2.4		0.2	1	2.5	2.8	3.3			0.32	0.17
	COEFF. OF VAR. (%)		6.9		17.8	7	4.1	4.8	5.6			1.7	1.7

MATURITY GROUP 3

AGVENTURE	33G3 NRR*	U	58.5	10/1	3.0	33	60.7	58.0	56.7			35.2	18.9
ASGROW	AG 3203	U	63.8	10/2	2.5	35	64.5	63.5	63.4	65.7		35.7	18.1
ASGROW	AG 3402	U	62.7	10/4	3.4	38	65.7	59.5	63.0			35.5	17.5
BECK	307 NRR	F	61.6	10/2	3.1	35	63.8	60.2	60.7			34.6	18.2
CROPLAN	RC 3377*	F	60.2	10/2	2.8	36	64.4	53.0	63.1			35.3	18.0
DAIRYLAND	DSR-3003 RRSTS*	U	63.5	9/28	2.9	35	62.3	66.0	62.0	68.9	67.1	34.9	18.7
DAIRYLAND	DSR-3130 RR	U	61.2	10/1	2.9	34	61.3	62.9	59.4	64.8	62.8	34.4	18.8
DAIRYLAND	DSR-3265 RR	U	60.1	10/2	3.2	36	62.8	60.8	56.8			34.7	18.7
DIENER	3120 CR*	U	60.4	10/2	2.9	35	64.1	58.5	58.6			35.6	19.2
FS HISOY	HS 30R72	B	63.1	9/29	2.7	34	64.4	62.5	62.4	63.4		34.6	17.7
FS HISOY	R 08-31	B	63.9	9/30	3.2	35	68.1	59.5	64.1			35.4	18.1
HORIZON	H 303 N*	U	60.1	10/2	2.8	35	63.0	57.0	60.3	63.8	62.8	35.4	19.2
HORIZON	H 323 N	U	62.5	9/30	2.9	34	64.3	60.6	62.5			35.4	18.1
HORIZON	H 340 N*	U	61.1	10/5	2.5	37	63.7	61.3	58.4	62.0		33.7	18.4
ICORN	3.150	U	59.7	10/1	3.2	36	63.4	58.1	57.7			34.7	18.3
ICORN	3.450	F	62.6	10/4	2.6	37	62.9	62.3	62.6			33.7	18.4
KALTENBERG	KB 308 RR	F	62.2	9/27	2.1	33	63.6	63.8	59.2			34.9	19.0
KRUGER	K-316 RRSCN	U	62.9	9/29	2.2	33	69.0	61.3	58.3	67.3	67.7	34.7	19.0
KRUGER	K-329 RRSCN	U	63.7	9/30	3.1	36	64.7	64.0	62.4			35.4	18.1
NK BRAND	S 30-F5*	U	64.1	9/30	3.1	37	66.8	65.0	60.5			33.9	18.2
NK BRAND	S 32-E2*	B	65.1	9/30	3.3	36	66.0	66.1	63.2	65.1		33.4	19.3

2008 Soybean Test Results

Region 1: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY*	IST ¹	Regional Results				Erie Yield bu/a	Mt. Morris Yield bu/a	DeKalb Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a	Region Protein @13%	Region Oil @13%
			Yield bu/a	Maturity Date	Lodging	Height in							
	*Producer Nominated												
PIONEER	93M42*	B	63.8	10/2	2.7	39	65.2	63.7	62.4	66.2	35.1	18.1	
PIONEER	93M61*	B	61.7	10/1	2.6	37	61.4	61.3	62.6		34.7	18.2	
PIONEER	93Y02	B	65.2	9/28	2.4	34	68.2	63.9	63.4		34.7	18.5	
PIONEER	93Y11*	B	63.0	10/1	2.4	37	63.3	61.7	63.9		35.8	18.6	
PRAIRIE BRAND	PB-2956 NRR*	B	62.5	9/29	2.3	34	62.4	65.4	59.5		35.0	18.8	
STINE	3128-4	U	62.8	9/28	2.2	35	68.0	62.9	57.6	64.7	35.2	18.8	
TRELAY	2311	B	65.7	10/3	3.2	36	67.8	63.5	65.9		35.1	18.2	
VIGORO	V 31N9 RR	F	63.6	9/29	3.0	34	64.4	60.6	65.8		35.3	18.2	
	AVERAGE		62.4	10/1	2.8	35	64.4	61.6	61.2	65.2	65.1	34.9	18.4
	L.S.D. 25% LEVEL		2.2		0.2	1	5.0	2.9	3.1			0.29	0.16
	COEFF. OF VAR. (%)		6.4		16.4	6	4.7	5.0	5.3			1.5	1.6

¹IST= Insecticide Seed Treatment: U= Untreated, F= Fungicide, B= Insecticide+Fungicide, T= Treatment Unknown