

2008 Soybean Test Results
Region 2: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY*	IST ¹	Regional Results				Height in	Monmouth Yield bu/a	Goodfield Yield bu/a	Dwight Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a	Region Protein @ 13%	Region Oil @ 13%
			Yield bu/a	Maturity Date	Lodging									
MATURITY GROUP 2														
AGVENTURE	28G9 NRR*	U	66.4	9/22	2.5	37	69.3	66.7	63.4			33.9	19.4	
AGVENTURE	29G9 NRR*	U	71.7	9/27	2.8	39	74.3	74.1	66.6			34.4	18.9	
ASGROW	AG 2906	U	63.4	9/25	2.5	36	66.7	65.2	58.2	59.8		34.9	19.1	
BECK	257 NRR*	F	66.0	9/21	2.5	37	71.4	66.0	60.7			37.7	17.5	
BECK	274 NRR*	B	65.3	9/23	2.7	40	69.5	65.3	61.1	62.6	62.8	35.4	18.6	
CROW'S	C 2718 R*	U	65.2	9/22	3.0	43	60.1	69.7	65.7			34.4	19.7	
CROW'S	C 2918 R*	U	69.2	9/25	2.5	36	71.8	70.5	65.2			35.0	18.1	
DAIRYLAND	DSR-2600 RR	U	64.0	9/21	2.1	34	65.5	64.0	62.6	62.4		34.1	19.1	
DAIRYLAND	DSR-2770 RR	U	67.8	9/24	2.6	37	69.4	69.0	64.9	64.4		36.5	18.6	
DAIRYLAND	DSR-2850 RRSTSHP*	U	62.2	9/26	2.8	40	64.1	62.0	60.4	55.9	56.3	35.7	18.6	
DAIRYLAND	DSR-2929 RR*	U	68.3	9/26	2.8	38	66.6	71.2	67.1	65.5	63.5	34.5	19.0	
DIENER	2915 CR*	U	68.8	9/25	2.4	38	67.9	71.4	67.3			34.8	18.1	
DYNA-GRO	39R29	B	72.4	9/26	2.7	37	73.9	75.1	68.0			35.2	18.0	
EXCEL	8203 HPRR*	U	61.2	9/12	2.0	32	67.7	59.1	56.7			35.1	19.5	
FS HISOY	HS 28R72	B	68.3	9/24	2.6	41	74.0	67.2	63.6			35.7	18.3	
FS HISOY	HS 29R72	B	63.9	9/24	2.6	38	63.6	66.0	62.2			34.8	19.2	
FS HISOY	R 08-27	B	71.9	9/27	2.8	37	75.6	73.4	66.9			34.5	18.9	
HORIZON	H 296 N*	U	69.3	9/27	3.0	38	69.8	71.7	66.3	67.2		34.8	18.6	
KRUGER	K-248 RRSCN	U	66.7	9/21	2.0	35	68.6	65.0	66.3	60.3		35.0	19.7	
KRUGER	K-274 RRSCN	U	62.0	9/23	2.8	38	65.8	62.6	57.6	63.0		35.2	19.4	
KRUGER	K-275 RRSCN	F	67.2	9/24	2.9	44	67.5	68.8	65.4	63.9	63.5	34.3	19.6	
KRUGER	K-285 RRSCN	U	69.0	9/26	2.8	37	71.0	70.2	65.6			34.0	19.4	
KRUGER	K-294 RRSCN	U	69.5	9/24	2.7	40	72.2	72.5	63.9	60.8	59.5	35.4	18.4	
KRUGER	K-297 RRSCN	U	71.0	9/26	2.6	37	73.7	71.9	67.3	65.2		35.1	18.2	
LATHAM	L 2620 RX*	B	62.7	9/24	2.4	39	63.5	63.3	61.3			36.3	18.2	
LEWIS	2908	F	72.3	9/26	2.7	36	74.9	73.1	68.9	66.2		35.0	18.0	
MAVRICK	5284 RR*	U	65.5	9/25	2.7	37	71.1	65.3	60.1	59.1		35.5	19.1	
MAVRICK	7270 RR*	U	68.7	9/27	2.8	36	73.4	69.6	63.0			33.6	19.5	
MERSCHMAN	APACHE 925 RR	B	66.8	9/20	2.1	37	68.8	68.8	62.8			34.4	19.3	
MERSCHMAN	CHEROKEE 729 RR*	B	62.3	9/23	2.3	37	62.4	64.8	59.6	61.7	62.3	35.1	18.8	
MERSCHMAN	SHAWNEE 928 RR	B	68.0	9/24	2.8	39	71.7	67.8	64.5			34.7	18.6	
MIDWEST SEED GEN	GR 2731*	U	67.9	9/22	2.9	43	70.7	69.6	63.5			34.0	19.9	
MIDWEST SEED GEN	GR 2751*	U	67.2	9/24	2.5	37	69.5	71.0	61.0			36.4	18.6	
MIDWEST SEED GEN	GR 2934*	U	70.7	9/25	2.6	36	71.0	72.8	68.2			35.0	18.1	
MUNSON	8279 RR	B	65.5	9/20	2.4	38	67.5	66.2	62.9			37.6	17.5	
MUNSON	8298 RR	B	69.7	9/27	2.9	39	74.0	71.9	63.2	67.1		35.0	18.6	
MWS	2414 CRR*	F	64.4	9/18	2.1	33	65.0	66.2	61.9			36.3	18.7	
MWS	2641 XCRR*	U	61.7	9/24	2.4	39	62.7	62.2	60.3			36.1	18.3	
MWS	2831 CRR*	F	66.4	9/24	2.6	37	72.4	64.8	62.0			34.5	19.4	
MWS	2911 CRR*	U	63.5	9/26	2.8	40	65.4	65.3	59.7	55.4	55.8	35.6	18.7	
MWS	2939 CRR*	F	69.6	9/26	2.6	38	74.2	71.6	62.9			33.3	19.1	
MYCOGEN	5B261 RR*	F	61.9	9/20	2.9	39	61.2	64.4	60.1			35.7	19.0	
MYCOGEN	5N291 RR*	U	66.7	9/24	2.7	37	71.1	66.6	62.6			34.9	19.2	
NK BRAND	S 27-C4*	B	70.7	9/25	2.2	35	74.3	72.9	64.9			35.1	19.1	
NK BRAND	S 27-L4*	B	69.3	9/19	1.9	38	73.3	68.5	66.1	65.0		34.7	19.3	
NK BRAND	S 28-B4*	B	63.5	9/19	2.1	37	64.8	61.6	63.9	58.4		34.4	19.1	
NK BRAND	S 29-J6*	B	68.0	9/26	2.6	41	67.5	69.2	67.3	66.2	66.4	34.7	18.9	
NK BRAND	XR 2686*	B	68.8	9/21	2.4	36	75.6	67.4	63.4			34.7	19.2	
NUTECH	7274	B	68.4	9/22	2.5	38	72.2	67.8	65.2			34.6	19.2	
NUTECH	7296	B	69.0	9/23	2.3	40	71.8	67.7	67.5			36.2	17.9	
NUTECH	7297	B	69.5	9/27	2.9	41	73.5	68.8	66.1	67.8		35.0	18.6	
NUTECH	NT-2324+RRSCN	B	69.2	9/20	2.0	35	74.0	68.4	65.1	65.4		36.0	19.6	
PIONEER	92M54*	B	69.9	9/19	2.0	38	73.7	69.9	66.2			36.0	19.3	
PIONEER	92M61*	B	68.4	9/20	2.5	39	72.2	67.5	65.4	64.8		34.9	19.5	
PIONEER	92M81*	B	67.5	9/21	2.2	37	67.1	73.4	62.0	62.9		34.4	19.3	
PIONEER	92Y80*	B	70.0	9/24	2.6	39	73.0	71.3	65.7			36.6	19.1	
PRAIRIE BRAND	PB-2907 NRR*	B	72.6	9/26	2.7	37	72.8	74.7	70.5			35.5	18.0	
PUBLIC	LD 06-50113 R*	U	63.0	9/18	2.2	35	66.4	61.0	61.6			33.6	20.1	
PUBLIC	LD 06-50122 R*	U	60.3	9/11	2.6	33	65.9	55.7	59.3			33.4	20.9	
STINE	2862-4	U	72.0	9/26	2.5	37	76.0	73.1	66.8	66.1		34.9	18.3	
STONE SEED GROUP	3A278 NRR*	B	62.8	9/21	2.7	38	67.0	62.0	59.4			35.3	19.4	
STONE SEED GROUP	3A288 NRR*	B	69.4	9/28	2.9	39	69.3	70.4	68.6			34.1	19.2	
STONE SEED GROUP	3A298 NRR*	B	70.6	9/28	2.8	41	73.8	71.1	67.1			35.2	18.6	
SUN PRAIRIE	2904 NRR*	U	64.0	9/25	2.7	38	68.4	63.6	60.0	60.1		35.1	18.8	
TRISOY	2575 RR(CN)*	B	63.5	9/19	2.0	34	65.7	63.5	61.4	62.4		34.8	18.6	
TRISOY	2973 RR(CN)*	B	71.9	9/25	2.6	38	76.8	69.7	69.2	65.5		34.5	18.2	
VIGORO	V 28N9 RR	F	64.1	9/23	2.6	39	62.9	67.5	62.0			35.4	18.4	
VIGORO	V 29N8 RR	F	71.6	9/27	2.6	37	76.4	71.9	66.5			35.0	18.2	
WILKEN	W 2310 NRR	B	67.8	9/14	1.9	34	70.8	68.7	63.9			34.4	19.9	
WILKEN	W 2311 NRR	B	65.2	9/15	1.9	35	70.3	64.9	60.2			35.3	19.6	
WILKEN	W 2320 NRR*	B	63.2	9/16	2.1	34	71.1	59.0	59.6	63.4	61.7	34.7	19.7	
WILKEN	W 2330 NRR	B	66.5	9/18	2.1	36	68.9	67.3	63.2	60.4		33.9	20.0	
WILKEN	W 2664 NRR*	B	69.3	9/17	2.0	35	72.4	70.0	65.4	66.3		35.3	18.4	
WILKEN	W 2667 NRR	B	69.8	9/21	2.2	37	72.3	70.5	66.5			34.5	19.3	
WILKEN	W 2792 NRR*	B	65.1	9/24	2.7	40	68.1	66.8	60.5	63.0	63.3	35.4	18.6	
WILKEN	W 2871 NRR	B	66.4	9/23	2.8	44	67.0	69.6	62.6	62.3	62.3	34.2	19.8	
WILKEN	W 2881 NRR*	B	67.0	9/22	2.2	37	71.1	65.5	64.4	60.4	60.6	33.9	19.4	
WILKEN	W 2889 NRR*	B	70.0	9/26	3.0	39	70.8	73.4	65.9	64.2		33.7	19.5	
WILKEN	W 2993 NRR*	B	70.3	9/27	2.6	37	71.1	72.3	67.5	64.1		35.3	17.8	
WILKEN	W2339 NRR	B	67.1	9/20	2.1	32	68.9	67.8	64.7	65.5		37.0	19.2	
WILLCROSS	RR 2298 N	T	73.2	9/26	2.6	36	75.7	75.3	68.5			35.1	18.0	

2008 Soybean Test Results
Region 2: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY*	IST [†]	Yield bu/a	Regional Results			Height in	Monmouth	Goodfield	Dwight	2 yr	3 yr	Region Protein @ 13%	Region Oil @ 13%
				Maturity Date	Lodging	Yield bu/a		Yield bu/a	Yield bu/a	Avg Yield bu/a	Avg Yield bu/a			
WYCKOFF	W 2872 CRR	B	71.2	9/27	3.0	39	74.9	73.0	65.7				33.8	19.4
WYCKOFF	W 2990 CRR	B	70.9	9/27	2.9	40	76.1	72.4	64.3				34.8	18.7
	AVERAGE		67.4	9/23	2.5	38	70.0	68.1	63.9	63.1	61.5		35.0	18.9
	L.S.D. 25% LEVEL		2.2		0.2	1	7.1	2.6	2.6				0.32	0.17
	COEFF. OF VAR. (%)		5.9		17.6	6	6.2	4.1	4.3				1.7	1.7
MATURITY GROUP 3														
AGVENTURE	33G3 NRR*	U	66.6	9/29	3.0	36	68.9	66.7	64.1				35.7	19.0
AGVENTURE	34G4 NRR*	U	66.6	10/1	2.8	39	66.0	69.7	64.2				34.9	18.4
AGVENTURE	36P1 NRR*	U	62.4	10/2	2.8	40	61.6	64.2	61.6				35.7	18.3
ASGROW	AG 3101*	U	63.4	9/26	2.9	40	63.4	65.9	60.9	60.1	60.8		37.9	17.2
ASGROW	AG 3203	U	67.5	9/28	2.8	37	70.7	67.8	64.0	64.0	63.0		36.5	18.1
ASGROW	AG 3205*	U	64.8	9/28	2.9	42	67.3	65.7	61.4				37.3	16.7
ASGROW	AG 3402	U	68.2	9/30	3.4	41	71.1	69.4	64.0	67.4			36.3	17.6
ASGROW	AG 3602*	U	65.4	10/2	3.3	41	63.5	69.4	63.4	63.7	63.6		37.0	17.1
ASGROW	AG 3603	U	67.5	10/1	3.1	41	70.4	68.4	63.5				36.8	18.0
ASGROW	AG 3705	U	69.3	10/5	2.8	40	70.9	72.2	64.9				35.1	18.0
ASGROW	AG 3803	U	71.1	10/7	3.2	43	74.6	70.1	68.5				35.6	18.2
BECK	307 NRR	F	69.1	9/27	3.3	39	72.5	68.9	65.9	64.4			35.4	18.4
BECK	321 NRR	F	67.3	9/27	3.1	36	68.2	68.3	65.5	65.5	65.7		35.7	19.0
BECK	342 NRR	F	69.0	10/1	2.8	40	68.9	71.5	66.5	65.4	64.6		35.1	18.2
BECK	377 NRR	B	63.8	10/3	2.9	43	64.4	60.8	66.2				34.7	18.3
CROPLAN	RC 3377*	F	68.2	9/28	2.7	38	67.3	71.5	65.7				35.9	18.1
CROPLAN	RC 3667*	F	65.3	10/4	3.1	42	66.0	67.2	62.8				36.0	18.3
CROPLAN	RC 3757*	F	65.3	10/3	3.2	41	68.5	66.7	60.6				36.1	17.5
CROPLAN	RC 3864 STS*	F	65.6	10/5	3.0	40	66.2	66.0	64.5				35.3	18.1
CROPLAN	RT 3253*	F	65.6	9/26	3.3	41	68.3	64.8	63.6				35.2	18.6
CROW'S	C 3145 R*	U	67.6	9/26	2.5	35	69.0	70.3	63.4				36.0	19.0
CROW'S	C 3418 R*	U	66.4	9/30	2.7	40	67.4	69.3	62.3				34.9	18.3
CROW'S	C 3619 R*	U	62.5	10/2	2.8	39	61.6	66.2	59.6				35.9	18.3
DAIRYLAND	DSR-3003 RRSTs*	U	66.7	9/27	3.1	41	67.5	68.6	63.9	62.3	61.0		36.3	18.6
DAIRYLAND	DSR-3155 RR	U	65.9	9/28	2.6	37	69.2	65.8	62.7				36.5	18.0
DAIRYLAND	DSR-3265 RR	U	64.8	9/29	3.4	41	69.8	64.4	60.3				35.6	18.6
DAIRYLAND	DSR-3320 RRSTs*	U	64.4	9/28	3.0	39	66.0	65.6	61.5	57.3			35.8	18.7
DAIRYLAND	DSR-3550 RR	U	60.6	9/28	2.8	35	59.7	62.5	59.8				35.5	18.5
DIENER	3120 CR*	U	65.6	9/28	3.2	39	68.8	65.6	62.3				36.2	19.3
DIENER	3484 CR*	U	67.1	9/30	2.7	38	67.8	69.6	63.9				34.9	18.3
DYNA-GRO	37J34	B	68.3	9/30	3.0	40	67.1	69.9	67.9	67.0			34.7	18.3
DYNA-GRO	38B31	B	68.1	9/27	2.7	36	68.6	70.1	65.6				36.1	18.8
DYNA-GRO	38R33	B	66.6	9/30	3.0	42	64.7	69.5	65.5				35.9	17.8
FONTANELLE	9312 RR*	U	64.4	9/26	3.3	41	70.1	65.2	57.9				35.1	18.7
FONTANELLE	9412 NRR*	U	64.9	9/28	3.2	41	67.4	64.8	62.3	61.0			36.9	17.5
FS HISOY	HS 30R72	B	71.0	9/26	2.7	37	73.0	71.1	68.8	65.1			35.5	17.8
FS HISOY	HS 3156*	B	63.2	9/28	3.2	38	64.6	64.9	60.1	63.0	62.5		36.0	19.4
FS HISOY	HS 33R70	U	66.8	9/28	3.0	39	70.1	67.4	63.0	65.0			35.8	17.8
FS HISOY	HS 3466	B	68.5	10/1	2.9	39	69.4	69.6	66.3	67.1			34.9	18.2
FS HISOY	HS 3766	B	63.7	9/29	3.2	39	62.0	65.8	63.5	59.5			36.3	18.8
FS HISOY	HS 3846	B	65.0	10/5	3.0	41	64.3	66.5	64.1	61.0			35.1	18.2
FS HISOY	R 08-31	B	66.7	9/27	3.2	39	70.1	68.0	62.1				36.4	18.1
FS HISOY	R 08-35	B	62.6	9/28	2.8	39	61.6	64.9	61.3				35.1	18.7
FS HISOY	R 08-38	B	63.8	10/2	3.0	41	66.9	64.5	60.1				36.6	17.3
G2 GENETICS	7333	B	67.4	9/29	3.2	43	69.8	67.0	65.6				34.7	18.6
G2 GENETICS	7383	B	64.4	10/1	3.3	46	63.1	67.5	62.8				36.4	18.6
GREAT HEART	GT-380 CRR*	F	62.4	10/7	2.8	40	60.7	66.6	60.0				36.0	17.9
GREAT HEART	GT-397 CRR*	F	63.8	10/7	3.6	44	64.8	66.5	60.1				36.6	17.5
HOBLOT	HB 313 NRR	U	66.8	9/29	3.1	38	69.8	67.6	63.1				36.4	18.0
HORIZON	H 303 N*	U	65.1	9/28	3.1	38	68.4	65.1	61.8	63.0	61.8		36.0	19.3
HORIZON	H 323 N	U	66.2	9/29	3.4	39	68.5	66.2	63.9				36.4	18.0
HORIZON	H 340 N*	U	66.0	9/30	2.7	39	67.4	67.8	63.0	64.1	63.8		34.9	18.3
HORIZON	H 352 N*	U	62.7	9/30	2.8	35	64.3	64.9	59.0	60.6	60.0		35.8	18.8
HORIZON	H 354 N	U	64.4	10/1	2.9	41	65.1	68.3	59.8				35.4	18.4
HORIZON	H 373 N	U	63.3	10/3	2.8	40	64.5	63.5	62.0				34.6	18.3
HORIZON	H 378 N*	U	63.4	10/4	3.3	40	64.1	63.5	62.6	63.1	63.9		36.1	18.8
ICORN	3.150	U	66.6	9/28	3.5	40	68.7	68.4	62.6				35.4	18.3
ICORN	3.450	F	68.2	10/1	2.9	38	72.2	67.4	65.1				34.9	18.2
ICORN	3.750	U	67.3	10/6	3.1	42	64.1	71.6	66.2				35.8	18.1
KRUGER	K-302 RRSCNLINO	U	63.8	9/26	2.2	40	66.3	62.4	62.7	57.8			36.2	19.1
KRUGER	K-316 RRSCN	U	67.8	9/26	2.4	37	70.3	67.8	65.3	63.3	64.1		35.8	19.0
KRUGER	K-321 RRSCNLINO	U	65.1	9/28	3.3	39	65.9	67.2	62.3	61.3			35.0	19.1
KRUGER	K-329 RRSCN	U	67.0	9/29	3.3	39	66.3	70.4	64.2				36.2	18.2
KRUGER	K-333 RRSCN	U	65.4	9/28	3.0	36	67.1	68.0	61.2	62.3	62.9		35.6	19.1
KRUGER	K-338 RRSCNLINO	U	64.0	9/29	2.8	39	65.0	66.2	60.8				35.3	18.6
KRUGER	K-341 RRSCN	U	67.6	9/30	2.6	37	68.3	70.3	64.2	63.7	62.2		36.1	18.4
KRUGER	K-348 RRSCN	U	68.5	9/28	2.9	38	70.8	68.9	65.8	68.8			34.2	18.6
KRUGER	K-363 RRSCN	U	63.0	10/4	2.8	40	60.3	67.3	61.4	59.7	60.0		35.7	18.3
KRUGER	K-372 RRSCN	U	62.2	10/3	2.8	41	62.4	61.6	62.6				34.2	18.6
KRUGER	K-384 RRSCN	U	68.2	10/6	3.1	41	68.0	69.6	67.0	67.6			35.8	18.2
KRUGER	K-389 RRSCN	U	63.3	10/4	2.9	39	59.7	68.0	62.3	60.0	61.8		35.0	18.3
LEWIS	3599	F	67.5	10/2	2.7	40	68.7	69.5	64.3				35.1	17.7
LEWIS	3407*	F	65.2	10/2	2.8	39	65.3	67.2	63.1	64.1			34.8	18.2
LG SEEDS	C 3445 NRR	U	64.7	9/29	2.7	40	62.4	70.3	61.2				34.6	18.3

2008 Soybean Test Results
Region 2: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY*	IST ¹	Regional Results				Monmouth	Goodfield	Dwight	2 yr	3 yr	Region Protein @ 13%	Region Oil @ 13%
			Yield bu/a	Maturity Date	Lodging	Height in	Yield bu/a	Yield bu/a	Yield bu/a	Avg Yield bu/a	Avg Yield bu/a		
	*Producer Nominated												
MAVRICK	6343 RR*	U	65.4	10/2	2.9	40	65.3	67.8	62.9	63.4	34.9	18.2	
MAVRICK	7303 RR*	U	66.0	9/28	3.4	39	69.1	66.3	62.6		35.5	18.3	
MERSCHMAN	EISENHOWER 937 RR	B	66.9	10/5	3.0	41	66.2	70.8	63.7		35.0	18.1	
MERSCHMAN	GRANT 935 RR	B	63.7	9/29	3.2	42	67.0	68.0	56.2		35.4	18.1	
MERSCHMAN	KENNEDY 836 RR	B	61.4	10/2	2.8	42	59.2	62.5	62.6	58.3	34.6	18.5	
MERSCHMAN	MADISON 938 RR	B	66.6	10/5	3.1	39	64.7	68.6	66.6		35.0	18.3	
MERSCHMAN	MCKINLEY 933 RR	B	64.5	9/29	2.9	39	63.5	67.7	62.4		34.6	18.9	
MIDWEST SEED GEN	GR 3033	U	63.0	9/23	3.0	40	62.5	65.5	60.9		35.7	18.4	
MIDWEST SEED GEN	GR 3104*	U	66.9	9/25	2.6	36	70.7	68.2	61.7		36.0	19.0	
MIDWEST SEED GEN	GR 3433*	U	67.4	9/30	2.7	39	66.9	70.4	65.0		35.0	18.3	
MIDWEST SEED GEN	GR 3631*	U	63.9	10/4	2.9	39	62.8	67.8	61.0		35.5	18.4	
MUNSON	8328 RR	B	67.2	9/27	3.3	40	68.8	68.0	64.9	65.5	36.6	18.1	
MUNSON	8349 RR	B	63.8	9/28	2.8	41	65.5	65.0	61.1		35.2	18.6	
MUNSON	8379 RR	B	66.3	10/5	2.8	41	62.7	70.2	66.1		35.0	18.2	
MWS	3128 CRR*	F	66.7	9/28	3.2	38	69.6	70.1	60.5	62.8	62.0	36.3	19.2
MWS	3329 CRR*	F	67.2	9/29	2.7	39	69.4	68.6	63.5		34.7	18.4	
MWS	3505 CRR*	F	69.5	9/30	3.1	40	72.5	70.9	65.2		36.5	18.1	
MYCOGEN	5N290 RR*	F	65.9	9/26	3.3	39	69.2	67.6	61.0		36.0	18.8	
MYCOGEN	5N310 RR*	F	63.0	9/26	2.4	36	62.8	65.4	60.8		35.2	18.3	
NK BRAND	S 30-F5*	U	67.9	9/27	3.5	43	68.4	69.0	66.2		34.4	18.3	
NK BRAND	S 32-E2*	B	68.4	9/30	3.5	41	69.0	70.0	66.2	65.2	65.6	34.6	19.0
NK BRAND	S 34-R2*	B	67.6	9/27	2.9	38	66.0	71.1	65.6		35.6	18.2	
NK BRAND	S 35-T9*	B	67.5	10/1	3.4	44	68.6	67.4	66.5		35.5	18.5	
NK BRAND	S 37-F7*	B	68.4	10/5	3.4	41	64.5	71.8	69.0	63.3	36.4	17.4	
NK BRAND	S 37-P5*	B	64.5	10/2	3.4	41	62.9	66.6	64.1	58.8	36.2	17.6	
NUTECH	7316	B	68.0	9/30	3.3	40	70.1	69.1	64.8		36.5	18.1	
NUTECH	7399	B	66.0	10/6	3.3	42	63.9	70.4	63.7		36.2	17.4	
PIONEER	93M11*	B	68.3	9/25	2.3	37	70.8	68.2	65.8	62.9	61.7	35.5	19.5
PIONEER	93M12*	B	64.9	9/26	3.1	44	67.1	65.2	62.4		33.7	18.3	
PIONEER	93M42*	B	67.3	9/28	2.7	42	68.8	66.5	66.7	65.9	66.1	35.7	18.1
PIONEER	93M61*	B	65.6	9/27	2.9	39	64.7	69.1	63.0	61.6	35.5	18.3	
PIONEER	93Y02	B	71.0	9/25	2.1	37	72.7	73.1	67.1		35.5	18.6	
PIONEER	93Y11*	B	68.1	9/26	2.7	40	66.8	70.2	67.3		36.3	18.8	
PIONEER	93Y70*	B	68.9	10/1	3.3	43	71.5	70.0	65.2		34.9	18.6	
PIONEER	94Y01*	B	68.0	10/6	3.3	43	66.9	68.9	68.2		35.2	18.6	
PRAIRIE BRAND	PB-2956 NRR*	B	67.4	9/27	2.7	37	72.6	68.1	61.6		35.8	19.0	
PRAIRIE BRAND	PB-3058 NRR	B	62.2	9/23	2.8	41	63.5	64.9	58.2		36.0	18.1	
PRAIRIE BRAND	PB-3137 NRR	B	67.9	9/29	3.3	38	68.3	67.9	67.4		36.5	18.0	
PRAIRIE BRAND	PB-3357 NRR*	B	66.8	9/30	3.1	37	66.8	67.5	66.3		36.1	18.1	
PRAIRIE BRAND	PB-3598 NRR	B	63.6	9/27	3.0	40	61.3	66.6	63.1		35.3	18.5	
ROESCHLEY	3172 CRR*	U	67.7	9/28	3.3	37	71.7	68.1	63.2	64.9	36.1	18.2	
ROESCHLEY	3173 CRR*	U	65.1	9/26	2.2	34	68.9	66.7	59.5		35.7	19.1	
ROESCHLEY	3585 CRR	U	65.4	9/29	2.9	40	63.8	68.2	64.1		35.2	18.6	
ROESCHLEY	3462 CRR*	U	66.9	9/30	2.6	38	69.2	69.0	62.6	64.1	64.2	34.6	18.4
ROESCHLEY	4351 CRR*	U	65.9	9/28	3.2	40	66.2	66.9	64.6	61.4	61.3	36.5	17.8
SCHILLINGER	300.RC	F	66.0	9/25	2.8	38	70.2	64.4	63.4		35.5	18.6	
STINE	3128-4	U	67.1	9/25	2.5	36	72.0	66.0	63.4	63.4	35.9	19.0	
STINE	3222-4*	U	66.1	9/29	2.7	36	66.6	69.1	62.5		35.9	18.2	
STINE	3532-4	U	66.1	10/1	3.0	36	67.3	68.8	62.2	62.5	63.1	35.9	18.7
STINE	3602-4*	U	65.9	10/3	3.2	40	64.3	67.5	65.8	62.9	36.2	18.8	
STONE SEED GROUP	2373 NRR*	B	61.7	10/3	3.4	38	60.4	64.5	60.1		37.0	17.7	
STONE SEED GROUP	3407 NRR*	B	66.9	10/1	2.8	40	64.9	70.8	64.9		34.7	18.4	
STONE SEED GROUP	3A319 NRR	B	69.3	9/27	3.1	39	73.4	69.1	65.6		36.4	18.1	
TRISOY	3073 RR(CN)	B	64.1	9/26	2.4	36	65.6	67.6	59.2	60.9	35.6	19.0	
TRISOY	3463 RR(CN)	B	68.0	10/2	3.0	39	68.8	69.0	66.3		34.7	18.2	
TRISOY	3874 RR(CN)*	B	64.7	10/5	3.1	40	66.3	65.3	62.6		34.9	18.3	
VIGORO	V 31N9 RR	F	67.5	9/28	3.4	39	70.0	68.2	64.5		36.4	18.0	
VIGORO	V 33N8 RR	F	67.0	9/29	3.0	42	67.7	68.4	64.8		35.8	17.8	
VIGORO	V 34N7 RR*	F	66.7	10/1	2.8	39	64.8	71.8	63.4		34.6	18.4	
VIGORO	V 34N9 RR	F	59.9	9/27	2.8	39	55.1	65.2	59.5		35.3	18.5	
VIGORO	V 37N8 RR*	F	64.3	10/4	2.8	40	64.6	67.4	60.9		36.0	17.5	
WILKEN	W 3413 NRR	B	65.8	9/26	2.6	36	66.0	68.2	63.2	61.2	36.1	18.8	
WILKEN	W 3426 NRR	B	67.3	9/29	3.3	38	67.9	69.3	64.6		36.3	18.1	
WILKEN	W 3432 NRR	B	68.5	9/28	3.0	41	70.7	70.2	64.5		35.9	17.7	
WILLCROSS	RR 2319 N	T	68.6	9/29	3.0	40	68.3	70.1	67.4		36.1	18.5	
WYCKOFF	W 3110 CRR	B	69.6	9/29	3.4	39	69.5	70.8	68.5		36.3	18.1	
WYCKOFF	W 3474 CRR	B	68.3	10/1	2.8	40	68.7	71.6	64.6		34.9	18.3	
	AVERAGE		66.1	9/30	3.0	39	67.0	67.8	63.4	63.0	62.9	35.7	18.3
	L.S.D. 25% LEVEL		2.0		0.2	1	3.7	2.2	2.5		0.27	0.14	
	COEFF. OF VAR. (%)		5.6		12.6	6	5.8	3.5	4.2		1.4	1.4	

¹IST= Insecticide Seed Treatment: U= Untreated, F= Fungicide, B= Insecticide+Fungicide, T= Treatment Unknown