

2008 Soybean Test Results
Region 3: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY*	IST ¹	Yield bu/a	Regional Results			Perry Yield bu/a	New Berlin Yield bu/a	Urbana Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a	Region Protein @13%	Region Oil @13%
				Maturity Date	Lodging	Height in							
MATURITY GROUP 2													
AGVENTURE	29G9 NRR*	U	62.1	9/22	2.5	37	58.4	75.9	52.1	54.9		32.9	19.8
DAIRYLAND	DSR-2770 RR	U	66.1	9/24	2.3	35	62.1	75.1	61.1	58.2		34.6	19.6
DAIRYLAND	DSR-2929 RR*	U	63.8	9/23	2.4	36	60.0	77.8	53.6	55.0	57.9	33.0	19.7
DIENER	2915 CR*	U	67.7	9/24	2.2	35	65.2	76.9	61.0			33.6	18.7
G2 GENETICS	7291	B	65.6	9/24	2.5	37	64.6	75.4	56.7			34.0	20.0
HORIZON	H 296 N*	U	61.0	9/25	2.8	36	57.5	75.1	50.5	57.8		33.6	19.4
KRUGER	K-285 RRSCN	U	64.5	9/25	2.5	35	60.3	75.9	57.1			33.1	19.9
KRUGER	K-297 RRSCN	U	67.3	9/24	2.3	35	65.4	77.8	58.7	61.7		34.0	18.6
MARTIN	M 927 NRR	U	63.7	9/23	1.9	36	62.6	74.8	53.7			32.6	20.0
MERSCHMAN	CHEROKEE 729 RR*	B	57.9	9/22	2.2	35	52.8	66.7	54.4	57.4	60.0	35.0	19.2
MERSCHMAN	SHAWNEE 928 RR	B	61.6	9/24	2.5	37	61.1	69.6	54.1			33.4	19.2
MUNSON	8279 RR	B	60.5	9/20	2.1	35	56.1	70.8	54.6			36.4	18.2
MUNSON	8298 RR	B	63.2	9/24	2.8	37	58.7	74.6	56.3			33.6	19.4
MWS	2641 XCRR*	U	55.4	9/24	2.2	36	52.7	65.2	48.3			35.2	18.7
MWS	2831 CRR*	F	60.9	9/22	2.5	36	53.4	72.7	56.6			34.1	19.8
MWS	2911 CRR*	U	58.4	9/24	2.5	36	55.8	65.8	53.8			33.9	19.5
MWS	2939 CRR*	F	63.3	9/24	2.6	35	60.3	74.2	55.4			32.5	19.6
NK BRAND	S 27-C4*	B	63.5	9/23	2.4	32	61.6	74.5	54.4			33.9	19.9
NK BRAND	S 28-B4*	B	63.8	9/22	2.3	35	62.7	74.1	54.8	54.7		33.7	19.5
NK BRAND	S 29-J6*	B	60.7	9/23	2.4	37	56.5	69.9	55.7	54.4	58.0	33.9	19.2
NUTECH	6277	B	67.0	9/24	2.1	37	66.8	77.9	56.3	63.1		33.0	19.8
NUTECH	7296	B	64.3	9/22	2.0	38	64.4	72.2	56.3			34.9	18.7
NUTECH	7297	B	66.1	9/24	2.9	36	61.1	77.6	59.8	61.3		33.8	19.2
PIONEER	92M81*	B	64.0	9/21	1.8	35	60.8	73.2	58.1	55.6		33.3	20.0
PIONEER	92Y80*	B	66.1	9/24	2.7	36	61.6	77.3	59.5			36.0	19.4
PUBLIC	LD 06-50113 R*	U	56.9	9/19	2.0	33	52.7	69.2	48.9			33.4	20.3
PUBLIC	LD 06-50122 R*	U	51.3	9/15	2.3	31	39.6	63.9	50.3			33.2	21.0
SUN PRAIRIE	2904 NRR*	U	55.8	9/23	2.8	36	48.5	68.4	50.6	53.5		34.4	19.3
SUN PRAIRIE	2967 NRR*	U	63.4	9/24	2.6	36	58.3	74.7	57.3			33.4	19.5
TRISOY	2575 RR(CN)*	B	61.6	9/19	1.9	32	58.5	70.7	55.7			33.9	19.2
TRISOY	2973 RR(CN)*	B	67.7	9/24	2.2	36	64.0	78.8	60.3			33.8	18.7
	AVERAGE		62.3	9/23	2.4	36	58.7	72.9	55.3	57.3	58.6	33.9	19.4
	L.S.D. 25% LEVEL		2.5		0.2	1	2.6	2.4	2.8			0.37	0.21
	COEFF. OF VAR. (%)		7.4		19.2	7	4.6	3.5	5.4			2.0	2.0
MATURITY GROUP 3													
AGVENTURE	33G3 NRR*	U	61.5	9/26	2.8	34	57.1	72.7	54.8	59.0		34.3	19.7
AGVENTURE	34G4 NRR*	U	62.8	9/27	2.5	37	60.0	72.0	56.6	60.4		33.2	18.9
AGVENTURE	36P1 NRR*	U	62.8	9/30	2.3	38	60.8	70.4	57.2			34.6	18.8
ARISE	3508 NRR	B	62.9	9/29	2.3	39	59.5	71.9	57.2			35.0	18.7
ARISE	3509 R	B	65.7	9/27	2.4	37	64.0	75.8	57.3			34.5	18.9
ARISE	3836 NRS	B	64.2	10/2	2.8	38	59.1	76.0	57.5			34.5	18.5
ARISE	3909 NRS	B	60.7	10/2	2.6	36	56.9	67.2	57.8			36.7	17.7
ASGROW	AG 3101*	U	61.4	9/23	2.2	38	56.4	73.2	54.5	57.5	59.2	36.2	17.8
ASGROW	AG 3203	U	61.4	9/25	2.2	36	60.3	72.7	51.1	57.0	59.7	35.1	18.8
ASGROW	AG 3205*	U	60.7	9/26	2.8	38	55.9	70.8	55.3			36.1	17.3
ASGROW	AG 3402	U	63.9	9/28	3.0	39	57.9	73.8	60.2	58.9		34.8	18.1
ASGROW	AG 3602*	U	63.1	9/28	3.0	38	60.8	73.8	54.6	57.9	60.2	35.7	17.5
ASGROW	AG 3603	U	61.8	9/29	2.8	39	58.0	69.2	58.3			35.2	18.6
ASGROW	AG 3705	U	64.8	10/3	2.6	38	61.0	76.4	56.9	58.5		33.9	18.6
ASGROW	AG 3803	U	67.4	10/3	3.1	40	62.9	78.5	60.7	62.9		34.6	18.6
BECK	321 NRR	F	62.3	9/25	2.7	34	59.0	69.7	58.3	60.1	61.9	34.6	19.7
BECK	342 NRR	F	64.3	9/27	2.5	39	58.6	73.8	60.6	60.3	62.6	33.8	18.8
BECK	364 NRR	F	59.2	9/30	3.1	41	54.0	68.1	55.5			35.1	18.0
BECK	377 NRR	B	62.6	9/29	2.6	40	59.7	74.3	53.9			34.3	18.8
BECK	383 NRR	F	62.3	10/2	2.6	38	59.8	71.5	55.5	58.4	61.7	35.5	19.2
BECK	399 NRR	F	64.6	10/5	3.0	39	60.6	74.1	59.0	58.9		35.4	18.0
CROPLAN	RC 3377*	F	66.6	9/28	2.6	35	62.9	74.7	62.1			35.0	18.5
CROPLAN	RC 3667*	F	63.3	9/30	2.7	39	59.4	70.9	59.7			34.6	18.8
CROPLAN	RC 3757*	F	62.8	10/2	2.6	40	59.1	72.1	57.3			34.9	17.7
CROPLAN	RC 3864 STS*	F	65.8	10/4	2.8	38	62.9	73.6	60.8			34.0	18.7
CROW'S	C 3145 R*	U	64.3	9/24	2.1	35	63.1	76.4	53.5			34.7	19.5
CROW'S	C 3418 R*	U	63.1	9/27	2.8	37	58.7	71.9	58.8			33.9	18.8
CROW'S	C 3619 R*	U	64.3	9/30	2.4	39	61.0	72.2	59.8	57.6		34.8	18.7
CROW'S	C 3817 R*	U	64.3	10/2	2.7	37	62.5	74.3	56.1	59.4		33.8	18.9
CROW'S	C 3916 R*	U	65.6	10/4	2.7	40	60.2	76.5	60.1			34.8	18.5
DAIRYLAND	DSR-3003 RRSTS*	U	60.4	9/24	2.7	37	58.4	69.8	52.9	57.3	57.3	34.8	19.3
DAIRYLAND	DSR-3155 RR	U	62.4	9/25	2.1	35	61.5	70.4	55.3			34.8	18.8
DAIRYLAND	DSR-3265 RR	U	59.5	9/26	3.3	39	53.1	71.3	54.2			34.3	19.1
DAIRYLAND	DSR-3550 RR	U	61.9	9/28	2.8	36	60.2	71.1	54.5			34.4	19.0
DAIRYLAND	DSR-3675 RR*	U	62.5	9/27	2.5	38	59.1	73.8	54.5	59.6		33.2	19.0
DIENER	3120 CR*	U	61.0	9/26	2.5	36	59.5	71.3	52.2			34.5	20.1
DIENER	3484 CR*	U	63.1	9/27	2.3	36	57.9	73.6	57.8			33.8	18.9
DYNA-GRO	32X39	B	64.3	10/3	3.0	39	57.8	75.9	59.1			35.1	17.9
DYNA-GRO	35F37	B	62.4	9/30	2.5	38	61.9	72.0	53.3			33.5	19.2
DYNA-GRO	35G38*	B	64.8	9/29	2.8	38	59.0	73.0	62.4			35.1	19.4
DYNA-GRO	37J34	B	62.0	9/27	2.4	38	59.4	72.5	54.1	59.6		33.6	18.9
DYNA-GRO	SX0 8137	B	61.4	9/29	3.0	39	56.1	71.4	56.6			34.7	18.0
FS HISOY	HS 3156*	B	60.7	9/27	2.7	36	58.5	70.2	53.4			34.9	19.9

2008 Soybean Test Results
Region 3: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY*	IST [†]	Regional Results				Perry Yield bu/a	New Berlin Yield bu/a	Urbana Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a	Region Protein @13%	Region Oil @13%
			Yield bu/a	Maturity Date	Lodging	Height in							
	*Producer Nominated												
FS HISOY	HS 33R70	U	61.4	9/25	2.7	38	59.2	73.4	51.5	58.3	34.5	18.3	
FS HISOY	HS 3466	B	62.5	9/28	2.4	37	59.0	72.4	56.2	60.8	33.8	18.9	
FS HISOY	HS 3766	B	66.0	10/3	2.4	38	63.6	75.7	58.6	59.5	34.8	19.4	
FS HISOY	HS 3846	B	64.7	10/2	2.9	38	60.4	75.0	58.8	60.5	63.1	34.3	
FS HISOY	HS 39R70	B	64.8	10/3	2.9	39	59.7	75.1	59.5	58.8	35.1	17.9	
FS HISOY	HS 4066	B	61.0	10/4	3.4	38	54.5	70.7	57.8	55.6	35.6	17.9	
FS HISOY	R 08-31	B	63.6	9/25	2.6	37	58.3	74.4	58.1		35.5	18.5	
FS HISOY	R 08-35	B	64.4	9/25	2.4	38	64.2	72.6	56.5		34.0	19.2	
FS HISOY	R 08-38	B	61.8	9/30	2.5	39	59.6	72.2	53.4		34.6	18.0	
G2 GENETICS	7333	B	66.6	9/27	2.6	40	63.1	75.3	61.5		33.9	18.9	
G2 GENETICS	7383	B	62.3	10/2	3.0	44	55.3	71.0	60.5		35.1	19.1	
G2 GENETICS	7391	B	62.1	10/6	3.1	43	56.7	70.6	58.9		35.1	19.0	
GREAT HEART	GT-380 CRR*	F	60.6	10/3	2.4	37	56.7	70.6	54.5		34.6	18.5	
GREAT HEART	GT-397 CRR*	F	62.5	10/5	3.2	40	58.5	72.0	57.1	57.3	35.7	17.9	
HOBBLIT	HB 342 NRR	U	64.5	9/27	2.6	38	60.1	74.8	58.5	60.0	33.3	19.0	
HOBBLIT	HB 361 NRR	U	62.0	9/29	2.3	37	61.3	70.8	53.8		34.8	18.8	
HOBBLIT	HB 375 NRR	U	61.5	9/29	2.3	38	58.7	72.0	53.9	58.3	33.7	19.1	
HORIZON	H 303 N*	U	60.9	9/25	2.4	37	58.1	71.1	53.4	55.9	34.6	20.0	
HORIZON	H 323 N	U	63.1	9/24	2.4	37	58.4	73.7	57.2		35.9	18.4	
HORIZON	H 340 N*	U	62.4	9/28	2.5	37	56.9	73.3	57.1	58.8	61.1	33.4	
HORIZON	H 352 N*	U	61.6	9/28	2.8	33	57.7	71.5	55.5	60.1	62.2	34.5	
HORIZON	H 354 N	U	61.8	9/27	2.3	38	61.4	70.3	53.9		34.2	19.2	
HORIZON	H 373 N	U	60.7	9/30	2.6	36	59.5	68.5	54.1		33.7	19.1	
HORIZON	H 378 N*	U	64.1	9/28	2.8	39	59.7	73.3	59.4	60.8	62.7	34.9	
HORIZON	H 384 N	U	64.9	10/4	2.9	38	60.7	75.2	58.8		34.2	18.3	
HUBNER	H 317 NRR	U	64.3	9/24	2.7	37	58.7	74.7	59.6		35.6	18.4	
HUBNER	H 366 NRR	U	64.0	10/1	2.4	38	61.9	70.3	59.8		34.9	18.8	
HUBNER	H 376 NRR	U	64.8	9/27	2.1	39	62.0	75.5	56.8		33.5	18.6	
HUBNER	H 377 NRR	F	61.5	9/28	2.9	40	57.8	72.6	54.0		35.0	18.2	
ICORN	3.150	U	64.4	9/24	2.6	38	57.7	76.1	59.3		34.5	18.8	
ICORN	3.450	F	62.7	9/27	2.5	36	58.2	73.3	56.5		33.8	18.8	
ICORN	3.750	U	65.9	10/2	2.8	40	61.0	75.6	61.1		34.9	18.7	
KITCHEN	KSC 3086 CRR	U	61.9	9/24	2.8	36	55.6	74.7	55.5		34.8	18.8	
KITCHEN	KSC 3479 CRR	U	60.0	9/26	3.0	36	56.1	69.8	54.2	57.7	34.4	19.7	
KITCHEN	KSC 3546 CRR	U	61.3	9/28	3.0	33	60.4	71.4	52.0	60.0	61.9	34.5	
KITCHEN	KSC 3786 CRR	U	63.3	10/4	2.5	36	61.3	73.1	55.5	58.8	33.8	18.5	
KITCHEN	KSC 3869 CRR	U	63.7	10/4	2.7	37	61.3	73.7	56.1	60.1	62.7	33.8	
KRUGER	K-316 RRSCN	U	63.1	9/25	2.0	35	58.1	74.0	57.2	57.9	59.7	34.8	
KRUGER	K-329 RRSCN	U	63.5	9/24	2.6	36	62.1	74.5	54.0		35.1	18.6	
KRUGER	K-338 RRSCNLINO	U	63.0	9/26	2.2	38	61.4	71.1	56.4		34.0	19.1	
KRUGER	K-341 RRSCN	U	63.2	9/28	2.2	37	62.8	71.9	54.9	57.3	59.2	34.9	
KRUGER	K-348 RRSCN	U	63.8	9/27	2.4	36	60.6	75.9	54.8	61.3	33.2	19.1	
KRUGER	K-363 RRSCN	U	62.5	9/28	2.4	37	60.6	68.8	58.2	57.1	59.2	34.6	
KRUGER	K-372 RRSCN	U	62.0	10/1	2.6	40	60.6	69.5	56.0		33.9	18.9	
KRUGER	K-382 RRSCN	U	64.7	10/1	2.5	39	62.7	73.0	58.4	60.0	61.9	34.9	
KRUGER	K-384 RRSCN	U	65.1	10/5	2.9	39	64.3	75.6	55.5	61.9	34.9	18.6	
KRUGER	K-389 RRSCN	U	63.3	10/1	2.5	37	59.8	73.0	57.2	59.1	61.9	33.4	
LEWIS	3599	F	64.4	9/27	2.5	39	59.2	75.9	58.0		33.7	18.5	
LEWIS	3698	F	61.5	9/29	2.6	38	58.1	70.2	56.1	58.3	33.7	18.9	
LEWIS	3909	F	66.1	10/2	2.9	40	62.6	77.1	58.5		34.8	18.6	
LEWIS	3968	F	66.1	10/4	2.8	39	63.5	75.4	59.4	60.0	34.3	18.2	
LEWIS	3407*	F	61.4	9/29	2.5	38	57.2	74.2	52.8	56.9	59.7	33.6	
LEWIS	3827*	F	63.6	9/30	2.5	39	59.0	74.8	56.8	60.8	63.4	34.8	
MARTIN	M 832 NRR	U	61.7	9/26	2.3	34	57.3	72.2	55.6		35.9	19.1	
MARTIN	M 835 NRR	U	62.5	9/30	2.8	40	58.5	73.5	55.6		34.4	18.3	
MARTIN	M 930 NRR	U	64.5	9/24	2.8	37	58.9	76.4	58.0		35.7	18.2	
MAVRICK	6343 RR*	U	62.1	9/28	2.5	38	59.6	72.2	54.4	58.1	33.3	18.9	
MAVRICK	6369 RR*	U	65.1	9/30	2.7	38	63.8	70.7	60.8	60.0	34.9	19.4	
MAVRICK	7303 RR*	U	62.8	9/25	2.7	39	56.3	76.8	55.4		34.0	19.1	
MAVRICK	7376 RR*	U	61.9	9/30	3.0	38	61.3	71.2	53.2		33.8	19.0	
MERSCHMAN	EISENHOWER 937 RR	B	65.1	10/2	2.9	37	60.9	75.0	59.4		34.4	18.5	
MERSCHMAN	GRANT 935 RR	B	61.6	9/26	2.9	39	60.6	71.0	53.1		33.8	18.6	
MERSCHMAN	KENNEDY 836 RR	B	60.3	9/29	2.6	39	57.2	69.3	54.4	58.9	33.9	18.8	
MERSCHMAN	MADISON 938 RR	B	63.5	10/1	2.7	39	60.5	72.4	57.7		33.8	18.8	
MERSCHMAN	MCKINLEY 933 RR	B	62.6	9/26	2.3	36	58.0	72.9	57.0		33.5	19.4	
MIDWEST SEED GEN	GR 3433*	U	62.5	9/27	2.4	38	57.5	73.5	56.5		33.5	19.0	
MIDWEST SEED GEN	GR 3631*	U	64.0	9/30	2.5	39	60.3	70.8	60.9		34.5	18.8	
MIDWEST SEED GEN	GR 3833	U	64.4	9/30	2.7	37	59.5	74.8	58.8		33.8	18.5	
MIDWEST SEED GEN	GR 3934*	U	64.9	10/2	2.8	41	61.6	76.7	56.5		34.7	18.7	
MUNSON	8328 RR	B	64.2	9/24	2.6	36	63.1	75.3	54.1	60.5	35.4	18.5	
MUNSON	8349 RR	B	63.0	9/28	2.4	40	61.1	72.1	55.9		34.3	19.1	
MUNSON	8379 RR	B	63.0	10/3	2.8	38	58.6	73.4	57.0		34.0	18.4	
MWS	3128 CRR*	F	61.3	9/25	2.3	36	58.8	70.7	54.5		35.1	19.8	
MWS	3329 CRR*	F	65.4	9/27	2.2	39	58.8	77.0	60.4		33.7	19.0	
MWS	3505 CRR*	F	63.9	9/27	3.0	39	59.4	76.1	56.1		35.1	18.6	
MYCOGEN	5N320 RR*	U	63.2	9/24	2.7	34	59.0	75.0	55.7		34.6	19.6	
MYCOGEN	5N352 RR*	U	62.7	9/27	2.3	37	57.4	74.2	56.7		33.6	18.8	
MYCOGEN	5N382 RR*	U	66.6	9/30	2.7	37	63.2	74.6	61.9		33.8	18.9	
NK BRAND	S 30-F5*	U	65.1	9/25	2.8	40	59.5	73.9	61.8		33.6	19.0	
NK BRAND	S 32-E2*	B	64.3	9/26	3.3	39	59.1	73.1	60.7	57.3	34.6	19.2	
NK BRAND	S 34-R2*	B	64.1	9/27	2.9	38	60.3	73.8	58.4		34.9	18.7	
NK BRAND	S 35-T9*	B	65.8	9/30	3.3	43	59.9	76.6	61.1		34.7	18.8	
NK BRAND	S 37-F7*	B	65.0	10/1	3.0	38	57.7	75.9	61.3	58.6	34.7	18.0	

2008 Soybean Test Results
Region 3: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY*	IST [†]	Regional Results				Perry Yield bu/a	New Berlin Yield bu/a	Urbana Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a	Region Protein @13%	Region Oil @13%
			Yield bu/a	Maturity Date	Lodging	Height in							
	*Producer Nominated												
NK BRAND	S 37-P5*	B	64.3	10/1	3.1	40	55.3	75.0	62.7	57.8	34.9	18.2	
NK BRAND	S 38-D5*	B	62.2	10/5	2.7	36	58.9	72.4	55.4	54.8	35.3	18.3	
NK BRAND	S 39-A3*	B	65.3	10/2	3.2	38	58.5	74.4	62.9	58.4	35.1	17.9	
NU-AG	NA 300 NRR	U	62.9	9/24	2.7	36	60.4	75.5	52.7		34.3	18.9	
NU-AG	NA 341 NRR	F	59.0	9/26	3.0	36	57.7	70.1	49.1		34.6	19.7	
NU-AG	NA 354 NRR*	U	61.0	9/27	2.5	34	57.2	71.6	54.3		34.5	19.4	
NU-AG	NA 374 NRR*	U	60.1	10/2	3.0	37	55.9	70.3	54.2		35.7	18.2	
NU-AG	NA 386 NRRSTS*	U	64.9	10/3	3.0	38	60.5	72.6	61.8		34.0	18.8	
NUTECH	7316	B	65.2	9/26	2.7	37	59.8	75.1	60.6	61.2	35.6	18.3	
NUTECH	7354	B	64.4	9/27	2.5	38	64.0	71.8	57.4		34.3	19.0	
NUTECH	7399	B	64.5	10/5	3.1	39	59.1	75.0	59.3	59.3	35.5	17.8	
NUTECH	NT-3888 RRSCN	B	63.7	10/1	2.3	40	60.9	73.2	56.9	59.9	33.9	18.9	
NUTECH	NT-3909 RRSCN*	B	64.0	10/2	2.7	38	57.2	76.9	57.9	60.2	34.1	18.8	
PIONEER	93M11*	B	66.8	9/24	2.1	38	63.3	78.0	59.1	58.8	60.9	34.4	
PIONEER	93M42*	B	62.6	9/27	2.4	41	58.6	73.1	56.0	60.5	62.6	35.1	
PIONEER	93M61*	B	67.3	9/26	2.2	38	65.1	75.4	61.3	61.8	33.8	18.9	
PIONEER	93Y02	B	65.2	9/24	1.8	36	65.1	73.8	56.7		33.9	19.3	
PIONEER	93Y11*	B	65.1	9/24	2.1	38	65.0	73.5	56.9		35.1	19.2	
PIONEER	93Y70*	B	67.2	9/29	3.0	42	63.4	78.7	59.5		33.6	19.1	
SCHILLINGER	398.RCP	F	60.3	10/4	3.6	43	55.4	69.7	55.6		35.2	18.7	
STINE	3128-4	U	64.0	9/24	2.1	36	62.2	73.2	56.6	58.4	34.9	19.5	
STINE	3222-4*	U	64.1	9/27	2.5	36	60.8	74.3	57.2	58.1	34.5	18.8	
STINE	3532-4	U	61.2	9/29	2.9	35	54.9	75.2	53.6	59.5	61.6	34.7	
STINE	3602-4*	U	67.0	10/1	2.5	38	64.7	76.0	60.2	61.5	35.3	19.2	
STINE	3620-4	U	64.8	9/28	2.5	40	62.4	72.3	59.6	59.1	34.2	18.9	
STONE SEED GROUP	2373 NRR*	B	64.1	10/2	3.1	37	58.8	72.6	61.0		35.9	18.1	
STONE SEED GROUP	3407 NRR*	B	65.4	9/28	2.6	39	59.7	76.1	60.2		33.7	18.7	
STONE SEED GROUP	3A368 NRR*	B	66.0	9/30	2.6	38	64.3	74.5	59.1		34.7	18.7	
STONE SEED GROUP	3A378 NRR*	B	63.8	9/28	2.4	38	64.1	71.7	55.5		34.2	18.4	
STONE SEED GROUP	3A388 NRR	B	66.9	10/2	2.9	40	64.5	76.8	59.5		35.2	18.5	
SUN PRAIRIE	3430 NRR*	U	63.7	9/26	2.5	38	60.0	73.4	57.6		33.6	18.9	
TRISOY	3144 RR(CN)	B	57.5	9/25	2.8	38	57.4	68.6	46.7	55.0	35.2	18.2	
TRISOY	3463 RR(CN)	B	63.5	9/27	2.7	38	60.8	74.1	55.7	59.5	61.4	33.4	
TRISOY	3675 RR(CN)	B	65.6	9/28	2.4	39	62.7	73.3	60.8		33.7	18.4	
TRISOY	3874 RR(CN)*	B	62.3	10/3	2.8	37	59.6	73.1	54.2	58.9	33.7	19.0	
TRISOY	3977 RR(CN)	B	64.6	10/5	2.9	39	60.9	77.2	55.6		34.8	18.1	
VIGORO	V 34N7 RR*	F	62.2	9/27	2.4	37	58.0	74.7	53.9		33.4	19.0	
VIGORO	V 34N9 RR	F	62.4	9/26	2.4	37	62.1	72.4	52.7		34.2	19.1	
VIGORO	V 35N8 RR	F	64.2	9/26	2.8	38	58.0	76.0	58.7		35.3	18.5	
VIGORO	V 37N8 RR*	F	60.3	9/29	2.5	39	56.2	70.4	54.4		34.5	18.1	
VIGORO	V 38N5 RS*	F	65.5	10/4	3.0	38	60.5	76.8	59.2		33.6	18.8	
VIGORO	V 38N9 RS	F	65.8	10/1	2.8	38	63.7	74.4	59.4		33.8	18.6	
VIGORO	V 39N9 RR	F	62.4	10/1	2.9	38	55.6	70.4	61.2		34.3	18.5	
WILKEN	W 3434 NRR*	B	64.3	9/27	2.7	38	60.8	72.3	59.9	60.3	61.9	33.7	
WILKEN	W 3459 NRR	B	63.0	9/27	2.5	38	61.9	72.0	55.2		34.0	19.1	
WILKEN	W 3465 NRR	B	62.2	9/29	2.7	39	56.7	69.5	60.3	57.7	61.1	34.7	
WILKEN	W 3479 NRR	B	62.3	9/30	3.0	36	58.5	72.0	56.4	57.8	60.6	33.7	
WILKEN	W 3487 NRR	B	64.9	10/4	2.6	37	63.4	72.6	58.6		34.0	18.4	
WILKEN	W 3488 NRR	B	66.4	10/1	2.5	38	62.8	75.8	60.7	61.0	63.1	35.4	
WILKEN	W 3577 NRR*	B	61.6	9/29	2.5	38	60.5	69.6	54.7	58.2	33.8	19.0	
WILKEN	W 3592 NRR	B	64.4	10/5	2.9	40	60.9	73.7	58.5	58.6	35.0	17.9	
WILLCROSS	RR 2378 N	T	59.9	9/29	2.6	38	60.2	68.9	50.5		33.6	19.1	
WILLCROSS	RR 2389 N	T	65.4	10/4	2.8	37	61.7	76.0	58.6		34.2	18.4	
WILLCROSS	RR 2398 N	T	63.4	10/5	2.9	39	60.0	72.4	57.9		34.9	18.0	
	AVERAGE		63.3	9/29	2.7	38	59.8	73.2	57.0	59.0	61.2	34.5	
	L.S.D. 25% LEVEL		2.0		0.3	1	2.7	2.4	2.6		0.43	0.20	
	COEFF. OF VAR. (%)		5.8		19.6	6	4.9	3.5	4.8		2.3	2.0	

MATURITY GROUP 4

ARISE	4209 RS	B	62.5	10/4	3.2	40	57.4	70.3	59.8		34.9	19.0
BECK	422 NRR*	F	63.5	10/7	3.1	37	58.7	72.6	59.4		35.4	18.8
DYNA-GRO	33A40	B	61.4	10/5	3.2	38	57.5	70.1	56.5		34.3	19.2
EXCEL	8407 NRR	U	61.5	10/5	2.3	40	57.7	73.2	53.7		35.3	17.9
GREAT HEART	GT-438 CRR*	F	59.2	10/8	3.1	40	53.4	69.5	54.6		33.9	18.7
HORIZON	H 401 N	U	62.2	10/3	3.1	38	56.0	70.3	60.4		34.3	19.2
HORIZON	H 406 N	U	61.0	10/5	3.4	36	55.8	70.3	56.9	55.2	58.4	34.2
HORIZON	H 419 N	U	60.0	10/4	2.9	37	55.3	66.3	58.3	55.9	34.9	19.1
HORIZON	H 422 N	U	62.6	10/7	3.1	37	57.3	74.7	55.7	57.5	35.3	18.9
KITCHEN	KSC 4082 CRR	U	59.2	10/4	2.3	39	55.6	68.9	53.2		35.1	18.0
KRUGER	K-410 RRSCN	U	62.3	10/6	3.2	38	56.5	70.3	60.1	58.6	59.8	34.1
KRUGER	K-417 RRSCN	U	60.9	10/4	2.9	38	55.4	68.7	58.6		34.9	19.0
KRUGER	K-428 RRSCN	U	61.7	10/10	3.3	39	60.0	67.5	57.6		34.5	19.2
KRUGER	K-433 RRSCN	U	61.5	10/10	3.3	45	58.4	69.3	56.9	53.4	55.9	34.0
KRUGER	K-439 RRSCN	U	63.5	10/6	2.7	36	59.9	70.1	60.4		34.7	19.0
LEWIS	4207*	F	62.3	10/7	3.1	38	58.7	71.6	56.5		35.4	18.8
MERSCHMAN	PHOENIX 940 RR	B	60.6	10/4	3.1	38	55.3	68.2	58.2		34.4	19.2
NK BRAND	S 41-R6*	B	60.3	10/5	3.2	38	56.4	69.9	54.4		34.5	18.7
NUTECH	NT-4041 RRSCN*	B	61.5	10/7	3.2	39	53.0	72.9	58.6	57.6	34.6	19.1
PIONEER	94Y01*	B	63.4	10/6	3.2	42	58.9	72.7	58.6		34.1	19.1
STINE	4020-4*	U	59.7	10/3	2.8	36	52.3	68.4	58.5		34.5	19.3
STINE	4182-4*	U	59.0	10/6	3.0	39	51.1	66.9	59.1	54.6	33.5	19.4

2008 Soybean Test Results

Region 3: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY*	IST ¹	Regional Results				Perry Yield bu/a	New Berlin Yield bu/a	Urbana Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a	Region Protein @13%	Region Oil @13%
			Yield bu/a	Maturity Date	Lodging	Height in							
	*Producer Nominated												
STINE	4282-4*	U	61.4	10/7	2.9	38	55.5	73.3	55.2		35.3	18.9	
TRISOY	4275 RR(CN)	B	63.2	10/7	3.1	38	58.8	74.0	56.9		35.2	19.0	
VIGORO	V 40N8 RS*	F	61.7	10/5	3.3	40	56.2	69.9	59.0		34.4	19.1	
	AVERAGE		61.4	10/6	3.0	39	56.5	70.4	57.5	56.1	34.6	19.0	
	L.S.D. 25% LEVEL		2.0		0.2	1	3.6	4.1	2.2		0.33	0.16	
	COEFF. OF VAR. (%)		6.1		14.9	7	6.7	3.5	4.1		1.8	1.5	

¹IST= Insecticide Seed Treatment: U= Untreated, F= Fungicide, B= Insecticide+Fungicide, T= Treatment Unknown