

2008 Soybean Test Results
Region 4: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY*	IST ¹	Yield bu/a	Regional Results			St. Peter Yield bu/a	Belleville Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a	Region Protein @13%	Region Oil @13%
				Maturity Date	Lodging	Height in						
MATURITY GROUP 3												
AGVENTURE	34G4 NRR*	U	56.7	10/2	3.9	32	53.8	59.7			35.5	18.8
AGVENTURE	36P1 NRR*	U	55.3	10/3	3.4	34	51.5	59.2			35.6	19.0
ARISE	3508 NRR	B	60.1	10/3	3.4	33	61.3	58.9			35.7	18.9
ARISE	3807 NRR	B	55.2	10/4	4.0	39	55.2	55.1	50.9	51.5	35.8	19.2
ARISE	3836 NRS	B	57.0	10/10	3.6	33	59.4	54.7	53.2	54.1	35.1	18.5
ARISE	3909 NRS	B	59.6	10/2	3.6	34	61.3	58.0			37.4	17.8
ASGROW	AG 3705	U	55.8	10/2	3.6	31	54.8	56.7	52.8		35.2	18.8
ASGROW	AG 3803	U	64.1	10/7	3.7	38	63.2	65.0	60.0		35.5	18.9
ASGROW	AG 3905*	U	54.6	10/6	3.7	33	54.5	54.7	53.2	55.3	36.4	18.7
BAKER	3945 NRR	U	55.6	10/7	3.9	33	57.6	53.5	53.1	54.1	35.9	19.4
BECK	364 NRR	F	58.4	10/3	3.7	36	54.3	62.4			36.3	18.4
BECK	377 NRR	B	54.8	10/3	3.4	36	54.3	55.3			34.7	19.1
BECK	383 NRR	F	63.8	10/6	3.4	35	62.6	64.9	58.2	57.6	35.7	19.8
BECK	399 NRR	F	55.6	10/4	3.8	35	53.6	57.6	55.5		36.5	18.1
CROPLAN	RC 3667*	F	59.5	10/3	3.6	34	59.7	59.3			36.0	18.7
CROPLAN	RC 3757*	F	60.9	10/9	3.1	34	57.9	63.9			35.8	18.3
CROPLAN	RC 3864 STS*	F	54.1	10/5	3.3	35	52.0	56.1			35.1	18.8
CROW'S	C 3817 R*	U	58.4	10/8	3.5	35	61.1	55.8			34.9	18.7
CROW'S	C 3916 R*	U	58.4	10/3	3.7	35	58.4	58.5			36.1	18.5
DIENER	3484 CR*	U	54.1	10/2	4.0	33	52.0	56.1			35.6	18.8
DYNA-GRO	32X39	B	58.1	10/5	3.8	37	56.7	59.6			36.3	18.1
DYNA-GRO	35G38*	B	62.4	10/6	3.4	35	62.5	62.2			35.9	19.7
DYNA-GRO	SX0 8137	B	58.4	10/9	3.2	34	53.1	63.7			35.9	18.3
EXCEL	8394 NRR	U	56.4	10/6	3.2	33	54.0	58.9	53.2	55.9	35.3	18.6
FS HISOY	HS 3766	B	65.1	10/9	3.6	33	63.1	67.1	57.2		35.7	19.8
FS HISOY	HS 3846	B	55.9	10/8	3.5	33	58.7	53.1	53.4	55.9	35.1	18.6
FS HISOY	HS 39R70	B	53.2	10/5	3.8	34	55.2	51.3	50.6		36.7	18.0
FS HISOY	HS 4066	B	55.1	10/5	3.8	36	48.3	61.9	53.1		36.1	18.5
FS HISOY	R 08-38	B	62.2	10/9	3.6	34	62.6	61.8			36.4	17.7
G2 GENETICS	7333	B	56.3	10/2	3.6	35	53.3	59.4			33.9	19.5
G2 GENETICS	7381	B	59.7	10/3	3.5	36	54.7	64.7			36.0	20.1
G2 GENETICS	7383	B	57.5	10/2	4.1	41	54.4	60.7			35.7	19.5
GREAT HEART	GT-380 CRR*	F	58.1	10/3	3.6	34	60.5	55.6			36.1	18.8
GREAT HEART	GT-397 CRR*	F	55.7	10/7	3.9	37	53.3	58.1	53.3		36.9	18.2
HOFFMAN	H 37-08 CR	B	59.3	10/4	3.2	34	56.8	61.9			35.2	18.9
HOFFMAN	H 39-07 CR	B	61.6	10/8	3.6	35	59.3	64.0			35.3	19.5
HORIZON	H 352 N*	U	55.8	10/4	4.1	34	56.2	55.4	55.3		35.4	19.6
HORIZON	H 354 N	U	55.4	10/3	3.6	32	50.6	60.1			35.3	19.2
HORIZON	H 373 N	U	52.5	10/2	3.4	33	51.7	53.4			34.4	19.3
HORIZON	H 378 N*	U	63.1	10/6	3.5	36	65.8	60.5	57.4		35.7	19.7
HORIZON	H 384 N	U	60.3	10/3	3.4	32	58.5	62.2			34.8	18.8
ICORN	3.750	U	59.8	10/4	3.4	34	58.0	61.7			36.0	19.0
ICORN	3.950	U	58.9	10/3	3.5	34	57.1	60.7			35.7	18.7
KITCHEN	KSC 3786 CRR	U	60.0	10/4	3.5	34	57.6	62.3	55.7		34.9	18.6
KITCHEN	KSC 3869 CRR	U	55.8	10/6	3.8	35	56.4	55.3	53.4	55.3	34.7	18.7
KITCHEN	KSC 3982 CRR	U	57.0	10/7	2.9	31	57.1	56.9	53.3		35.3	18.7
KRUGER	K-348 RRSCN	U	57.0	10/4	3.8	31	56.4	57.5	54.1		34.9	19.2
KRUGER	K-363 RRSCN	U	58.1	10/4	3.5	35	59.2	57.0	53.9	55.1	35.4	18.9
KRUGER	K-372 RRSCN	U	56.7	10/2	3.3	34	58.5	54.8			34.4	19.2
KRUGER	K-384 RRSCN	U	59.3	10/6	3.4	36	57.1	61.6	56.7		35.9	18.6
KRUGER	K-389 RRSCN	U	58.2	10/2	3.7	33	62.3	54.2	55.4	56.1	34.9	18.7
LEWIS	3909	F	63.5	10/6	3.5	36	63.7	63.4			36.0	18.5
MAVRICK	6369 RR*	U	60.8	10/7	3.4	34	60.4	61.1	57.6		36.2	19.5
MAVRICK	7376 RR*	U	54.6	10/4	3.6	34	55.0	54.1			34.5	19.1
MERSCHMAN	EISENHOWER 937 RR	B	57.5	10/4	3.3	36	56.1	58.9			34.9	18.6
MERSCHMAN	MADISON 938 RR	B	60.3	10/6	3.6	36	62.0	58.5			34.9	18.7
MIDWEST SEED GEN	GR 3833	U	59.6	10/6	3.6	34	62.4	56.9			35.0	18.5
MYCOGEN	5N382 RR*	U	57.3	10/3	3.8	35	60.2	54.4	54.1		35.1	18.4
NK BRAND	S 35-T9*	B	62.2	10/4	3.7	39	59.9	64.4			35.8	19.1
NK BRAND	S 37-F7*	B	60.3	10/4	3.9	37	56.0	64.6			35.8	18.6
NK BRAND	S 37-P5*	B	58.5	10/4	3.8	35	58.2	58.8	52.6		35.5	18.7
NK BRAND	S 38-D5*	B	57.7	10/5	3.7	33	58.3	57.1	52.7		36.6	18.2
NK BRAND	S 39-A3*	B	60.7	10/5	3.8	35	58.5	63.0	55.6		35.5	18.8
NUTECH	7354	B	58.3	10/2	3.6	35	55.8	60.9			35.2	19.2
NUTECH	NT-3888 RRSCN	B	56.3	10/3	3.7	34	56.2	56.4	56.0		35.1	19.0
NUTECH	NT-3909 RRSCN*	B	58.9	10/4	3.7	37	61.8	55.9	53.8		35.0	18.5
PIONEER	93M42*	B	61.7	10/3	3.5	37	59.6	63.9	55.6	56.3	35.8	18.8
PIONEER	93M61*	B	54.9	10/1	3.7	35	53.7	56.2	54.8		35.8	18.9
PIONEER	93Y70*	B	61.6	10/3	3.8	38	61.3	61.9			34.5	19.2
SCHILLINGER	398.RCP	F	53.4	10/11	4.1	41	54.9	51.9			36.7	18.9
SOUTHERN CROSS	LUCAS NRR	U	53.8	10/5	3.7	36	51.5	56.1	53.3		36.3	18.4
STINE	3602-4*	U	64.9	10/10	3.2	35	60.5	69.3	61.1	59.7	35.9	19.7
STINE	3620-4	U	54.3	10/3	3.5	35	55.1	53.4	52.4		35.2	19.0

2008 Soybean Test Results

Region 4: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY*	IST ¹	Regional Results				St. Peter Yield bu/a	Belleville Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a	Region Protein @13%	Region Oil @13%
			Yield bu/a	Maturity Date	Lodging	Height in						
STONE SEED GROUP	2373 NRR*	B	56.9	10/3	4.0	36	54.2	59.6			36.7	18.5
STONE SEED GROUP	3A378 NRR*	B	57.9	10/2	3.5	33	55.0	60.9			35.2	18.6
STONE SEED GROUP	3A388 NRR	B	63.4	10/6	4.0	38	63.6	63.3			36.5	18.3
STONE SEED GROUP	3A398 NRR	B	57.0	10/4	3.7	36	53.0	61.0			36.3	18.3
TRISOY	3463 RR(CN)	B	59.2	10/2	4.0	35	57.4	61.0			35.2	18.9
TRISOY	3874 RR(CN)*	B	56.5	10/5	3.6	34	58.1	54.9			35.1	18.7
VIGORO	V 37N8 RR*	F	61.8	10/5	3.8	34	61.9	61.8			36.1	17.9
VIGORO	V 39N9 RR	F	62.1	10/11	3.7	34	65.2	58.9			35.5	18.5
	AVERAGE		58.3	10/4	3.6	35	57.4	59.1	54.6	55.6	35.6	18.8
	L.S.D. 25% LEVEL		3.8		0.2	2	3.0	3.2			0.45	0.30
	COEFF. OF VAR. (%)		9.6		10.1	8	5.6	5.7			1.9	2.4

MATURITY GROUP 4

ARISE	4209 RS	B	63.3	10/12	3.7	38	62.7	63.9			36.7	18.8
ARISE	4407 NRR	B	63.2	10/12	3.6	38	62.2	64.3	59.3	58.2	36.7	18.1
ARISE	4606 NRR	B	63.1	10/17	4.1	45	65.0	61.1	57.6	58.6	36.8	18.2
ARISE	4708 NRR	B	63.7	10/16	4.1	40	63.0	64.5	56.4		37.0	18.4
ASGROW	AG 4005	U	63.6	10/12	4.0	36	62.5	64.6			36.0	18.7
ASGROW	AG 4103*	U	60.5	10/11	3.9	40	57.6	63.5	53.7	56.3	35.4	18.3
ASGROW	AG 4403*	U	60.5	10/12	3.7	40	58.5	62.4			35.2	19.1
ASGROW	AG 4404	U	61.9	10/12	3.8	41	61.2	62.5	56.2	57.6	36.9	18.0
ASGROW	AG 4405*	U	62.1	10/11	3.9	38	62.1	62.2	54.0		35.4	18.6
ASGROW	AG 4703	U	62.3	10/14	4.0	38	61.2	63.5	56.7	59.0	36.1	18.4
BAKER	4065 NRR	U	61.7	10/12	4.2	41	60.9	62.4			35.4	19.0
BAKER	4495 NRRSTS	U	65.1	10/11	3.5	34	62.0	68.2			35.7	19.1
BAKER	4795 NRRSTS	U	61.5	10/14	3.7	41	67.1	56.0			35.3	19.1
BECK	422 NRR*	F	59.7	10/12	3.7	35	59.3	60.0	56.4	59.3	36.3	19.0
BECK	445 NRR	B	63.0	10/9	3.5	33	62.4	63.7			35.9	19.0
CROW'S	C 4142 R*	U	60.4	10/12	3.8	39	61.2	59.5	55.9		35.5	18.8
CROW'S	C 4517 R*	U	64.8	10/15	4.0	41	63.9	65.7			36.5	18.1
DELTA GROW	4840	F	62.6	10/15	4.2	39	61.4	63.9			35.3	18.8
DELTA GROW	4150 RR	F	60.0	10/13	4.1	37	58.1	61.8	56.3		35.4	18.9
DELTA GROW	4460 RR	F	64.8	10/16	4.1	42	60.6	68.9	56.4		35.3	18.8
DELTA GROW	4770 RR	F	63.1	10/11	3.9	42	62.3	63.8			34.5	18.9
DELTA GROW	4780 RR	F	68.5	10/15	3.8	43	64.5	72.5			34.9	18.6
DELTA GROW	4820 RR	F	59.1	10/15	4.0	37	61.3	57.0			36.8	18.5
DYNA-GRO	33A40	B	65.2	10/12	4.0	37	65.0	65.5			35.5	19.4
DYNA-GRO	35D44*	B	56.7	10/12	3.5	39	53.3	60.0			36.5	18.7
DYNA-GRO	37A44*	B	62.7	10/15	4.0	43	62.2	63.2	55.9	56.3	35.4	18.7
DYNA-GRO	38C42	B	64.0	10/13	4.0	36	61.4	66.5			36.7	18.6
EXCEL	8407 NRR	U	62.1	10/11	3.3	38	59.5	64.7	58.2		36.3	18.2
EXCEL	8442 NRR	U	65.3	10/12	4.1	36	60.2	70.5			36.1	18.7
EXCEL	8454 NRRSTS	U	61.3	10/14	3.7	37	61.3	61.3			35.1	19.0
FS HISOY	HS 4366	B	61.1	10/11	3.9	35	62.3	59.9	57.4		36.2	18.9
FS HISOY	HS 45T70	B	65.4	10/13	3.5	34	63.4	67.4	62.0		35.5	19.1
FS HISOY	HS 4766	B	61.9	10/14	3.6	34	59.2	64.7	56.9		33.5	19.9
FS HISOY	HS 48R70	B	65.4	10/14	3.7	40	63.4	67.5	59.3		34.6	18.7
FS HISOY	R 08-41	B	60.8	10/11	3.6	35	59.2	62.4			36.4	18.0
FS HISOY	T 08-42	B	65.0	10/12	3.6	37	65.4	64.6			36.3	19.1
FS HISOY	T 08-46	B	63.3	10/13	3.5	41	66.8	59.8			35.5	19.1
G2 GENETICS	7401	B	64.4	10/11	3.8	39	65.4	63.5			35.8	18.5
GREAT HEART	GT-438 CRR*	F	65.3	10/12	4.0	39	66.8	63.7			35.4	18.7
GREAT HEART	GT-443 CRS	U	63.1	10/12	3.3	35	60.3	66.0			35.4	19.2
GREAT HEART	GT-462 CRR*	F	66.1	10/14	3.8	43	63.2	69.0			34.5	18.8
GREAT HEART	GT-467 CRR*	F	67.2	10/16	3.9	43	67.1	67.4	61.4		35.8	18.5
GREAT HEART	GT-474 CRS	F	63.6	10/17	3.5	41	68.3	58.9			35.3	19.1
HOBLOT	HB 401 NRR	U	60.1	10/6	3.1	35	58.3	61.9			36.2	18.2
HOFFMAN	H 40-08 CR	B	55.7	10/8	3.4	34	56.9	54.4			36.4	18.2
HOFFMAN	H 41-08 CR	B	62.1	10/11	3.5	36	60.4	63.7			36.2	19.1
HOFFMAN	H 43-08 CR	B	60.7	10/9	3.9	38	63.4	57.9			36.3	18.8
HOFFMAN	H 45-09 CR	B	58.3	10/12	3.8	38	59.8	56.7			34.7	19.2
HOFFMAN	H 47-08 CR	B	59.1	10/16	3.9	42	58.2	60.0			34.8	18.2
HORIZON	H 401 N	U	64.2	10/11	4.0	37	63.9	64.5			35.0	19.5
HORIZON	H 406 N	U	55.4	10/9	4.0	34	57.1	53.8	53.5	54.7	35.8	19.4
HORIZON	H 419 N	U	63.0	10/13	3.4	35	61.2	64.8	58.5		35.8	19.2
HORIZON	H 422 N	U	60.8	10/11	3.8	35	60.5	61.1	58.3		36.7	18.7
HORIZON	H 424 N	U	59.9	10/11	3.4	36	59.8	60.0	56.0	54.9	35.9	18.9
HORIZON	H 447 N	U	63.4	10/11	3.4	34	62.9	63.9			36.0	19.0
KITCHEN	KSC 4082 CRR	U	60.9	10/8	3.3	36	62.8	59.0			36.6	18.1
KRUGER	K-410 RRSCN	U	64.5	10/11	4.0	37	61.5	67.5	61.6	60.6	34.8	19.7
KRUGER	K-417 RRSCN	U	62.1	10/12	3.6	36	61.1	63.0			36.4	19.0
KRUGER	K-428 RRSCN	U	62.0	10/15	3.7	36	61.4	62.7			35.9	19.0
KRUGER	K-433 RRSCN	U	60.5	10/14	4.2	43	64.4	56.6	55.0	57.7	35.1	18.8

2008 Soybean Test Results
Region 4: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY*	IST ¹	Regional Results				St. Peter Yield bu/a	Belleville Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a	Region Protein @13%	Region Oil @13%
			Yield bu/a	Maturity Date	Lodging	Height in						
	*Producer Nominated											
KRUGER	K-439 RRSCN	U	66.8	10/12	3.5	34	64.5	69.1			36.1	18.9
KRUGER	K-476 RRSCN	U	63.3	10/15	3.4	34	61.7	64.9	58.7	59.9	33.8	19.7
KRUGER	K-489 RRSCN	U	61.6	10/13	3.6	40	66.1	57.1			35.6	19.0
LEWIS	4009	F	65.3	10/11	3.5	38	61.4	69.3			36.5	18.2
LEWIS	4159	F	64.6	10/11	3.8	39	65.3	63.9			36.4	18.9
LEWIS	4408	F	65.1	10/13	3.7	35	64.3	65.8	60.9		35.7	18.9
LEWIS	4729	F	60.8	10/12	3.7	39	64.3	57.3			35.2	19.3
LEWIS	4207*	F	62.2	10/14	4.0	37	62.4	62.0	57.3	58.1	36.8	18.7
MERSCHMAN	ATLANTA 846 RR*	F	62.1	10/11	3.8	37	62.7	61.4			33.8	19.5
MERSCHMAN	CHARLESTON 649 RR*	F	65.6	10/17	4.0	40	64.8	66.4			35.0	19.2
MERSCHMAN	MEMPHIS 943 RR	B	67.1	10/12	3.4	35	65.4	68.9			35.7	19.1
MERSCHMAN	PHOENIX 940 RR	B	64.7	10/12	3.6	36	62.9	66.5			36.0	19.2
MERSCHMAN	SANTA FE 945 RR	B	63.3	10/11	3.2	35	63.9	62.7			34.6	19.3
MIDWEST SEED GEN	GR 4133	U	63.6	10/11	3.4	37	60.3	66.9			36.4	19.0
MIDWEST SEED GEN	GR 4533	U	57.2	10/9	3.9	37	59.0	55.4			35.0	19.1
MYCOGEN	5N441 RR*	U	64.4	10/13	4.0	44	64.3	64.5	55.7		35.2	18.6
NK BRAND	S 41-R6*	B	62.9	10/11	3.7	36	63.9	61.8			36.1	18.6
NK BRAND	S 43-B1*	B	61.8	10/11	3.9	42	61.4	62.1	52.7	54.2	35.8	17.9
NK BRAND	S 43-N6	B	62.8	10/14	3.8	42	63.7	61.9			37.2	16.9
NK BRAND	S 44-D5*	B	63.8	10/11	3.6	38	59.5	68.1			35.6	17.9
NK BRAND	S 45-E5*	B	59.2	10/15	3.9	45	61.4	57.0	55.1		36.3	18.2
NK BRAND	S 47-D9	B	57.0	10/12	3.2	38	58.0	56.1			34.7	18.3
NUTECH	7417	B	62.5	10/12	3.6	38	61.5	63.6			36.4	19.0
NUTECH	7438	B	67.9	10/11	3.4	37	65.9	69.9	61.5		36.1	18.8
NUTECH	7475	B	61.5	10/13	3.3	35	58.4	64.7			34.6	19.5
NUTECH	NT-4041 RRSCN*	B	65.9	10/13	3.9	39	68.6	63.2	60.3		35.4	19.3
PIONEER	94M30*	B	61.9	10/17	3.9	36	61.0	62.8	57.0		38.3	18.5
PIONEER	94M50*	B	63.6	10/12	3.7	39	62.1	65.0	58.5	58.6	36.3	18.8
PIONEER	94M70*	B	64.1	10/13	4.0	44	62.6	65.5			35.7	19.1
PIONEER	94M80*	B	60.2	10/15	3.8	45	58.7	61.6			36.6	18.3
PIONEER	94Y01*	B	64.1	10/12	3.8	40	62.8	65.5			35.5	19.0
PIONEER	94Y20*	B	63.2	10/11	3.9	40	61.7	64.6			36.6	18.9
PIONEER	94Y60*	B	62.7	10/15	3.6	35	59.0	66.4			38.5	17.8
PIONEER	94Y70*	B	65.1	10/11	3.5	44	64.4	65.7			35.5	18.6
SCHILLINGER	457.RCP	F	60.1	10/11	4.0	45	60.4	59.9			34.8	19.5
SOUTHERN CROSS	CALEB NRRSTS	U	65.7	10/10	3.6	34	66.2	65.3	61.8		35.8	19.0
SOUTHERN CROSS	ELI NRRSTS	U	59.0	10/15	3.1	32	59.2	58.7	56.0	56.5	34.2	19.6
SOUTHERN CROSS	GALILEE NRR	U	63.5	10/15	3.7	41	64.1	62.9	58.3		34.5	18.7
SOUTHERN CROSS	JERICHO NRR	U	62.1	10/12	3.6	36	62.6	61.6			34.6	19.1
SOUTHERN CROSS	LOT NRRSTS	U	64.0	10/12	3.6	36	63.3	64.6			36.2	19.2
SOUTHERN CROSS	RUFUS NRRSTS	U	63.4	10/15	3.4	41	67.5	59.3			35.2	19.2
STEYER	4210 RR	U	63.9	10/10	3.6	37	63.9	63.9			35.1	18.9
STEYER	4430 RR	U	64.9	10/11	3.7	34	62.5	67.2	60.0		35.5	19.1
STINE	4020-4*	U	62.9	10/11	3.5	36	61.7	64.1			36.2	19.1
STINE	4182-4*	U	64.4	10/11	3.7	38	63.9	64.8	60.0		34.8	19.4
STINE	4282-4*	U	60.7	10/12	3.8	36	61.5	60.0	57.1		36.2	18.8
STINE	4782-4	U	64.9	10/15	3.3	35	64.2	65.5			34.3	19.5
STONE SEED GROUP	3A449 NRRSTS	B	65.7	10/11	3.4	36	65.5	65.8			35.6	19.1
STONE SEED GROUP	3B408 NRR	B	61.3	10/11	3.7	38	59.6	62.9			36.8	17.9
TRISOY	4184 RR(CN)	B	64.6	10/12	3.5	38	63.9	65.4			35.8	19.2
TRISOY	4275 RR(CN)	B	63.4	10/12	3.6	36	61.2	65.5			35.9	19.0
TRISOY	4586 RR(CN)	B	67.4	10/12	3.5	36	64.8	69.9			36.0	18.8
TRISOY	4788 RR(CN)	B	60.2	10/14	3.4	43	65.2	55.2			35.3	19.1
VIGORO	V 40N8 RS*	F	64.4	10/13	4.0	36	64.9	64.0			35.1	19.4
VIGORO	V 42N9 RS	F	62.3	10/11	3.5	35	61.5	63.2			34.4	19.2
VIGORO	V 44N9 RS	F	65.7	10/13	3.5	33	66.0	65.4			35.9	18.9
VIGORO	V 45N9 RR	F	61.5	10/16	3.8	40	60.5	62.5			34.2	19.3
VIGORO	V 47N9 RS	F	64.0	10/12	3.5	41	68.4	59.5			35.2	19.2
	AVERAGE		62.8	10/12	3.7	38	62.4	63.2	57.6	57.5	35.7	18.8
	L.S.D. 25% LEVEL		3.4		0.3	2	2.6	3.8			0.47	0.28
	COEFF. OF VAR. (%)		8.1		12.8	8	4.4	6.5			2.0	2.3

¹IST= Insecticide Seed Treatment: U= Untreated, F= Fungicide, B= Insecticide+Fungicide