

**2009 Soybean Test Results**  
**Region 2: Roundup Resistant (30-inch row spacing)**

COMPANY	NAME*	IST <sup>1</sup>	Yield bu/a	Regional Results			Monmouth Yield bu/a	Goodfield Yield bu/a	Dwight Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a	Region Protein @ 13%	Region Oil @ 13%
				Maturity Date	Lodging	Height in							
<b>MATURITY GROUP 2</b>													
BECK	257 NR	B	63.1	9/21	2.6	38	66.4	57.0	65.7	64.6		38.9	16.6
BECK	296 NR	B	62.5	9/23	1.9	39	64.1	59.3	64.1			36.8	17.3
CHANNEL	2752 R*	F	60.1	9/23	3.1	41	55.1	57.4	67.9	62.7		34.9	18.8
CHANNEL	2900 R2	A	62.4	9/24	3.2	37	66.7	58.9	61.4			35.4	18.2
CHANNEL	2901 R2	A	64.9	9/23	2.7	36	68.6	61.3	65.0			36.5	17.3
CHANNEL	2951 R*	F	66.8	9/26	2.4	35	73.0	61.7	65.7	68.0		36.0	17.0
DAIRYLAND	DSR-2929 RR*	U	66.4	9/26	2.9	36	74.0	60.7	64.6	67.4	65.8	35.0	18.0
DAIRYLAND	DSR-2930 R2Y	U	65.3	9/25	2.5	36	67.8	62.8	65.5	66.8	65.4	36.5	17.3
DYNA-GRO	37RY29	A	66.8	9/25	2.4	36	72.0	62.1	66.4			36.5	17.2
EXCEL	8244 NApRR*	U	64.2	9/20	2.4	36	62.9	63.2	66.5			33.0	19.3
EXCEL	8267 NApRR*	U	62.7	9/24	3.1	38	64.0	61.0	63.0			33.4	18.5
FONTANELLE	69N23*	A	64.4	9/24	2.7	36	66.6	61.3	65.2			36.4	17.4
FS HISOY	A 09-29	B	66.8	9/22	2.4	36	68.0	63.1	69.3			36.5	17.3
FS HISOY	HS 29R80	B	66.0	9/26	2.6	38	68.7	63.1	66.2	69.0		35.0	18.1
G2 GENETICS	6279	B	65.3	9/22	2.1	36	73.1	59.4	63.4			36.4	18.4
G2 GENETICS	7255	B	65.5	9/22	2.1	40	66.3	65.1	65.2			35.9	18.0
G2 GENETICS	7288*	B	66.7	9/23	2.7	37	66.0	68.3	65.7			35.8	18.9
HORIZON	29N12 R	F	64.2	9/26	3.2	37	69.8	57.3	65.5			36.9	16.6
HORIZON	H 296 N	F	62.3	9/26	3.0	38	65.2	60.7	61.0	65.8	65.6	35.3	18.2
ICORN	2.960 R2	A	62.9	9/24	3.0	39	70.0	56.0	62.6			35.3	18.3
KRUGER	K2-2501	A	60.9	9/25	3.2	39	64.1	56.3	62.2			35.9	17.3
KRUGER	K2-2601	A	62.5	9/21	2.8	35	58.5	62.4	66.5			36.1	18.3
KRUGER	K2-2702	A	66.0	9/25	2.2	35	69.9	62.1	66.0			37.4	16.9
KRUGER	K2-2901	A	62.4	9/25	2.7	36	63.2	58.6	65.5			36.6	17.2
KRUGER	K2-3002	A	63.2	9/26	3.1	38	65.6	59.0	65.0			36.9	16.6
KRUGER	K-285 RRSCN	B	66.7	9/25	2.7	38	71.3	63.7	65.2	67.9		34.9	18.3
KRUGER	K-297 RRSCN	B	67.9	9/27	2.2	35	70.6	67.1	65.9	69.5	66.1	36.1	16.9
LEWIS	290 R2	A	62.5	9/23	2.6	37	59.6	61.9	66.0			36.6	17.1
MAVRICK	7270 RR*	U	66.5	9/23	2.6	36	69.8	65.4	64.2	67.6		34.3	18.9
MAVRICK	8255 RR*	U	61.7	9/22	2.0	33	64.5	56.4	64.1			34.6	18.7
MUNSON	8280 R2	A	63.1	9/23	2.7	36	64.1	59.9	65.3			36.4	17.3
MWS	2939 CRR*	F	61.5	9/26	2.7	39	66.7	56.0	61.7	65.6		34.1	18.3
MWS	2988 CRR*	F	64.9	9/27	3.0	37	72.1	59.9	62.5			35.2	18.3
MWS	RY 5295 C	U	64.9	9/24	2.5	35	67.9	62.5	64.2			36.3	17.3
MYCOGEN	5B261 RR*	F	62.5	9/22	3.2	37	64.3	58.7	64.5	62.2		36.5	18.2
MYCOGEN	5N291 RR*	U	62.3	9/24	2.5	35	60.8	62.1	64.1			35.8	18.6
NK BRAND	S 25-T7	B	65.8	9/23	2.5	34	66.8	65.9	64.8			35.6	18.3
NK BRAND	S 27-C4*	B	68.8	9/22	2.1	32	68.1	67.8	70.6	69.8		35.9	18.4
NUTECH	7257	B	63.9	9/18	2.0	33	65.5	62.7	63.6			34.8	18.5
NUTECH	7269	B	65.4	9/23	2.6	36	69.0	62.4	64.8			35.0	19.2
NUTECH	7297	B	67.0	9/27	2.9	38	73.7	61.6	65.7	68.3	67.5	35.5	18.2
NUTECH	7299	B	65.2	9/25	2.4	38	64.1	62.5	69.0			35.4	17.6
NUTECH	2324+RN	B	65.0	9/17	2.0	34	63.4	62.0	69.5	67.1	65.2	36.0	18.8
PIONEER	92M54*	B	65.9	9/22	2.2	38	64.6	66.2	66.9	67.9		36.8	18.2
PIONEER	92M91*	B	68.0	9/22	2.0	38	73.6	64.7	65.7			34.5	19.7
PIONEER	92Y30*	B	66.9	9/16	2.5	36	72.7	61.1	66.8			35.5	18.9
PIONEER	92Y80*	B	67.2	9/22	2.6	36	70.8	61.9	68.9	68.6		37.2	18.4
POWER PLUS	28J0	B	65.8	9/24	2.4	38	66.7	63.8	67.0			35.4	17.7
STINE	2420-4	U	65.3	9/21	1.9	34	68.5	61.6	65.7			37.2	17.9
STINE	2602-4	U	60.3	9/21	2.4	35	64.7	55.2	61.0			36.0	18.4
STINE	2862-4*	U	66.9	9/26	2.3	36	71.9	64.9	64.0	69.5	66.4	35.7	17.0
STONE SEED GROUP	3A288 NRR	B	69.3	9/27	2.9	38	73.3	66.1	68.5	69.4		34.8	18.3
STONE SEED GROUP	3A298 NRR	B	65.9	9/26	3.2	38	67.3	62.6	67.7	68.3		35.5	18.2
SUN PRAIRIE	SP 2904 NRR*	U	60.0	9/21	2.9	36	63.0	57.7	59.2	62.0	60.0	35.6	18.3
SUN PRAIRIE	SP 2967 NRR*	U	60.0	9/26	3.0	37	60.0	57.9	62.3			35.5	18.1
TRISOY	2973 RR(CN)	U	64.9	9/26	1.9	35	70.4	61.2	63.2	68.4	65.3	35.8	16.9
TRISOY	29Z0 R2	A	64.5	9/24	2.7	36	68.1	57.3	68.1			36.5	17.2
WILKEN	W 2310 NRR	B	61.4	9/18	2.2	32	60.2	59.9	64.2	64.6		35.5	18.8
WILKEN	W 2311 NRR	B	65.1	9/18	2.3	33	68.4	62.5	64.5	65.2		35.9	18.6
WILKEN	W 2320 NRR*	B	62.5	9/18	2.0	33	65.8	58.9	63.0	62.9	63.1	34.8	19.0
WILKEN	W 2330 NRR	B	61.0	9/20	2.0	34	61.9	58.9	62.2	63.8	60.6	34.4	19.0
WILKEN	W 24R44 N	A	66.1	9/21	2.6	34	69.0	63.3	66.1			36.1	18.3
WILKEN	W 2664 NRR*	B	65.9	9/21	1.8	33	69.1	63.8	65.0	67.6	66.1	35.6	17.7
WILKEN	W 2667 NRR*	B	62.3	9/20	1.9	32	64.2	59.1	63.4	66.1		34.8	18.6
WILKEN	W 2871 NRR	B	65.9	9/24	2.9	41	70.6	61.8	65.3	66.2	63.5	35.0	18.8
WILKEN	W 2881 NRR	B	63.2	9/21	2.0	35	66.4	59.2	64.0	65.1	61.3	34.8	18.5
WILKEN	W 2889 NRR*	B	66.2	9/27	2.7	36	73.5	61.7	63.4	68.1	64.8	34.2	18.9
WILKEN	W 2993 NRR	B	67.7	9/29	2.1	35	72.1	64.4	66.8	69.0	65.3	35.8	17.1
WILKEN	W 29R91 N	A	63.3	9/22	2.5	35	63.0	60.1	66.8			36.6	17.2
WILLCROSS	RY 5290 N	A	65.9	9/25	2.6	37	71.8	59.1	66.8			36.5	17.3
WYCKOFF	W 2901 CR2	A	65.8	9/24	2.6	36	66.7	62.7	67.9			36.6	17.3
	AVERAGE		64.5	9/23	2.5	36	67.2	61.2	65.1	66.7	64.5	35.8	18.0
	L.S.D. 25% LEVEL		2.6		0.2	1	5.0	3.3	2.4			0.34	0.20
	COEFF. OF VAR. (%)		7.4		17.2	6	7.9	5.6	4.0			1.8	2.1
<b>MATURITY GROUP 3</b>													
ASGROW	AG 3039	A	57.9	9/24	2.9	37	57.0	57.0	59.8			34.7	18.5
ASGROW	AG 3130	A	64.5	9/26	3.1	38	73.2	61.5	58.9			37.7	16.9
ASGROW	AG 3239	A	60.8	9/27	3.0	38	61.9	57.9	62.6			36.7	17.1

**2009 Soybean Test Results**  
**Region 2: Roundup Resistant (30-inch row spacing)**

COMPANY	NAME*	IST <sup>1</sup>	Regional Results			Monmouth	Goodfield	Dwight	2 yr	3 yr	Region	Region	
			Yield bu/a	Maturity Date	Lodging	Height in	Yield bu/a	Yield bu/a	Yield bu/a	Avg Yield bu/a	Avg Yield bu/a	Protein @ 13%	Oil @ 13%
	*Producer Nominated												
ASGROW	AG 3402*	B	64.6	10/3	2.8	39	71.7	60.8	61.4	66.4	66.4	36.5	17.0
ASGROW	AG 3430	A	61.3	9/29	3.1	38	61.9	58.2	63.9			37.0	16.4
ASGROW	AG 3539	A	61.7	10/3	2.6	40	59.5	63.0	62.6			36.7	17.4
ASGROW	RY 2919	A	55.3	9/23	3.2	38	49.8	56.1	60.0			37.4	16.5
ASGROW	RY 2929	A	61.4	9/28	2.9	39	61.8	60.4	62.0			35.7	17.9
ASGROW	RY 3209	A	60.6	9/28	2.6	37	60.7	60.4	60.5			36.9	16.7
ASGROW	RY 3709	A	53.1	10/5	3.3	40	53.9	51.1	54.3			37.5	16.5
ASGROW	RY 3919	A	61.3	10/5	2.9	40	61.6	63.9	58.3			35.8	17.9
BECK	342 NR	B	63.2	10/1	2.1	38	65.1	64.7	59.9	66.1	64.7	34.5	18.2
BECK / XL	322 NR	B	62.0	9/29	2.6	42	60.1	63.1	62.7			34.5	18.2
BECK / XL	325 NR	B	65.9	10/4	2.0	39	67.8	66.0	63.8			36.3	17.5
BECK / XL	355 R	B	65.7	9/28	1.9	37	72.9	62.6	61.5			35.4	18.9
BECK / XL	362 NR	B	61.8	10/5	1.8	38	60.8	62.7	61.8			35.2	18.8
CHANNEL	3000 R2	A	64.2	9/29	2.7	38	64.2	61.1	67.2			37.1	16.8
CHANNEL	3051 R*	F	56.3	9/24	2.1	39	53.2	59.6	56.1			35.9	18.0
CHANNEL	3103 R2	A	60.9	9/27	2.8	37	66.5	60.5	55.8			36.7	16.8
CHANNEL	3400 R2*	A	59.0	9/26	3.0	40	61.1	58.9	57.1			36.6	16.5
CHANNEL	3451 R*	F	60.3	10/5	2.0	39	62.3	62.3	56.4	63.9		34.2	18.1
CHANNEL	3500 R2*	A	58.3	9/30	2.9	40	60.9	55.7	58.3			36.6	17.8
CHANNEL	3501 R2	A	58.1	10/4	3.1	37	62.7	56.7	54.9			36.7	17.4
CROPLAN	RC 3757*	F	62.7	10/2	2.3	39	64.1	63.5	60.6	64.0		35.7	17.3
CROPLAN	RC 3864*	F	52.2	10/7	2.8	39	53.0	52.7	50.8	58.9		34.8	18.4
CROPLAN	RC 3967*	F	59.7	10/7	2.8	40	59.4	60.8	59.0			35.6	17.5
DAIRYLAND	DSR-3017 R2Y	U	60.2	9/24	2.4	38	63.3	59.0	58.2			36.1	17.9
DAIRYLAND	DSR-3155 RR*	U	61.0	9/26	1.9	37	63.7	61.4	57.8	63.5		36.4	17.8
DAIRYLAND	DSR-3265 RR*	U	59.7	9/28	2.9	37	60.9	59.3	58.8	62.3		35.9	18.1
DAIRYLAND	DSR-3315 R2Y	U	53.6	9/26	2.5	36	51.0	52.6	57.1			35.5	17.8
DAIRYLAND	DSR-3636 R2Y	A	60.3	9/27	2.2	36	64.6	57.8	58.6			35.6	17.7
DAIRYLAND	DSR-3675 RR*	U	61.0	9/30	2.0	37	63.2	61.4	58.3			34.2	18.1
DAIRYLAND	DST 28-004 R2Y	U	60.6	9/25	2.3	35	62.6	58.6	60.6			35.5	18.1
DIENER	3121 CR2*	A	60.7	9/25	3.2	40	64.9	57.3	60.1			37.2	16.5
DIENER	3521 CR2*	A	57.2	9/28	2.9	39	63.4	52.8	55.4			36.9	17.7
DIENER	3820 CR*	A	62.6	10/6	2.7	40	68.4	58.9	60.5			35.8	17.8
DYNA-GRO	37A31	B	62.5	9/27	2.6	38	62.6	62.0	62.9	65.0		36.9	17.6
DYNA-GRO	37C38*	B	55.6	10/8	2.7	39	57.3	55.9	53.7			34.3	18.2
DYNA-GRO	37P37*	B	59.2	10/3	2.3	39	58.1	61.5	58.0	61.8		35.7	17.4
DYNA-GRO	37RY35	B	64.1	9/26	2.3	36	71.3	60.5	60.5			35.3	17.8
DYNA-GRO	38R33	B	59.1	9/29	2.5	39	65.4	54.7	57.0	62.9		35.7	17.5
FONTANELLE	70N10*	A	61.3	9/25	3.2	37	65.0	58.5	60.3			36.7	16.8
FONTANELLE	71N02*	A	60.9	9/28	2.8	37	66.2	56.4	60.1			36.9	16.6
FONTANELLE	71N17*	A	63.0	10/1	3.1	38	68.4	62.1	58.6			37.3	17.1
FONTANELLE	73N19*	A	61.9	9/27	2.3	41	66.6	56.5	62.7			36.8	17.4
FS HISOY	A 09-301	B	64.4	9/29	3.0	36	70.8	60.3	62.3			36.8	16.7
FS HISOY	A 09-311	B	59.9	9/27	2.8	38	61.0	55.9	62.7			36.9	16.7
FS HISOY	A 09-321	B	63.2	9/30	2.1	38	65.3	62.6	61.8			37.5	16.5
FS HISOY	A 09-36	B	62.3	10/5	2.8	44	66.2	60.9	59.8			36.3	17.3
FS HISOY	HS 30R72	B	64.2	9/27	2.2	36	68.6	63.2	60.8	67.6	64.8	35.7	16.9
FS HISOY	HS 33R70	B	60.6	9/29	2.6	39	63.2	60.1	58.6	63.7	63.5	35.8	17.5
FS HISOY	HS 3466	B	62.7	10/3	2.1	38	67.9	63.1	56.9	65.6	65.6	34.4	18.0
G2 GENETICS	6311	B	64.8	9/27	2.9	36	65.0	64.3	65.0			35.2	18.9
G2 GENETICS	6369	B	68.7	10/1	1.7	36	78.8	64.4	62.8			35.3	19.0
G2 GENETICS	7309	B	64.7	9/29	2.7	38	70.0	63.0	61.2			37.5	17.3
G2 GENETICS	7329	B	65.1	9/27	2.2	38	67.3	65.0	63.0			35.4	19.2
G2 GENETICS	7339	B	63.4	9/30	2.5	43	68.6	61.9	59.8			34.5	18.3
G2 GENETICS	7373	B	63.9	10/4	1.9	39	68.7	57.7	65.4			35.1	18.9
G2 GENETICS	7389	B	61.5	10/4	2.2	41	61.2	61.6	61.8			35.5	16.9
GREAT HEART	GT-327 CRR*	B	62.0	9/27	2.6	38	67.2	58.9	60.0			36.0	18.1
GREAT HEART	GT-353 CRS*	B	55.6	10/5	3.1	41	58.3	50.9	57.4			36.0	17.2
GREAT HEART	GT-372 CR2	B	60.6	10/5	2.9	43	62.6	58.9	60.3			36.2	17.4
GREAT HEART	GT-376 CRS*	B	54.9	10/9	2.7	40	51.6	56.1	56.8			34.5	18.3
HOBLIT	313 NRR	F	58.6	9/24	2.6	36	54.6	59.1	62.2	62.7		36.9	17.5
HORIZON	31N25 R	F	60.5	9/29	2.7	37	63.5	60.6	57.4			36.0	17.4
HORIZON	32N62 R	F	62.6	10/3	2.9	39	67.4	59.2	61.2			36.6	16.6
HORIZON	32N73 R	F	58.2	9/29	3.2	35	60.5	57.8	56.3			36.3	17.1
HORIZON	34N43 R	F	57.1	10/2	3.0	38	56.7	59.3	55.2			36.4	17.8
HORIZON	35N01 R	F	61.4	10/2	3.0	36	63.7	61.4	59.1			36.1	16.5
HORIZON	36N94 R	F	60.1	10/3	2.8	42	68.1	55.5	56.8			36.2	17.2
HORIZON	H 323 N	F	60.7	9/27	2.5	38	63.9	56.5	61.8	63.5		36.6	17.7
HORIZON	H 340 N	F	61.4	10/6	2.1	38	65.0	63.6	55.5	63.7	63.2	34.5	18.1
ICORN	3.070 R2	A	63.5	9/27	2.7	39	64.7	63.8	61.8			36.6	16.8
ICORN	3.160 R2	A	57.5	9/28	2.9	37	56.7	56.5	59.3			36.8	16.3
ICORN	3.670 R2	A	60.8	10/4	3.0	43	63.1	57.6	61.8			36.1	17.3
ICORN	3.970 R2	A	56.7	10/11	3.0	43	55.4	58.4	56.4			35.6	17.0
KRUGER	K2-3001	A	56.8	9/26	3.4	38	56.3	56.8	57.2			37.0	16.5
KRUGER	K2-3102	A	62.2	9/27	2.6	39	64.3	61.8	60.4			36.7	16.7
KRUGER	K2-3201	A	60.3	9/26	2.3	40	63.3	57.6	59.9			36.4	17.5
KRUGER	K2-3302	A	61.2	10/3	3.0	40	63.5	61.0	59.1			37.4	17.0
KRUGER	K2-3401	A	55.9	10/2	3.0	40	56.4	54.7	56.7			36.7	17.9
KRUGER	K2-3501	B	58.4	10/4	2.8	36	62.0	57.8	55.3			36.6	17.4
KRUGER	K2-3601	A	58.8	10/3	2.8	43	60.7	55.4	60.2			36.4	17.3
KRUGER	K2-3801	A	58.4	10/6	2.8	40	62.9	54.3	57.9			36.0	17.2
KRUGER	K2-3901	A	54.1	10/9	3.1	43	52.8	56.5	53.1			35.5	16.9
LEWIS	300 R2	A	60.7	9/30	3.0	37	63.6	61.7	56.7			36.4	16.5

**2009 Soybean Test Results**  
**Region 2: Roundup Resistant (30-inch row spacing)**

COMPANY	NAME*	IST <sup>1</sup>	Regional Results			Height in	Monmouth Yield bu/a	Goodfield Yield bu/a	Dwight Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a	Region Protein @ 13%	Region Oil @ 13%
			Yield bu/a	Maturity Date	Lodging								
	*Producer Nominated												
LEWIS	330 R2	A	64.5	10/3	3.0	39	66.8	63.9	62.8			37.4	17.1
LG SEEDS	C 3445 NRR*	F	62.8	10/1	1.9	36	67.8	63.2	57.5			34.1	18.3
MAVRICK	6343 RR*	U	61.2	10/4	2.1	37	66.6	60.3	56.8	63.3	62.7	34.3	18.1
MAVRICK	7303 RR*	U	57.9	9/27	2.9	38	60.4	57.7	55.5	62.0		35.2	18.4
MAVRICK	8322 RR*	U	59.7	9/26	2.8	38	61.6	56.9	60.7			36.9	17.6
MUNSON	8300 R2	A	66.5	9/26	2.7	39	73.4	63.0	63.0			37.9	16.9
MUNSON	8328 RR	F	63.3	9/29	2.7	38	62.9	62.6	64.6	65.3	64.7	37.0	17.6
MUNSON	8330 R2	A	61.4	9/30	3.2	39	67.1	54.1	63.1			37.2	17.0
MUNSON	8349 RR	F	59.3	10/1	2.2	39	61.2	58.3	58.4	61.6		34.5	18.7
MUNSON	8370 R2	A	52.1	10/5	2.8	39	50.6	50.6	55.2			35.8	17.2
MWS	3453 CRR*	F	58.4	10/2	2.2	39	63.9	54.5	56.7			34.6	18.7
MWS	RY 5300 C	A	59.3	9/30	3.0	37	66.3	58.5	53.1			36.7	16.7
NK BRAND	S 30-F5*	B	62.1	9/29	3.2	40	68.5	54.9	62.9	65.0		34.5	17.9
NK BRAND	S 31-H9	B	59.8	9/28	3.1	42	57.9	61.1	60.5			34.6	18.8
NK BRAND	S 33-K5	B	58.1	10/2	2.4	41	56.6	59.7	58.0			35.6	17.8
NK BRAND	S 34-R2*	B	64.2	9/30	2.2	38	67.1	62.5	63.1	65.9		36.2	17.3
NK BRAND	S 35-T9*	B	64.8	10/6	2.9	43	69.2	61.1	64.0	66.2		35.9	17.9
NK BRAND	S 37-F7*	B	62.5	10/8	2.7	41	66.5	61.0	59.9	65.5	63.0	36.2	17.2
NK BRAND	S 37-P5*	B	58.7	10/7	2.4	39	57.6	60.9	57.6	61.6	58.7	35.8	17.5
NUTECH	7316	B	62.1	9/29	2.7	38	61.3	63.6	61.5	65.1		37.0	17.5
NUTECH	7322	B	54.7	10/2	2.3	36	55.0	52.6	56.5			35.7	17.9
NUTECH	7349	B	67.7	10/8	3.2	38	68.6	68.6	65.9			36.1	18.3
NUTECH	7386	B	56.7	10/9	2.6	40	59.1	56.6	54.4			34.7	18.2
PIONEER	93M11*	B	66.4	9/24	1.7	36	73.3	61.8	64.3	67.4	64.1	35.6	19.4
PIONEER	93M42*	B	61.1	9/30	2.3	42	63.7	59.3	60.1	64.2	64.3	36.4	17.1
PIONEER	93Y02*	B	61.6	9/24	1.7	35	65.5	59.1	60.1	66.3		35.6	18.0
PIONEER	93Y11*	B	63.8	9/25	1.8	35	67.9	63.5	60.1	66.0		36.8	18.2
PIONEER	93Y20*	B	63.9	9/28	2.4	39	66.3	64.5	61.0			35.1	18.7
PIONEER	93Y40	B	64.4	9/29	2.2	37	67.6	63.2	62.3			36.1	17.6
PIONEER	93Y51	B	63.8	10/1	1.9	38	65.8	61.3	64.3			35.9	18.3
PIONEER	93Y70*	B	59.9	9/30	2.6	42	58.4	60.1	61.3	64.4		35.1	18.4
POWER PLUS	32K0	B	61.2	9/30	2.7	40	61.6	61.7	60.2			34.6	18.2
STINE	3002-4	U	63.1	9/27	2.6	38	65.7	60.8	62.7			37.4	17.3
STINE	3423-4*	U	57.1	10/1	2.6	39	61.0	56.7	53.6			35.0	18.0
STINE	3602-4*	U	55.1	10/2	2.6	39	52.6	55.7	57.0	60.5	60.3	36.2	17.8
STINE	3823-4*	U	52.2	10/4	2.4	38	51.9	55.2	49.5			34.6	18.3
STONE SEED GROUP	2346 NRR*	B	63.1	10/3	2.0	38	63.2	66.6	59.5	65.0		34.6	18.1
STONE SEED GROUP	3A319 NRR	B	63.7	9/26	2.7	39	66.0	64.3	61.0	66.5		36.8	17.6
SUN PRAIRIE	SP 3404 NRR*	U	58.1	10/4	2.0	36	57.1	57.9	59.3			36.2	17.8
SUN PRAIRIE	SP 3430 NRR*	U	61.7	10/1	2.1	37	64.6	62.9	57.6			34.4	18.2
SUN PRAIRIE	SP 3567 NRR*	U	62.5	9/30	2.5	38	63.2	61.2	63.2			36.8	17.6
TRISOY	31Z0 R2	A	59.8	9/25	2.4	41	60.9	57.2	61.4			36.5	17.3
TRISOY	32Z0 R2	A	61.5	9/30	3.0	40	60.6	62.4	61.5			37.5	17.1
WILKEN	W 3426 NRR	B	60.8	9/26	2.6	37	57.7	62.8	61.8	64.1		37.1	17.6
WILKEN	W 3432 NRR	B	61.9	9/28	2.8	39	70.6	59.5	55.6	65.2		35.8	17.5
WILKEN	W 34R03 N	A	62.3	9/26	3.1	37	65.0	59.1	62.9			36.7	16.7
WILKEN	W 34R17 N	A	58.4	9/26	2.8	36	58.0	58.8	58.5			36.9	16.6
WILKEN	W 34R28 N	A	63.9	10/1	2.1	38	66.7	61.3	63.8			37.5	16.5
WILLCROSS	RY 5300 N	B	63.9	9/25	2.2	35	63.1	62.6	66.0			36.3	17.8
WILLCROSS	RY 5310 N	A	64.4	10/1	2.0	37	66.8	59.4	67.1			37.6	16.5
WILLCROSS	RY 5320 N	A	61.5	9/26	2.9	39	66.8	57.4	60.3			37.2	16.3
WILLCROSS	RY 5340 N	A	59.3	10/4	3.2	39	63.2	56.0	58.6			36.7	17.9
WILLCROSS	RY 5350 N	A	56.8	9/30	3.1	40	60.3	57.9	52.2			36.9	16.5
WYCKOFF	W 3101 CR2	A	59.6	9/26	3.3	38	60.5	56.8	61.3			36.7	16.8
	AVERAGE		60.7	9/30	2.6	39	63.0	59.6	59.6	64.2	63.5	36.1	17.5
	L.S.D. 25% LEVEL		2.8		0.2	1	5.5	3.2	3.3			0.27	0.19
	COEFF. OF VAR. (%)		8.6		15.5	6	9.3	5.7	5.9			1.4	2.0

<sup>1</sup>IST= Insecticide Seed Treatment: U= Untreated, F= Fungicide, B= Insecticide+Fungicide, A= Acceleron