

2009 Soybean Test Results
Region 3: Roundup Resistant (30-inch row spacing)

COMPANY	NAME*	IST ¹	Regional Results				Perry Yield bu/a	New Berlin Yield bu/a	Urbana Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a	Region Protein @13%	Region Oil @13%
			Yield bu/a	Maturity Date	Lodging	Height in							
MATURITY GROUP 2													
ASGROW	RY 2919	A	65.1	9/23	2.0	37	62.7	73.9	58.8			35.9	17.2
ASGROW	RY 2929	A	72.3	9/27	1.8	37	67.9	81.5	67.5			34.6	18.9
CHANNEL	2900 R2	A	63.0	9/24	2.5	36	56.1	72.3	60.5			33.4	19.3
CHANNEL	2951 R*	F	65.7	9/25	1.8	34	61.5	72.1	63.5			34.0	18.2
DAIRYLAND	DSR-2770 RR*	U	65.8	9/24	2.0	34	62.0	72.7	62.8	66.0	60.7	35.5	19.0
DAIRYLAND	DSR-2929 RR*	U	64.5	9/26	2.1	37	59.3	71.3	62.8	64.2	58.2	33.1	19.2
EXCEL	8244 NApRR*	U	60.7	9/22	1.9	35	53.5	67.8	60.8			32.0	20.0
EXCEL	8267 NApRR*	U	62.8	9/25	2.2	35	55.5	70.1	62.8			32.1	19.5
G2 GENETICS	6279	B	63.1	9/20	1.5	34	56.1	68.2	65.0			34.5	19.4
G2 GENETICS	7299	B	62.8	9/19	1.9	35	54.0	73.4	60.9			33.9	19.9
HORIZON	29N12 R	F	69.2	9/25	1.8	34	67.3	77.0	63.1			35.0	17.6
HORIZON	H 296 N	F	65.5	9/26	2.3	35	61.5	74.1	60.9	63.3	60.4	33.8	19.1
HUBNER	H 28-01 R2	A	67.2	9/24	1.5	34	64.1	75.2	62.4			35.5	17.8
HUBNER	H 29-02 R2	A	67.6	9/24	1.6	34	66.6	75.5	60.5			34.1	18.5
KRUGER	K2-2901	A	69.5	9/25	1.7	35	67.1	78.6	62.9			34.3	18.4
KRUGER	K2-3002	A	69.6	9/25	2.0	34	63.4	78.0	67.5			34.6	17.7
MARTIN	M 028 R2Y	U	61.4	9/23	2.0	35	56.0	67.8	60.3			34.4	19.0
MARTIN	M 927 NRR	U	67.5	9/25	1.5	34	64.5	74.1	63.7	65.6		33.4	19.5
MUNSON	8280 R2	A	67.2	9/23	1.7	33	63.1	78.4	60.2			34.2	18.5
MWS	2939 CRR*	F	66.3	9/26	2.1	38	63.7	72.6	62.7	64.8		32.8	19.3
MWS	2988 CRR*	F	67.7	9/25	2.2	37	63.7	78.5	60.8			33.8	19.1
MWS	RY 5295 C	U	65.5	9/23	1.6	34	62.1	74.3	60.1			33.9	18.5
NUTECH	6277	B	68.2	9/25	1.6	35	64.6	75.9	64.0	67.6	64.8	33.7	19.3
NUTECH	7296	B	64.6	9/21	1.5	36	59.8	75.3	58.7	64.5		35.6	18.2
NUTECH	7297	B	68.3	9/26	2.2	37	64.6	78.3	62.0	67.2	63.6	33.6	19.2
NUTECH	7299	B	69.0	9/25	1.7	36	64.1	77.8	65.1			33.5	18.7
PIONEER	92M54*	B	61.8	9/22	2.2	36	55.7	71.8	57.9			36.0	18.9
PIONEER	92Y30*	B	62.1	9/19	1.9	34	55.4	71.3	59.8			34.1	19.7
PIONEER	92Y80*	B	66.3	9/23	2.2	35	58.4	75.3	65.3	66.2		36.3	19.0
STINE	2602-4	U	63.1	9/22	1.8	34	60.5	67.7	61.1			33.9	19.6
SUN PRAIRIE	SP 2904 NRR*	U	57.8	9/21	2.5	34	52.1	67.5	53.8	56.8	54.9	33.7	19.1
SUN PRAIRIE	SP 2967 NRR*	U	64.8	9/25	2.2	35	60.1	74.4	60.1	64.1		33.3	19.2
	AVERAGE		65.5	9/24	1.9	35	60.8	73.8	61.8	64.6	60.4	34.1	18.9
	L.S.D. 25% LEVEL		2.3		0.2	1	6.1	3.4	2.5			0.40	0.16
	COEFF. OF VAR. (%)		6.4		19.3	4	6.1	2.8	4.3			2.2	1.5
MATURITY GROUP 3													
ASGROW	AG 3039	A	70.0	9/23	2.2	36	65.7	79.7	64.6			33.4	19.3
ASGROW	AG 3130	A	65.5	9/27	2.6	35	60.5	76.0	60.1			36.4	17.7
ASGROW	AG 3239	A	69.5	9/27	2.3	37	64.1	77.6	66.8			35.7	18.0
ASGROW	AG 3430	A	68.4	9/28	2.4	36	65.6	75.3	64.3			36.1	17.2
ASGROW	AG 3539	A	65.5	9/29	2.1	39	61.4	75.3	59.8			35.9	18.4
ASGROW	AG 3803	B	68.3	10/7	2.2	40	60.8	77.8	66.1	67.9	64.7	35.1	18.2
ASGROW	RY 3209	A	67.1	9/27	2.2	36	65.0	74.7	61.6			36.4	17.3
ASGROW	RY 3709	A	66.6	10/5	2.2	40	63.4	70.1	66.3			37.0	17.2
ASGROW	RY 3919	A	69.0	10/6	2.3	39	62.2	78.7	66.0			34.7	18.7
BECK	342 NR	B	65.7	9/28	2.0	35	61.0	72.5	63.5	65.0	62.1	33.5	19.1
BECK	399 NR	B	65.5	10/7	2.2	39	61.0	73.8	61.9	65.1	61.1	35.1	18.1
BECK / XL	325 NR	B	67.6	9/30	2.0	38	67.8	72.2	62.8			34.8	18.8
BECK / XL	355 R	B	68.0	9/28	1.6	34	58.3	75.8	69.9			34.9	19.7
BECK / XL	362 NR	B	68.3	10/1	1.8	37	65.4	75.3	64.4			34.9	19.5
CHANNEL	3000 R2	A	72.1	9/26	1.9	36	70.7	79.3	66.4			35.2	17.9
CHANNEL	3051 R*	F	64.6	9/26	1.8	36	56.5	74.3	63.0			33.3	19.3
CHANNEL	3103 R2	A	67.7	9/26	2.0	36	64.4	76.8	62.1			35.4	17.5
CHANNEL	3400 R2*	A	67.1	9/28	2.2	36	63.5	75.7	61.9			35.6	17.4
CHANNEL	3451 R*	F	64.3	10/2	1.9	36	58.9	73.5	60.6	63.4		33.5	18.9
CHANNEL	3500 R2*	A	67.9	9/29	2.4	38	66.5	75.3	62.0			34.8	18.8
CHANNEL	3501 R2	A	67.5	9/29	2.0	36	64.9	75.6	62.0			36.0	18.1
CHANNEL	3600 R2	A	64.6	10/3	2.7	41	61.4	74.2	58.2			35.8	17.9
CHANNEL	3951 R*	F	69.0	10/6	2.3	39	65.9	76.7	64.3	67.3		35.1	18.3
CROPLAN	RC 3757*	F	68.4	9/30	1.9	38	64.5	75.2	65.3	65.6		34.6	18.2
CROPLAN	RC 3864*	F	67.6	10/7	2.2	38	65.9	74.1	62.7	66.7		34.0	19.0
CROPLAN	RC 3967*	F	69.4	10/5	2.5	39	66.5	77.9	63.8			35.5	18.1
DAIRYLAND	DSR-3265 RR*	U	60.9	9/30	2.5	37	55.3	68.7	58.8	60.2		34.4	19.1
DAIRYLAND	DSR-3636 R2Y	A	72.0	10/1	1.9	37	67.5	78.7	69.6			33.9	18.8
DAIRYLAND	DSR-3675 RR*	U	63.3	10/2	1.9	36	56.7	71.6	61.4	62.9	60.8	33.5	19.1
DIENER	3121 CR2*	A	65.3	9/27	2.3	37	61.5	75.0	59.6			35.5	17.4
DIENER	3521 CR2*	A	65.3	9/29	2.0	36	63.9	74.3	57.9			35.0	19.0
DIENER	3820 CR*	A	68.7	10/6	2.3	39	67.0	74.5	64.6			35.3	18.3
DYNA-GRO	31RY39	A	68.2	10/6	1.7	37	65.0	77.7	61.8			34.9	18.4
DYNA-GRO	32RY38	A	68.2	10/7	2.2	39	64.4	76.5	63.7			34.4	18.0
DYNA-GRO	32X39*	B	66.6	10/8	2.3	38	62.5	75.3	61.9	65.5		35.1	18.0
DYNA-GRO	37C38*	B	64.6	10/6	2.1	36	60.2	73.1	60.5	65.2		33.6	18.8
DYNA-GRO	37P37*	B	65.7	9/30	1.8	37	62.7	72.4	62.1	63.0		34.1	18.3
DYNA-GRO	39RY36	A	66.0	10/2	2.8	42	62.5	74.5	61.0			35.6	18.1
DYNA-GRO	V39N9RR	B	65.2	10/8	2.1	39	61.8	73.5	60.2	63.8		34.8	17.8
FIELDER'S CHOICE	NG 3404 NR*	U	66.3	9/29	2.0	35	62.1	72.5	64.2			33.6	19.0
FIELDER'S CHOICE	NG 3880 NRS*	U	64.8	10/4	2.0	36	61.7	72.5	60.4			33.5	19.1
FS HISOY	A 09-321	B	68.3	9/30	1.8	36	65.5	75.3	64.1			36.1	17.4

2009 Soybean Test Results

Region 3: Roundup Resistant (30-inch row spacing)

COMPANY	NAME*	IST ¹	Regional Results			Perry Yield bu/a	New Berlin Yield bu/a	Urbana Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a	Region Protein @13%	Region Oil @13%	
			Yield bu/a	Maturity Date	Lodging								Height in
	*Producer Nominated												
FS HISOY	A 09-36	B	66.2	10/4	2.6	41	65.1	75.3	58.4			35.7	17.9
FS HISOY	A 09-381	B	69.2	10/6	2.2	39	66.2	78.8	62.5			35.0	17.8
FS HISOY	A 09-382	B	70.2	10/5	1.6	35	66.0	80.6	64.0			35.2	18.5
FS HISOY	HS 33R70	B	67.0	9/27	2.6	38	62.1	78.4	60.5	64.2	61.2	35.0	18.3
FS HISOY	HS 3466	B	65.1	9/29	1.9	35	56.6	75.4	63.3	63.8	62.2	33.7	18.9
FS HISOY	HS 3766	B	69.1	10/7	2.1	38	63.1	76.5	67.7	67.6	62.7	35.4	18.9
FS HISOY	HS 38R80	B	66.5	10/2	1.8	38	64.6	74.4	60.5	64.2		34.9	18.1
FS HISOY	HS 39R70	B	68.5	10/5	2.2	38	65.5	77.7	62.2	66.7	62.0	35.4	18.0
G2 GENETICS	6311	B	63.8	9/27	2.7	34	56.7	73.7	61.1			34.3	19.7
G2 GENETICS	7333	B	65.0	9/30	2.3	40	61.7	71.3	62.0	65.8		33.4	18.9
G2 GENETICS	7339	B	65.0	9/29	2.4	40	61.9	70.8	62.4			33.7	19.1
G2 GENETICS	7373	B	69.4	10/2	1.8	37	66.0	74.4	67.9			34.8	19.5
G2 GENETICS	7389	B	68.0	10/1	2.2	39	63.6	74.9	65.6			34.6	17.9
GREAT HEART	GT-327 CRR*	B	64.4	9/28	2.2	37	63.9	69.9	59.5			35.2	18.8
GREAT HEART	GT-353 CRS*	B	66.3	9/30	2.1	40	64.5	75.0	59.3			35.3	18.0
GREAT HEART	GT-372 CR2	B	65.7	10/4	2.5	41	62.1	74.6	60.3			35.5	17.9
GREAT HEART	GT-376 CRS*	B	64.2	10/4	2.0	37	59.6	71.6	61.2			33.8	18.8
HOBLIT	342 NRR	F	65.0	9/28	2.1	36	60.5	73.9	60.5	64.8	61.6	33.7	18.9
HOBLIT	385 NRS	F	65.9	10/4	2.1	37	62.5	72.4	62.7			34.1	18.7
HORIZON	31N25 R	F	66.4	9/27	2.3	36	61.5	73.1	64.8			34.5	18.4
HORIZON	32N62 R	F	71.5	9/28	2.2	37	67.5	78.9	68.1			35.6	17.5
HORIZON	32N73 R	F	66.4	9/26	2.3	34	63.1	78.9	57.2			34.8	18.0
HORIZON	34N43 R	F	67.8	9/28	2.2	40	62.3	74.5	66.6			35.0	18.8
HORIZON	35N01 R	F	67.1	10/3	2.3	34	65.6	74.6	61.1			34.7	17.3
HORIZON	36N94 R	F	65.5	10/4	2.4	41	62.2	74.2	59.9			35.1	18.1
HORIZON	H 323 N	F	66.4	9/26	2.2	35	62.0	74.3	63.0	64.8		35.5	18.4
HORIZON	H 340 N	F	66.1	9/30	1.8	36	62.1	73.5	62.8	64.3	61.2	33.5	19.0
HORIZON	H 384 N	F	65.0	10/5	2.0	36	62.7	73.8	58.6	65.0		33.6	18.8
HUBNER	H 35-01 R2	A	67.7	10/1	2.0	34	63.5	75.0	64.6			35.7	18.1
HUBNER	H 39-01 R2	A	67.8	10/12	2.5	42	64.7	72.7	65.9			35.3	17.3
HUBNER	H 398 NRR	F	70.5	10/7	2.2	38	68.1	77.1	66.3			35.0	18.4
ICORN	3.160 R2	A	65.6	9/24	2.1	35	60.9	74.1	61.8			35.2	17.4
ICORN	3.670 R2	A	66.3	10/4	2.8	40	60.4	75.4	63.1			35.3	18.1
ICORN	3.970 R2	A	69.1	10/10	2.6	41	67.7	72.7	66.9			35.4	17.5
KRUGER	K2-3001	A	66.3	9/27	2.3	37	60.9	74.8	63.1			35.4	17.3
KRUGER	K2-3102	A	67.8	9/25	1.9	36	66.1	75.3	62.1			35.0	17.7
KRUGER	K2-3201	A	65.8	9/26	2.0	39	61.2	74.5	61.6			34.8	18.4
KRUGER	K2-3302	A	65.4	9/29	2.5	38	62.6	71.6	62.0			37.2	17.7
KRUGER	K2-3401	A	66.2	9/30	2.4	37	63.3	73.2	62.2			35.2	18.8
KRUGER	K2-3501	B	69.0	10/1	2.0	35	66.9	75.7	64.2			35.8	18.1
KRUGER	K2-3601	A	64.9	10/3	2.7	39	58.4	74.4	62.1			35.5	18.0
KRUGER	K2-3801	A	70.4	10/6	2.0	39	65.0	79.8	66.5			35.1	18.0
KRUGER	K2-3901	A	69.5	10/13	2.5	41	67.8	75.3	65.5			35.0	17.5
KRUGER	K-329 RRSCN	B	68.5	9/27	2.1	34	64.7	77.1	63.7	66.0		35.9	18.4
KRUGER	K-348 RRSCN	B	64.6	9/27	2.0	35	61.7	77.1	55.0	64.2	62.4	33.4	19.3
KRUGER	K-384 RRSCN	B	70.4	10/5	2.3	39	66.9	77.0	67.4	67.8	64.7	35.8	18.1
LEWIS	3780	B	64.0	10/4	2.3	37	61.1	73.0	57.9			33.7	18.9
LEWIS	3909	B	70.4	10/6	2.3	39	68.1	76.6	66.4	68.3		35.5	18.2
LEWIS	3968	B	66.7	10/7	2.3	39	59.1	76.5	64.4	66.4	62.2	34.9	18.1
LEWIS	360 R2	A	65.1	10/3	2.6	39	62.0	73.7	59.6			35.5	17.9
LEWIS	380 R2	A	70.2	10/6	2.2	39	67.6	78.6	64.5			35.0	17.9
LG SEEDS	C 3445 NRR*	F	65.4	9/29	2.0	35	59.0	72.1	65.1			33.9	18.8
MARTIN	M 034N R2Y	A	66.8	9/27	2.2	35	61.9	74.8	63.8			35.0	17.3
MARTIN	M 035 R2Y	A	70.7	9/30	2.2	34	65.1	79.6	67.3			34.5	18.5
MARTIN	M 930 NRR	U	67.4	9/26	2.3	35	64.6	72.5	65.2	66.0		35.6	18.1
MAVRICK	5394 RR*	U	64.1	10/12	2.4	40	57.9	73.3	61.0			35.8	18.0
MAVRICK	6343 RR*	U	65.9	9/30	2.1	36	61.2	73.4	63.2	64.0	60.7	33.5	18.9
MAVRICK	6369 RR*	U	66.7	10/3	2.0	37	64.7	74.9	60.6	65.9	62.2	35.1	19.2
MAVRICK	7303 RR*	U	64.9	9/27	2.3	35	58.8	75.6	60.2	63.9		34.0	19.0
MAVRICK	7376 RR*	U	63.2	9/30	1.8	38	60.3	70.4	58.9	62.6		33.6	19.0
MAVRICK	8322 RR*	U	66.0	9/26	2.3	35	61.8	72.1	64.1			35.7	18.5
MUNSON	8300 R2	A	65.8	9/25	2.1	36	63.9	72.2	61.4			35.5	18.2
MUNSON	8328 RR	F	68.5	9/26	2.1	36	65.8	76.4	63.4	66.4	63.1	35.9	18.4
MUNSON	8330 R2	A	65.0	9/28	2.5	37	63.1	70.0	61.8			35.6	17.7
MUNSON	8349 RR	F	62.3	9/27	2.1	36	60.1	69.2	57.6	62.7		33.5	19.4
MUNSON	8370 R2	A	68.9	10/6	2.2	40	67.2	77.2	62.4			34.3	18.0
MWS	3453 CRR*	F	60.8	9/28	1.9	35	56.1	68.8	57.7			33.9	19.3
MWS	RY 5300 C	A	69.7	9/26	2.1	34	64.4	78.5	66.1			35.1	17.6
MYCOGEN	5N352 RR*	U	64.7	10/3	1.9	36	60.5	72.1	61.6	63.7		33.6	18.8
MYCOGEN	5N383 RR*	U	67.2	10/5	2.1	37	66.4	74.6	60.7			35.4	19.0
NK BRAND	S 31-H9	B	61.6	9/28	2.6	40	58.8	66.4	59.7			33.6	19.7
NK BRAND	S 33-K5	B	63.0	10/1	2.2	38	58.4	71.1	59.5			34.0	18.8
NK BRAND	S 34-R2*	B	66.5	9/28	2.0	35	61.6	72.3	65.6	65.3		34.9	18.5
NK BRAND	S 35-T9*	B	65.6	10/3	2.6	43	58.0	74.0	64.8	65.7		34.7	18.7
NK BRAND	S 37-F7*	B	65.7	10/6	2.6	39	59.9	75.3	61.9	65.4	61.0	35.6	17.8
NK BRAND	S 37-P5*	B	66.4	10/3	2.0	37	62.4	73.4	63.3	65.4	60.6	34.6	18.4
NK BRAND	S 39-A3*	B	68.8	10/6	2.3	38	62.0	79.0	65.5	67.1	61.9	34.9	18.1
NUTECH	7349	B	71.3	10/6	2.7	39	64.4	79.1	70.5			35.3	18.9
NUTECH	7386	B	67.3	10/6	2.1	37	65.6	74.1	62.1			34.5	18.7
NUTECH	7369 S*	B	66.3	9/28	2.1	38	63.1	72.1	63.6			33.7	18.9
NUTECH	7399*	B	68.6	10/7	2.3	38	64.9	76.9	63.9	66.6	62.4	35.1	18.0
PIONEER	93M42*	B	68.5	9/27	2.2	39	64.0	76.6	65.0	65.6	63.1	35.3	18.1
PIONEER	93M61*	B	66.9	9/27	1.8	37	62.5	75.6	62.7	67.1	63.5	33.9	18.8

2009 Soybean Test Results

Region 3: Roundup Resistant (30-inch row spacing)

COMPANY	NAME*	IST ¹	Regional Results				Perry Yield bu/a	New Berlin Yield bu/a	Urbana Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a	Region Protein @13%	Region Oil @13%
			Yield bu/a	Maturity Date	Lodging	Height in							
<i>*Producer Nominated</i>													
PIONEER	93Y02*	B	67.3	9/25	1.7	34	64.3	73.1	64.4	66.3		34.3	19.0
PIONEER	93Y11*	B	66.8	9/26	1.8	34	63.7	72.4	64.4	66.0		35.6	19.1
PIONEER	93Y40	B	69.7	9/30	1.9	35	63.6	77.7	67.6			35.2	18.3
PIONEER	93Y51	B	65.5	9/29	1.7	38	58.7	74.9	63.0			34.4	19.5
PIONEER	93Y70*	B	66.8	10/3	2.3	42	60.7	75.4	64.2	67.0		33.7	19.2
PIONEER	93Y91*	B	67.9	10/7	2.0	38	61.1	78.3	64.4			35.4	18.8
PIONEER	93Y92	B	68.7	10/4	2.2	41	68.2	74.3	63.6			35.0	18.8
POWER PLUS	32K0	B	65.2	9/27	2.4	41	63.6	70.4	61.5			33.5	19.1
POWER PLUS	34B9	B	67.2	9/29	2.1	39	62.9	74.8	63.9			34.5	18.7
POWER PLUS	36C0	B	69.9	10/1	2.0	36	67.8	76.9	64.9			35.4	19.4
STINE	3002-4	U	64.4	9/27	2.5	37	59.4	73.3	60.6			36.3	18.1
STINE	3132-4*	U	68.8	9/28	2.0	34	64.9	76.8	64.9			35.2	18.6
STINE	3423-4*	U	67.2	9/28	2.3	37	66.3	70.9	64.3			33.7	19.0
STINE	3602-4*	U	66.5	10/6	2.1	38	58.4	76.5	64.5	66.8	63.2	35.2	19.1
STINE	3823-4*	U	65.1	10/6	2.1	37	62.5	73.7	59.2			33.9	18.6
STINE	3923-4*	U	68.7	10/7	1.8	35	63.9	76.5	65.8			34.4	18.2
STONE SEED GROUP	3A378 NRR	B	67.3	10/4	1.9	40	62.7	74.4	64.6	65.6		34.9	18.8
STONE SEED GROUP	3A388 NRR	B	69.1	10/9	2.3	41	65.4	76.5	65.3	68.0		35.6	18.2
STONE SEED GROUP	3A398 NRR	B	68.5	10/7	2.4	39	63.8	75.8	65.9			35.1	18.1
SUN PRAIRIE	SP 3404 NRR*	U	65.3	10/5	2.0	33	60.0	72.8	63.1			35.3	18.9
SUN PRAIRIE	SP 3430 NRR*	U	64.4	9/27	2.0	36	58.6	69.7	65.0	64.1		33.5	19.0
SUN PRAIRIE	SP 3567 NRR*	U	63.4	9/27	2.1	36	58.9	72.8	58.5			35.2	18.6
TRISOY	31Z0 R2	A	66.9	9/29	2.0	39	62.4	74.8	63.7			34.7	18.2
TRISOY	32X0 R2	A	65.8	9/27	2.2	36	62.2	73.8	61.3			35.0	17.7
TRISOY	32Z0 R2	A	66.5	10/1	2.3	36	63.6	74.0	61.9			36.3	17.9
TRISOY	34Z9 R2	A	65.7	9/27	2.0	38	63.7	73.8	59.5			35.1	18.7
TRISOY	35Z0 R2	A	68.1	9/29	2.0	34	63.4	77.5	63.4			35.7	18.1
TRISOY	3895 RR(CN)	U	67.8	10/5	2.1	38	64.4	74.8	64.1			35.3	18.4
TRISOY	3977 RR(CN)	U	65.9	10/4	2.0	37	61.4	75.5	60.7	65.3		35.0	18.1
WILKEN	W 3434 NRR	B	67.2	9/28	2.1	36	64.6	73.8	63.3	65.8	62.6	34.1	18.9
WILKEN	W 3459 NRR	B	64.0	9/28	1.9	35	57.5	72.4	62.1	63.5		33.8	19.3
WILKEN	W 3465 NRR	B	65.0	10/3	2.1	37	58.6	73.7	62.8	63.6	60.1	34.7	18.8
WILKEN	W 3479 NRR	B	66.4	10/6	2.2	37	63.6	74.0	61.7	64.4	60.7	33.7	19.1
WILKEN	W 3487 NRR	B	65.2	10/7	2.1	37	60.2	72.7	62.5	65.1		33.5	19.0
WILKEN	W 3488 NRR	B	69.3	10/6	2.1	36	67.7	76.0	64.2	67.9	63.7	35.2	19.1
WILKEN	W 34R66 N	A	64.0	10/4	2.5	42	58.7	75.6	57.7			35.6	17.8
WILKEN	W 34R84 N	A	69.0	10/5	2.2	39	64.8	77.0	65.1			35.1	17.9
WILKEN	W 3577 NRR	B	67.9	9/30	2.0	37	65.1	75.0	63.7	64.8	61.4	34.7	18.1
WILKEN	W 3592 NRR	B	66.8	10/5	2.5	37	61.1	75.1	64.0	65.6	61.3	35.2	18.0
WILKEN	W 35R95 N	B	68.6	10/6	1.7	36	64.4	76.6	64.7			34.6	18.5
WILLCROSS	RY 5360 N	A	66.0	10/3	2.7	41	64.3	73.1	60.7			35.7	17.9
WILLCROSS	RY 5380 N	A	71.2	10/7	2.3	39	69.6	80.1	63.9			34.7	17.8
WILLCROSS	RY 5390 N	A	71.2	10/6	1.6	36	68.6	79.9	65.2			34.5	18.6
	AVERAGE		66.9	10/2	2.2	37	63.0	74.7	62.9	65.3	62.1	34.8	18.4
	L.S.D. 25% LEVEL		2.0		0.2	1	3.3	2.3	2.5			0.49	0.22
	COEFF. OF VAR. (%)		5.4		15.4	6	5.5	3.2	4.1			2.6	2.2
MATURITY GROUP 4													
BECK	422 NR	B	64.0	10/15	2.3	37	59.8	71.1	61.2	63.8		36.2	18.6
BECK / XL	400 NR	B	62.9	10/11	2.7	43	58.8	70.0	60.0			35.8	18.1
DYNA-GRO	33A40*	B	67.1	10/9	2.2	38	63.0	75.2	63.2	64.3		35.0	18.7
EXCEL	8407 NRR	U	61.8	10/9	1.9	39	56.0	71.5	57.8	61.7		35.4	17.8
EXCEL	8442 NRR	U	63.2	10/17	2.6	40	61.2	68.5	59.9			36.2	17.7
EXCEL	8454 NRRSTS	U	62.9	10/14	2.4	39	58.1	71.6	59.1			34.0	18.6
G2 GENETICS	7419	B	65.2	10/14	1.9	44	59.4	74.3	62.1			35.4	17.9
G2 GENETICS	7439 S	B	70.5	10/14	1.9	38	69.1	76.0	66.2			35.3	18.4
GREAT HEART	GT-438 CRR*	B	61.5	10/17	2.5	41	60.0	68.4	56.1	60.4		34.8	18.2
GREAT HEART	GT-443 CRS*	B	70.0	10/12	1.8	37	66.4	75.9	67.7			35.1	18.4
HORIZON	40N15 R	F	69.2	10/7	1.8	35	63.8	77.4	66.5			34.7	18.5
HORIZON	H 401 N	F	66.1	10/11	2.3	38	62.7	73.2	62.4	64.2		34.4	19.0
HORIZON	H 419 N	F	64.9	10/8	1.9	39	60.6	73.3	60.8	62.5	58.9	35.1	18.8
HORIZON	H 422 N	F	65.5	10/9	2.2	38	63.9	71.3	61.4	64.1	60.2	36.0	18.7
KRUGER	K2X 41A9	B	67.7	10/6	2.7	39	61.5	73.3	68.2			33.9	19.5
KRUGER	K2X 42A9	A	67.8	10/8	2.2	39	63.1	75.8	64.6			34.1	18.7
KRUGER	K2X 43A9	B	62.6	10/17	3.0	45	56.6	69.3	61.8			35.7	17.4
KRUGER	K2X 43B9	B	62.1	10/14	3.4	41	59.5	65.5	61.4			35.5	17.9
KRUGER	K2X 43C9	B	63.3	10/14	2.3	41	59.2	72.3	58.5			35.3	18.3
LG SEEDS	C 4110 NRR*	F	61.9	10/17	2.3	40	56.6	69.5	59.5			34.0	18.8
NK BRAND	S 41-R6*	B	68.1	10/8	1.9	39	63.3	76.2	65.0	64.2		35.6	18.2
NUTECH	7406 S	B	65.1	10/15	2.2	39	61.5	70.9	62.9			34.4	18.6
NUTECH	7425 S	B	68.5	10/13	1.9	37	65.8	76.2	63.5			35.6	18.3
PIONEER	94Y01*	B	65.2	10/10	2.7	43	63.3	71.1	61.3	64.3		34.8	18.7
STINE	4020-4*	U	65.1	10/9	2.1	39	59.0	71.6	64.6	62.4		35.3	18.8
STINE	4392-4*	U	65.7	10/13	1.9	36	59.4	72.9	64.7			34.8	18.7
STONE SEED GROUP	2475 NRRSTS*	B	60.1	10/19	3.2	45	56.5	64.6	59.1			35.3	17.6
STONE SEED GROUP	3B408 NRR	B	64.5	10/12	1.9	40	60.6	73.0	60.0			35.9	17.7
	AVERAGE		65.1	10/12	2.3	40	61.0	72.1	62.1	63.2	59.5	35.1	18.4
	L.S.D. 25% LEVEL		1.8		0.2	1	1.4	1.4	1.7			0.39	0.18
	COEFF. OF VAR. (%)		4.9		16.5	6	4.2	3.6	5.0			2.0	1.8

2009 Soybean Test Results

Region 3: Roundup Resistant (30-inch row spacing)

COMPANY	NAME*	IST ¹	Yield bu/a	Regional Results			Perry Yield bu/a	New Berlin Yield bu/a	Urbana Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a	Region Protein @13%	Region Oil @13%
				Maturity Date	Lodging	Height in							

*Producer Nominated

¹IST= Insecticide Seed Treatment: U= Untreated, F= Fungicide, B= Insecticide+Fungicide, A= Acceleron