

**2009 Roundup Resistant Soybean Entries**

Company-Brand	Variety*	**M	***Regions Entered						SN	****		
			1	2	3	4	5	6		PRR	IST	HC
ASGROW	AG 2606*	2.6	1						A	Rps1c	B	IB
ASGROW	AG 2939	2.9	1						A	Rps1k	A	IB
ASGROW	AG 3039	3.0	1	2	3				A	Rps1k	A	IB
ASGROW	AG 3130	3.1	1	2	3				A	Rps1c	A	IB
ASGROW	AG 3239	3.2	1	2	3				A	Rps1c	A	IB
ASGROW	AG 3402*	3.4		2					A	Rps1c	B	BL
ASGROW	AG 3430	3.4		2	3				A	Rps1c	A	IB
ASGROW	AG 3539	3.5		2	3				A	Rps1k	A	IB
ASGROW	AG 3705*	3.7				4			A	Rps1c	B	BL
ASGROW	AG 3803	3.8			3	4	5		A	Rps1c	B	IB
ASGROW	AG 4005	4.0				4	5		A	Rps1c	B	BL
ASGROW	AG 4303*	4.3				4	5		A	NG	B	BL
ASGROW	AG 4404*	4.4					5		A	Rps1a	B	BL
ASGROW	AG 4703	4.7				4	5		A	NG	B	BL
ASGROW	AG 4907	4.9				4	5		A	Rps1c	B	BL
ASGROW	DKB 27-52	2.7	1						A	Rps1c	B	BR
ASGROW	RY 2919	2.9	1	2	3				A	Rps1c	A	IB
ASGROW	RY 2929	2.9	1	2	3				A	Seg c/k	A	IB
ASGROW	RY 3209	3.2		2	3				A	Rps1c	A	IB
ASGROW	RY 3709	3.7		2	3				A	Rps1c	A	IB
ASGROW	RY 3919	3.9		2	3				A	Rps1c	A	IB
BAKER	4295 NRRSTS	4.2				4			A	NG	U	BL
BAKER	4495 NRRSTS	4.4				4	5		A	NG	U	BL
BAKER	4795 NRRSTS	4.7				4			A	Rps1c	U	BL
BECK	257 NR	2.5	1	2					A	Rps1c	B	BL
BECK	296 NR	2.9	1	2				6	A	Rps1c	B	BU
BECK	342 NR	3.4		2	3			6	A	Rps1c	B	BL
BECK	399 NR	3.9			3	4			A	Rps1c	B	BL
BECK	420 NR	4.2				4	5		A	NG	B	BL
BECK	422 NR	4.2			3	4		6	A	NG	B	BL
BECK	445 NR	4.4				4	5		A	NG	B	BL
BECK	460 NR	4.6				4	5		A	NG	B	BL
BECK	474 NR	4.7				4	5		A	NG	B	BL
BECK / XL	322 NR	3.1	1	2					A	Rps1k	B	BL
BECK / XL	325 NR	3.2		2	3			6	A	Rps1k	B	BL
BECK / XL	355 R	3.5		2	3			6	A	Rps1k	B	BL
BECK / XL	362 NR	3.6		2	3	4		6	A	Rps1k	B	BL
BECK / XL	400 NR	4.0			3	4			A	Rps1k	B	BL
BECK / XL	491 NR	4.9					5		A	NG	B	BR
CHANNEL	2600 R2	2.6	1						A	Rps1c	A	IB
CHANNEL	2751 R*	2.6	1						S	Rps1k	F	BL
CHANNEL	2752 R*	2.7	1	2					A	Rps1k	F	IB
CHANNEL	2900 R2	2.9		2	3				A	Rps1c	A	IB
CHANNEL	2901 R2	2.9		2					A	Rps1c	A	IB
CHANNEL	2951 R*	2.9		2	3				A	Rps1k	F	BR
CHANNEL	3000 R2	3.0		2	3				A	Rps1c	A	IB
CHANNEL	3051 R*	3.0		2	3				A	Rps1c	F	BU
CHANNEL	3103 R2	3.1		2	3				A	Rps1c	A	IB
CHANNEL	3400 R2*	3.4		2	3				A	Rps1c	A	IB

**2009 Roundup Resistant Soybean Entries**

Company-Brand	Variety*	**M	***Regions Entered						SN	****		
			1	2	3	4	5	6		PRR	IST	HC
CHANNEL	3451 R*	3.4		2	3				A	Rps1c	F	BL
CHANNEL	3500 R2*	3.5		2	3				A	NG	A	IB
CHANNEL	3501 R2	3.5		2	3				A	Rps1c	A	IB
CHANNEL	3600 R2	3.6			3				A	NG	A	IB
CHANNEL	3800 R2	3.8				4			A	NG	A	IB
CHANNEL	3951 R*	3.9			3				A	Rps1c	F	BU
CHANNEL	4000 R2	4.0				4			A	NG	A	IB
CHANNEL	XPR-4509	4.5				4			A	Rps1c	A	IB
CHANNEL	XPR-4609	4.6				4			A	NG	A	IB
CROPLAN	RC 3757*	3.7	1	2	3	4	5	6	A	Rps1c	F	IB
CROPLAN	RC 3864*	3.8		2	3	4	5	6	A	Rps1c	F	BU
CROPLAN	RC 3967*	3.9		2	3	4	5	6	A	Rps1c	F	BL
DAIRYLAND	DSR-2300 RR*	2.3	1						O	Rps1k	U	BL
DAIRYLAND	DSR-234 RR*	2.3	1						S	Rps1k	U	BL
DAIRYLAND	DSR-2440 R2Y	2.4	1						A	Rps1c	B	IB
DAIRYLAND	DSR-2560 RR	2.5	1						O	NG	U	BL
DAIRYLAND	DSR-2770 RR*	2.7	1		3				O	Rps1k	U	BL
DAIRYLAND	DSR-2929 RR*	2.9	1	2	3			6	A	Rps1k	U	BL
DAIRYLAND	DSR-2930 R2Y	2.9	1	2					A	Rps1c	U	BL
DAIRYLAND	DSR-3003 RRSTS*	3.0	1						S	NG	U	BL
DAIRYLAND	DSR-3017 R2Y	3.0	1	2					S	Rps1k	U	BL
DAIRYLAND	DSR-3155 RR*	3.1		2					A	Rps1c	U	IB
DAIRYLAND	DSR-3265 RR*	3.2	1	2	3				A	NG	U	BL
DAIRYLAND	DSR-3315 R2Y	3.3		2					S	Rps1c	U	IB
DAIRYLAND	DSR-3636 R2Y	3.6		2	3	4			S	Rps1c	A	BL
DAIRYLAND	DSR-3675 RR*	3.6		2	3	4			A	NG	U	BL
DAIRYLAND	DSR-4300 RR*	4.3				4	5		A	NG	U	BL
DAIRYLAND	DST 25-003 R2Y	2.5	1						S	NG	U	IB
DAIRYLAND	DST 28-004 R2Y	2.8		2				6	A	?	U	IB
DELTA GROW	4150 RR	4.1					5	6	A	Rps1a	F	BL
DELTA GROW	4470 RRSTS	4.4					5	6	A	NG	U	BL
DELTA GROW	4770 RR	4.7					5		A	NG	F	BL
DELTA GROW	4780 RR	4.7					5		A	Rps1c	F	BL
DELTA GROW	4870 RR	4.8					5		A	Rps1a	F	BL
DELTA GROW	4970 RR	4.9					5		A	Rps1k	F	BL
DELTA GROW	4975 RR	4.9					5		A	NG	F	BL
DERAEDT	2323 RR*	2.3	1						S	NG	B	BL
DERAEDT	2523 RR	2.5	1						S	?	B	BL
DERAEDT	2788 RRN*	2.7	1						A	NG	B	BL
DIENER	3121 CR2*	3.1	1	2	3				A	Rps1c	A	IB
DIENER	3521 CR2*	3.5		2	3	4			A	Rps1c	A	BU
DIENER	3820 CR*	3.8		2	3	4			A	Rps1c	A	IB
DYNA-GRO	32X39*	3.9			3	4	5		A	Rps1c	B	BL
DYNA-GRO	33A40*	4.0			3	4	5		A	NG	B	BL
DYNA-GRO	36C44*	4.4				4	5		A	NG	B	BL
DYNA-GRO	36K26	2.6	1						A	Rps1k	B	IB
DYNA-GRO	37A31	3.1	1	2					A	Rps1c	B	IB
DYNA-GRO	37C38*	3.8		2	3				A	Rps1c	B	BU
DYNA-GRO	37P37*	3.7		2	3	4	5		A	Rps1c	B	IB

**2009 Roundup Resistant Soybean Entries**

Company-Brand	Variety*	**M	***Regions Entered						SN	****			
			1	2	3	4	5	6		PRR	IST	HC	
DYNA-GRO	38R33	3.3		2					A	Rps1c	B	IB	
DYNA-GRO	37RY29	2.9	1	2					A	Rps1c	A	IB	
DYNA-GRO	37RY35	3.5		2					S	Rps1c	B	BR	
DYNA-GRO	39RY36	3.6			3				A	NG	A	M	
DYNA-GRO	32RY38	3.8			3	4			A	NG	A	BR	
DYNA-GRO	31RY39	3.9			3				A	NG	A	BR	
DYNA-GRO	33G48	4.8					5		A	Rps1k	B	BL	
DYNA-GRO	V25N9RR	2.5	1						A	NG	B	BL	
DYNA-GRO	V39N9RR	3.9			3	4			A	Rps1c	B	BL	
DYNA-GRO	V42N9RS*	4.2				4	5		A	NG	B	BL	
DYNA-GRO	V47N9RS	4.7				4	5		A	Rps1c	B	BL	
EXCEL	8216 NRR*	2.1	1						A	Rps1k	U	BL	
EXCEL	8238 RR	2.3	1						S	NG	U	BL	
EXCEL	8244 NApRR*	2.6	1	2	3			6	A	NG	U	BU	
EXCEL	8250 NApRR	2.5	1						A	NG	U	IB	
EXCEL	8252 RR	2.5	1						S	NG	U	BL	
EXCEL	8267 NApRR*	2.8	1	2	3			6	A	NG	U	BU	
EXCEL	8273 RR	2.7	1						S	Rps1k	U	BL	
EXCEL	8288 NNRR*	2.8	1						A	Rps1k	U	IB	
EXCEL	8394 NRR	3.9				4			A	Rps1c	U	BU	
EXCEL	8402 NNRRSTS	4.0					4		A	Rps1c	U	BR	
EXCEL	8407 NRR	4.0			3	4			A	Rps1c	U	IB	
EXCEL	8442 NRR	4.2			3				A	NG	U	BL	
EXCEL	8454 NRRSTS	4.5			3				A	NG	U	BL	
EXCEL	8482 RR	4.8				4			S	Rps1k	U	BL	
FIELDER'S CHOICE	NG 3404 NR*	3.4			3				A	Rps1c	U	BL	
FIELDER'S CHOICE	NG 3880 NRS*	3.8			3				A	Rps1c	U	BU	
FONTANELLE	69N23*	2.9	1	2					A	Rps1c	A	IB	
FONTANELLE	70N10*	3.0	1	2					A	Rps1c	A	IB	
FONTANELLE	71N02*	3.0	1	2					A	Rps1c	A	IB	
FONTANELLE	71N17*	3.1	1	2					A	Rps1c	A	IB	
FONTANELLE	73N19*	3.3	1	2					A	Rps1c	A	IB	
FS HISOY	A 09-29	2.9	1	2					A	Rps1c	B	IB	
FS HISOY	A 09-301	3.0	1	2					A	Rps1c	B	IB	
FS HISOY	A 09-311	3.1	1	2					A	Rps1c	B	IB	
FS HISOY	A 09-321	3.2		2	3				A	Rps1c	B	IB	
FS HISOY	A 09-36	3.6		2	3				A	NG	B	M	
FS HISOY	A 09-381	3.8			3	4			A	NG	B	BR	
FS HISOY	A 09-382	3.8			3	4			A	NG	B	BL	
FS HISOY	A 09-45	4.5				4	5		S	Rps1c	B	BL	
FS HISOY	A 09-47	4.7				4	5		S	NG	B	BL	
FS HISOY	HS 25R80	2.5	1						A	Rps1k	B	IB	
FS HISOY	HS 29R80	2.9	1	2					A	Rps1k	B	BL	
FS HISOY	HS 30R72	3.0	1	2					A	Rps1k	B	BR	
FS HISOY	HS 33R70	3.3		2	3				A	Rps1c	B	IB	
FS HISOY	HS 3466	3.5		2	3				A	Rps1c	B	BL	
FS HISOY	HS 3766	3.7			3	4			A	NG	B	IB	
FS HISOY	HS 38R80	3.8			3	4			A	Rps1c	B	IB	
FS HISOY	HS 39R70	3.9			3	4	5		A	Rps1c	B	BL	

**2009 Roundup Resistant Soybean Entries**

Company-Brand	Variety*	**M	***Regions Entered						SN	****		
			1	2	3	4	5	6		PRR	IST	HC
FS HISOY	HS 41T80	4.1				4	5		A	NG	B	BL
FS HISOY	HS 4366	4.3				4	5		A	NG	B	BL
FS HISOY	HS 45T70	4.5				4	5		A	NG	B	BL
FS HISOY	HS 46T80	4.6				4	5		A	NG	B	BL
FS HISOY	HS 48R70	4.8				4	5		A	Rps1c	B	BL
FS HISOY	R 09-24	2.4	1						S	NG	B	BL
G2 GENETICS	6279	2.7		2	3				S	Rps1k	B	BL
G2 GENETICS	6311	3.1	1	2	3				S	Rps1k	B	BL
G2 GENETICS	6369	3.6		2					S	Rps1k	B	BL
G2 GENETICS	7226	2.2	1						B	Rps1k	B	BL
G2 GENETICS	7255	2.5	1	2					A	Rps1k	B	BL
G2 GENETICS	7309	3.0	1	2					A	NG	B	BL
G2 GENETICS	7329	3.2		2					A	Rps1k	B	BR
G2 GENETICS	7333	3.3			3				A	Rps1c	B	BL
G2 GENETICS	7339	3.3	1	2	3	4			A	Rps1k	B	BL
G2 GENETICS	7373	3.7		2	3	4			A	Rps1k	B	BL
G2 GENETICS	7389	3.8		2	3				A	Rps1k	B	BL
G2 GENETICS	7392	3.9				4			A	NG	B	BR
G2 GENETICS	7419	4.1			3	4			A	Rps1k	B	BL
G2 GENETICS	7479	4.7				4			A	NG	B	BL
G2 GENETICS	7288*	2.8	1	2					B	Rps1k	B	BL
G2 GENETICS	7299	2.9			3				A	Rps1k	B	BR
G2 GENETICS	7439 S	4.3			3	4			A	NG	B	BL
GREAT HEART	GT-327 CRR*	3.2	1	2	3		6		A	Rps1a	B	BL
GREAT HEART	GT-353 CRS*	3.5	1	2	3	4	6		A	Rps1c	B	IB
GREAT HEART	GT-372 CR2	3.7		2	3		6		A	NG	B	IB
GREAT HEART	GT-376 CRS*	3.7	1	2	3	4	6		A	Rps1c	B	BU
GREAT HEART	GT-406 CR2	4.0				4	6		A	NG	B	BL
GREAT HEART	GT-431 CR2	4.3				4	5		A	Rps1k	B	BL
GREAT HEART	GT-438 CRR*	4.3			3	4	5	6	A	Rps1c	B	BR
GREAT HEART	GT-443 CRS*	4.4			3	4	5		A	NG	B	BL
GREAT HEART	GT-474 CRS*	4.7				4	5		A	Rps1c	B	BL
HOBLIT	292 NRR	2.9	1						A	Rps1c	F	IB
HOBLIT	313 NRR	3.1		2					A	Rps1c	F	IB
HOBLIT	342 NRR	3.4			3		6		A	Rps1c	F	BL
HOBLIT	385 NRS	3.8			3		6		A	Rps1c	F	BU
HOBLIT	422 NRR	4.2				4			A	Rps1c	F	BL
HOFFMAN	H 39-07 CR	3.9				4	5		A	NG	B	BL
HOFFMAN	H 40-10 CR	4.0				4	5		A	NG	B	BL
HOFFMAN	H 41-08 CR	4.1				4	5		A	NG	B	BL
HOFFMAN	H 45-09 CR	4.5				4	5		A	Rps1a	B	BL
HOFFMAN	H 46-09 CR	4.6				4	5		A	Rps1c	B	BL
HOFFMAN	H 48-10 CR	4.8				4	5		A	Rps1k	B	BL
HORIZON	29N12 R	2.9		2	3				A	Rps1c	F	IB
HORIZON	31N25 R	3.1		2	3				A	Rps1c	F	IB
HORIZON	32N62 R	3.2		2	3				A	Rps1c	F	IB
HORIZON	32N73 R	3.2		2	3				A	Rps1c	F	IB
HORIZON	34N43 R	3.4		2	3				A	Rps1c	F	IB
HORIZON	35N01 R	3.5		2	3				A	Rps1c	F	IB

**2009 Roundup Resistant Soybean Entries**

Company-Brand	Variety*	**M	***Regions Entered						SN	****		
			1	2	3	4	5	6		PRR	IST	HC
HORIZON	36N94 R	3.6		2	3	4			A	NG	F	IB
HORIZON	40N15 R	4.0			3	4			A	NG	F	BL
HORIZON	H 296 N	2.9		2	3				A	Rps1c	F	IB
HORIZON	H 323 N	3.2		2	3				A	Rps1c	F	IB
HORIZON	H 340 N	3.4		2	3				A	Rps1c	F	BL
HORIZON	H 384 N	3.8			3	4			A	Rps1c	F	BU
HORIZON	H 401 N	4.0			3	4			A	NG	F	BL
HORIZON	H 419 N	4.1			3	4			A	NG	F	BL
HORIZON	H 422 N	4.2			3	4			A	NG	F	BL
HORIZON	H 447 N	4.4				4			A	NG	F	BL
HUBNER	H 28-01 R2	2.8			3			6	A	Rps1c	A	IB
HUBNER	H 29-02 R2	2.9			3				A	NG	A	IB
HUBNER	H 35-01 R2	3.5			3				A	NG	A	IB
HUBNER	H 39-01 R2	3.9			3			6	A	NG	A	BL
HUBNER	H 398 NRR	3.9			3				A	Rps1c	F	BU
HUGHES	454 RR	2.4	1						S	NG	B	BL
HUGHES	555 RR	2.5	1						A	NG	B	BL
HUGHES	721 R2	2.7	1						A	NG	A	BL
HUGHES	777 RR	2.7	1						A	NG	B	BL
HUGHES	952 R2	2.9	1						S	Rps1k	A	BL
ICORN	2.470 R2	2.4	1						A	Rps1c	A	IB
ICORN	2.960 R2	2.9	1	2					A	Rps1c	A	IB
ICORN	3.070 R2	3.0		2					A	Rps1c	A	IB
ICORN	3.160 R2	3.1		2	3				A	Rps1c	A	IB
ICORN	3.670 R2	3.6		2	3				A	R,5	A	IB
ICORN	3.970 R2	3.9		2	3				A	R,5	A	BL
KALTENBERG	KB 2309 RR	2.3	1						A	Rps1k	F	BU
KALTENBERG	KB 2409 RR	2.4	1						A	NG	F	BL
KALTENBERG	KB 249 RR	2.4	1						A	NG	F	BL
KALTENBERG	KB 2609 RR	2.6	1						A	NG	F	BL
KRUGER	K-201 RRSCN	2.0	1						A	Rps1c	B	BL
KRUGER	K2-2101	2.1	1						A	Rps1c	A	IB
KRUGER	K2-2501	2.5	1	2					A	Rps1c	A	IB
KRUGER	K2-2601	2.6	1	2					A	Rps1c	A	IB
KRUGER	K2-2702	2.7	1	2					A	Rps1c	A	IB
KRUGER	K2-2901	2.9	1	2	3			6	A	Rps1c	A	IB
KRUGER	K2-3001	3.0	1	2	3				A	Rps1c	A	IB
KRUGER	K2-3002	2.9	1	2	3				A	Rps1c	A	IB
KRUGER	K2-3102	3.1	1	2	3				A	Rps1c	A	IB
KRUGER	K2-3201	3.2	1	2	3			6	A	Rps1c	A	IB
KRUGER	K2-3302	3.3	1	2	3			6	A	Rps1c	A	IB
KRUGER	K2-3401	3.4	1	2	3	4			A	Rps1c	A	IB
KRUGER	K2-3501	3.5		2	3	4			A	Rps1k	B	IB
KRUGER	K2-3601	3.5		2	3	4	5	6	A	NG	A	M
KRUGER	K2-3801	3.8		2	3	4	5		A	Rps1c	A	BR
KRUGER	K2-3901	3.9		2	3	4	5	6	A	NG	A	BL
KRUGER	K-249 RRSCN	2.4	1						A	NG	B	BL
KRUGER	K-274 RRSCN	2.7	1						A	NG	B	BU
KRUGER	K-285 RRSCN	2.8		2					A	Rps1a	B	BL

**2009 Roundup Resistant Soybean Entries**

Company-Brand	Variety*	**M	***Regions Entered						SN	****		
			1	2	3	4	5	6		PRR	IST	HC
KRUGER	K-297 RRSCN	2.9		2					A	Rps1k	B	BR
KRUGER	K2X 41A9	4.1			3	4	5		A	Rps1k	B	BL
KRUGER	K2X 42A9	4.2			3	4	5		A	Rps1k	A	M
KRUGER	K2X 43A9	4.3			3	4	5		A	NG	B	BL
KRUGER	K2X 43B9	4.3			3	4	5		A	Rps1a	B	BL
KRUGER	K2X 43C9	4.3			3	4	5		S	Rps1c	B	BL
KRUGER	K2X 44A9	4.4				4	5		S	Rps1c	B	BL
KRUGER	K2X 45A9	4.5				4	5		S	Rps1c	B	BL
KRUGER	K2X 46A9	4.6				4	5		S	NG	B	BL
KRUGER	K-329 RRSCN	3.2			3				A	Rps1c	B	IB
KRUGER	K-348 RRSCN	3.4			3				A	Rps1c	B	BL
KRUGER	K-384 RRSCN	3.8			3				A	Rps1c	B	BU
KRUGER	K-410 RRSCN	4.1				4			A	NG	B	BL
KRUGER	K-439 RRSCN	4.3					5		A	NG	B	BL
KRUGER	K-476 RRSCN	4.7					5		A	NG	B	BL
KRUGER	K-489 RRSCN	4.8					5		A	Rps1c	B	BL
LEWIS	3780	3.7			3				A	Rps1c	B	BU
LEWIS	3909	3.9			3	4			A	Rps1c	B	BU
LEWIS	3968	3.9			3	4			A	Rps1c	B	BL
LEWIS	4150	4.1				4			A	NG	B	BL
LEWIS	290 R2	2.9		2					A	Rps1c	A	IB
LEWIS	300 R2	3.0		2					A	Rps1c	A	IB
LEWIS	330 R2	3.3		2					A	Rps1c	A	IB
LEWIS	360 R2	3.6			3				A	NG	A	M
LEWIS	380 R2	3.8			3				A	NG	A	BR
LEWIS	400 R2	4.0				4			A	NG	A	BL
LG SEEDS	C 3445 NRR*	3.4		2	3	4		6	A	Rps1c	F	BL
LG SEEDS	C 4110 NRR*	4.1			3	4	5	6	A	NG	F	BL
LG SEEDS	C 4488 NRR*	4.4				4	5	6	A	NG	F	BL
MARTIN	M 028 R2Y	2.8			3				S	Rps1k	U	BL
MARTIN	M 034N R2Y	3.4			3				A	Rps1c	A	IB
MARTIN	M 035 R2Y	3.5			3				S	Rps1c	A	BL
MARTIN	M 927 NRR	2.7			3				A	NG	U	BL
MARTIN	M 930 NRR	3.2			3				A	Rps1a	U	BL
MAVRICK	5394 RR*	3.9			3	4			A	Rps1a	U	BR
MAVRICK	6343 RR*	3.4		2	3				A	Rps1c	U	BL
MAVRICK	6369 RR*	3.6			3	4			A	NG	U	IB
MAVRICK	7270 RR*	2.7	1	2					A	Rps1a	U	IB
MAVRICK	7303 RR*	3.0		2	3				A	Rps1c	U	BR
MAVRICK	7376 RR*	3.7			3	4			A	Rps1k	U	BU
MAVRICK	8255 RR*	2.5	1	2					A	Rps1k	U	IB
MAVRICK	8322 RR*	3.2		2	3				A	Rps1c	U	IB
MUNSON	8280 R2	2.8		2	3				A	Rps1c	A	IB
MUNSON	8300 R2	3.0		2	3				A	Rps1c	A	IB
MUNSON	8328 RR	3.2		2	3				A	Rps1c	F	IB
MUNSON	8330 R2	3.3		2	3				A	Rps1c	A	IB
MUNSON	8349 RR	3.4		2	3				A	Rps1c	F	BU
MUNSON	8370 R2	3.7		2	3				A	NG	A	BR
MWS	2939 CRR*	2.9		2	3				A	Rps1a	F	G

**2009 Roundup Resistant Soybean Entries**

Company-Brand	Variety*	**M	***Regions Entered						SN	****		
			1	2	3	4	5	6		PRR	IST	HC
MWS	2988 CRR*	2.9		2	3				A	Rps1c	F	IB
MWS	3453 CRR*	3.4		2	3				A	Rps1c	F	G
MWS	RY 5295 C	2.9		2	3				A	Rps1c	U	IB
MWS	RY 5300 C	3.0		2	3				A	Rps1c	A	IB
MYCOGEN	5B251 RR	2.5	1						S	NG	U	BL
MYCOGEN	5B261 RR*	2.6		2					S	Rps1c	F	IB
MYCOGEN	5N222 RR	2.2	1						A	NG	U	BU
MYCOGEN	5N291 RR*	2.9		2					A	Rps1c	U	IB
MYCOGEN	5N352 RR*	3.5			3				A	Rps1c	U	BL
MYCOGEN	5N370 RR	3.7				4			A	Rps1c	U	IB
MYCOGEN	5N383 RR*	3.8			3				A	NG	U	IB
MYCOGEN	5N402 RR	4.0				4			A	Rps1c	U	IB
MYCOGEN	5N461 RR	4.6					5		A	NG	U	IB
NK BRAND	S 21-B1	2.1	1						A	NG	B	BL
NK BRAND	S 21-N6*	2.1	1						S	Rps1k	B	BR
NK BRAND	S 23-N7*	2.3	1						A	Rps1a	B	BR
NK BRAND	S 24-J1*	2.4	1						S	Rps1k	B	BR
NK BRAND	S 25-R3	2.5	1						S	Rps1k	B	BR
NK BRAND	S 25-T7	2.5	1	2					A	NG	B	BL
NK BRAND	S 27-C4*	2.7	1	2					A	Rps1k	B	BL
NK BRAND	S 28-B4*	2.8	1						S	Rps1k	B	BR
NK BRAND	S 30-F5*	3.0	1	2					A	Rps1a	B	BL
NK BRAND	S 31-H9	3.1		2	3				A	Rps1a	B	BL
NK BRAND	S 33-K5	3.3		2	3				S	Rps1a	B	BL
NK BRAND	S 34-R2*	3.4		2	3				A	Rps1a	B	BL
NK BRAND	S 35-T9*	3.5		2	3				A	NG	B	BL
NK BRAND	S 37-F7*	3.7		2	3	4			A	NG	B	BL
NK BRAND	S 37-P5*	3.7		2	3	4			A	NG	B	BL
NK BRAND	S 39-A3*	3.9			3	4	5		A	NG	B	BL
NK BRAND	S 41-R6*	4.1			3	4	5		A	NG	B	BL
NK BRAND	S 43-N6*	4.3				4	5		A	Rps1c	B	BL
NK BRAND	S 44-D5*	4.4				4	5		A	Rps1c	B	BR
NK BRAND	S 48-C9	4.8				4	5		A	Rps1a	B	BU
NUTECH	6277	2.7			3				S	NG	B	BL
NUTECH	7222	2.2	1						A	Rps1k	B	IB
NUTECH	7251	2.5	1						A	NG	B	BL
NUTECH	7257	2.5		2					A	Rps1k	B	IB
NUTECH	7269	2.6		2					A	Rps1c	B	IB
NUTECH	7274	2.7	1						A	Rps1k	B	IB
NUTECH	7296	2.9			3				A	Rps1c	B	BU
NUTECH	7297	2.9	1	2	3				A	Rps1k	B	IB
NUTECH	7299	2.9		2	3				A	NG	B	BL
NUTECH	7316	3.1	1	2					A	Rps1c	B	IB
NUTECH	7322	3.2		2					A	Rps1k	B	BR
NUTECH	7349	3.4		2	3	4			A	Rps1k	B	IB
NUTECH	7386	3.8		2	3	4			A	Rps1c	B	BU
NUTECH	7417	4.1				4			A	NG	B	BL
NUTECH	7475	4.7				4			A	NG	B	BL
NUTECH	2324+RN	2.3	1	2					A	Rps1c	B	BR

**2009 Roundup Resistant Soybean Entries**

Company-Brand	Variety*	**M	***Regions Entered						SN	****		
			1	2	3	4	5	6		PRR	IST	HC
NUTECH	4041 RN	4.0				4			A	NG	B	BL
NUTECH	7369 S*	3.6			3				A	Rps1c	B	IB
NUTECH	7399*	3.9			3	4			A	Rps1c	B	BL
NUTECH	7406 S	4.0			3				A	NG	B	BL
NUTECH	7425 S	4.2			3	4			A	NG	B	BL
NUTECH	7434*	4.3				4			A	NG	B	BL
O'BRIEN	2002 NRR	2.0	1						A	NG	U	BL
O'BRIEN	2107 NRR	2.1	1						A	NG	U	IB
PIONEER	92M40*	2.4	1						A	Rps1c	B	BL
PIONEER	92M54*	2.5	1	2	3				A	Rps1c	B	BR
PIONEER	92M61*	2.6	1						A	NG	B	BU
PIONEER	92M91*	2.9	1	2					S	Rps1k	B	BL
PIONEER	92Y30*	2.3	1	2	3				A	Rps1k	B	IB
PIONEER	92Y80*	2.8	1	2	3				A	Rps1k	B	BR
PIONEER	93M11*	3.1	1	2					S	Rps1k	B	BL
PIONEER	93M42*	3.4	1	2	3	4			A	NG	B	BL
PIONEER	93M61*	3.6			3	4			A	Rps1k	B	BL
PIONEER	93Y02*	3.0	1	2	3				A	Rps1k	B	BL
PIONEER	93Y10*	3.1	1						S	Rps1k	B	BL
PIONEER	93Y11*	3.1	1	2	3				A	Rps1k	B	BL
PIONEER	93Y20*	3.2		2					A	Rps1k	B	BL
PIONEER	93Y40	3.4	1	2	3				A	Rps1k	B	BL
PIONEER	93Y51	3.5		2	3	4			A	Rps1k	B	BL
PIONEER	93Y70*	3.7		2	3	4			A	NG	B	BU
PIONEER	93Y91*	3.9			3	4			A	Rps1k	B	BL
PIONEER	93Y92	3.9			3	4	5		A	NG	B	BL
PIONEER	94M50*	4.5				4	5		A	Rps1c	B	BL
PIONEER	94Y01*	4.0			3	4	5		A	Rps1k	B	BL
PIONEER	94Y20*	4.2				4	5		A	Rps1k	B	BL
PIONEER	94Y60*	4.6				4	5		A	Rps1k	B	BL
PIONEER	94Y70*	4.7				4	5		A	NG	B	BL
POWER PLUS	28J0	2.8	1	2					A	NG	B	BL
POWER PLUS	32K0	3.2		2	3			6	A	Rps1k	B	BL
POWER PLUS	34B9	3.4			3			6	A	Rps1k	B	BL
POWER PLUS	36C0	3.6			3			6	A	Rps1k	B	BL
POWER PLUS	39G9	3.9				4	5		A	Rps1k	B	BL
POWER PLUS	41F9	4.1				4	5		A	Rps1k	B	BL
RENK	RS 259 NRR	2.5	1						A	NG	U	BL
RENK	RS 270 NR2	2.7	1						A	Rps1c	A	BL
RENK	RS 277 NRR	2.7	1						A	NG	U	BL
RENK	RS 290 NR2	2.9	1						A	Rps1c	A	IB
RENK	RS 300 NR2	3.0	1						A	Rps1c	A	BL
SCHILLINGER	458.RC	4.5					5		A	NG	B	BL
SCHILLINGER	478.RCS	4.7					5		A	NG	B	BL
SCHILLINGER	479.RC	4.7					5		A	NG	B	BL
SCHILLINGER	4880.RC	4.8					5		A	NG	B	BL
SCHILLINGER	489.RC	4.8					5		A	NG	B	BL
SCHILLINGER	4990.RC	4.9					5		A	NG	B	BL
SOUTHERN CROSS	CALEB NRRSTS	4.4				4	5		A	NG	U	BL



**2009 Roundup Resistant Soybean Entries**

Company-Brand	Variety*	**M	***Regions Entered						SN	****		
			1	2	3	4	5	6		PRR	IST	HC
SOUTHERN CROSS	ELI NRRSTS	4.7				4	5		A	NG	U	IB
SOUTHERN CROSS	GALILEE NRR	4.7				4	5		A	Rps1c	U	BL
SOUTHERN CROSS	JERICO NRR	4.2				4	5		A	Rps1c	U	BL
SOUTHERN CROSS	LOT NRRSTS	4.1				4	5		A	R?	U	BL
SOUTHERN CROSS	LUCAS NRR*	3.8				4	5		A	Rps1c	U	IB
SOUTHERN CROSS	MALACHI NRR2Y	3.8				4	5		A	NG	A	BR
SOUTHERN CROSS	RUFUS NRRSTS	4.7				4	5		A	Rps1c	U	BL
SOUTHERN STATES	3820 NR2	3.8					5		A	NG	B	BR
SOUTHERN STATES	RT 3871 N	3.8					5		A	Rps1c	B	BL
SOUTHERN STATES	RT 3971 N	3.8					5		A	Rps1c	B	BR
SOUTHERN STATES	RT 4370 N	4.3					5		A	Rps1c	B	BL
SOUTHERN STATES	RT 4451 N	4.4					5		A	Rps1c	B	BR
SOUTHERN STATES	RT 4470 N	4.4					5		A	NG	B	BL
SOUTHERN STATES	RT 4777 N	4.7					5		A	Rps1c	B	BL
SOUTHERN STATES	RT 4808 N	4.8					5		A	Rps1a	B	BL
SOUTHERN STATES	RT 4996 N	4.9					5		A	NG	B	IB
STEYER	2801 R2	2.8	1						A	Rps1k	A	IB
STEYER	2960 RR	2.9	1						A	Rps1c	U	IB
STEYER	4210 RR	4.2				4	5		A	NG	U	BL
STEYER	4430 RR	4.4				4	5		A	NG	U	BL
STINE	2062-4	2.0	1						A	Rps1k	U	M
STINE	2420-4	2.4	1	2					A	NG	U	BL
STINE	2602-4	2.6		2	3				A	Rps1a	U	BU
STINE	2862-4*	2.8		2					A	Rps1k	U	BR
STINE	3002-4	3.0		2	3				A	NG	U	BL
STINE	3132-4*	3.1			3				A	Rps1c	U	IB
STINE	3423-4*	3.4		2	3	4			A	Rps1c	U	IB
STINE	3602-4*	3.6		2	3	4			A	NG	U	IB
STINE	3823-4*	3.8		2	3	4			A	Rps1c	U	BU
STINE	3923-4*	3.9			3	4			A	Rps1k	U	BL
STINE	4020-4*	4.0			3	4			A	NG	U	BL
STINE	4182-4	4.1					5		A	NG	U	BL
STINE	4392-4*	4.3			3	4	5		A	NG	U	BL
STINE	4582-4	4.5					5		A	Rps1c	U	BL
STINE	4782-4*	4.7				4	5		A	NG	U	BL
STINE	EXP 4.9 R1	4.9					5		A	Rps1a	U	BL
STONE SEED GROUP	2346 NRR*	3.4	1	2					A	Rps1c	B	BL
STONE SEED GROUP	2475 NRRSTS*	4.7			3	4	5		A	Rps1a	B	BL
STONE SEED GROUP	3A259 NRR	2.5	1						A	NG	B	BL
STONE SEED GROUP	3A288 NRR	2.8	1	2					A	Rps1a	B	BL
STONE SEED GROUP	3A298 NRR	2.9	1	2					A	Rps1k	B	IB
STONE SEED GROUP	3A319 NRR	3.1	1	2					A	Rps1c	B	IB
STONE SEED GROUP	3A378 NRR	3.7			3				A	Rps1c	B	BL
STONE SEED GROUP	3A388 NRR	3.8			3	4			A	Rps1c	B	BU
STONE SEED GROUP	3A398 NRR	3.9			3	4	5		A	Rps1c	B	BL
STONE SEED GROUP	3A449 NRRSTS	4.4				4	5		A	NG	B	BL
STONE SEED GROUP	3B408 NRR	4.0			3		5		A	Rps1c	B	IB
SUN PRAIRIE	SP 2904 NRR*	2.9		2	3			6	A	Rps1c	U	BL
SUN PRAIRIE	SP 2967 NRR*	2.9		2	3			6	A	Rps1c	U	IB

**2009 Roundup Resistant Soybean Entries**

Company-Brand	Variety*	**M	***Regions Entered					6	SN	****		
			1	2	3	4	5			PRR	IST	HC
SUN PRAIRIE	SP 3404 NRR*	3.4		2	3			6	A	NG	U	BL
SUN PRAIRIE	SP 3430 NRR*	3.4		2	3			6	A	Rps1c	U	BL
SUN PRAIRIE	SP 3567 NRR*	3.5		2	3			6	A	Rps1c	U	BL
TRISOY	2973 RR(CN)	2.9		2					A	Rps1k	U	BR
TRISOY	29Z0 R2	2.9		2					A	Rps1c	A	IB
TRISOY	31Z0 R2	3.1		2	3				A	Rps1c	A	IB
TRISOY	32X0 R2	3.2			3				A	Rps1c	A	IB
TRISOY	32Z0 R2	3.2		2	3				A	Rps1c	A	IB
TRISOY	34Z9 R2	3.4			3				A	Rps1c	A	IB
TRISOY	35Z0 R2	3.5			3				A	Rps1k	A	IB
TRISOY	3675 RR(CN)	3.6				4			A	Rps1c	U	BL
TRISOY	3895 RR(CN)	3.8			3				A	Rps1c	U	BU
TRISOY	38Z0 R2	3.8				4			A	NG	A	BU
TRISOY	3977 RR(CN)	3.9			3				A	Rps1c	U	BL
TRISOY	40Z0 R2	4.0				4			A	NG	A	BL
TRISOY	4184 RR(CN)	4.1				4			A	NG	U	BL
TRISOY	4275 RR(CN)	4.2				4	5		A	NG	U	BL
TRISOY	4586 RR(CN)	4.5				4	5		A	NG	U	BL
TRISOY	4760 RR(CN)	4.7					5		A	NG	U	BL
TRISOY	4788 RR(CN)	4.7					5		A	Rps1c	U	BL
WILKEN	W 2310 NRR	2.1		2					A	Rps1k	B	IB
WILKEN	W 2311 NRR	2.1		2					A	Rps1c	B	BL
WILKEN	W 2320 NRR*	2.2		2					A	Rps1k	B	IB
WILKEN	W 2330 NRR	2.3		2					A	Rps1k	B	M
WILKEN	W 24R44 N	2.4		2					A	Rps1k	A	IB
WILKEN	W 2664 NRR*	2.6		2					A	Rps1k	B	BL
WILKEN	W 2667 NRR*	2.6		2					A	Rps1k	B	IB
WILKEN	W 2871 NRR	2.7		2					A	Rps1k	B	IB
WILKEN	W 2881 NRR	2.8		2					A	Rps1k	B	BR
WILKEN	W 2889 NRR*	2.8		2					A	Rps1c	B	BL
WILKEN	W 2993 NRR	2.9		2					A	Rps1k	B	BR
WILKEN	W 29R91 N	2.9		2					A	Rps1k	A	IB
WILKEN	W 3426 NRR	3.2		2					A	Rps1c	B	IB
WILKEN	W 3432 NRR	3.2		2					A	Rps1c	B	IB
WILKEN	W 3434 NRR	3.5			3				A	Rps1c	B	BL
WILKEN	W 3459 NRR	3.5			3				A	Rps1c	B	BU
WILKEN	W 3465 NRR	3.6			3				A	Rps1c	B	BL
WILKEN	W 3479 NRR	3.7			3				A	Rps1c	B	BU
WILKEN	W 3487 NRR	3.8			3				A	Rps1c	B	BU
WILKEN	W 3488 NRR	3.8			3				A	Rps1c	B	IB
WILKEN	W 34R03 N	3.0		2					A	Rps1c	A	IB
WILKEN	W 34R17 N	3.1		2					A	Rps1c	A	IB
WILKEN	W 34R28 N	3.2		2					A	Rps1c	A	IB
WILKEN	W 34R66 N	3.6			3				A	R?	A	M
WILKEN	W 34R84 N	3.8			3				A	R?	A	BR
WILKEN	W 3577 NRR	3.7			3				A	Rps1c/k	B	BU
WILKEN	W 3592 NRR	3.9			3				A	Rps1c	B	BL
WILKEN	W 35R95 N	3.9			3				A	R?	B	BL
WILLCROSS	RY 5290 N	2.9		2					A	Rps1c	A	IB

**2009 Roundup Resistant Soybean Entries**

Company-Brand	Variety*	**M	***Regions Entered						SN	****		
			1	2	3	4	5	6		PRR	IST	HC
WILLCROSS	RY 5300 N	3.0		2					A	Rps1k	B	IB
WILLCROSS	RY 5310 N	3.1		2					A	Rps1c	A	IB
WILLCROSS	RY 5320 N	3.2		2					A	Rps1c	A	IB
WILLCROSS	RY 5340 N	3.4		2					A	Rps1c	A	IB
WILLCROSS	RY 5350 N	3.4		2					A	Rps1c	A	IB
WILLCROSS	RY 5360 N	3.6				3			A	NG	A	M
WILLCROSS	RY 5380 N	3.8				3			A	NG	A	BR
WILLCROSS	RY 5390 N	3.9				3			A	NG	A	BL
WYCKOFF	W 2901 CR2	2.9		2					A	Rps1c	A	IB
WYCKOFF	W 3101 CR2	3.1		2					A	Rps1c	A	IB

\* Producer Nominated Variety

\*\* Maturity Group

- \*\*\*1 = Region 1: Erie, Mt. Morris & DeKalb
- 2 = Region 2: Monmouth, Goodfield & Dwight
- 3 = Region 3: Perry, New Berlin & Urbana
- 4 = Region 4: Belleville & St. Peter
- 5 = Region 5: Harrisburg & Elkhville
- 6 = Urbana 7" Row

\*\*\*\*SN- Source of Soybean Cyst Nematode Resistance

A = PI 88788, B = PI 548402 (Peking), C = PI 437654 (Hartwig), S = Susceptible, X = cystx®,  
D = PU-SCN 14, O= other, R? = resistant, source unknown.

PRR = Phythophthora Root Rot Resistance

Rps1\* = resistance gene, seg1\* = segregating for specified gene, NG = No Gene, ? = unknown

IST = Insecticide Seed Treatment

U= Untreated, F= Fungicide, B= Insecticide+Fungicide, A= Acceleron

HC = Hilum Color

Bl- black, IB- imperfect black, BU- buff, BR- Brown, Y- Yellow, G- Gray, M- Mixed