

2011 Soybean Test Results

Region 1: Roundup Resistant (30-inch row spacing)

COMPANY	NAME*	IST ¹	Yield bu/a	Regional Results			Erie Yield bu/a	Mt. Morris Yield bu/a	DeKalb Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a	Region Protein @13%	Region Oil @13%
				Maturity Date	Lodging	Height in							
MATURITY GROUP 2													
ASGROW	AG 2330	A	76.9	9/30	3.9	39	76.0	84.0	70.6	70.9		35.3	18.8
ASGROW	AG 2531	A	78.4	9/25	3.4	39	80.3	81.3	73.7			35.2	18.7
ASGROW	AG 2731	A	78.1	9/25	2.8	42	77.9	85.4	71.1			36.1	18.2
ASGROW	AG 2830	A	74.6	10/4	3.4	41	78.7	76.5	68.5	70.0		34.3	19.0
ASGROW	AG 2931	A	77.3	10/5	3.4	45	82.6	78.8	70.4	68.2		35.0	18.3
CHANNEL	2800 R2*	A	75.0	10/5	3.0	42	79.5	79.3	66.1			36.8	17.5
CHANNEL	2903 R2*	A	71.4	10/7	3.1	45	71.2	76.2	66.8	64.1		35.6	17.4
DAIRYLAND	DSR-2011 RR	B	78.8	9/26	3.0	38	78.5	82.7	75.0			34.8	19.5
DAIRYLAND	DSR-2240 R2Y	B	79.8	9/30	3.4	38	84.8	79.4	75.0			35.0	18.6
DAIRYLAND	DSR-2411 R2Y	B	76.8	9/28	3.0	39	73.5	86.2	70.8			34.6	19.0
DAIRYLAND	DSR-2560 RR	B	78.2	9/29	3.3	41	77.0	83.0	74.5	72.6	70.2	35.5	18.9
DAIRYLAND	DSR-2727 R2Y	B	74.0	10/5	3.0	44	71.5	80.3	70.4	67.0		34.5	18.6
DAIRYLAND	DSR-2880 R2Y	B	77.2	10/3	2.9	43	80.3	82.2	69.1			36.6	17.6
DAIRYLAND	DSR-2995 R2Y*	B	70.8	10/6	3.0	45	71.5	74.6	66.3			35.7	17.3
DAIRYLAND	DST 26-004 R2Y	U	78.4	9/29	3.4	41	76.0	81.1	78.0			34.9	18.6
DERAEDT	2123 RR*	B	76.0	9/24	3.2	37	78.6	79.9	69.5			34.8	19.4
DERAEDT	2404 R2*	U	80.3	9/28	2.8	35	79.2	84.1	77.7			34.2	19.1
DERAEDT	2523 RR*	B	77.8	10/2	3.5	42	79.5	82.9	71.0	73.5	71.5	35.5	18.9
EXCEL	2600 NR2Y	U	74.8	10/2	3.3	42	76.1	77.7	70.5			35.0	18.8
EXCEL	2700 R2YSTS	U	76.4	10/5	3.0	43	77.6	82.3	69.3	67.6		34.7	18.7
EXCEL	8217 RR	U	77.2	9/22	3.1	37	78.2	82.4	71.1	71.7		34.6	19.6
EXCEL	8244 NApRR*	B	72.3	9/27	3.7	39	73.1	73.9	70.0	70.6	65.5	32.1	20.0
EXCEL	8252 RR	U	80.4	10/1	3.4	40	81.7	80.8	78.6	73.7	69.9	35.5	18.9
EXCEL	8267 NApRR*	B	68.7	10/1	4.1	40	72.1	69.8	64.3	65.6	61.3	32.2	19.5
FS HISOY	HS 24A01	B	79.2	9/25	3.2	37	74.1	90.3	73.3	69.5		34.3	19.1
FS HISOY	HS 24A12	B	77.5	9/29	3.1	40	80.8	82.4	69.4			34.4	18.6
FS HISOY	HS 25A11	B	74.6	10/2	3.2	44	73.7	80.7	69.3			34.7	18.8
FS HISOY	HS 25A12	B	79.4	9/30	3.8	40	78.6	85.2	74.4			35.0	18.9
FS HISOY	HS 27A02	B	72.9	10/2	3.3	40	74.0	75.0	69.8	69.2		35.5	17.9
FS HISOY	HS 27A12	B	77.3	10/2	3.2	41	76.7	83.3	71.9			36.1	17.9
FS HISOY	HS 28A02	B	78.9	10/5	3.1	44	83.7	80.7	72.1	74.3		36.8	17.5
FS HISOY	HS 29A12	B	76.9	10/4	3.0	42	77.9	79.0	73.8			32.9	19.3
G2 (NUTECH)	7249	B	77.2	9/27	3.2	39	80.2	77.1	74.3	72.3		34.0	19.6
G2 (NUTECH)	7258	B	78.0	10/1	3.0	40	76.7	80.5	76.8	72.3		36.4	19.0
G2 (NUTECH)	7262	B	76.1	10/1	2.7	37	83.0	77.3	68.2			33.3	20.0
G2 (NUTECH)	7270	B	80.7	10/1	2.7	41	81.6	83.1	77.3			34.4	19.2
G2 (NUTECH)	7272	B	80.7	9/29	2.8	39	82.0	84.5	75.6			34.9	19.0
G2 (NUTECH)	7276	B	81.8	10/2	2.7	38	84.1	85.1	76.2			34.9	18.7
G2 (NUTECH)	7282	B	79.5	10/5	2.6	44	82.3	81.8	74.5			34.6	18.9
G2 (NUTECH)	7250*	B	78.5	9/26	3.1	38	81.5	83.0	71.0			32.5	20.2
G2 (NUTECH)	7288*	B	74.8	10/1	3.5	41	74.5	78.9	71.1	68.8	66.6	34.2	19.6
GREAT LAKES	GL 2019 RR2*	A	77.8	9/21	2.8	36	77.4	79.0	77.1			33.4	20.1

2011 Soybean Test Results

Region 1: Roundup Resistant (30-inch row spacing)

COMPANY	NAME*	IST ¹	Yield bu/a	Regional Results			Erie Yield bu/a	Mt. Morris Yield bu/a	DeKalb Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a	Region Protein @13%	Region Oil @13%
				Maturity Date	Lodging	Height in							
	*Producer Nominated												
GREAT LAKES	GL 2345 RR2*	A	80.5	9/27	2.8	38	77.7	84.3	79.4			34.5	18.9
GREAT LAKES	GL 2449 RR2*	A	77.4	9/29	3.4	36	77.5	82.6	72.3			34.3	19.3
GREAT LAKES	GL 2555 RR1*	A	80.5	10/1	3.3	40	79.5	84.1	77.9	75.1		35.7	18.9
HUGHES	454 RR	B	78.7	9/29	3.5	40	77.8	83.9	74.4	74.3	71.6	35.7	18.9
HUGHES	555 RR	B	78.5	9/26	3.0	39	80.3	80.7	74.6	70.8	67.7	35.7	18.6
HUGHES	777 RR	B	75.4	10/3	3.4	40	80.0	75.0	71.1	68.4	66.8	36.6	18.0
KRUGER	K2-1901	A	75.9	9/20	3.4	37	73.5	78.6	75.7			33.5	19.7
KRUGER	K2-1902	A	77.2	9/20	3.0	37	75.8	81.4	74.3			34.7	19.7
KRUGER	K2-2001	A	80.6	9/25	3.2	38	73.8	86.6	81.5	70.5		33.3	19.9
KRUGER	K2-2102	A	76.7	9/22	3.2	38	72.0	82.5	75.6			35.1	18.6
KRUGER	K2-2301	A	79.3	9/26	2.9	38	69.0	90.2	78.7			34.5	19.1
KRUGER	K2-2302	A	79.7	9/24	2.9	40	80.9	81.7	76.5			34.9	19.1
KRUGER	K2-2502	A	80.6	9/29	3.5	38	78.0	85.7	77.9	72.6		35.2	18.2
KRUGER	K2-2602	A	78.8	10/3	3.1	39	79.6	81.0	75.7			34.7	18.6
KRUGER	K2-2703*	A	74.9	10/4	3.6	44	76.0	79.1	69.5	66.4		36.5	17.4
KRUGER	K2-2803*	A	79.9	10/3	3.0	44	79.8	88.8	71.2	70.8		36.6	17.6
KRUGER	K2-2904	A	75.0	10/3	3.1	41	75.1	76.6	73.3			32.9	19.4
MAVRICK	0282 RY*	U	71.7	10/1	3.4	40	73.4	72.6	69.2			35.9	17.7
MAVRICK	7270 RR*	U	76.3	10/5	3.6	40	78.5	76.9	73.4	70.6	66.3	33.2	19.4
MERSCHMAN	APACHE 1124RR2Y	B	82.8	9/26	2.8	37	79.8	91.0	77.5	69.0		34.3	19.1
MERSCHMAN	MARS 1219RR2Y	B	72.7	9/21	3.0	36	73.7	78.0	66.5			34.2	19.6
MERSCHMAN	MOHAWK 1128RR2Y	B	75.5	10/5	3.6	43	77.0	76.6	73.0	65.7		36.5	17.5
MERSCHMAN	MOHEGAN 1222RR2Y	B	73.3	9/23	2.8	37	69.1	81.0	69.7			33.2	20.1
MERSCHMAN	NAVAHO 1220RR2Y	B	77.2	9/21	3.1	36	75.9	81.1	74.6			34.5	19.8
MERSCHMAN	SHAWNEE 1226RR2Y	B	76.5	10/1	3.4	39	72.6	80.9	75.9			34.5	19.0
MERSCHMAN	VENUS 1214RR2Y	B	72.4	9/6	2.6	34	73.2	73.9	69.9			34.0	19.6
MUNSON	8222 R2Y	B	78.0	9/30	3.1	38	82.1	79.3	72.7			35.0	18.6
MUNSON	8242 R2Y	U	80.5	9/28	2.9	38	88.6	83.1	69.9			34.3	19.1
MUNSON	8261 RR	U	73.1	10/3	3.3	41	72.1	77.8	69.3			35.2	19.0
MUNSON	8281 R2Y	B	72.6	10/3	3.4	41	74.0	76.1	67.9			36.0	17.7
MYCOGEN	5N274 R2*	B	74.7	10/4	3.7	39	74.4	78.7	71.0			35.9	17.7
NUTECH	6281	B	75.6	10/3	3.3	39	77.5	79.8	69.6	71.6		35.1	19.0
NUTECH	7251	B	77.6	9/27	2.9	39	80.8	78.6	73.3	73.4	70.1	35.7	18.7
PIONEER	92M54*	B	82.3	9/29	2.8	38	87.2	83.5	76.2	73.0	69.5	35.2	19.2
PIONEER	92Y30	B	77.1	9/28	3.1	40	80.0	80.4	70.8	68.4	66.3	34.4	19.7
PIONEER	92Y51	B	81.7	9/28	3.1	41	79.1	85.9	80.1	73.1		34.7	19.5
PIONEER	92Y53	B	78.8	9/29	3.1	40	78.0	82.4	76.0			33.1	19.9
PIONEER	92Y80	B	80.4	10/3	3.2	41	80.1	84.7	76.4	74.8	71.8	36.3	19.1
POWER PLUS	23Z1	B	77.9	9/28	3.1	39	80.5	82.0	71.4			33.7	20.1
POWER PLUS	26W2	B	78.3	9/30	2.7	37	82.9	79.9	72.2			33.4	20.1
POWER PLUS	28J0	B	72.1	10/4	3.1	42	76.1	74.5	65.6	64.5	62.0	34.8	18.3
POWER PLUS	28V2	B	77.5	10/3	2.5	44	83.0	81.8	67.7			34.7	19.1
PROHARVEST	2635 CR2Y*	A	78.0	10/3	3.2	42	79.1	80.3	74.6			36.2	17.8
PROHARVEST	2850 CR2Y*	A	70.8	10/4	3.6	44	73.5	68.8	70.1			36.3	17.5

2011 Soybean Test Results

Region 1: Roundup Resistant (30-inch row spacing)

COMPANY	NAME*	IST ¹	Yield bu/a	Regional Results			Erie Yield bu/a	Mt. Morris Yield bu/a	DeKalb Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a	Region Protein @13%	Region Oil @13%
				Maturity Date	Lodging	Height in							
PROHARVEST	2950 CR2Y*	A	75.4	10/2	3.2	42	76.6	79.4	70.4			35.7	17.9
PUBLIC	IA2079RR2Y*	U	75.5	9/30	3.4	37	77.3	79.6	69.7			36.2	18.0
PUBLIC	IA2097RR2Y*	U	70.6	10/5	3.6	42	69.4	78.0	64.3			35.2	18.2
RENK	RS 241 R2	F	84.6	9/25	3.1	37	81.8	87.4	84.6	74.6		34.2	19.1
RENK	RS 259 NRR	F	78.6	9/29	3.2	40	82.0	79.0	74.8	72.8	69.7	35.7	18.7
RENK	RS 261 NR2	F	79.1	10/2	3.2	39	80.3	80.1	77.1	72.7		35.9	17.9
RENK	RS 272 NR2	F	79.1	10/1	3.2	40	76.9	81.6	78.9			36.0	17.9
RENK	RS 282 R2	B	77.3	10/5	2.8	42	83.0	78.5	70.6			35.0	18.2
ROESCHLEY	2815 CRR2	B	75.0	10/5	3.5	42	77.0	77.3	70.7			36.7	17.3
SEED CONSULTANTS	SCS 9241 RR*	B	79.4	9/27	3.2	37	82.4	80.9	74.7			32.6	20.3
STINE	1932-4	B	74.5	9/21	3.0	38	71.8	79.9	71.7	69.3		34.7	19.7
STINE	19RA02	B	78.9	9/20	3.4	37	77.0	80.5	79.2			33.5	19.6
STINE	20RC32	B	77.0	9/21	2.9	33	76.1	80.8	74.3			34.9	18.8
STINE	20RC82	B	76.1	9/25	3.4	37	78.6	79.9	69.8			34.6	18.4
STINE	21RC32	B	76.8	9/21	3.2	36	76.3	80.2	74.0			36.2	18.6
STINE	22RC62	B	76.7	9/22	2.9	36	77.3	82.5	70.2			33.1	20.1
STINE	2420-4*	B	77.8	9/27	3.1	38	76.3	80.4	76.6			35.7	18.6
STINE	24RB00*	B	81.2	10/1	2.9	37	80.0	88.4	75.1			34.6	18.9
STONE SEED GROUP	2R2502	A	82.6	9/27	2.9	37	82.9	90.5	74.5			34.3	19.1
STONE SEED GROUP	2R2701*	A	76.8	10/4	3.0	42	78.0	78.2	74.2			35.9	17.1
STONE SEED GROUP	2R2702	A	80.3	10/3	3.3	39	82.7	86.8	71.3			35.0	18.3
STONE SEED GROUP	2R2801*	A	79.9	10/4	3.0	43	81.5	87.0	71.4			36.5	17.5
SYNGENTA	S25-F2 BRAND*	B	69.5	9/23	2.8	37	73.7	74.8	60.0			34.1	19.4
SYNGENTA	S27-C4 BRAND*	B	77.5	10/1	3.3	39	79.7	81.6	71.2			34.7	19.1
SYNGENTA	S28-K1 BRAND*	B	75.9	10/2	3.0	41	77.5	85.3	64.9			34.5	19.1
SYNGENTA	S29-W7 BRAND*	B	75.6	10/1	3.2	40	75.6	80.5	70.8			34.0	19.2
	AVERAGE		77.1	9/29	3.2	40	77.8	80.9	72.6	70.6	67.9	34.9	18.8
	L.S.D. 25% LEVEL		3.0		0.2	2	3.5	3.9	6.0			0.26	0.16
	COEFF. OF VAR. (%)		7.1		13.2	8	4.7	5.1	5.1			1.4	1.6

MATURITY GROUP 3

ASGROW	AG 3030*	A	77.6	10/6	3.4	43	79.5	79.3	74.0	72.4		35.6	18.2
ASGROW	AG 3130*	A	76.8	10/7	3.4	48	75.7	84.5	70.1	68.9	67.1	36.6	17.0
ASGROW	AG 3231	A	73.9	10/7	2.7	45	73.5	80.0	68.1			34.7	17.2
CHANNEL	3000 R2	A	70.9	10/8	3.1	45	70.0	76.7	66.1	66.2		36.3	17.0
FS HISOY	HS 31A02	B	69.7	10/8	3.3	47	70.1	73.8	65.2	67.2		35.5	17.3
G2 (NUTECH)	6311	B	74.1	10/8	3.6	43	72.0	77.9	72.3	68.4	66.6	33.8	19.4
G2 (NUTECH)	7310	B	79.1	10/6	3.2	45	83.0	84.0	70.2	72.1		35.1	18.6
G2 (NUTECH)	7326	B	69.5	10/6	3.1	43	70.2	73.7	64.8			34.7	18.8
G2 (NUTECH)	7328	B	72.5	10/8	3.7	46	76.6	76.8	64.2	67.8		34.3	18.5
G2 (NUTECH)	7332	B	70.0	10/9	3.4	44	70.6	76.1	63.3			34.9	18.0
G2 (NUTECH)	7342	B	67.9	10/9	3.4	43	72.9	67.1	63.6			34.4	18.4

2011 Soybean Test Results

Region 1: Roundup Resistant (30-inch row spacing)

COMPANY	NAME*	IST ¹	Yield bu/a	Regional Results			Erie Yield bu/a	Mt. Morris Yield bu/a	DeKalb Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a	Region Protein @13%	Region Oil @13%
				Maturity Date	Lodging	Height in							
	*Producer Nominated												
KRUGER	K2-3103	A	72.8	10/6	3.2	45	74.9	78.9	64.7	70.2		35.2	17.6
KRUGER	K2-3202	A	76.6	10/8	3.4	42	78.8	83.4	67.6			36.2	18.0
KRUGER	K2-3402	A	73.0	10/9	3.2	46	72.9	77.4	68.8	69.6		36.1	17.3
KRUGER	K2X32A1	A	72.6	10/8	3.2	46	75.6	74.4	67.8			35.4	17.3
NUTECH	7359	B	72.8	10/8	3.9	42	74.9	76.9	66.5			34.9	18.6
PIONEER	93M11*	B	77.3	10/7	2.9	41	75.4	82.2	74.2			34.9	19.1
PIONEER	93Y40	B	71.6	10/7	3.2	43	75.1	72.8	66.8	69.0	64.9	34.5	18.3
STONE SEED GROUP	2R3001*	A	71.2	10/8	3.2	45	71.5	77.3	64.8			35.3	17.3
SYNGENTA	S31-L7 BRAND*	B	75.8	10/8	3.7	45	82.6	78.4	66.4			35.7	16.9
	AVERAGE		73.3	10/7	3.3	44	74.8	77.6	67.5	69.2	66.2	35.2	17.9
	L.S.D. 25% LEVEL		2.6		0.2	2	2.2	1.5	1.8			0.18	0.14
	COEFF. OF VAR. (%)		6.4		12.3	8	5.2	3.6	4.9			0.9	1.4

¹IST= Insecticide Seed Treatment: U= Untreated, F= Fungicide, B= Insecticide+Fungicide, A= Acceleron