

**2011 Soybean Test Results**

**Region 3: Roundup Resistant (30-inch row spacing)**

COMPANY	NAME*	IST <sup>1</sup>	Yield bu/a	Regional Results			Perry Yield bu/a	New Berlin Yield bu/a	Urbana Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a	Region Protein @13%	Region Oil @13%
				Maturity Date	Lodging	Height in							
<b>MATURITY GROUP 2</b>													
CHANNEL	2903 R2*	A	61.7	9/21	2.3	39	55.9	76.4	52.7	65.0		33.3	19.5
DAIRYLAND	DSR-2727 R2Y	B	57.2	9/17	2.1	43	50.5	74.3	46.9	60.3		33.4	19.9
DAIRYLAND	DSR-2880 R2Y	B	61.4	9/13	2.2	38	59.7	77.2	47.3			34.1	19.2
DAIRYLAND	DSR-2995 R2Y*	B	62.6	9/19	2.3	40	58.6	79.2	50.0			33.0	19.7
DIENER	2712 CR2*	A	62.8	9/11	2.1	38	58.9	84.3	45.3			33.1	19.2
DIENER	2812 CR2*	A	61.5	9/11	1.9	39	58.4	81.2	44.8			34.3	19.0
EXCEL	8244 NApRR*	B	62.3	9/7	1.9	35	55.9	80.5	50.3			30.0	21.9
EXCEL	8267 NApRR*	B	57.5	9/12	2.7	38	53.4	74.5	44.5			30.4	20.9
G2 (NUTECH)	7276	B	64.9	9/14	1.6	35	57.2	86.5	51.0			34.0	20.4
G2 (NUTECH)	7282	B	63.5	9/12	1.6	38	54.6	83.0	52.7			33.1	20.9
G2 (NUTECH)	7286	B	62.2	9/12	1.7	36	56.4	85.7	44.5			32.6	20.6
G2 (NUTECH)	7290	B	63.7	9/11	1.7	36	57.6	84.8	48.8	63.7		32.9	21.3
KRUGER	K2-2502	A	59.5	9/6	2.3	35	57.7	78.7	41.9			33.2	19.7
KRUGER	K2-2602	A	62.7	9/9	2.0	35	57.9	83.5	46.5			32.3	20.8
KRUGER	K2-2703*	A	62.8	9/12	2.0	39	56.0	82.6	49.7			33.5	19.3
KRUGER	K2-2803*	A	66.6	9/12	2.1	39	63.9	83.4	52.5			34.2	19.2
KRUGER	K2-2904	A	65.1	9/13	2.1	40	55.8	85.9	53.5			31.1	21.5
MARTIN	M 27 NR2Y	B	58.0	9/14	1.9	40	51.9	78.7	43.5			33.3	19.6
MAVRICK	0282 RY*	U	61.4	9/12	1.8	35	57.0	82.3	44.9			34.0	19.3
MERSCHMAN	MOHAWK 1128RR2Y	B	62.9	9/12	1.9	38	57.3	84.4	47.1			33.6	19.3
NUTECH	6281	B	61.3	9/12	1.9	38	54.4	77.8	51.5			33.2	20.5
PROHARVEST	2950 CR2Y*	A	63.3	9/10	2.0	36	57.8	82.7	49.3			34.5	19.2
STINE	27RA20*	B	63.7	9/11	2.3	41	57.2	82.1	51.7			33.1	20.0
STINE	29RB22*	B	62.4	9/13	2.0	40	55.2	84.5	47.5			33.8	19.2
SYNGENTA	S25-F2 BRAND*	B	57.8	9/8	1.5	30	51.8	77.0	44.5			33.2	20.8
SYNGENTA	S27-C4 BRAND*	B	62.9	9/8	1.9	35	57.2	83.1	48.5			32.5	21.4
SYNGENTA	S28-K1 BRAND*	B	64.8	9/11	1.8	37	60.5	83.6	50.5			33.1	20.5
SYNGENTA	S29-W7 BRAND*	B	61.2	9/8	1.9	37	57.1	80.3	46.1			31.9	20.8
	AVERAGE		62.1	9/12	2.0	37	56.6	81.4	48.1	63.0		33.0	20.1
	L.S.D. 25% LEVEL		2.5		0.2	2	2.7	2.4	2.7			0.44	0.22
	COEFF. OF VAR. (%)		7.2		22.2	8	4.9	3.1	5.8			2.4	2.0

**MATURITY GROUP 3**

ASGROW	AG 3030*	A	61.7	9/17	2.0	38	53.8	82.8	48.5	63.6		33.7	20.2
ASGROW	AG 3130*	A	61.3	9/17	2.6	43	55.7	76.3	51.7	63.5	64.2	34.8	18.5
ASGROW	AG 3231	A	64.6	9/22	2.0	40	57.9	86.0	49.8			33.0	18.9
ASGROW	AG 3431	A	63.6	9/22	2.5	40	57.4	79.8	53.5	65.4		33.8	19.3
ASGROW	AG 3631*	A	62.1	9/22	2.6	38	52.8	81.1	52.4	65.9		34.1	19.6
ASGROW	AG 3632	A	65.1	9/22	2.5	40	56.6	83.5	55.3			34.2	19.0
ASGROW	AG 3731	A	65.7	9/22	2.5	42	54.2	82.6	60.2			34.2	19.1

**2011 Soybean Test Results**

**Region 3: Roundup Resistant (30-inch row spacing)**

COMPANY	NAME*	IST <sup>1</sup>	Yield bu/a	Regional Results			Perry Yield bu/a	New Berlin Yield bu/a	Urbana Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a	Region Protein @13%	Region Oil @13%
				Maturity Date	Lodging	Height in							
	*Producer Nominated												
ASGROW	AG 3830*	A	65.3	10/2	2.6	47	56.2	82.5	57.2	65.9		33.2	19.6
ASGROW	AG 3832	A	65.5	9/22	2.5	40	57.3	84.3	54.8			33.8	19.6
ASGROW	AG 3932	A	67.5	9/29	2.3	43	57.4	84.3	60.8			34.4	18.9
CHANNEL	3000 R2	A	64.0	9/20	2.1	39	55.1	85.4	51.5	63.8	66.5	34.3	18.7
CHANNEL	3105 R2*	A	61.6	9/19	2.7	43	55.0	77.9	51.9			33.4	19.7
CHANNEL	3205 R2	A	63.8	9/22	2.6	40	55.9	78.3	57.3			33.6	19.6
CHANNEL	3303 R2	A	65.4	9/23	2.6	41	58.3	82.6	55.3			33.5	19.0
CHANNEL	3402 R2*	A	64.5	9/22	2.2	42	54.5	87.3	51.8			34.2	19.1
CHANNEL	3701 R2*	A	63.5	9/28	2.4	41	55.3	76.6	58.5	66.3		33.6	19.2
CHANNEL	3905 R2	A	64.4	9/29	2.5	42	52.0	81.9	59.2			33.3	18.9
DAIRYLAND	DSR-3736 R2Y	B	62.0	9/29	2.4	42	53.0	80.5	52.4	64.1		31.5	20.3
DAIRYLAND	DSR-3805 R2Y*	U	62.4	9/28	2.8	42	51.6	82.1	53.4			33.1	19.5
DAIRYLAND	DST 32-001 R2Y	F	61.0	9/17	2.4	36	52.7	79.2	51.1			34.0	19.9
DIENER	3012 CR2*	A	62.4	9/21	2.6	39	56.7	79.2	51.3			33.1	19.8
DIENER	3494 CR2*	A	65.4	9/20	2.0	41	54.6	83.7	58.0			33.7	19.3
DYNA-GRO	32RY39	A	64.2	9/29	2.1	42	54.1	86.9	51.6			32.9	19.8
DYNA-GRO	34RY36	A	64.5	9/25	2.4	43	53.8	81.0	58.7			33.8	19.3
DYNA-GRO	36RY38	A	66.9	9/26	2.7	42	56.9	83.3	60.5			34.5	18.9
DYNA-GRO	37P37*	B	60.1	9/29	2.2	42	52.5	75.2	52.6	63.2	64.0	33.6	19.0
DYNA-GRO	37RY33	A	65.0	9/19	2.1	41	55.8	87.4	51.8			34.0	19.2
DYNA-GRO	37RY39	F	62.6	9/28	2.6	44	55.1	77.8	54.9	66.7		32.3	20.3
EXCEL	3730 NR2Y	U	60.9	9/24	2.7	43	49.3	78.3	55.0			34.4	19.1
EXCEL	3796 NNR2Y	U	62.2	10/1	2.9	45	51.8	78.6	56.1			34.1	19.2
EXCEL	3808 NNR2Y	U	64.7	10/2	3.2	42	52.3	84.9	56.8			32.9	19.3
FS HISOY	HS 33A02*	B	64.4	9/23	2.1	41	53.7	86.4	53.0	67.0		34.2	19.0
FS HISOY	HS 34A12	B	61.8	9/25	2.6	41	55.4	73.7	56.1			33.1	19.5
FS HISOY	HS 36A12	B	64.0	9/24	2.3	41	58.0	76.7	57.4			34.5	18.8
FS HISOY	HS 37A02*	B	62.6	10/3	2.8	44	54.9	76.1	56.8	65.2		33.4	19.4
FS HISOY	HS 38A02*	B	62.8	9/29	2.5	41	54.2	81.8	52.5	66.1		33.8	19.5
FS HISOY	HS 38A12	B	64.5	9/25	2.8	42	58.6	80.8	54.1			34.6	18.7
FS HISOY	HS 39A02*	B	62.6	9/30	2.6	45	52.6	77.5	57.6	65.7		32.5	20.1
FS HISOY	HS 39A12	B	62.6	9/28	2.1	41	56.7	84.9	46.0			33.1	19.7
G2 (NUTECH)	7332	B	66.4	9/21	2.4	39	58.2	85.8	55.2			33.0	20.4
G2 (NUTECH)	7342	B	65.2	9/26	2.1	39	58.4	83.1	54.1			32.0	20.5
G2 (NUTECH)	7345	B	62.4	9/22	2.4	42	55.8	79.3	52.2			32.6	21.2
G2 (NUTECH)	7349	B	64.4	9/24	2.3	41	58.2	81.9	53.2			33.0	20.7
G2 (NUTECH)	7355	B	64.5	9/24	2.5	42	57.2	82.7	53.7			31.9	20.8
G2 (NUTECH)	7362	B	65.0	9/26	2.3	44	57.6	86.1	51.4			31.6	20.8
G2 (NUTECH)	7372	B	66.3	9/28	2.4	46	60.5	83.6	54.7			33.3	20.2
G2 (NUTECH)	7376	B	64.9	9/26	2.5	44	56.9	81.5	56.1	66.3		33.6	20.3
G2 (NUTECH)	7382	B	65.4	9/27	2.8	44	55.9	80.7	59.6			32.2	20.5
G2 (NUTECH)	7384	B	64.8	9/29	2.6	42	56.0	82.0	56.3			32.7	20.0
G2 (NUTECH)	7389	B	65.1	9/24	2.1	44	55.7	85.5	54.2			31.9	21.2
G2 (NUTECH)	7390	B	63.6	9/28	2.4	39	55.6	81.0	54.4	64.9		33.7	20.1

**2011 Soybean Test Results**

**Region 3: Roundup Resistant (30-inch row spacing)**

COMPANY	NAME*	IST <sup>1</sup>	Yield bu/a	Regional Results			Perry Yield bu/a	New Berlin Yield bu/a	Urbana Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a	Region Protein @13%	Region Oil @13%
				Maturity Date	Lodging	Height in							
	*Producer Nominated												
GREAT HEART	GT-342 CR2*	U	60.3	9/23	2.4	40	50.7	80.2	49.9			33.6	18.9
GREAT HEART	GT-374 CR2*	F	64.3	9/30	2.5	40	57.4	79.9	55.6			34.0	19.3
GREAT HEART	GT-399 CR2*	F	57.5	10/3	2.3	38	49.4	71.9	51.1			33.8	19.2
GREAT LAKES	GL 3069 RR2*	A	63.1	9/21	2.5	41	55.1	78.6	55.4			33.0	20.0
GREAT LAKES	GL 3289 RR2*	A	62.0	9/22	2.6	40	55.8	78.7	51.6			33.3	19.8
GREAT LAKES	GL 3429 RR2*	A	65.8	9/22	2.0	41	56.3	84.4	56.7			34.0	19.2
GREAT LAKES	GL 3649 RR2*	A	65.8	9/25	2.7	45	58.0	80.5	58.8			34.6	18.8
GREAT LAKES	GL 3879 RR2*	A	64.6	10/1	2.3	42	52.5	81.8	59.4			33.8	19.4
HOBLOIT	36P2	B	60.2	9/23	2.3	42	52.6	78.5	49.4			31.7	20.0
HUBNER	H 33-11 R2*	A	59.5	9/22	2.7	42	54.6	72.1	51.6	63.5		34.1	19.2
HUBNER	H 34-11 R2*	A	66.2	9/22	2.4	40	59.5	83.9	55.2	67.4		33.3	19.1
HUBNER	H 34-12 R2	A	63.1	9/23	2.1	41	53.1	81.4	54.7			33.5	19.2
HUBNER	H 35-10 R2*	A	66.2	9/25	2.5	43	55.8	82.9	59.8	65.3		33.8	19.0
HUBNER	H 36-12 R2	A	62.7	9/26	2.3	40	55.6	78.0	54.7			34.4	18.9
HUBNER	H 37-10 R2*	A	62.4	9/29	2.6	44	55.1	76.2	55.9	64.7		34.5	19.1
HUBNER	H 38-10 R2*	A	63.9	9/28	2.5	42	55.3	77.1	59.4			33.7	19.5
HUBNER	H 39-12 R2	A	62.4	9/28	2.5	41	55.6	79.6	52.0			33.5	18.8
KRUGER	K2-3103	A	63.8	9/18	2.6	40	55.2	79.0	57.3	66.0		33.1	20.0
KRUGER	K2-3202	A	64.2	9/19	2.6	40	54.7	81.3	56.7			34.6	19.8
KRUGER	K2-3402	A	63.1	9/24	2.1	41	55.4	84.6	49.4	67.1		34.2	19.1
KRUGER	K2-3602	A	63.0	10/2	2.6	43	54.8	79.3	54.8	65.7		32.9	19.7
KRUGER	K2-3701	A	63.8	9/27	2.3	41	56.1	79.7	55.4			34.2	18.9
KRUGER	K2-3802	A	67.7	10/2	2.5	44	58.7	80.6	63.7	67.4		33.7	19.3
KRUGER	K2-3902	A	62.4	9/29	2.7	44	52.9	80.2	54.1	65.8		32.4	20.2
KRUGER	K2X32A1	A	62.2	9/22	2.6	41	55.5	79.0	52.0			33.6	19.7
LEWIS	351 R2	A	65.3	9/23	2.1	40	57.7	87.0	51.4	66.9		33.9	19.1
LEWIS	362 R2	A	63.8	9/26	2.4	42	55.1	79.5	56.8			34.3	19.0
LEWIS	381 R2	A	64.5	9/29	2.3	42	57.1	78.8	57.8	65.4		34.0	19.4
LEWIS	392 R2	A	62.6	9/28	2.5	43	53.9	80.5	53.4			33.7	18.7
MARTIN	M 132 NR2Y	B	63.8	9/19	2.2	40	56.1	86.0	49.2	64.9		33.8	19.0
MARTIN	M 134 NR2Y	B	58.5	9/23	2.7	47	50.4	77.3	47.9			33.2	18.9
MARTIN	M 36 NR2Y	B	63.3	9/29	3.0	44	51.8	84.6	53.6			33.5	19.6
MARTIN	M 38 NRR	B	63.8	9/25	2.5	40	55.0	80.5	55.9			31.9	20.7
MAVRICK	0322 RY*	A	61.0	9/18	2.9	41	51.3	78.0	53.7			32.7	20.8
MAVRICK	0323 RR*	U	63.4	9/22	2.5	39	54.7	82.5	53.0			33.0	20.7
MAVRICK	0382 RY*	U	65.4	9/30	2.4	42	56.8	79.7	59.7			34.0	19.2
MERSCHMAN	ARTHUR 1230RR2Y	B	65.2	9/20	2.7	39	56.5	81.5	57.7			33.4	19.8
MERSCHMAN	COOLIDGE 1234RR2Y	B	64.4	9/22	2.1	41	51.9	86.9	54.2			34.0	19.3
MERSCHMAN	KENNEDY 1036RR2Y	B	64.2	9/26	2.5	44	57.1	78.6	57.0	66.6	66.4	34.4	18.8
MERSCHMAN	WASHINGTON 1238RR	B	67.6	9/26	2.6	42	59.5	82.1	61.0			32.1	20.6
MYCOGEN	5N342 R2*	B	65.1	9/22	2.0	42	54.9	86.6	53.7			34.1	19.1
MYCOGEN	5N360 R2*	B	63.1	9/26	2.2	41	54.2	79.2	55.9			34.3	18.9
NUTECH	7359	B	62.3	9/23	2.9	39	51.5	84.1	51.2	63.8	66.3	33.7	20.2
NUTECH	7388	B	62.4	9/24	2.4	40	55.8	78.4	53.0	65.2		32.5	20.5

**2011 Soybean Test Results**

**Region 3: Roundup Resistant (30-inch row spacing)**

COMPANY	NAME*	IST <sup>1</sup>	Yield bu/a	Regional Results			Perry Yield bu/a	New Berlin Yield bu/a	Urbana Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a	Region Protein @13%	Region Oil @13%
				Maturity Date	Lodging	Height in							
PIONEER	93Y40	B	63.6	9/23	2.4	40	55.0	84.9	50.8	65.6	66.9	33.3	20.4
PIONEER	93Y60	B	64.5	9/24	2.2	43	56.1	82.9	54.6			31.8	21.0
PIONEER	93Y70*	B	65.7	9/25	2.4	44	56.8	83.6	56.9	65.4	65.9	32.3	20.4
PIONEER	93Y82	B	64.8	9/24	2.5	44	56.7	82.8	55.0			32.2	20.5
POWER PLUS	37T1*	B	62.0	9/28	2.5	40	50.3	82.9	52.8	63.8		33.6	20.0
POWER PLUS	38D2	B	63.8	9/28	2.5	43	54.2	82.3	54.8			32.5	20.1
POWER PLUS	X34T2	B	64.4	9/23	2.6	40	56.5	84.8	51.9			33.0	20.4
PROHARVEST	3135 CR2Y*	U	61.6	9/22	2.3	39	53.2	79.2	52.5			33.1	20.0
PROHARVEST	3350 CR2Y*	A	62.2	9/21	2.7	43	55.7	78.8	52.1			33.6	19.6
PROHARVEST	3635 CR2Y*	U	63.3	9/26	2.2	40	52.8	79.7	57.2			34.0	19.1
STEYER	3001 R2	A	64.9	9/17	2.2	39	53.1	85.8	55.7	64.9		33.3	19.2
STEYER	3203 R2	A	63.9	9/21	2.5	42	58.3	79.2	54.2			33.2	19.9
STEYER	3204 R2	A	62.0	9/20	2.2	41	52.6	82.8	50.5	63.9	66.4	33.8	18.8
STEYER	3401 R2	A	61.2	9/24	2.7	43	53.9	80.1	49.6	62.5	64.3	34.2	19.4
STEYER	3404 R2	A	63.6	9/25	2.4	42	58.2	80.6	52.2			33.3	19.5
STEYER	3490 RR	A	62.1	9/25	2.5	42	51.7	80.5	54.0	63.1	64.1	32.0	20.1
STEYER	3501 R2	A	63.8	9/19	2.3	40	53.7	85.0	52.8	64.8	65.5	33.2	18.9
STEYER	3603 R2	A	63.2	9/25	2.2	41	58.8	78.9	51.8			34.0	19.1
STEYER	3803 R2	A	66.9	9/29	2.4	43	59.4	80.9	60.4	66.9		33.9	19.4
STEYER	3901 R2	A	63.4	9/27	2.1	42	52.9	85.5	51.9			32.7	19.9
STINE	30RA02*	B	62.2	9/22	2.2	41	54.2	81.6	50.9			33.3	19.8
STINE	33RA02*	B	65.0	9/23	2.4	39	56.0	83.2	55.8			33.0	20.6
STINE	3522-4*	B	61.6	9/21	2.8	39	53.2	81.1	50.3	66.9		33.5	20.2
STINE	35RA02*	B	66.6	9/27	2.6	46	56.8	85.1	57.9	64.7		34.5	18.8
STINE	37RC82	B	65.1	9/24	2.4	42	54.8	83.3	57.3			33.4	19.5
STINE	3923-4*	B	65.6	9/25	2.6	41	58.8	82.4	55.6	66.7	67.4	32.6	20.6
STONE SEED GROUP	2R3001*	A	63.7	9/22	2.7	40	57.4	77.1	56.5			33.4	19.6
STONE SEED GROUP	2R3201*	A	63.5	9/21	2.2	38	55.0	82.3	53.1	65.8		33.3	19.4
STONE SEED GROUP	2R3401*	A	65.7	9/21	2.1	41	56.5	84.1	56.4			33.9	19.1
STONE SEED GROUP	2R3602	A	65.1	9/26	2.3	41	57.1	81.2	57.1			34.0	19.1
STONE SEED GROUP	2R3701*	A	62.9	9/28	2.4	46	56.1	78.7	53.9			34.0	19.2
STONE SEED GROUP	2R3801*	A	64.3	9/29	2.6	41	56.0	81.1	55.7			33.9	19.4
STONE SEED GROUP	2R3802	A	62.6	9/30	2.7	43	54.0	78.8	54.8			33.9	18.6
SUN PRAIRIE	SP 3650 NRR	A	57.7	9/27	2.3	43	50.3	77.3	45.6			32.0	19.9
SUN PRAIRIE	SPX 32R21	A	64.5	9/20	2.5	42	55.2	83.0	55.3			33.2	19.9
SUN PRAIRIE	SPX 38R21	A	66.0	9/29	2.1	43	57.4	84.6	55.9			33.1	19.7
SYNGENTA	S31-L7 BRAND*	B	65.4	9/17	2.4	38	55.8	83.4	57.0			33.5	19.3
SYNGENTA	S34-N3 BRAND*	B	65.4	9/22	2.1	41	56.7	84.1	55.4			34.1	19.0
SYNGENTA	S35-T9 BRAND*	B	62.4	9/28	3.0	46	53.8	79.7	53.8			33.6	20.0
SYNGENTA	S37-F7 BRAND*	B	64.6	9/27	2.7	42	52.9	84.2	56.8			33.0	19.5
SYNGENTA	S39-A3 BRAND*	B	64.5	9/29	2.8	43	53.9	84.7	54.8			32.7	19.6
	AVERAGE		63.6	9/25	2.4	42	55.2	81.3	54.4	65.3	65.7	33.5	19.6
	L.S.D. 25% LEVEL		2.5		0.2	1	2.4	2.6	3.7			0.40	0.21

**2011 Soybean Test Results**

**Region 3: Roundup Resistant (30-inch row spacing)**

COMPANY	NAME*	IST <sup>1</sup>	Yield bu/a	Regional Results			Perry Yield bu/a	New Berlin Yield bu/a	Urbana Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a	Region Protein @13%	Region Oil @13%
				Maturity Date	Lodging	Height in							
	*Producer Nominated COEFF. OF VAR. (%)		7.3		17.1	6	4.6	3.4	7.2			2.2	2.0
<b>MATURITY GROUP 4</b>													
G2 (NUTECH)	7402	B	62.1	10/1	2.4	43	61.1	75.5	49.8			32.3	20.5
G2 (NUTECH)	7408	B	62.7	10/2	2.7	44	59.9	76.9	51.3			32.8	20.3
G2 (NUTECH)	7420	B	62.0	10/6	2.9	46	58.8	76.5	50.7	63.5		34.0	19.3
G2 (NUTECH)	7442	B	62.2	10/5	2.6	45	57.4	81.7	47.6			33.9	19.4
G2 (NUTECH)	7460	B	54.1	10/7	3.1	50	53.4	64.6	44.2	57.4		33.9	18.5
G2 (NUTECH)	7415 SE	B	59.4	10/2	2.2	45	57.3	74.7	46.3			33.3	19.7
G2 (NUTECH)	7439 S	B	59.8	10/3	2.5	39	57.0	73.7	48.7	61.6	64.6	33.6	19.5
GREAT LAKES	GL 4059 RR2*	A	62.3	9/30	2.7	43	55.2	80.5	51.2			34.9	18.5
KRUGER	K2-4101	A	60.2	10/3	2.7	46	55.4	78.7	46.3	61.0		34.2	18.5
KRUGER	K2-4102	A	61.3	10/2	2.7	45	57.0	79.2	47.7			33.2	19.4
LEWIS	412 R2	A	62.1	10/3	2.7	45	55.9	82.5	47.9			33.2	19.3
NUTECH	4041 RN	B	62.1	10/1	2.5	43	57.5	79.4	49.6	62.2		33.7	19.6
NUTECH	7425 S	B	60.5	10/4	2.7	43	57.0	75.4	49.2	61.5	63.8	33.9	19.5
PIONEER	94Y01*	B	60.2	10/2	2.8	45	57.5	73.3	49.7	63.4	64.0	32.3	20.2
POWER PLUS	40V1*	B	56.5	10/2	2.5	46	50.7	74.8	44.1	59.4		33.0	19.5
STEYER	4002 R2	A	60.8	10/1	2.1	42	56.1	83.9	42.5	62.6	64.8	34.0	19.2
STEYER	4230 RR	A	61.2	10/4	2.3	41	55.2	80.4	48.1	61.5	62.8	34.4	19.5
SYNGENTA	S42-T4 BRAND*	B	54.8	10/7	2.9	49	51.3	68.5	44.7			34.5	18.0
	AVERAGE		60.2	10/3	2.6	44	56.3	76.7	47.7	61.4	64.0	33.6	19.4
	L.S.D. 25% LEVEL		2.8		0.2	2	1.3	1.8	1.8			0.51	0.28
	COEFF. OF VAR. (%)		8.5		14.3	7	4.2	4.3	6.8			2.8	2.6

<sup>1</sup>IST= Insecticide Seed Treatment: U= Untreated, F= Fungicide, B= Insecticide+Fungicide, A= Acceleron