

**2012 Soybean Test Results**

**Region 1: Roundup Resistant (30-inch row spacing)**

COMPANY	NAME*	IST <sup>1</sup>	Yield bu/a	Regional Results			Erie Yield bu/a	Mt. Morris Yield bu/a	DeKalb Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a	Region Protein @13%	Region Oil @13%
				Maturity Date	Lodging	Height in							
<b>MATURITY GROUP 2</b>													
ASGROW	AG 2431*	B	55.4	9/11	2.4	32	69.3	44.1	52.8			33.6	19.9
ASGROW	AG 2433	B	64.1	9/13	1.8	35	80.6	49.9	62.0			34.2	19.7
ASGROW	AG 2531*	B	62.4	9/15	2.9	40	74.1	52.5	60.7	70.4		34.4	19.6
ASGROW	AG 2632	B	69.5	9/20	2.4	39	79.9	60.1	68.6			34.3	19.8
ASGROW	AG 2731*	B	60.4	9/16	2.5	37	69.8	48.5	63.0	69.3		35.9	18.6
ASGROW	AG 2733	B	63.6	9/16	1.8	35	79.3	51.0	60.4			33.8	20.1
ASGROW	AG 2931	B	68.8	9/20	2.6	40	79.7	60.5	66.2	73.1	68.4	33.8	19.4
ASGROW	AG 2933	B	71.9	9/20	2.5	36	86.2	65.1	64.4			34.0	19.1
CHANNEL	2305 R2*	B	58.0	9/8	2.3	35	73.5	41.5	58.9			33.6	20.5
CHANNEL	2402 R2*	B	53.2	9/12	2.5	33	65.2	41.1	53.2			33.7	19.7
CHANNEL	2605 R2	B	66.3	9/16	2.5	37	81.5	53.9	63.6			33.2	19.8
CHANNEL	2705 R2*	B	57.0	9/18	2.5	42	68.4	54.3	48.4			33.6	19.6
CHANNEL	2800 R2*	B	70.4	9/21	2.6	40	80.9	63.5	66.8	72.7		35.2	18.7
CHANNEL	2903 R2	B	71.2	9/23	2.6	40	82.9	65.2	65.6	71.3	66.5	34.5	19.0
DAIRYLAND	DSR-2105 R2Y	B	58.0	9/9	2.5	36	69.3	42.9	61.6			33.4	20.4
DAIRYLAND	DSR-2411 R2Y	B	55.8	9/11	2.1	33	74.7	41.7	51.1	66.3		33.7	20.0
DAIRYLAND	DSR-2880 R2Y	B	68.0	9/18	2.3	38	78.9	60.1	65.1	72.6		35.3	18.7
DAIRYLAND	DSR-2995 R2Y	B	69.4	9/23	2.7	40	75.9	65.3	67.0	70.1		34.5	19.0
DERAEDT	2088 NR2Y*	B	59.0	9/5	2.3	33	72.2	44.9	59.9			33.3	19.9
DERAEDT	2123 RR*	B	56.4	9/9	2.3	36	68.7	48.5	52.0	66.2		34.5	20.1
DERAEDT	2404 R2Y*	B	57.9	9/13	2.2	33	68.7	49.6	55.3	69.1		33.3	20.1
DERAEDT	2523 RR*	B	61.6	9/15	2.7	40	73.7	52.2	58.8	69.7	69.5	35.1	19.6
FS HISOY	HS 24A01	B	56.3	9/9	2.2	33	71.5	41.6	55.8	67.8	65.1	33.7	19.9
FS HISOY	HS 24A12	B	62.6	9/12	2.3	36	77.8	48.9	61.1	70.1		33.4	19.5
FS HISOY	HS 25A22	B	62.9	9/14	2.6	36	75.4	51.4	61.8			34.2	19.8
FS HISOY	HS 27A12	B	65.3	9/19	2.6	38	75.9	56.1	63.9	71.3		35.2	18.8
FS HISOY	HS 28A02*	B	66.9	9/21	2.5	38	77.0	59.4	64.3	72.9	71.8	35.3	18.7
FS HISOY	HS 29A12	B	68.9	9/20	2.7	37	77.3	60.2	69.1	72.9		31.9	20.7
FS HISOY	HS 29A22	B	69.2	9/25	2.1	39	83.7	59.4	64.5			33.9	19.7
G2 GENETICS	1272	B	57.6	9/16	2.2	35	69.6	49.4	53.9			33.9	20.0
G2 GENETICS	7243	B	62.9	9/14	2.4	35	79.8	49.2	59.8			35.3	20.3
G2 GENETICS	7250	F	66.6	9/15	2.6	36	74.8	62.2	62.6	72.6		31.7	21.1
G2 GENETICS	7270	F	68.8	9/18	2.2	40	82.5	58.1	65.7	74.8		34.0	20.2
G2 GENETICS	7273	B	60.7	9/16	2.4	37	74.0	48.9	59.3			32.7	21.6
G2 GENETICS	7286	B	69.2	9/20	2.1	37	83.4	56.8	67.4			34.3	19.8
G2 GENETICS	7290	F	66.6	9/18	2.1	41	76.9	58.7	64.2			34.3	20.2
GREAT LAKES	GL 2019 RR2*	B	59.3	9/9	2.3	35	73.2	45.6	59.1	68.6		33.3	20.5
GREAT LAKES	GL 2069 RR2*	B	57.4	9/7	2.6	37	68.6	45.5	58.0			35.4	19.7
GREAT LAKES	GL 2289 RR2*	B	60.5	9/10	2.5	36	70.7	50.1	60.9			33.7	20.0
GREAT LAKES	GL 2345 RR2*	B	56.6	9/10	2.3	33	68.4	46.7	54.7	68.6		33.8	19.9
GREAT LAKES	GL 2569 RR2*	B	63.6	9/13	2.5	35	75.8	53.6	61.5			33.6	19.4
GREAT LAKES	GL 2739 RR2*	B	62.6	9/14	2.7	38	72.9	53.6	61.3			35.0	18.9

**2012 Soybean Test Results**

**Region 1: Roundup Resistant (30-inch row spacing)**

COMPANY	NAME*	IST <sup>1</sup>	Yield bu/a	Regional Results			Erie Yield bu/a	Mt. Morris Yield bu/a	DeKalb Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a	Region Protein @13%	Region Oil @13%
				Maturity Date	Lodging	Height in							
GREAT LAKES	GL 2949 RR2*	B	69.8	9/20	2.5	40	81.2	59.9	68.2			35.3	18.7
HUGHES	454	B	58.8	9/14	2.6	39	68.8	48.1	59.5	68.8	69.1	34.8	19.7
HUGHES	555	B	57.4	9/12	2.6	37	72.5	41.7	58.2	68.0	66.3	35.1	19.5
HUGHES	777	B	61.5	9/16	2.7	38	73.2	49.0	62.4	68.5	66.1	35.4	19.4
JGL	260 CA*	B	62.5	9/15	2.8	39	73.1	48.5	65.8	67.4	67.9	31.6	20.8
JGL	282 CA*	B	60.4	9/17	3.2	40	70.8	49.5	60.9	64.6	63.9	32.3	20.0
KRUGER	K2-1901	B	58.4	9/4	2.4	35	74.4	40.8	59.9	67.2		33.1	20.3
KRUGER	K2-1902	B	56.5	9/9	2.4	35	68.0	46.2	55.4	66.9		34.0	20.4
KRUGER	K2-2002	B	58.9	9/15	2.5	38	69.5	46.4	60.9			34.4	20.1
KRUGER	K2-2102	B	62.9	9/9	2.7	35	76.0	49.5	63.1	69.8		33.9	19.5
KRUGER	K2-2301	B	57.3	9/11	2.4	33	68.9	48.1	54.9	68.3		33.7	19.9
KRUGER	K2-2303	B	56.6	9/12	2.4	39	69.3	49.4	51.0			33.7	19.9
KRUGER	K2-2401	B	58.9	9/10	2.4	36	71.9	45.8	59.1			33.5	20.1
KRUGER	K2-2503	B	66.6	9/13	2.4	35	77.6	56.8	65.3			34.1	19.9
KRUGER	K2-2602	B	68.1	9/15	2.7	36	76.8	59.9	67.6	73.5		34.1	19.6
KRUGER	K2-2704	B	68.9	9/20	2.3	40	78.9	59.7	68.0			35.3	18.8
KRUGER	K2-2803	B	65.8	9/20	2.6	38	79.4	56.6	61.5	72.9	69.1	35.2	18.7
KRUGER	K2-2904	B	68.6	9/20	2.8	39	76.0	61.9	67.9	71.8		32.0	20.7
KRUGER	K-249 RR*	U	64.1	9/15	2.6	39	75.2	52.0	65.2			34.7	19.7
LG SEEDS	C 2500 R2*	A	57.5	9/11	2.7	38	71.9	42.6	58.0			33.5	19.9
LG SEEDS	C 2688 R2*	A	63.4	9/14	2.5	37	76.9	54.7	58.7			33.9	19.9
LG SEEDS	C 2835 R2*	A	66.7	9/19	2.4	39	74.9	62.2	63.1			35.5	18.6
MERSCHMAN	APACHE 1124RR2Y	A	57.8	9/11	2.3	32	69.6	48.8	54.9	70.3	65.3	33.6	20.0
MERSCHMAN	CHEROKEE 1329RR2Y	A	67.0	9/20	2.2	39	80.2	57.6	63.1			34.0	19.7
MERSCHMAN	MOHAWK 1128RR2Y	A	66.6	9/20	2.5	39	80.2	52.6	67.1	71.1	66.0	35.2	18.7
MERSCHMAN	MOHEGAN 1222RR2Y	A	58.5	9/10	2.2	35	68.4	48.2	58.9	65.9		33.6	20.5
MERSCHMAN	NAVAHO 1220RR2Y	A	59.5	9/8	2.3	36	67.8	41.9	68.6	68.4		34.0	20.4
MERSCHMAN	SHAWNEE 1226RR2Y	A	61.6	9/17	2.8	38	67.1	53.9	63.9	69.1		33.8	20.0
MUNSON	8223 R2Y	B	64.7	9/14	2.6	37	78.8	51.2	64.1			34.4	19.1
MUNSON	8242 R2Y	U	56.3	9/11	2.2	31	70.1	43.2	55.6	68.4		33.7	20.0
MUNSON	8263 R2Y	B	63.5	9/17	2.6	39	79.5	47.4	63.6			34.2	19.8
MUNSON	8281 R2Y	B	65.0	9/18	2.7	40	72.5	59.3	63.3	68.8		35.0	18.5
MYCOGEN	5B241 R2*	B	56.9	9/11	2.2	32	71.7	42.6	56.3			33.6	20.0
NK	S 23-P8*	B	58.3	9/12	2.3	35	68.7	44.0	62.3			34.0	20.3
NK	S 24-K2*	B	58.3	9/11	2.3	35	74.2	47.2	53.5			33.7	19.0
NK	S 25-T8*	B	63.2	9/15	2.6	37	74.2	52.6	62.7			32.7	20.7
NK	S 27-H6*	B	65.2	9/18	2.2	36	78.3	52.9	64.3			33.5	20.7
NK	S 29-V2*	B	66.3	9/20	2.6	40	73.3	58.4	67.1			35.5	18.7
PFISTER	26R24*	B	66.0	9/20	2.4	35	83.5	50.1	64.3			33.5	19.6
PFISTER	28R21*	B	68.7	9/19	2.5	38	78.0	59.9	68.2			35.2	18.7
POWER PLUS	23Z1	B	60.6	9/15	2.5	40	74.3	45.1	62.5	69.3		33.7	20.5
POWER PLUS	25G3	B	66.7	9/16	2.4	36	77.6	59.7	62.7			32.0	21.0
POWER PLUS	28J0*	B	64.1	9/21	2.4	40	75.7	55.3	61.2	68.1	64.3	33.7	19.6
PROHARVEST	2635 CR2Y*	B	63.9	9/17	2.7	38	75.4	52.3	64.1	71.0		35.1	18.8

**2012 Soybean Test Results**

**Region 1: Roundup Resistant (30-inch row spacing)**

COMPANY	NAME*	IST <sup>1</sup>	Yield bu/a	Regional Results			Erie Yield bu/a	Mt. Morris Yield bu/a	DeKalb Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a	Region Protein @13%	Region Oil @13%
				Maturity Date	Lodging	Height in							
PROHARVEST	2850 CR2Y*	B	68.3	9/18	2.4	39	83.1	56.5	65.2	69.6		35.4	18.6
PROHARVEST	2866 CR2Y*	B	69.9	9/17	2.4	40	83.8	57.4	68.5			35.6	18.7
PROHARVEST	2950 CR2Y*	B	63.2	9/19	2.6	40	72.9	52.0	64.8	69.3		34.9	18.6
RENK	RS 213 NR2	U	61.4	9/12	2.4	34	78.6	43.9	61.7			33.8	20.6
RENK	RS 241 R2	U	55.9	9/9	2.2	33	70.4	42.7	54.5	70.3	68.4	33.7	19.9
RENK	RS 259 NRR	F	62.5	9/15	2.7	38	74.4	47.6	65.4	70.6	69.4	35.0	19.6
RENK	RS 263 NR2	U	65.9	9/17	2.5	36	77.5	53.3	67.0			33.7	20.7
RENK	RS 272 NR2	F	66.6	9/17	2.6	39	76.9	59.1	63.7	72.9		35.0	18.8
ROESCHLEY	2125 CRR2	B	57.5	9/10	2.9	38	64.5	49.6	58.5			34.8	19.9
ROESCHLEY	2425 CRR2	B	57.0	9/10	2.4	39	71.2	41.9	57.8			34.0	19.7
ROESCHLEY	2615 CRR2*	B	64.2	9/16	3.0	37	78.4	53.4	60.8			35.9	18.6
ROESCHLEY	2815 CRR2*	B	68.7	9/20	2.6	39	78.9	59.4	67.7	71.9		35.6	18.5
STEYER	2701 R2*	A	62.2	9/17	2.5	39	70.6	53.1	62.7			35.2	18.5
STEYER	2702 R2*	A	63.3	9/15	2.7	37	74.3	52.7	62.9			35.1	18.9
STEYER	2801 R2*	A	67.9	9/23	2.6	38	85.3	53.7	64.7			34.2	19.3
STEYER	2803 R2*	A	68.6	9/18	2.7	37	81.4	57.3	67.2			34.4	18.9
STINE	22RC62	B	57.7	9/10	2.4	35	73.1	42.4	57.6	67.2		33.9	20.3
STINE	24RB00*	B	58.4	9/15	2.3	34	73.8	44.7	56.7	69.8		33.6	20.0
STINE	26RD02	U	62.8	9/17	2.5	38	76.4	52.0	60.0			34.1	19.8
STINE	29RD22	B	64.3	9/17	2.3	38	78.6	49.7	64.6			35.6	18.8
STONE SEED GROUP	2R2203	B	60.4	9/9	2.7	38	71.4	49.3	60.5			34.1	19.8
STONE SEED GROUP	2R2502	B	55.6	9/10	2.3	33	66.5	48.0	52.1	69.1		33.5	20.0
STONE SEED GROUP	2R2702*	B	64.2	9/18	2.8	36	74.0	55.3	63.3	72.3		33.7	19.8
STONE SEED GROUP	2R2801*	B	68.9	9/20	2.3	39	80.4	60.0	66.3	74.4		35.2	18.8
	AVERAGE		62.7	9/15	2.5	37	74.9	51.7	61.6	69.9	67.3	34.1	19.7
	L.S.D. 25% LEVEL		3.1		0.2	1	3.5	4.9	4.3			0.35	0.21
	COEFF. OF VAR. (%)		9.2		14.9	7	5.0	10.0	7.5			1.9	2.0

**MATURITY GROUP 3**

ASGROW	AG 3231	B	75.4	9/25	2.2	44	85.1	72.7	68.4	74.7		33.4	18.5
CHANNEL	3105 R2*	B	70.6	9/25	2.9	42	75.6	70.5	65.7			34.4	18.7
CHANNEL	3106 R2	B	72.7	9/23	2.6	45	82.9	69.8	65.4			35.5	17.9
CHANNEL	3303 R2*	B	73.4	9/24	2.9	44	79.6	73.0	67.6			34.0	18.4
CHANNEL	3306 R2	B	75.4	9/27	3.1	45	78.6	75.8	71.9			34.3	19.1
DAIRYLAND	DSR-3232 R2Y*	B	73.6	9/24	2.4	44	86.2	71.2	63.5			35.4	18.5
FS HISOY	HS 30A22	B	72.4	9/23	2.6	42	81.9	67.8	67.5			35.2	18.5
G2 GENETICS	1311	B	70.3	9/22	2.9	45	80.0	71.0	60.1			33.8	20.7
G2 GENETICS	7310	F	69.4	9/25	2.8	45	73.7	68.0	66.3	74.3	71.2	35.0	19.2
G2 GENETICS	7323	B	72.0	9/25	2.8	43	75.1	73.1	68.0			33.7	20.0
G2 GENETICS	7334	B	73.2	9/26	2.6	44	79.0	72.4	68.0			34.9	19.4
KRUGER	K2-3103	B	69.2	9/23	2.7	42	78.8	68.9	59.8	71.0	69.9	34.7	18.9
KRUGER	K2-3104	B	73.7	9/25	2.5	41	82.8	74.2	64.1			35.2	18.5

**2012 Soybean Test Results**

**Region 1: Roundup Resistant (30-inch row spacing)**

COMPANY	NAME*	IST <sup>1</sup>	Yield bu/a	Regional Results			Erie Yield bu/a	Mt. Morris Yield bu/a	DeKalb Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a	Region Protein @13%	Region Oil @13%
				Maturity Date	Lodging	Height in							
	*Producer Nominated												
KRUGER	K2-3203	B	73.5	9/23	3.3	45	80.2	72.0	68.1			34.4	19.1
KRUGER	K2-3402	B	75.5	9/26	2.4	45	78.7	75.0	72.7	74.3	71.6	35.5	18.4
LG SEEDS	C 3044 R2*	A	76.0	9/23	2.8	43	85.6	71.3	71.2			34.7	18.8
NK	S 30-E9*	B	68.2	9/19	2.2	40	79.6	60.3	64.6			35.6	18.8
NK	S 34-N3*	B	74.3	9/25	2.3	45	85.3	70.1	67.5			35.1	18.4
STEYER	3001 R2*	A	73.5	9/21	2.9	43	83.0	72.1	65.4			35.2	18.0
STINE	30RD02	B	71.0	9/22	2.4	41	81.9	69.9	61.4			33.3	19.5
STINE	30RD22	U	72.1	9/25	2.9	42	77.2	70.2	69.1			35.7	18.5
STINE	33RD02	B	73.6	9/25	2.3	44	77.5	69.7	73.6			34.6	18.5
	AVERAGE		72.7	9/24	2.6	43	80.4	70.9	66.8	73.5	70.9	34.7	18.8
	L.S.D. 25% LEVEL		3.2		0.3	2	2.6	2.2	2.3			0.25	0.14
	COEFF. OF VAR. (%)		7.9		18.5	6	5.9	5.7	6.3			1.3	1.3

<sup>1</sup>IST= Insecticide Seed Treatment: U= Untreated, F= Fungicide, B= Insecticide+Fungicide, A= Acceleron