

**2012 Soybean Test Results**

**Region 2: Roundup Resistant (30-inch row spacing)**

COMPANY	NAME*	IST <sup>1</sup>	Regional Results				Monmouth	Goodfield	Dwight	2 yr	3 yr	Region Protein @ 13%	Region Oil @ 13%
			Yield bu/a	Maturity Date	Lodging	Height in	Yield bu/a	Yield bu/a	Yield bu/a	Avg Yield bu/a	Avg Yield bu/a		
<b>MATURITY GROUP 2</b>													
ASGROW	AG 2632	B	64.7	9/20	2.5	40	74.1	71.5	48.3			34.9	19.7
ASGROW	AG 2731*	B	59.7	9/14	2.5	41	72.2	57.5	49.3	63.2		36.0	18.9
ASGROW	AG 2933	B	63.5	9/18	2.2	39	72.5	71.8	46.3			34.6	19.2
CHANNEL	2705 R2*	B	58.0	9/19	2.6	42	61.7	68.5	43.6			34.5	19.5
CHANNEL	2800 R2*	B	62.6	9/20	2.3	41	64.1	68.2	55.5	70.3		35.3	19.0
CHANNEL	2903 R2	B	63.6	9/24	2.5	43	64.5	68.3	58.1	66.7	67.7	34.5	19.3
CROPLAN	R2C 33*	B	65.7	9/24	3.0	43	73.4	70.3	53.4			34.3	19.6
DAIRYLAND	DSR-2105 R2Y	B	54.0	9/4	2.3	37	70.6	49.0	42.3			34.0	20.5
DAIRYLAND	DSR-2411 R2Y	B	53.3	9/6	1.9	35	58.0	56.7	45.0			33.5	20.6
DAIRYLAND	DSR-2880 R2Y	B	59.1	9/22	2.2	41	62.8	65.8	48.7	66.9		35.5	18.9
DAIRYLAND	DSR-2995 R2Y	B	63.6	9/25	2.5	42	69.5	70.6	50.6	67.1		34.5	19.4
DERAEDT	2088 NR2Y*	B	56.4	9/2	2.3	33	69.3	51.6	48.2			33.7	20.1
DERAEDT	2123 RR*	B	51.3	9/4	2.1	38	54.3	60.2	39.4	57.2		34.3	20.5
DERAEDT	2404 R2Y*	B	55.4	9/6	2.4	35	66.8	55.1	44.2	60.0		34.3	20.1
DERAEDT	2523 RR*	B	54.1	9/9	2.5	42	55.8	59.9	46.6	61.4	63.7	34.8	20.1
FS HISOY	HS 27A12	B	61.3	9/17	2.8	40	74.9	62.3	46.7			35.2	19.0
FS HISOY	HS 28A02*	B	62.9	9/21	2.4	40	67.4	72.1	49.3	70.7	70.7	35.6	18.8
FS HISOY	HS 29A12	B	61.1	9/22	2.8	40	66.9	69.6	46.9	67.6		32.4	21.0
FS HISOY	HS 29A22	B	66.4	9/23	2.4	40	78.8	69.2	51.1			34.1	20.0
G2 GENETICS	1272	B	55.7	9/12	2.5	39	60.6	60.6	46.0			33.8	20.6
G2 GENETICS	7270	F	57.3	9/13	2.3	41	61.4	67.9	42.7	64.4		34.2	20.4
G2 GENETICS	7273	B	58.1	9/14	2.1	39	63.8	60.6	49.8			32.4	22.0
G2 GENETICS	7286	B	60.5	9/18	1.8	40	69.3	64.2	47.9	67.2		34.2	20.2
G2 GENETICS	7290	F	57.3	9/18	2.2	41	62.2	63.2	46.6	65.1	65.6	34.6	20.2
GREAT LAKES	GL 2569 RR2*	B	56.6	9/8	2.1	39	73.2	55.1	41.5			33.5	19.8
GREAT LAKES	GL 2739 RR2*	B	59.7	9/17	2.6	41	75.0	60.5	43.7			35.0	19.2
GREAT LAKES	GL 2949 RR2*	B	62.6	9/21	2.4	41	65.8	68.8	53.2	69.8		35.4	19.0
JGL	260 CA*	B	57.0	9/15	2.8	41	62.1	64.7	44.3	62.8	64.8	31.6	21.2
JGL	282 CA*	B	54.0	9/18	3.2	41	57.5	61.2	43.2	61.6	64.5	32.0	20.4
KRUGER	K2-2301	B	54.5	9/6	2.2	34	72.6	52.5	38.4			33.9	20.3
KRUGER	K2-2303	B	52.0	9/6	2.3	41	56.7	56.3	43.1			34.4	20.0
KRUGER	K2-2401	B	54.1	9/4	2.5	38	68.6	53.0	40.8			34.0	20.3
KRUGER	K2-2503	B	56.9	9/9	2.5	41	73.5	55.1	42.1			34.8	19.8
KRUGER	K2-2602	B	58.1	9/15	2.6	38	65.6	64.4	44.3	65.4		34.2	20.0
KRUGER	K2-2704	B	59.3	9/17	2.3	42	65.4	65.1	47.5			35.7	18.8
KRUGER	K2-2803	B	61.4	9/22	2.3	41	59.8	73.3	51.2	69.3	69.4	35.5	18.8
KRUGER	K2-2904	B	62.3	9/19	2.8	40	71.2	66.6	48.9	68.1		32.5	20.9
KRUGER	K-249 RR*	U	57.0	9/12	2.7	42	68.7	57.2	45.1			35.1	20.0
LEWIS	282 R2	A	66.1	9/19	2.4	42	69.1	72.8	56.5			35.2	18.9
LG SEEDS	C 2688 R2*	A	58.1	9/13	2.5	39	76.0	55.0	43.1			34.6	20.0
LG SEEDS	C 2835 R2*	A	64.0	9/19	2.4	41	68.8	67.1	56.1			35.4	18.9
MERSCHMAN	APACHE 1124RR2Y	A	53.1	9/7	2.3	34	62.8	53.6	43.0			34.0	20.3
MERSCHMAN	CHEROKEE 1329RR2Y	A	62.7	9/23	2.1	42	69.0	70.0	49.1			33.5	20.2

**2012 Soybean Test Results**

**Region 2: Roundup Resistant (30-inch row spacing)**

COMPANY	NAME*	IST <sup>1</sup>	Regional Results				Monmouth	Goodfield	Dwight	2 yr	3 yr	Region	Region
			Yield bu/a	Maturity Date	Lodging	Height in	Yield bu/a	Yield bu/a	Yield bu/a	Avg Yield bu/a	Avg Yield bu/a	Protein @ 13%	Oil @ 13%
	*Producer Nominated												
MERSCHMAN	MOHAWK 1128RR2Y	A	65.3	9/19	2.3	42	72.2	70.6	53.1	69.2		35.0	19.0
MERSCHMAN	SHAWNEE 1226RR2Y	A	54.0	9/17	2.8	42	66.7	55.1	40.2	60.7		33.9	20.1
MONIER	M 2739 R2*	B	62.3	9/19	2.7	43	72.7	64.3	49.9	67.9		34.3	20.0
MUNSON	8281 R2Y	B	59.6	9/18	2.7	42	73.3	59.7	46.0	65.7	66.9	35.5	18.7
MYCOGEN	5N284 R2*	B	62.0	9/20	2.4	42	62.6	74.6	48.7	68.4		35.8	18.7
NK	S 23-P8*	B	54.5	9/5	2.3	38	71.9	50.6	41.0			34.0	20.8
NK	S 24-K2*	B	59.3	9/9	2.3	39	67.3	59.1	51.3			34.1	19.2
NK	S 25-T8*	B	56.0	9/10	2.7	39	63.8	62.0	42.2			33.3	20.9
NK	S 27-H6*	B	59.1	9/16	2.2	39	70.5	62.7	44.2			33.7	21.1
NK	S 29-V2*	B	65.8	9/20	2.4	39	67.7	74.7	55.0			35.6	18.8
POWER PLUS	28V2	B	57.3	9/20	2.1	42	60.5	66.3	45.1			33.9	20.7
PROHARVEST	2635 CR2Y*	B	60.1	9/16	2.7	41	70.5	64.8	45.0	66.9		35.2	19.0
PROHARVEST	2850 CR2Y*	B	58.3	9/18	2.3	41	65.5	61.0	48.3	66.0		35.4	18.8
PROHARVEST	2866 CR2Y*	B	60.1	9/18	2.3	44	69.1	63.8	47.3			35.6	18.7
PROHARVEST	2939 CRR*	B	56.4	9/19	2.5	42	57.5	65.1	46.6			32.5	20.3
PROHARVEST	2950 CR2Y*	B	61.7	9/17	2.7	43	75.3	62.0	47.8	67.2		35.2	18.8
RENK	RS 210 NR2*	U	54.8	9/7	2.6	39	69.0	55.2	40.2			34.2	20.7
RENK	RS 241 R2	U	58.7	9/6	2.5	34	67.8	59.6	48.6	63.3		33.9	20.3
RENK	RS 263 NR2	U	53.1	9/7	2.4	38	71.9	55.7	31.8			33.8	21.2
RENK	RS 272 NR2	F	60.5	9/16	2.7	41	66.9	66.5	48.2	66.0		35.0	19.2
RENK	RS 283 NR2*	U	62.6	9/19	2.5	41	75.4	65.1	47.4			33.9	20.2
ROESCHLEY	2615 CRR2*	B	60.7	9/16	2.7	42	70.2	63.4	48.5			35.4	19.2
ROESCHLEY	2815 CRR2*	B	62.9	9/19	2.4	41	70.2	67.5	51.0	68.7		35.5	18.7
ROESCHLEY	2825 CRR2	B	65.4	9/21	2.5	43	73.4	70.5	52.3			36.0	18.5
STEYER	2701 R2*	A	59.1	9/20	2.5	42	70.4	62.4	44.6	66.6	67.8	35.4	18.8
STEYER	2702 R2*	A	62.0	9/16	2.8	41	68.2	67.1	50.7			35.0	19.3
STEYER	2801 R2*	A	63.4	9/24	2.7	40	71.6	64.6	53.9			34.2	19.7
STEYER	2803 R2*	A	63.3	9/17	2.7	38	74.4	66.6	49.0			34.2	19.2
STINE	22RC62	B	53.6	9/6	2.6	39	69.6	51.8	39.5			34.1	20.7
STINE	24RB00*	B	57.5	9/10	2.3	36	67.4	58.9	46.0	64.0		34.0	20.2
STINE	26RD02	U	54.9	9/11	2.5	38	71.4	52.9	40.6			34.4	20.1
STINE	29RD22	B	61.1	9/17	2.4	42	68.7	67.9	46.8			35.6	18.7
STONE SEED GROUP	2R2801*	B	62.5	9/20	2.3	40	62.3	68.7	56.4	68.8		35.4	18.9
SUN PRAIRIE	SP 27R21*	A	60.0	9/16	2.7	40	70.0	66.0	44.1			35.0	19.1
SUN PRAIRIE	SP 28R20*	A	59.2	9/20	2.6	42	70.4	57.5	49.7			35.2	18.9
	AVERAGE		59.1	9/15	2.5	40	67.5	62.8	46.8	65.9	66.8	34.5	19.8
	L.S.D. 25% LEVEL		4.6		0.2	1	4.1	4.0	4.0			0.47	0.27
	COEFF. OF VAR. (%)		14.3		17.5	6	6.4	6.8	9.0			2.5	2.5

**MATURITY GROUP 3**

ASGROW	AG 3231	B	64.7	9/27	2.4	43	71.3	66.6	56.3	70.1	69.8	34.0	18.5
ASGROW	AG 3333	B	64.9	9/25	2.5	42	68.9	74.5	51.3			34.2	19.6
ASGROW	AG 3431*	B	67.5	9/26	2.6	43	72.1	74.4	55.9	70.4	70.8	35.2	18.5

**2012 Soybean Test Results**

**Region 2: Roundup Resistant (30-inch row spacing)**

COMPANY	NAME*	IST <sup>1</sup>	Regional Results				Monmouth	Goodfield	Dwight	2 yr	3 yr	Region Protein @ 13%	Region Oil @ 13%
			Yield bu/a	Maturity Date	Lodging	Height in	Yield bu/a	Yield bu/a	Yield bu/a	Avg Yield bu/a	Avg Yield bu/a		
	*Producer Nominated												
ASGROW	AG 3432	B	64.3	9/28	3.1	45	74.1	65.4	53.6			34.4	19.2
ASGROW	AG 3533	B	69.8	10/1	2.8	44	81.0	74.6	53.9			34.7	18.8
CHANNEL	3105 R2*	B	62.4	9/26	3.0	45	68.9	67.5	50.7	67.5		34.5	18.9
CHANNEL	3106 R2	B	63.6	9/23	2.4	42	72.4	65.9	52.7			35.8	18.0
CHANNEL	3303 R2*	B	64.1	9/27	2.6	45	73.7	67.6	51.0	69.5		34.6	18.5
CHANNEL	3306 R2	B	64.9	9/24	3.0	45	67.0	73.5	54.3			34.3	19.4
CHANNEL	3402 R2*	B	65.6	9/26	2.3	45	70.6	74.7	51.5	69.2		35.7	18.4
CHANNEL	3506 R2	B	66.2	9/29	2.4	42	70.6	77.2	50.8			33.2	19.1
CHANNEL	3701 R2*	B	67.2	10/2	2.6	44	79.3	71.9	50.3			34.8	18.7
CHANNEL	3806 R2/STS	B	63.5	9/30	2.9	45	75.2	68.7	46.4			34.8	18.9
DAIRYLAND	DSR-3232 R2Y*	B	65.6	9/27	2.4	46	67.2	74.9	54.6	70.2		35.4	18.6
DYNA-GRO	37RY33	A	62.4	9/25	2.3	44	66.4	70.9	50.1	68.9	70.0	35.5	18.5
DYNA-GRO	S 31RY93	A	65.9	9/25	2.5	44	72.9	70.8	53.9			35.2	18.6
DYNA-GRO	S 35RY83	A	63.5	9/27	2.4	43	71.2	70.6	48.8			34.6	18.8
FS HISOY	HS 30A22	B	66.9	9/26	2.6	42	77.0	71.6	51.9			35.4	18.7
FS HISOY	HS 31A02*	B	62.0	9/23	2.9	42	65.0	70.0	51.0	66.5	67.4	34.5	19.1
FS HISOY	HS 33A02*	B	62.5	9/26	2.3	45	67.5	67.7	52.4	67.7	69.0	35.6	18.5
FS HISOY	HS 33A22	B	62.2	9/22	3.1	43	68.9	67.9	49.9			34.1	19.5
FS HISOY	HS 34A12*	B	62.3	9/26	2.7	42	65.4	68.7	52.8	67.0		34.1	19.1
FS HISOY	HS 34A22	B	65.3	9/29	2.4	41	71.7	72.7	51.6			35.3	18.3
G2 GENETICS	1311	B	57.1	9/20	2.9	46	57.6	64.5	49.3			34.0	21.0
G2 GENETICS	1381	B	62.2	9/29	2.4	42	64.0	70.8	51.8			33.2	20.1
G2 GENETICS	7310	F	57.4	9/25	2.8	45	63.0	63.0	46.2	66.0	67.2	35.3	19.3
G2 GENETICS	7323	B	60.3	9/25	2.7	43	69.4	61.2	50.2			33.7	20.4
G2 GENETICS	7334	B	59.2	9/26	2.5	45	62.2	68.0	47.3			34.8	19.6
G2 GENETICS	7342	F	62.5	9/26	2.1	42	66.5	67.6	53.2	68.7		33.1	20.1
G2 GENETICS	7362	F	63.7	9/29	2.6	45	73.7	67.8	49.7	69.8		32.7	20.3
G2 GENETICS	7373	F	57.1	10/1	3.1	48	60.5	63.4	47.3			33.7	20.1
G2 GENETICS	7382	F	59.3	9/27	2.9	47	58.6	68.1	51.3			34.0	19.4
GREAT HEART	GT-339 CR2*	F	63.1	9/28	2.8	43	65.2	68.4	55.7			34.2	19.1
GREAT HEART	GT-362 CR2*	F	68.7	9/28	2.6	42	74.8	74.9	56.5			35.9	18.2
GREAT HEART	GT-373 CR2*	F	63.8	9/26	2.3	43	63.4	73.9	54.2			33.6	18.7
GREAT HEART	GT-390 CR2*	F	60.6	10/3	2.8	42	68.9	67.8	45.0			33.4	19.7
GREAT LAKES	GL 3069 RR2*	B	63.5	9/26	2.7	44	67.4	69.8	53.3	66.2		34.7	19.0
GREAT LAKES	GL 3159 RR2*	B	63.4	9/24	2.5	44	72.2	63.6	54.3			34.5	19.0
GREAT LAKES	GL 3289 RR2*	B	63.6	9/23	2.5	44	68.8	69.9	52.1			34.8	19.1
GREAT LAKES	GL 3429 RR2*	B	64.6	9/28	2.3	44	71.5	68.9	53.4			35.5	18.4
GREAT LAKES	GL 3609 RR2*	B	65.5	9/29	2.6	43	76.6	69.6	50.3			33.6	19.4
GREAT LAKES	GL 3729 RR2*	B	67.4	10/3	2.8	45	75.2	75.8	51.2			33.3	20.0
KRUGER	K2-3103	B	58.9	9/25	2.4	40	61.4	64.7	50.8	65.4	66.6	34.6	19.2
KRUGER	K2-3104	B	63.1	9/23	2.6	42	63.5	69.6	56.3			35.2	18.8
KRUGER	K2-3203	B	63.0	9/26	2.9	45	67.1	71.1	50.7			34.4	19.4
KRUGER	K2-3402	B	64.2	9/26	2.5	43	68.7	71.5	52.4	68.8	69.5	35.6	18.5
KRUGER	K2-3701	B	62.2	9/30	2.6	43	66.7	72.2	47.8	67.8		35.9	18.1
KRUGER	K2-3802	B	62.9	10/3	3.0	45	66.9	70.6	51.3	68.3	68.2	34.6	18.9

**2012 Soybean Test Results**

**Region 2: Roundup Resistant (30-inch row spacing)**

COMPANY	NAME*	IST <sup>1</sup>	Regional Results				Monmouth	Goodfield	Dwight	2 yr	3 yr	Region	Region
			Yield bu/a	Maturity Date	Lodging	Height in	Yield bu/a	Yield bu/a	Yield bu/a	Avg Yield bu/a	Avg Yield bu/a	Protein @ 13%	Oil @ 13%
	*Producer Nominated												
KRUGER	K2-3803	B	62.1	9/28	2.1	43	67.1	77.1	42.2			33.9	18.4
KRUGER	K2-3804	B	64.9	9/30	2.7	46	72.5	69.1	53.1			34.4	19.1
KRUGER	K2-3902	B	64.8	9/28	2.9	46	68.8	72.8	52.7	67.9		32.6	20.0
LEWIS	333 R2	A	62.5	9/25	3.1	43	70.1	70.9	46.4			34.6	19.3
LEWIS	351 R2	A	64.3	9/24	2.4	44	69.6	69.6	53.8	69.0	70.6	35.3	18.6
LG SEEDS	C 3044 R2*	A	62.4	9/23	2.7	42	65.4	68.6	53.1			34.2	19.3
LG SEEDS	C 3466 R2*	A	68.4	9/26	2.3	47	78.6	73.7	52.9			35.4	18.5
MERSCHMAN	ARTHUR 1331RR2Y	A	60.4	9/22	2.3	38	66.3	66.8	48.1			35.0	18.9
MERSCHMAN	COOLIDGE 1234RR2Y	A	62.4	9/27	2.3	45	68.2	69.1	49.9	68.4		35.2	18.6
MERSCHMAN	GARFIELD 1337RR2Y	A	62.1	9/30	2.5	44	68.6	69.1	48.5			35.6	19.1
MERSCHMAN	HOOVER 1333RR2Y	A	63.0	9/25	3.0	44	64.2	72.0	52.7			34.3	19.4
MERSCHMAN	KENNEDY 1036RR2Y	A	66.2	9/28	2.7	45	78.3	68.5	51.9	70.8	70.7	35.1	18.7
MERSCHMAN	WASHINGTON 1336RR2Y	A	65.8	10/1	2.8	44	71.0	72.5	54.0			34.1	19.2
MONIER	M 3393 R2	B	65.8	9/27	3.1	43	71.4	72.6	53.4			34.3	19.0
MUNSON	8303 R2Y	B	60.0	9/23	2.7	40	67.2	64.8	48.1			34.6	19.2
MUNSON	8323 R2Y	B	62.7	9/24	3.0	43	70.7	67.0	50.4			33.7	19.9
MUNSON	8328 RR	B	58.1	9/17	2.2	40	66.9	64.1	43.2	65.6	65.9	34.7	19.7
MUNSON	8343 R2Y*	B	63.4	9/25	2.9	44	67.0	69.8	53.4			34.8	19.0
MUNSON	8363 R2Y*	B	67.6	10/3	3.1	46	72.8	69.5	60.5			35.5	18.3
MUNSON	8373 R2Y*	B	60.3	10/3	2.5	46	65.2	70.2	45.7			34.7	18.9
MYCOGEN	5N324 R2*	B	65.2	9/24	2.8	42	73.7	69.4	52.6	67.6		35.0	19.0
NK	S 30-E9*	B	61.1	9/19	2.4	40	69.4	63.2	50.6			35.2	19.2
NK	S 34-N3*	B	66.1	9/28	2.3	44	72.5	71.1	54.6			35.6	18.5
PFISTER	30R22*	B	61.5	9/24	2.9	41	70.0	67.0	47.6			34.6	19.2
PFISTER	34R20*	B	64.6	9/26	2.4	44	71.7	72.3	49.7			35.7	18.5
PFISTER	37R28*	B	58.3	9/29	3.1	41	58.4	65.0	51.5			34.0	19.0
PFISTER	38R25*	B	62.5	10/2	3.0	42	66.3	70.5	50.7			34.6	18.8
POWER PLUS	32K0	B	60.5	9/25	2.8	48	70.1	63.0	48.3	66.2	66.6	32.3	20.5
PROHARVEST	3066 CR2Y*	B	66.1	9/23	2.9	44	75.0	73.5	49.9			34.7	18.7
PROHARVEST	3135 CR2Y*	B	63.4	9/22	2.5	43	69.4	70.1	50.6	66.7		34.6	19.2
PROHARVEST	3266 CR2Y*	B	58.3	9/24	2.8	42	62.3	66.6	46.2			35.6	18.8
PROHARVEST	3329 CRR*	B	61.4	9/29	2.7	42	62.6	67.4	54.1			33.0	19.6
PROHARVEST	3466 CR2Y*	B	64.0	9/28	2.6	43	71.9	69.0	51.2			34.2	18.8
PROHARVEST	3735 CR2Y*	B	63.6	9/30	2.7	45	67.5	73.3	50.1			35.9	18.1
PROHARVEST	3866 CR2Y*	B	66.0	9/28	2.3	44	70.3	74.0	53.9			33.6	18.8
RENK	RS 323 NR2	U	61.4	9/25	2.9	44	70.8	62.3	51.0			35.3	18.9
ROESCHLEY	3007 CRR2*	B	60.7	9/23	2.4	42	72.0	66.9	43.3			34.5	19.0
ROESCHLEY	3195 CRR2*	B	61.5	9/25	2.4	44	67.9	70.7	45.7	65.1		34.9	19.1
STEYER	3001 R2*	A	64.0	9/22	2.4	42	69.7	70.9	51.3	68.8	69.5	35.5	18.3
STEYER	3204 R2*	A	63.3	9/25	2.6	45	69.4	68.7	51.8	67.7	68.0	35.3	18.2
STEYER	3401 R2*	A	63.9	9/30	2.6	44	69.1	68.6	54.1	66.2	65.7	35.3	19.1
STEYER	3404 R2*	A	63.3	9/26	2.7	43	65.9	67.9	56.0	67.7		34.4	19.0
STEYER	3501 R2*	A	63.7	9/24	2.5	44	68.6	71.1	51.6	68.9	69.0	34.6	18.1
STEYER	3603 R2*	A	66.1	9/30	2.8	43	72.0	71.7	54.4	68.3		35.3	18.2
STEYER	3802 R2*	A	61.4	10/3	3.2	45	70.9	62.7	50.5			36.8	18.2

**2012 Soybean Test Results**

**Region 2: Roundup Resistant (30-inch row spacing)**

COMPANY	NAME*	IST <sup>1</sup>	Regional Results				Monmouth	Goodfield	Dwight	2 yr	3 yr	Region	Region
			Yield bu/a	Maturity Date	Lodging	Height in	Yield bu/a	Yield bu/a	Yield bu/a	Avg Yield bu/a	Avg Yield bu/a	Protein @ 13%	Oil @ 13%
	*Producer Nominated												
STEYER	3803 R2*	A	62.9	10/2	2.9	44	69.3	64.2	55.1	68.7		34.4	19.0
STEYER	3901 R2*	A	62.7	10/2	2.6	46	71.4	69.5	47.4			34.5	19.0
STEYER	4001 R2*	A	59.7	10/2	3.2	46	72.2	61.3	45.7			33.7	19.9
STEYER	4002 R2*	A	62.9	10/2	2.5	42	62.6	71.4	54.8			34.6	19.0
STINE	30RD02	B	61.4	9/24	2.4	42	70.2	65.3	48.5			33.7	19.6
STINE	30RD22	U	61.8	9/23	2.8	43	74.1	63.5	47.8			35.2	19.0
STINE	33RD02	B	64.7	9/27	2.5	42	68.6	70.5	54.8			35.3	18.3
STINE	3522-4	U	62.0	9/26	3.3	44	69.2	67.4	49.3	67.3		34.7	19.7
STINE	35RA02*	B	64.4	9/27	2.8	45	72.2	70.6	50.3	68.9		35.5	18.6
STINE	37RC82*	B	65.3	9/29	2.7	44	68.6	72.7	54.7			33.9	19.3
STONE SEED GROUP	2R3001*	B	63.5	9/22	2.6	43	70.9	65.6	54.2	67.7	68.0	34.5	19.1
STONE SEED GROUP	2R3103	B	65.1	9/23	2.5	40	70.3	72.4	52.7			35.5	18.7
STONE SEED GROUP	2R3303	B	66.4	9/24	3.0	44	68.8	74.4	56.0			34.3	19.5
STONE SEED GROUP	2R3401*	B	65.8	9/26	2.4	45	71.8	72.4	53.2	69.9		35.3	18.6
SUN PRAIRIE	SP 31R22	A	71.8	9/22	2.7	43	84.1	74.3	57.0			34.2	19.0
SUN PRAIRIE	SP 32R21*	A	63.0	9/26	2.5	44	66.6	72.0	50.3	67.2		35.1	18.8
SUN PRAIRIE	SP 36R21*	A	64.3	10/1	2.6	44	70.4	70.7	52.0			35.7	18.1
	AVERAGE		63.3	9/27	2.7	44	69.4	69.3	51.3	68.0	68.5	34.7	19.0
	L.S.D. 25% LEVEL		3.2		0.2	2	4.3	3.9	4.6			0.48	0.26
	COEFF. OF VAR. (%)		9.2		14.6	7	6.6	5.9	9.5			2.5	2.5

<sup>1</sup>IST= Insecticide Seed Treatment: U= Untreated, F= Fungicide, B= Insecticide+Fungicide, A= Acceleron