

## 2012 Roundup Resistant Soybean Entries

Company-Brand	Variety*	**M	***Regions Entered					SN	****			
			1	2	3	4	5		PRR	IST	HC	
AGBORN	ABX 27041 R	4.6			3	4	5	A	NG	U	BL	
AGBORN	ABX 71141 R	4.2				4	5	A	NG	U	BL	
ASGROW	AG 2431*	2.4	1					S	Rps1c	B	BU	
ASGROW	AG 2433	2.4	1					A	Rps1c	B	BL	
ASGROW	AG 2531*	2.5	1					A	Rps1c	B	BL	
ASGROW	AG 2632	2.6	1	2				A	Rps1a	B	BL	
ASGROW	AG 2731*	2.7	1	2				A	Rps1c	B	IB	
ASGROW	AG 2733	2.7	1					A	Rps1k	B	IB	
ASGROW	AG 2931	2.9	1					A	Rps1c	B	IB	
ASGROW	AG 2933	2.9	1	2				A	Rps1c3a	B	BL	
ASGROW	AG 3231	3.2	1	2	3			A	Rps1c	B	IB	
ASGROW	AG 3333	3.3		2	3			A	Rps1k3a	B	BL	
ASGROW	AG 3431*	3.4		2	3			A	Rps1c	B	IB	
ASGROW	AG 3432	3.4		2	3			A	Rps1c	B	IB	
ASGROW	AG 3533	3.5		2	3			A	Rps1c	B	IB	
ASGROW	AG 3731	3.7			3	4		A	Rps1c	B	IB	
ASGROW	AG 3832	3.8			3	4	5	A	Rps1c	B	IB	
ASGROW	AG 3833	3.8				4		A	Rps1c	B	BL	
ASGROW	AG 3931*	3.9			3	4	5	A	NG	B	BL	
ASGROW	AG 4032*	4.0				4	5	A	NG	B	IB	
ASGROW	AG 4033	4.0				4	5	A	Rps1c	B	IB	
ASGROW	AG 4232	4.2				4	5	A	Rps1a	B	BL	
ASGROW	AG 4433	4.4					5	A	Rps1c	B	BL	
ASGROW	AG 4632	4.6					5	A	Rps1a	B	BL	
BAKER	3705 NRR	3.7				4		A	Rps1k	F	BL	
BAKER	3732 NRR	3.8				4	5	A	Rps1c	F	BL	
BAKER	4322 NRR	4.3				4	5	A	Rps1c	F	IB	
BAKER	4432 NRR	4.4				4	5	A	Rps1c	F	BL	
BAKER	4532 NRR	4.4				4	5	A	Rps1c	F	BU	
BAKER	4732 NRR	4.7				4	5	A	NG	F	BL	
BAKER	4822 NRR	4.7				4	5	A	Rps1c	F	IB	
CHANNEL	2305 R2*	2.3	1					A	Rps1k	B	IB	
CHANNEL	2402 R2*	2.4	1					S	Rps1c	B	BU	
CHANNEL	2605 R2	2.6	1					A	Rps1c	B	IB	
CHANNEL	2705 R2*	2.7	1	2	3			S	Rps1k	B	BL	
CHANNEL	2800 R2*	2.8	1	2	3			A	Rps1c	B	IB	
CHANNEL	2903 R2	2.9	1	2	3			A	Rps1c	B	IB	
CHANNEL	3105 R2*	3.1	1	2	3			A	Rps1c	B	IB	
CHANNEL	3106 R2	3.1	1	2				A	Rps1c	B	IB	
CHANNEL	3303 R2*	3.3	1	2	3			A	Rps1c	B	IB	
CHANNEL	3306 R2	3.3	1	2	3			A	Rps1c	B	BL	
CHANNEL	3402 R2*	3.4		2	3			A	Rps1c	B	IB	
CHANNEL	3506 R2	3.5		2	3			A	Rps1c	B	BL	
CHANNEL	3701 R2*	3.7		2	3	4		A	Rps1c	B	IB	
CHANNEL	3706 R2/STS	3.7				4		A	Rps1c	B	BL	
CHANNEL	3806 R2/STS	3.8		2	3			A	Rps1c	B	BL	
CHANNEL	4206 R2	4.2				4	5	A	Rps1c	B	BL	
CHANNEL	4306 R2/STS	4.3				4	5	A	Rps1a	B	IB	
CHANNEL	4806 R2/STS	4.8				4	5	A	Rps1c	B	IB	
CROPLAN	R2C 33*	3.2		2	3			A	Rps1c	B	BL	
CROPLAN	R2C 3551*	3.5			3	4	5	A	Rps1c	B	IB	
CROPLAN	R2C 3780*	3.7			3	4	5	A	Rps1c	B	IB	

## 2012 Roundup Resistant Soybean Entries

Company-Brand	Variety*	**M	***Regions Entered					SN	****			
			1	2	3	4	5		PRR	IST	HC	
CROPLAN	R2C 3822*	3.8			3	4	5	A	NG	B	BL	
CROPLAN	R2C 4391*	4.3				4	5	A	Seg1c	B	IB	
DAIRYLAND	DSR-2105 R2Y	2.1	1	2				S	Rps1k	B	IB	
DAIRYLAND	DSR-2411 R2Y	2.4	1	2				S	Rps1c	B	BU	
DAIRYLAND	DSR-2880 R2Y	2.8	1	2				A	Rps1c	B	IB	
DAIRYLAND	DSR-2995 R2Y	2.9	1	2				A	Rps1c	B	IB	
DAIRYLAND	DSR-3232 R2Y*	3.4	1	2	3			A	Rps1c	B	IB	
DAIRYLAND	DSR-3703 R2Y*	3.7			3			A	Rps1c	B	BL	
DAIRYLAND	DSR-3980 R2Y*	3.9			3			A	Rps1c	B	IB	
DERAEDT	2088 NR2Y*	2.0	1	2				R?	Rps1c	B	IB	
DERAEDT	2123 RR*	2.1	1	2				S	NG	B	BL	
DERAEDT	2404 R2Y*	2.4	1	2				S	Rps1c	B	BU	
DERAEDT	2523 RR*	2.5	1	2				S	NG	B	BL	
DYNA-GRO	31RY45	4.5					5	A	Rps1c	A	BL	
DYNA-GRO	32RY39	3.9			3			A	Rps1c	A	IB	
DYNA-GRO	34RY36	3.6			3			A	Rps1c	A	IB	
DYNA-GRO	36C44*	4.4					5	A	NG	A	BL	
DYNA-GRO	36RY38	3.8			3	4		A	Rps1c	A	IB	
DYNA-GRO	37RY33	3.3		2	3			A	Rps1c	A	IB	
DYNA-GRO	37RY47*	4.7					5	S	Rps1c	A	BL	
DYNA-GRO	39RY43	4.3				4	5	A	Rps1c	A	IB	
DYNA-GRO	S 31RY93	3.1		2				A	Rps1c	A	IB	
DYNA-GRO	S 35RY83	3.5		2	3			A	Rps1c	A	IB	
DYNA-GRO	S 38RY63	3.8				4		A	Rps1c	A	BL	
DYNA-GRO	S 39RY33	3.9				4		A	Rps1c	A	IB	
DYNA-GRO	S 44RS93	4.4				4	5	A	Rps1c	A	BU	
EAGLE	ES 4777 RR*	4.7					5	A	?	B	BL	
EAGLE	ES 4818 RR*	4.8					5	A	?	B	BL	
EAGLE	ES 4998 RR*	4.9					5	R?	Rps1c	B	BL	
FS HISOY	HS 24A01	2.4	1					S	Rps1c	B	BU	
FS HISOY	HS 24A12	2.4	1					A	Rps1c	B	BL	
FS HISOY	HS 25A22	2.5	1					A	Rps1c	B	BU	
FS HISOY	HS 27A12	2.7	1	2				A	NG	B	BL	
FS HISOY	HS 28A02*	2.8	1	2				A	Rps1c	B	IB	
FS HISOY	HS 29A12	2.9	1	2				A	Rps1k	B	IB	
FS HISOY	HS 29A22	2.9	1	2				A	Rps1k	B	IB	
FS HISOY	HS 30A22	3.1	1	2				A	Rps1c	B	IB	
FS HISOY	HS 31A02*	3.1		2	3			A	Rps1c	B	IB	
FS HISOY	HS 33A02*	3.3		2	3			A	Rps1c	B	IB	
FS HISOY	HS 33A22	3.3		2	3			A	Rps1c	B	BL	
FS HISOY	HS 34A12*	3.4		2	3			A	Rps1c	B	IB	
FS HISOY	HS 34A22	3.4		2	3			A	Rps1c	B	IB	
FS HISOY	HS 35A22	3.5			3			A	Rps1c	B	BL	
FS HISOY	HS 36A12	3.6			3	4		A	Rps1c	B	IB	
FS HISOY	HS 37A22	3.7			3	4		A	Rps1k	B	BU	
FS HISOY	HS 38A02*	3.8			3	4		A	Rps1c	B	IB	
FS HISOY	HS 38A22	3.8			3	4		A	NG	B	BL	
FS HISOY	HS 39A12	3.9			3	4		A	Rps1c	B	IB	
FS HISOY	HS 39A22	3.9			3	4		A	NG	B	IB	
FS HISOY	HS 40A22	4.0			3	4	5	A	NG	B	BU	
FS HISOY	HS 42A12*	4.2					5	A	Seg1c	B	IB	
FS HISOY	HS 43A22	4.3					5	A	Rps1k	B	BL	

## 2012 Roundup Resistant Soybean Entries

Company-Brand	Variety*	**M	***Regions Entered					SN	PRR	IST	HC
			1	2	3	4	5				
FS HISOY	HS 44A22	4.4					5	A	Rps1c	B	BU
FS HISOY	HS 45A12*	4.5					5	A	Rps1c	B	BL
FS HISOY	HS 47A12	4.7					5	A	Rps1c	B	BL
FS HISOY	HS 47A22	4.7					5	A	Rps1k	B	BL
FS HISOY	HS 48A22	4.8					5	A	NG	B	BL
G2 GENETICS	1381	3.7		2	3	4		A	Rps1k	B	BL
G2 GENETICS	1272	2.7	1	2				S	Rps1k	B	BL
G2 GENETICS	1311	3.1	1	2	3			A	Rps1k	B	BR
G2 GENETICS	1421	4.2			3	4	5	A	Rps1k	B	BL
G2 GENETICS	1491	4.9					5	A	Rps1k	B	BL
G2 GENETICS	7243	2.4	1					A	Rps1k	B	BR
G2 GENETICS	7250	2.5	1					B	Rps1k	F	BR
G2 GENETICS	7270	2.7	1	2				A	Rps1k	F	BL
G2 GENETICS	7273	2.7	1	2				A	Rps1k	B	IB
G2 GENETICS	7286	2.8	1	2				A	Rps1c	B	BL
G2 GENETICS	7290	2.9	1	2				A	Rps1k	F	BL
G2 GENETICS	7310	3.1	1	2	3			A	Rps1k	F	BR
G2 GENETICS	7323	3.2	1	2	3			A	Rps1k	B	BL
G2 GENETICS	7334	3.3	1	2	3			A	Rps1k	B	BR
G2 GENETICS	7342	3.4		2	3			A	Rps1a	F	BR
G2 GENETICS	7362	3.6		2	3	4		A	NG	F	BL
G2 GENETICS	7373	3.7		2	3	4		A	Rps1k	F	BL
G2 GENETICS	7382	3.8		2	3	4		A	Rps1k	F	BL
G2 GENETICS	7390	3.9			3	4	5	A	Rps1k	F	BL
G2 GENETICS	7393	3.9			3	4	5	A	Rps1c	B	BL
G2 GENETICS	7420	4.2			3	4	5	A	Rps1k	F	BL
G2 GENETICS	7442	4.4				4	5	A	Rps1k	F	BL
GATEWAY	3R2-381*	3.8				4	5	A	Rps1c	F	BL
GATEWAY	4R2-471*	4.7				4	5	A	Rps1c	F	BL
GATEWAY	4R2S-460*	4.6				4	5	S	Seg1c	F	BL
GREAT HEART	GT-339 CR2*	3.3		2	3			A	Rps1c	F	IB
GREAT HEART	GT-362 CR2*	3.6		2	3	4		A	Rps1c	F	IB
GREAT HEART	GT-373 CR2*	3.7		2	3	4		A	?	F	BL
GREAT HEART	GT-387 CR2*	3.8			3	4	5	A	Rps1c	F	IB
GREAT HEART	GT-390 CR2*	3.9		2	3	4		A	NG	F	IB
GREAT HEART	GT-402 CR2*	4.0			3	4	5	A	NG	F	IB
GREAT HEART	GT-427 CR2*	4.2			3	4	5	A	Rps1c	F	IB
GREAT HEART	GT-447 CR2*	4.4				4	5	A	Rps1c	F	BL
GREAT HEART	GT-460 CR2*	4.6				4	5	A	Rps1k3a	F	BL
GREAT LAKES	GL 2019 RR2*	2.0	1					A	Rps1c	B	IB
GREAT LAKES	GL 2069 RR2*	2.0	1					A	Rps1k	B	BU
GREAT LAKES	GL 2289 RR2*	2.2	1					A	Rps1c	B	IB
GREAT LAKES	GL 2345 RR2*	2.3	1					S	Rps1c	B	BU
GREAT LAKES	GL 2569 RR2*	2.5	1	2				A	Rps1c	B	BL
GREAT LAKES	GL 2739 RR2*	2.7	1	2				A	Rps1c	B	IB
GREAT LAKES	GL 2949 RR2*	2.9	1	2	3			A	Rps1c	B	IB
GREAT LAKES	GL 3069 RR2*	3.0		2	3			A	Rps1c	B	IB
GREAT LAKES	GL 3159 RR2*	3.1		2	3			A	NG	B	BL
GREAT LAKES	GL 3289 RR2*	3.2		2	3			A	Rps1c	B	IB
GREAT LAKES	GL 3429 RR2*	3.4		2	3	4		A	Rps1c	B	IB
GREAT LAKES	GL 3609 RR2*	3.6		2	3	4		A	Rps1c	B	BL
GREAT LAKES	GL 3729 RR2*	3.7		2	3	4		A	Rps1k	B	IB

## 2012 Roundup Resistant Soybean Entries

Company-Brand	Variety*	**M	***Regions Entered					SN	****		
			1	2	3	4	5		PRR	IST	HC
GREAT LAKES	GL 3879 RR2*	3.8			3	4		A	Rps1c	B	IB
GREAT LAKES	GL 4039 RR2*	4.0			3	4		A	Rps1a	B	BL
GREAT LAKES	GL 4209 RR2*	4.2				4		A	Seg1c	B	IB
GREEN VALLEY SEED	GV 363	3.6			3			A	Rps1c	B	IB
GREEN VALLEY SEED	GV 383	3.8			3			A	Rps1c	B	IB
GREEN VALLEY SEED	GV 393	3.9			3			A	Rps1a	B	BR
HOFFMAN	H 38-12 CR2	3.8				4	5	A	Rps1a	B	BL
HOFFMAN	H 42-12 CR2	4.2				4	5	A	NG	B	BL
HOFFMAN	H 43-11 CR2*	4.3				4	5	A	Rps1k	B	BL
HOFFMAN	H 45-12 CR2	4.5				4	5	A	Rps1a	B	BL
HUBNER	EXP 3512*	3.5			3			A	Rps1c	A	IB
HUBNER	H 34-12 R2	3.4			3			A	Rps1c	A	IB
HUBNER	H 36-12 R2	3.6			3			A	Rps1c	A	IB
HUBNER	H 37-10 R2*	3.7			3			A	Rps1c	A	IB
HUBNER	H 38-10 R2*	3.8			3			A	Rps1c	U	IB
HUGHES	454	2.4	1					A	NG	B	BL
HUGHES	555	2.5	1					A	NG	B	BL
HUGHES	777	2.7	1					A	Rps1c	B	BL
JGL	260 CA*	2.6	1	2	3			A	NG	B	BU
JGL	282 CA*	2.8	1	2	3			A	NG	B	BU
KRUGER	K2-1901	1.9	1					A	Rps1c	B	IB
KRUGER	K2-1902	1.9	1					A	Seg1k1c	B	BL
KRUGER	K2-2002	2.0	1					A	Rps1c	B	BL
KRUGER	K2-2102	2.1	1					A	Rps1c	B	IB
KRUGER	K2-2301	2.3	1	2				S	Rps1c	B	BU
KRUGER	K2-2303	2.3	1	2				A	NG	B	BR
KRUGER	K2-2401	2.4	1	2				A	Rps1c	B	IB
KRUGER	K2-2503	2.5	1	2	3			A	Rps1c	B	BU
KRUGER	K2-2602	2.6	1	2	3			A	Seg1k3a	B	BR
KRUGER	K2-2704	2.7	1	2	3			A	NG	B	BL
KRUGER	K2-2803	2.8	1	2	3			A	Rps1c	B	IB
KRUGER	K2-2904	2.9	1	2	3			A	Rps1k	B	IB
KRUGER	K2-3103	3.1	1	2	3			A	Rps1c	B	IB
KRUGER	K2-3104	3.2	1	2	3			A	Rps1c	B	IB
KRUGER	K2-3203	3.2	1	2	3			A	Rps1c	B	BL
KRUGER	K2-3402	3.4	1	2	3	4		A	Rps1c	B	IB
KRUGER	K2-3701	3.6		2	3	4	5	A	Rps1c	B	IB
KRUGER	K2-3802	3.8		2	3	4	5	A	Rps1c	B	IB
KRUGER	K2-3803	3.8		2	3	4	5	A	Rps1c	B	BL
KRUGER	K2-3804	3.8		2	3	4	5	A	Rps1c	B	BL
KRUGER	K2-3902	3.9		2	3	4	5	A	Seg1c1a	B	BL
KRUGER	K2-4102	4.1			3	4	5	A	Rps1a	B	BL
KRUGER	K2-4202	4.2			3	4	5	A	Rps1a	B	IB
KRUGER	K2-4303	4.3				4	5	A	Rps1c	B	BL
KRUGER	K2-4502	4.5				4	5	A	Rps1c	B	BL
KRUGER	K2-4702	4.7				4	5	A	Rps1c	B	IB
KRUGER	K2-4801	4.7				4	5	A	Rps1c	B	BL
KRUGER	K-249 RR*	2.4	1	2				A	NG	U	IB
LEWIS	282 R2	2.8		2				A	Rps1c	A	IB
LEWIS	333 R2	3.3		2				A	Rps1c	A	BL
LEWIS	351 R2	3.5		2	3			A	Rps1c	A	IB
LEWIS	381 R2	3.8			3	4		A	Rps1c	A	IB

## 2012 Roundup Resistant Soybean Entries

Company-Brand	Variety*	**M	***Regions Entered					SN	****			
			1	2	3	4	5		PRR	IST	HC	
LEWIS	383 R2	3.8			3	4		A	Rps1c	A	BL	
LEWIS	392 R2	3.9			3			A	Rps1c	A	IB	
LEWIS	412 R2	4.1			3	4		A	Rps1a	A	BL	
LEWIS	423 R2	4.2				4		A	NG	A	IB	
LEWIS	441 R2	4.4				4		A	Rps1c	A	IB	
LEWIS	452 R2*	4.5				4		A	Rps1c	A	BL	
LG SEEDS	C 2500 R2*	2.5	1					A	Rps3a	A	BR	
LG SEEDS	C 2688 R2*	2.6	1	2				A	Rps1c	A	IB	
LG SEEDS	C 2835 R2*	2.8	1	2				A	Rps1c	A	IB	
LG SEEDS	C 3044 R2*	3.0	1	2				A	Rps1c	A	IB	
LG SEEDS	C 3466 R2*	3.4		2	3			A	Rps1c	A	IB	
LG SEEDS	C 3770 R2*	3.7			3	4	5	A	Rps1c	A	IB	
LG SEEDS	C 3989 R2*	3.8			3	4	5	A	Rps1c	A	IB	
MARTIN	M 125 RR*	2.5			3			S	NG	B	BL	
MARTIN	M 132 NR2Y	3.2			3			A	Rps1c	B	IB	
MARTIN	M 134 NR2Y*	3.4			3			A	Rps1k	U	BL	
MARTIN	M 27 NR2Y*	2.7			3			A	Rps1c	B	BL	
MARTIN	M 30 NR2Y	3.0			3			A	Rps1k	B	BU	
MARTIN	M 36 NR2Y	3.6			3			A	Rps1k	B	BL	
MARTIN	M 38 NRR	3.8			3			A	Rps1k	U	BL	
MARTIN	M 435 NRR*	3.5			3			A	Rps1k	U	IB	
MERSCHMAN	APACHE 1124RR2Y	2.4	1	2				S	Rps1c	A	BU	
MERSCHMAN	ARTHUR 1331RR2Y	3.1		2	3			A	Rps1c	A	IB	
MERSCHMAN	CHEROKEE 1329RR2Y	2.9	1	2	3			A	Rps1k	A	IB	
MERSCHMAN	COOLIDGE 1234RR2Y	3.4		2	3			A	Rps1c	A	IB	
MERSCHMAN	DENVER 1341RR2Y	4.1				4	5	A	NG	A	IB	
MERSCHMAN	GARFIELD 1337RR2Y	3.7		2	3			A	Rps1k	A	BU	
MERSCHMAN	HOOVER 1333RR2Y	3.3		2	3			A	Rps1c	A	BL	
MERSCHMAN	HOUSTON 1344RR2Y	4.4				4	5	A	Rps1c	A	BU	
MERSCHMAN	KENNEDY 1036RR2Y	3.6		2	3			A	NG	A	M	
MERSCHMAN	MEMPHIS 1243RR2Y	4.3				4	5	A	Rps1c	A	IB	
MERSCHMAN	MOHAWK 1128RR2Y	2.8	1	2				A	NG	A	BL	
MERSCHMAN	MOHEGAN 1222RR2Y	2.2	1					A	Rps1k	A	IB	
MERSCHMAN	NASHVILLE 1347RR2Y	4.7				4	5	A	Rps1c	A	IB	
MERSCHMAN	NAVAHO 1220RR2Y	2.0	1					A	Rps1c	A	BL	
MERSCHMAN	PHOENIX 1245RR2Y	4.5				4	5	A	Rps1c	A	BL	
MERSCHMAN	SHAWNEE 1226RR2Y	2.6	1	2				A	Rps1k	A	IB	
MERSCHMAN	WASHINGTON 1336RR2Y	3.6		2	3			A	Rps1c	A	BL	
MONIER	M 2739 R2*	2.7		2				A	Rps1c	B	BU	
MONIER	M 3393 R2	3.3		2				A	Rps1k	B	BL	
MUNSON	8223 R2Y	2.2	1					S	Rps1c	B	BR	
MUNSON	8242 R2Y	2.4	1					S	Rps1c	U	BU	
MUNSON	8263 R2Y	2.6	1					A	Rps1c	B	BU	
MUNSON	8281 R2Y	2.8	1	2				A	NG	B	IB	
MUNSON	8303 R2Y	3.0		2	3			A	Seg1k	B	BU	
MUNSON	8323 R2Y	3.2		2	3			A	HRps3a	B	IB	
MUNSON	8328 RR	3.2		2	3			A	Rps1c	B	IB	
MUNSON	8343 R2Y*	3.4		2	3			A	Rps1k	B	BL	
MUNSON	8363 R2Y*	3.6		2	3			A	Rps1c	B	IB	
MUNSON	8373 R2Y*	3.7		2	3			A	Rps1c	B	IB	
MYCOGEN	5B241 R2*	2.4	1					S	Rps1c	B	BL	
MYCOGEN	5N284 R2*	2.8		2				A	Rps1c	B	IB	

## 2012 Roundup Resistant Soybean Entries

Company-Brand	Variety*	**M	***Regions Entered					SN	****		
			1	2	3	4	5		PRR	IST	HC
MYCOGEN	5N324 R2*	3.2		2				A	Rps1c	B	IB
MYCOGEN	5N342 R2*	3.4			3			A	Rps1c	B	IB
MYCOGEN	5N360 R2*	3.6			3			A	Rps1c	B	IB
MYCOGEN	5N385 R2*	3.8				4		A	Rps1c	B	IB
MYCOGEN	5N431 R2*	4.3				4		A	Rps1c	B	IB
NK	S 23-P8*	2.3	1	2				A	Rps1k	B	IB
NK	S 24-K2*	2.4	1	2				S	Rps1c	B	BU
NK	S 25-T8*	2.5	1	2				A	Rps1k	B	BL
NK	S 27-H6*	2.7	1	2				A	Rps1a	B	BL
NK	S 29-V2*	2.9	1	2				A	Rps1c	B	IB
NK	S 30-E9*	3.0	1	2				A	Rps1c	B	IB
NK	S 34-N3*	3.4	1	2	3			A	Rps1c	B	IB
NK	S 37-B1*	3.7			3	4		A	Rps1c	B	BU
NK	S 38-H8*	3.8				4		A	Rps1c	B	BL
NK	S 39-U2*	3.9			3	4	5	A	NG	B	BL
PFISTER	26R24*	2.6	1					A	NG	B	BL
PFISTER	28R21*	2.8	1					A	Rps1c	B	IB
PFISTER	30R22*	3.2		2				A	Rps1k	B	BL
PFISTER	34R20*	3.4		2	3			A	Rps1c	B	IB
PFISTER	37R28*	3.7		2	3			A	Rps1c	B	BL
PFISTER	38R25*	3.8		2	3	4		A	Rps1c	B	IB
PFISTER	43R29*	4.3			3	4	5	A	Rps1c	B	IB
PFISTER	45R23*	4.5				4	5	A	Rps1c	B	BL
PFISTER	47R22*	4.7				4	5	A	Rps1c	B	IB
POWER PLUS	23Z1	2.3	1					A	Rps1c	B	BR
POWER PLUS	25G3	2.5	1					B	Rps1k	B	BR
POWER PLUS	28J0*	2.8	1					A	Rps1k	B	BL
POWER PLUS	28V2	2.8		2				A	Rps1k	B	G
POWER PLUS	32K0	3.2		2				A	Rps1k	B	BL
POWER PLUS	34B9*	3.4			3			A	Rps1k	B	BR
POWER PLUS	36C0*	3.6			3			A	Rps1k	B	IB
POWER PLUS	36J3	3.6			3	4		A	Rps1k	B	BU
POWER PLUS	37T1	3.7			3	4		A	Rps1k	B	BL
POWER PLUS	38D2	3.8			3	4		A	Rps1k	B	BL
POWER PLUS	39B3	3.9			3	4		A	Rps1k	B	BL
POWER PLUS	41F9*	4.1				4		A	Rps1k	B	IB
POWER PLUS	43D1	4.3				4	5	A	NG	B	BL
PROHARVEST	2635 CR2Y*	2.6	1	2				A	Rps1c	B	IB
PROHARVEST	2850 CR2Y*	2.8	1	2				A	NG	B	BL
PROHARVEST	2866 CR2Y*	2.8	1	2	3			A	NG	B	BL
PROHARVEST	2939 CRR*	2.9		2				A	Rps1c	B	IB
PROHARVEST	2950 CR2Y*	2.9	1	2	3			A	NG	B	IB
PROHARVEST	3066 CR2Y*	3.0		2	3			A	Rps1c	B	IB
PROHARVEST	3135 CR2Y*	3.1		2	3			A	Rps1c	B	IB
PROHARVEST	3266 CR2Y*	3.2		2	3			A	Rps1c	B	BU
PROHARVEST	3329 CRR*	3.3		2	3			A	Rps1c	B	IB
PROHARVEST	3466 CR2Y*	3.4		2	3			A	Rps1c	B	IB
PROHARVEST	3735 CR2Y*	3.7		2	3	4		A	Rps1c	B	IB
PROHARVEST	3866 CR2Y*	3.8		2	3	4		A	Rps1c	B	IB
RENK	RS 210 NR2*	2.1		2				A	Rps1c	U	IB
RENK	RS 213 NR2	2.1	1					A	Rps1c	U	IB
RENK	RS 241 R2	2.4	1	2				S	Rps1c	U	BU

2012 Roundup Resistant Soybean Entries

Company-Brand	Variety*	**M	***Regions Entered					SN	****			
			1	2	3	4	5		PRR	IST	HC	
RENK	RS 259 NRR	2.5	1					A	NG	F	BL	
RENK	RS 263 NR2	2.6	1	2				A	Rps1k	U	IB	
RENK	RS 272 NR2	2.7	1	2				A	Rps1c	F	IB	
RENK	RS 283 NR2*	2.8		2				A	Rps1c	U	BU	
RENK	RS 323 NR2	3.2		2				A	Rps1c	U	BL	
ROESCHLEY	2125 CRR2	2.1	1					A	Rps1k	B	BU	
ROESCHLEY	2425 CRR2	2.4	1					A	NG	B	BR	
ROESCHLEY	2615 CRR2*	2.6	1	2				A	Rps1c	B	IB	
ROESCHLEY	2815 CRR2*	2.8	1	2				A	Rps1k	B	BL	
ROESCHLEY	2825 CRR2	2.8		2				A	NG	B	BL	
ROESCHLEY	3007 CRR2*	3.0		2				A	Rps1c	B	IB	
ROESCHLEY	3195 CRR2*	3.1		2				A	Rps1k	B	IB	
STEYER	2701 R2*	2.8	1	2	3			A	NG	A	IB	
STEYER	2702 R2*	2.7	1	2				A	Rps1c	A	IB	
STEYER	2801 R2*	2.8	1	2				A	Rps1c	A	BR	
STEYER	2803 R2*	2.8	1	2				A	Rps1c	A	BU	
STEYER	3001 R2*	3.0	1	2				A	Rps1c	A	IB	
STEYER	3204 R2*	3.2		2	3			A	Rps1c	A	IB	
STEYER	3401 R2*	3.4		2	3	4		A	Rps1c	A	IB	
STEYER	3404 R2*	3.4		2	3	4		A	Rps1c	A	IB	
STEYER	3501 R2*	3.5		2	3	4		A	Rps1c	A	IB	
STEYER	3603 R2*	3.6		2	3	4		A	Rps1c	A	IB	
STEYER	3802 R2*	3.8		2	3	4		A	Rps1c	A	IB	
STEYER	3803 R2*	3.8		2	3	4		A	Rps1c	A	IB	
STEYER	3901 R2*	3.9		2	3	4		A	Rps1c	A	IB	
STEYER	3902 R2	3.9				4		A	NG	A	BL	
STEYER	4001 R2*	4.0		2	3	4		A	NG	A	BL	
STEYER	4002 R2*	4.0		2	3	4		A	NG	A	BL	
STINE	22RC62	2.2	1	2				A	Rps1k	B	BL	
STINE	24RB00*	2.4	1	2				S	Rps1c	B	BU	
STINE	26RD02	2.6	1	2				A	Rps1c	U	BU	
STINE	29RD22	2.9	1	2	3			A	Rps1c	B	BL	
STINE	30RD02	3.0	1	2	3			A	Rps1k	B	IB	
STINE	30RD22	3.0	1	2	3			A	Rps1c	U	BU	
STINE	33RD02	3.3	1	2	3			A	R?	B	BU	
STINE	3522-4	3.5		2				A	Rps1c	U	IB	
STINE	35RA02*	3.5		2	3			A	NG	B	M	
STINE	36RD02	3.6			3			A	Rps1c	U	BU	
STINE	37RC82*	3.7		2	3	4	5	A	Rps1c	B	BL	
STINE	37RD22	3.7			3			A	Rps1k	U	BU	
STINE	38RD02	3.8			3			A	Rps1k	U	BU	
STINE	40RC32*	4.0			3	4	5	A	Rps1c	B	IB	
STINE	40RD02	4.0			3	4		A	R?	B	IB	
STINE	42RD02	4.2				4	5	A	Rps1c	U	BL	
STINE	45RC32*	4.5				4	5	A	Rps1k	B	IB	
STINE	46RC32	4.6					5	A	Rps1k	B	BL	
STINE	47RC32	4.7					5	A	NG	B	IB	
STONE SEED GROUP	2R2203	2.2	1					A	Rps1c	B	IB	
STONE SEED GROUP	2R2502	2.5	1					S	Rps1c	B	BU	
STONE SEED GROUP	2R2702*	2.7	1					A	Rps3a1k	B	BR	
STONE SEED GROUP	2R2801*	2.8	1	2				A	Rps1c	B	IB	
STONE SEED GROUP	2R3001*	3.0		2				A	Rps1c	B	IB	

## 2012 Roundup Resistant Soybean Entries

Company-Brand	Variety*	**M	***Regions Entered					SN	****		
			1	2	3	4	5		PRR	IST	HC
STONE SEED GROUP	2R3103	3.1		2				A	Rps1c	B	IB
STONE SEED GROUP	2R3303	3.3		2	3			A	Rps1c	B	BR
STONE SEED GROUP	2R3401*	3.4		2	3			A	Rps1c	B	IB
STONE SEED GROUP	2R3602	3.6			3			A	Rps1c	B	BR
STONE SEED GROUP	2R3701*	3.7			3	4		A	Rps1c	B	BR
STONE SEED GROUP	2R3801	3.8			3	4		A	Rps1c	B	BR
STONE SEED GROUP	2R3803	3.8			3	4		A	Rps1c	B	BL
STONE SEED GROUP	2R4003	4.0				4		A	NG	B	IB
STONE SEED GROUP	2R4103	4.1				4		A	Rps1a	B	BL
STONE SEED GROUP	2R4201*	4.2				4		A	Rps1a	B	IB
STONE SEED GROUP	2R4302	4.3				4	5	A	NG	B	IB
STONE SEED GROUP	2R4402	4.4				4	5	A	Rps1c	B	BL
STONE SEED GROUP	2R4500 STS*	4.5					5	S	NG	B	BL
STONE SEED GROUP	2R4702 STS	4.7					5	A	NG	B	BL
STONE SEED GROUP	2R4903 STS	4.9					5	A	Rps1c	B	IB
SUN PRAIRIE	SP 27R21*	2.7		2				A	Rps1c	A	IB
SUN PRAIRIE	SP 28R20*	2.8		2	3			A	Rps1c	A	BL
SUN PRAIRIE	SP 31R22	3.1		2				A	Rps1c	A	IB
SUN PRAIRIE	SP 32R21*	3.2		2	3			A	Rps1k	A	IB
SUN PRAIRIE	SP 36R21*	3.6		2	3			A	Rps1c	A	IB
SUN PRAIRIE	SP 38R21*	3.8			3			A	Rps1c	A	IB
SUN PRAIRIE	SP 38R22	3.8			3			A	Rps1c	A	BL

\* Producer Nominated Variety

\*\* Maturity Group

\*\*\*1 = Region 1: Erie, Mt. Morris & DeKalb  
 2 = Region 2: Monmouth, Goodfield & Dwight  
 3 = Region 3: Perry, New Berlin & Urbana  
 4 = Region 4: Belleville & St. Peter  
 5 = Region 5: Harrisburg & Elkville

\*\*\*\*SN- Source of Soybean Cyst Nematode Resistance

A = PI 88788, B = PI 548402 (Peking), C = PI 437654 (Hartwig), S = Susceptible,  
 O = Other, R? = Resistant, source unknown.

PRR = Phytophthora Root Rot Resistance

Rps1\* = resistance gene, seg1\* = segregating for specified gene, S = Susceptible, U / ? = unknown

IST = Insecticide Seed Treatment

U= Untreated, F= Fungicide, B= Insecticide+Fungicide, A= Acceleron

HC = Hilum Color

Bl- black, IB- imperfect black, BU- buff, BR- Brown, Y- Yellow, G- Gray, M- Mixed