

2013 Soybean Test Results

Region 3: Roundup Resistant (30-inch row spacing)

COMPANY	NAME*	IST ¹	Yield bu/a	Regional Results			Perry Yield bu/a	New Berlin Yield bu/a	Urbana Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a	Region Protein @13%	Region Oil @13%
				Maturity Date	Lodging	Height in							
MATURITY GROUP 2													
CHANNEL	2800 R2	A	59.6	9/23	2.7	37	48.7	61.5	68.7	54.3		36.6	18.8
GREAT LAKES	GL 2949 R2*	B	61.2	9/23	2.6	39	51.2	61.4	70.9	53.8		36.7	18.9
MARTIN	M 27 NR2Y*	U	53.9	9/23	1.9	37	42.3	59.3	60.1	48.4	51.6	35.5	19.6
MARTIN	M 28 NR2Y*	U	59.6	9/22	2.6	37	49.3	67.3	62.3			35.0	20.1
MARTIN	M 29 N-A	U	62.9	9/28	2.4	41	53.1	68.5	67.0			35.1	19.7
MUNSON	8284 R2Y*	B	66.3	9/24	2.7	37	53.7	74.0	71.2			34.8	20.6
NUTECH	7290	B	58.7	9/23	1.8	39	46.7	61.4	68.0			35.2	20.5
PROHARVEST	2871 CR2Y*	A	66.3	9/23	2.5	38	53.3	71.8	73.8			34.7	20.6
PROHARVEST	2950 CR2Y*	A	69.1	9/26	2.8	41	57.7	78.3	71.3	55.5	58.1	35.6	19.3
PROHARVEST	2971 CR2Y*	A	63.5	9/23	2.6	39	51.8	68.7	70.0			33.7	20.7
STONE SEED GROUP	25RR91	A	64.3	9/22	2.6	37	51.1	71.4	70.4	50.0		35.1	20.3
STONE SEED GROUP	2R2801*	A	63.3	9/26	2.6	40	53.2	71.8	64.9			35.4	19.0
STONE SEED GROUP	K2-2704	A	66.8	9/24	2.6	39	57.1	74.7	68.6	54.6		35.7	19.4
	AVERAGE		63.2	9/24	2.6	39	51.7	69.2	68.6	52.9	55.5	35.2	19.9
	L.S.D. 25% LEVEL		2.7		0.4		1.7	1.6	1.6			0.33	0.18
	COEFF. OF VAR. (%)		7.7		24.5		5.8	4.0	4.2			1.7	1.7
MATURITY GROUP 3													
ASGROW	AG 3334	A	65.2	9/30	2.2	41	55.0	75.4	65.1			34.9	19.7
ASGROW	AG 3533	A	65.2	10/2	2.6	40	52.4	73.8	69.2	59.2		35.1	19.3
ASGROW	AG 3634	A	67.4	10/3	2.6	41	58.6	73.9	69.6			35.3	19.1
ASGROW	AG 3734	A	62.7	10/3	2.7	43	55.7	70.7	61.7			34.7	19.7
ASGROW	AG 3832	A	68.2	10/4	2.5	40	57.1	75.8	71.7	58.7	61.0	34.9	19.6
ASGROW	AG 3934	A	68.0	10/4	2.9	42	60.4	74.7	68.9			35.0	19.4
CHANNEL	3106 R2*	A	63.5	9/26	2.6	38	52.1	74.0	64.5			35.4	18.9
CHANNEL	3207 R2*	A	62.8	9/30	2.7	38	53.3	70.8	64.4			35.5	19.5
CHANNEL	3303 R2	A	63.3	9/29	2.7	41	55.2	73.6	61.1	57.1	59.9	35.5	18.8
CHANNEL	3506 R2	A	60.9	10/2	2.2	41	54.8	64.9	63.0	56.0		33.9	19.9
CHANNEL	3701 R2	A	64.4	10/2	2.4	39	59.2	72.4	61.6	59.3	60.7	34.8	19.4
DAIRYLAND	DSR-3595 R2Y	B	64.6	10/6	3.0	43	55.7	71.7	66.5			34.1	20.0
DAIRYLAND	DSR-3703 R2Y	B	61.4	10/6	3.4	44	50.3	66.9	66.9	55.6		35.4	19.3
DYNA-GRO	32RY39*	A	63.7	10/8	2.1	42	56.1	73.0	62.1	56.3	58.9	34.8	19.7
DYNA-GRO	36RY38*	A	65.6	10/5	3.1	44	58.3	73.3	65.2	58.6	61.3	36.1	18.9
DYNA-GRO	39RV34	A	65.4	9/29	2.8	37	56.1	73.8	66.4			34.5	19.3
DYNA-GRO	S 35RY83*	A	63.1	9/28	2.2	41	54.5	72.4	62.4	54.6		34.0	19.6
DYNA-GRO	S 36RY24	A	64.3	10/1	3.0	43	57.1	71.7	64.1			33.6	19.8
FS HISOY	HS 31A32	B	67.4	9/27	2.8	38	58.6	77.9	65.7			34.8	19.7
FS HISOY	HS 33A02	B	67.0	9/30	2.2	41	58.5	74.8	67.8	57.6	59.8	35.0	19.5
FS HISOY	HS 33A32	B	68.7	10/2	2.8	38	61.6	73.4	71.3			36.1	19.0
FS HISOY	HS 34A22*	B	66.5	10/1	2.2	35	55.0	76.1	68.4	57.7		35.2	19.4
FS HISOY	HS 35A32	B	64.8	10/2	3.1	42	57.0	72.9	64.5			33.6	19.8
FS HISOY	HS 37A22	B	67.5	10/8	2.6	44	61.0	76.8	64.8	58.8		36.3	19.7

2013 Soybean Test Results

Region 3: Roundup Resistant (30-inch row spacing)

COMPANY	NAME*	IST ¹	Yield bu/a	Regional Results			Perry Yield bu/a	New Berlin Yield bu/a	Urbana Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a	Region Protein @13%	Region Oil @13%
				Maturity Date	Lodging	Height in							
	*Producer Nominated												
FS HISOY	HS 38A22	B	66.7	10/6	3.6	39	59.1	73.0	67.9	58.9		34.1	19.8
FS HISOY	HS 38A32	B	66.4	10/6	3.2	43	57.4	74.0	67.9			36.5	18.5
FS HISOY	HS 39A22*	B	66.3	10/5	2.4	43	58.0	73.5	67.4	59.8		33.6	20.3
GREAT HEART	GT-362 CR2*	F	61.9	10/1	2.1	39	52.9	70.0	62.8	57.1		35.4	19.3
GREAT HEART	GT-385 CR2*	U	66.6	10/5	3.1	40	56.4	72.9	70.5			33.9	20.0
GREAT HEART	GT-390 CR2*	F	68.1	10/6	2.2	43	62.1	73.8	68.3	60.1		33.2	20.6
GREAT LAKES	GL 3229 R2*	B	67.4	9/27	2.7	38	58.3	76.1	67.7			34.7	19.7
GREAT LAKES	GL 3429 R2*	B	66.4	9/30	2.1	42	60.0	75.3	63.9	57.7	60.4	35.2	19.4
GREAT LAKES	GL 3609 R2*	B	67.8	10/5	2.9	39	56.0	76.5	70.9	57.2		34.9	19.6
GREAT LAKES	GL 3729 R2*	B	68.2	10/6	2.9	42	60.5	77.1	66.9	60.9		33.8	20.3
GREAT LAKES	GL 3879 R2*	B	65.6	10/4	3.0	40	57.0	70.9	68.9	59.5	61.2	35.7	19.4
GREEN VALLEY SEED	GV 344	A	66.4	10/1	3.2	43	54.2	76.1	68.8			34.1	19.9
GREEN VALLEY SEED	GV 363*	A	61.6	10/1	2.9	42	54.1	70.2	60.4	56.1		35.0	19.4
GREEN VALLEY SEED	GV 374	A	63.4	10/5	3.1	43	54.4	72.3	63.6			33.5	20.3
GREEN VALLEY SEED	GV 383*	A	65.7	10/4	2.5	43	58.4	71.0	67.9	59.3		34.7	19.6
GREEN VALLEY SEED	GV 393*	A	62.5	10/6	2.7	42	55.8	68.4	63.2	55.4		34.6	19.1
GREEN VALLEY SEED	GV 394	A	63.9	10/6	3.0	42	54.8	75.0	62.0			33.6	20.5
LEWIS	351 R2	A	63.1	9/30	2.3	40	50.9	73.4	65.0	55.3	58.6	34.8	19.6
LEWIS	374 R2*	A	66.5	10/3	2.9	44	58.0	73.6	67.8			35.3	19.6
LEWIS	381 R2*	A	63.6	10/5	2.8	40	54.8	71.6	64.5	57.1	59.5	34.9	19.6
LEWIS	392 R2*	A	65.6	10/4	2.6	41	59.6	74.4	62.7	59.2	60.3	34.5	19.1
LEWIS	394 R2	A	66.5	10/4	3.1	43	56.0	71.5	72.1			36.6	18.5
MARTIN	M 31-A	U	65.8	9/27	2.6	39	59.3	77.6	60.5			34.7	19.7
MARTIN	M 35-A	U	64.2	10/4	2.9	41	57.0	68.1	67.4			33.9	20.2
MARTIN	M 36 NR2Y*	U	62.1	10/6	3.5	43	51.6	67.6	67.0	54.7	57.6	34.0	19.9
MARTIN	M 36-A	B	56.3	9/27	2.0	38	46.1	59.9	63.0			36.1	19.4
MARTIN	M 38 NRR	U	66.6	10/5	2.5	40	58.2	71.6	70.0	57.9	59.9	34.2	20.0
MARTIN	M 435 NRR*	U	61.6	10/4	2.9	41	48.9	68.7	67.2	50.7		36.5	18.5
MERSCHMAN	ARTHUR 1431RR2	A	65.8	9/26	2.6	39	59.0	74.9	63.5			34.6	19.7
MERSCHMAN	COOLIDGE 1234RR2Y	A	65.6	9/30	2.2	41	57.7	73.3	65.7	56.7	59.2	34.9	19.4
MERSCHMAN	EXP 28P39RR	U	65.6	10/3	2.6	44	54.6	73.7	68.4			33.9	20.3
MERSCHMAN	GARFIELD 1439RR2	A	67.3	10/5	2.7	42	60.6	72.5	68.8			33.8	20.4
MERSCHMAN	HOOVER 1433RR2	A	67.4	10/2	2.9	41	59.7	73.8	68.8			35.8	19.3
MERSCHMAN	KENNEDY 1436RR2	A	63.8	10/4	3.0	43	56.2	71.6	63.6			33.9	20.2
MERSCHMAN	ROOSEVELT 1435RR2	A	63.6	10/1	3.3	41	56.2	71.3	63.1			34.0	19.6
MERSCHMAN	WASHINGTON 1438RR2	A	66.1	10/5	3.0	41	56.1	73.8	68.3			36.0	18.7
MUNSON	8304 R2Y	B	59.5	9/29	2.4	40	50.2	66.9	61.5			35.1	19.7
MUNSON	8324 R2Y*	B	67.9	9/27	2.8	39	59.2	78.4	66.1			34.6	19.6
MUNSON	8343 R2Y*	B	64.6	9/29	3.1	40	52.8	73.5	67.4	56.0		34.5	19.5
MUNSON	8364 R2Y*	B	66.0	10/4	3.0	43	55.1	72.1	70.7			34.2	20.1
MYCOGEN	5N342 R2	B	64.5	9/30	2.2	41	57.7	72.9	63.0	56.6	59.4	35.2	19.3
MYCOGEN	5N360 R2	B	64.3	10/2	2.7	43	54.5	73.4	64.9	57.5	59.3	36.1	18.8
NUTECH	7310	B	65.2	9/28	2.8	43	52.2	70.7	72.7	51.1		35.5	20.1
NUTECH	7334	B	64.1	9/28	2.5	41	54.7	70.2	67.5	57.3		35.4	20.2

2013 Soybean Test Results

Region 3: Roundup Resistant (30-inch row spacing)

COMPANY	NAME*	IST ¹	Regional Results				Perry Yield bu/a	New Berlin Yield bu/a	Urbana Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a	Region Protein @13%	Region Oil @13%
			Yield bu/a	Maturity Date	Lodging	Height in							
	*Producer Nominated												
NUTECH	7342	B	64.7	10/2	1.9	38	56.7	75.1	62.3	58.0	60.4	34.1	20.3
NUTECH	7360	B	67.1	10/3	2.8	45	56.6	79.2	65.4			34.3	19.9
NUTECH	7380	B	64.3	10/1	2.0	39	57.6	66.8	68.4			33.9	20.4
NUTECH	7393	B	63.1	10/5	2.4	42	57.1	71.7	60.4	56.0		33.8	19.8
POWER PLUS	34T3	B	64.1	9/27	2.7	40	53.3	67.2	71.8			35.6	20.2
POWER PLUS	36J3*	B	63.7	10/3	2.8	45	54.1	72.3	64.7	56.8		33.8	20.1
POWER PLUS	37F4	B	62.5	10/4	2.3	40	54.1	68.4	65.1			34.2	19.7
POWER PLUS	38D2*	B	66.3	10/4	2.3	41	58.1	70.9	69.9	58.1	60.0	33.7	20.2
POWER PLUS	39B3*	B	64.3	10/6	2.1	45	55.9	71.8	65.2	56.0		34.0	20.6
PROHARVEST	3066 CR2Y*	A	66.0	9/28	2.8	41	59.5	77.0	61.4	56.4		34.8	19.7
PROHARVEST	3466 CR2Y*	A	62.9	9/28	2.4	41	52.8	70.2	65.9	55.3		33.8	19.7
PROHARVEST	3735 CR2Y*	A	64.2	10/3	2.9	40	55.0	72.6	65.0	56.5		36.0	18.8
PUBLIC	ILX 17123 R2*	B	63.4	10/8	3.1	45	54.0	71.3	64.7			35.3	19.6
PUBLIC	ILX 17213 R2*	B	66.0	10/7	3.0	43	58.8	76.1	63.2			34.2	20.4
PUBLIC	ILX 17220 R2*	B	61.1	10/4	2.4	42	52.4	67.9	62.9			34.7	20.0
STEYER	3203 R2*	B	62.0	9/30	2.9	41	54.0	72.9	59.0			35.1	19.6
STEYER	3406 R2*	B	68.2	10/2	3.2	41	58.5	76.3	69.7			34.2	19.8
STEYER	3502 R2*	B	63.4	9/28	2.4	42	55.4	68.0	66.8			34.1	19.5
STEYER	3604 R2*	B	64.1	10/4	2.6	46	56.6	70.0	65.8			34.7	19.5
STEYER	3803 R2*	B	64.8	10/4	2.6	39	55.9	71.5	66.9	58.1	61.0	35.0	19.6
STEYER	3903 R2	B	67.7	10/7	2.7	42	61.9	71.8	69.5			33.5	20.4
STONE SEED GROUP	2R3001	A	62.2	9/27	3.0	39	54.7	71.0	60.8			34.5	19.7
STONE SEED GROUP	2R3103*	A	64.2	9/27	2.5	36	56.9	71.2	64.4			35.6	19.4
STONE SEED GROUP	2R3303*	A	63.9	9/29	3.4	40	51.6	69.3	70.9	55.9		34.8	19.8
STONE SEED GROUP	2R3401*	A	64.9	9/30	2.3	39	58.0	71.1	65.7	55.0		34.9	19.6
STONE SEED GROUP	2R3602	A	62.2	10/2	2.8	41	57.2	70.3	59.0	56.8	59.6	36.0	18.9
STONE SEED GROUP	2R3604	A	66.1	10/4	3.0	43	53.6	75.3	69.3			35.1	19.6
STONE SEED GROUP	2R3701*	A	63.4	10/5	2.9	43	56.5	69.7	64.0	57.2		35.5	19.3
STONE SEED GROUP	2R3801*	A	63.5	10/3	2.6	41	54.6	71.8	64.2	57.6		35.2	19.6
STONE SEED GROUP	2R3803	A	61.3	10/3	2.4	42	52.3	67.0	64.5	54.9		33.9	19.4
STONE SEED GROUP	2R3904	A	65.7	10/1	3.2	41	58.2	71.9	67.1			36.2	18.7
STONE SEED GROUP	K2-3502	A	64.4	10/1	2.8	39	55.0	72.2	66.1			35.9	19.1
SUN PRAIRIE	SP 31R22*	A	66.2	9/27	2.6	39	57.0	76.3	65.3			34.5	19.7
SUN PRAIRIE	SP 34R23	A	67.0	10/1	3.1	42	55.7	75.0	70.3			34.2	19.8
SUN PRAIRIE	SP 36R23*	A	65.7	10/5	2.9	42	57.0	72.6	67.4			34.7	19.5
SUN PRAIRIE	SP 37R23	A	65.3	10/6	2.9	45	56.1	69.1	70.8			34.0	20.1
SUN PRAIRIE	SP 38R21*	A	64.7	10/8	2.1	42	57.6	75.3	61.2	57.0	60.0	34.7	19.7
	AVERAGE		64.8	10/2	2.7	41	55.9	72.3	66.1	57.0	60.0	34.8	19.6
	L.S.D. 25% LEVEL		2.6		0.3		2.4	2.6	3.6			0.40	0.19
	COEFF. OF VAR. (%)		7.4		20.3		4.6	3.8	5.8			2.1	1.8

MATURITY GROUP 4

2013 Soybean Test Results

Region 3: Roundup Resistant (30-inch row spacing)

COMPANY	NAME*	IST ¹	Regional Results				Perry Yield bu/a	New Berlin Yield bu/a	Urbana Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a	Region Protein @13%	Region Oil @13%
			Yield bu/a	Maturity Date	Lodging	Height in							
	*Producer Nominated												
GREAT HEART	GT-427 CR2*	F	66.7	10/10	2.7	40	58.1	72.2	69.7	58.6		34.8	19.4
GREAT HEART	GT-431 CR2*	U	64.3	10/11	2.7	40	58.5	70.9	63.5			35.5	19.3
GREAT LAKES	GL 4039 R2*	B	64.9	10/9	2.8	42	57.7	71.3	65.8	56.0		33.4	20.2
GREAT LAKES	GL 4209 R2*	B	65.2	10/9	2.3	42	56.3	75.4	64.1			33.5	20.1
GREEN VALLEY SEED	GV 413*	A	64.6	10/8	2.8	42	54.4	70.7	68.6			33.4	20.2
LEWIS	412 R2	A	64.3	10/9	2.8	41	56.9	71.0	65.0	55.9	58.0	33.6	20.1
LEWIS	414 R2*	A	68.1	10/10	3.5	43	59.9	72.5	71.9			34.2	19.7
LEWIS	423 R2*	A	67.3	10/10	2.9	41	61.8	69.5	70.5			34.6	19.5
NUTECH	7414	B	63.6	10/8	2.8	45	57.2	70.7	62.8			33.4	20.6
POWER PLUS	41M4	B	67.9	10/7	3.0	38	59.3	73.5	71.0			34.6	20.1
POWER PLUS	43D1*	B	65.8	10/10	2.4	37	58.7	72.3	66.3			34.8	20.1
STEYER	4203 R2	B	68.3	10/10	2.4	40	62.7	70.6	71.6			34.8	19.5
	AVERAGE		65.8	10/9	2.8	41	58.1	71.6	67.7	56.7	58.0	34.1	19.9
	L.S.D. 25% LEVEL		2.2		0.2		1.6	1.6	2.0			0.33	0.18
	COEFF. OF VAR. (%)		6.1		14.7		5.0	4.1	5.3			1.7	1.6

¹IST= Insecticide Seed Treatment: U= Untreated, F= Fungicide, B= Insecticide+Fungicide, A= Acceleron