

**2014 Soybean Test Results**

**Region 2: Roundup Resistant (30-inch row spacing)**

COMPANY	NAME	IST <sup>1</sup>	Regional Results				Monmouth	Goodfield	Dwight	2 yr	3 yr	Region	Region
			Yield bu/a	Maturity Date	Lodging	Height in	Yield bu/a	Yield bu/a	Yield bu/a	Avg Yield bu/a	Avg Yield bu/a	Protein @ 13%	Oil @ 13%
<b>MATURITY GROUP 2</b>													
ASGROW	AG 2632	B	74.6	9/24	2.2	37	65.5	78.1	80.3			35.3	19.2
ASGROW	AG 2933	B	75.5	9/27	2.7	36	67.5	78.9	80.0	74.6	70.9	35.1	18.3
CHANNEL	2706 RR2	B	69.2	9/18	2.4	34	66.4	70.4	70.7			36.1	18.4
DYNA-GRO	S 29RY05	B	72.1	9/23	2.6	37	65.5	77.1	73.8			35.2	18.7
DYNA-GRO	S 29RY74	B	63.0	9/22	2.1	38	47.6	68.9	72.5	67.5		36.1	18.5
FS HISOY	HS 25A42	B	66.2	9/17	2.1	34	55.3	71.6	71.8			35.3	18.9
FS HISOY	HS 26A32	B	69.3	9/17	2.2	35	69.7	67.6	70.8	69.0		35.6	17.8
FS HISOY	HS 28A02	B	70.4	9/25	2.3	37	64.1	73.4	73.8	72.3	69.1	36.5	18.0
FS HISOY	HS 28A42	B	75.2	9/24	2.3	37	67.5	77.6	80.5			35.2	19.5
FS HISOY	HS 29A42	B	68.7	9/22	2.6	38	59.6	72.8	73.8			35.3	18.5
G2 GENETICS	7261	B	59.7	9/18	1.8	38	51.6	59.0	68.4	65.5		36.1	19.1
G2 GENETICS	7273	B	69.6	9/23	2.1	32	65.6	71.1	72.1	69.3	65.6	34.0	21.1
MONIER	M 2925 R2	B	68.6	9/28	2.4	41	62.3	71.6	72.0	70.1		35.4	18.8
MUNSON	8265 R2Y	B	64.9	9/16	1.9	35	48.7	69.2	76.9			35.6	18.7
MUNSON	8284 R2Y	B	74.8	9/25	2.4	35	65.3	78.7	80.5	75.2		35.0	19.5
MYCOGEN	5N292 R2	B	65.3	9/23	2.3	40	56.7	65.0	74.4			35.8	18.6
POWER PLUS	28H5	B	69.8	9/22	2.1	33	58.3	72.8	78.2			33.9	20.9
POWER PLUS	28V2	B	69.3	9/24	2.1	40	56.3	77.4	74.3			34.8	20.0
RENK	RS 263 NR2	B	72.3	9/16	2.1	34	67.8	74.3	74.9			35.0	20.0
RENK	RS 265 NR2	U	63.1	9/15	2.0	34	49.5	62.2	77.7			35.5	18.7
RENK	RS 295 NR2	U	63.5	9/19	2.1	38	46.2	68.6	75.7			35.2	18.2
STEYER	2805 R2	B	71.4	9/25	2.2	38	64.4	76.5	73.3	72.6		34.7	19.6
STONE SEED GROUP	2R2604	B	71.0	9/21	2.3	36	66.5	71.4	75.0			35.1	19.9
STONE SEED GROUP	2R2801	B	67.1	9/25	2.4	37	60.7	68.9	71.8	69.3	67.0	36.8	17.8
STONE SEED GROUP	2R2915	B	74.2	9/26	3.1	37	69.6	74.9	78.2			36.1	18.6
SUN PRAIRIE	SP 26R24	B	65.7	9/18	2.0	33	54.6	69.1	73.5			35.7	18.7
SUN PRAIRIE	SP 29R23	B	75.7	9/24	2.4	38	69.7	80.7	76.7			34.8	19.6
	AVERAGE		69.1	9/21	2.3	36	60.6	72.0	74.7	70.0	68.2	35.3	19.1
	L.S.D. 25% LEVEL		3.9		0.2	2	2.2	3.3	3.2			0.33	0.27
	COEFF. OF VAR. (%)		10.4		15.2	8	6.6	4.8	4.5			1.7	2.6
<b>MATURITY GROUP 3</b>													
ASGROW	AG 3034	B	68.7	9/22	2.3	35	61.2	72.6	72.4	71.2		36.3	17.7
ASGROW	AG 3135	B	65.1	9/22	2.5	36	59.7	65.9	69.6			35.6	17.9
ASGROW	AG 3334	B	68.0	9/26	2.2	39	57.1	74.5	72.5	71.1		36.0	18.2
ASGROW	AG 3735	B	63.4	10/4	2.3	33	55.6	69.7	65.0			34.6	18.7
BAYER	CZ 3560 RY	B	63.5	9/30	2.5	38	53.5	71.3	65.6			35.7	17.4
BAYER	CZ 3771 RY	B	61.1	10/4	2.9	40	53.0	65.8	64.3			34.7	19.0
CHANNEL	3008 R2	B	63.9	9/25	2.9	36	51.7	69.1	70.9			36.0	17.6
CHANNEL	3308 R2	B	69.6	9/28	2.9	42	60.8	73.0	75.2			36.2	18.1
CHANNEL	3408 R2	B	61.1	9/24	2.3	36	49.2	65.8	68.1			35.4	18.6
DAIRYLAND	DSR-3313 R2Y	B	68.2	9/30	2.4	39	61.8	74.2	68.8			35.7	18.2
DAIRYLAND	DSR-3685 R2Y	B	64.5	9/30	2.9	38	57.9	71.6	64.0			34.8	19.1

**2014 Soybean Test Results**

**Region 2: Roundup Resistant (30-inch row spacing)**

COMPANY	NAME	IST <sup>1</sup>	Regional Results				Monmouth	Goodfield	Dwight	2 yr	3 yr	Region Protein @ 13%	Region Oil @ 13%
			Yield bu/a	Maturity Date	Lodging	Height in	Yield bu/a	Yield bu/a	Yield bu/a	Avg Yield bu/a	Avg Yield bu/a		
DYNA-GRO	S 32RY95	B	67.8	9/27	2.3	37	59.5	71.6	72.3			35.1	18.8
DYNA-GRO	S 35RY83	B	70.0	9/30	2.3	41	65.2	72.8	71.9	71.5	68.8	34.8	18.2
DYNA-GRO	S 36RY24	B	65.7	9/30	2.5	40	54.3	69.6	73.2			34.6	18.5
FS HISOY	HS 30A42	B	64.3	9/23	2.3	35	56.0	67.8	69.1			35.2	18.6
FS HISOY	HS 31A32	B	68.7	9/26	2.3	35	62.5	73.7	69.8	71.8		35.0	18.4
FS HISOY	HS 33A32	B	69.4	10/3	2.6	36	62.2	74.4	71.6	72.4		36.1	18.2
FS HISOY	HS 34A22	B	71.3	10/1	2.0	35	65.0	74.0	74.9	72.3	69.9	35.7	18.1
FS HISOY	HS 34A42	B	69.5	10/2	2.5	39	64.1	70.9	73.5			35.5	18.2
FS HISOY	HS 36A42	B	67.6	10/5	2.7	41	66.5	68.2	68.2			34.6	19.0
G2 GENETICS	7310	B	65.3	9/27	2.7	41	56.9	70.8	68.2	68.7	64.9	35.6	19.4
G2 GENETICS	7334	B	66.2	9/28	2.4	40	59.4	74.9	64.3	69.1	65.8	36.3	18.9
G2 GENETICS	7346	B	64.9	9/28	2.3	38	59.2	67.6	67.7			36.1	19.0
G2 GENETICS	7357 R2	B	69.9	10/3	2.8	42	65.5	71.1	73.0			35.1	18.3
G2 GENETICS	7360	B	60.3	10/1	2.6	43	40.9	72.2	67.7	68.0		35.4	18.4
G2 GENETICS	7384	B	67.2	10/7	2.8	45	61.4	71.6	68.8			34.3	19.3
GREAT LAKES	GL 3059 R2	B	69.7	9/23	2.7	36	62.2	73.7	73.2			35.1	18.8
GREAT LAKES	GL 3229 R2	B	66.3	9/24	2.4	36	58.7	74.2	65.9	69.6		35.1	18.5
GREAT LAKES	GL 3729 R2	B	70.2	10/6	2.8	43	62.4	74.9	73.4			33.9	19.5
MERSCHMAN	ARTHUR 1531RR2	B	68.7	9/26	2.6	37	58.3	74.2	73.5			35.0	18.6
MERSCHMAN	COOLIDGE 1532RR2Y	B	66.1	9/24	2.4	35	55.3	73.4	69.8			35.1	18.3
MERSCHMAN	EISENHOWER 1537RR2	B	58.7	10/3	2.4	39	54.4	59.1	62.5			37.2	17.2
MERSCHMAN	GARFIELD 1439RR2	B	61.3	10/4	2.5	38	48.7	69.8	65.5			34.2	19.2
MERSCHMAN	HARRISON 1530RR2	B	64.4	9/27	2.4	37	63.1	65.3	64.7			35.2	18.7
MERSCHMAN	HAYES 1535RR2	B	62.6	9/29	2.3	39	51.3	68.5	68.2			36.0	17.2
MERSCHMAN	HOOVER 1433RR2	B	67.8	10/1	2.4	35	59.5	72.6	71.2	72.4		36.2	18.1
MERSCHMAN	JACKSON 1536RR2	B	61.3	10/6	2.7	42	54.8	60.7	68.5			35.4	18.3
MERSCHMAN	KENNEDY 1436RR2	B	65.4	10/4	2.7	39	53.7	72.2	70.4	70.0		34.2	19.2
MERSCHMAN	ROOSEVELT 1535RR2	B	67.7	10/1	2.3	38	62.9	68.2	72.0			35.3	18.4
MERSCHMAN	WASHINGTON 1438RR2	B	69.8	10/5	2.8	40	64.2	77.6	67.5			36.7	17.5
MONIER	M 3015 R2	B	67.6	9/24	2.3	38	64.4	70.4	68.0	69.9		35.2	18.4
MONIER	M 3393 R2	B	67.4	9/28	3.0	41	61.9	70.7	69.6			34.9	18.5
MUNSON	8305 R2Y	B	66.2	9/25	2.4	37	60.4	71.0	67.2			35.1	18.7
MUNSON	8324 R2Y	B	67.6	9/25	2.2	36	56.7	75.7	70.5	70.1		34.9	18.5
MUNSON	8345 R2Y	B	68.2	9/29	2.4	37	61.3	71.3	71.9			35.4	18.4
MUNSON	8364 R2Y	B	68.1	10/4	2.7	42	63.8	71.1	69.4	71.2		34.2	19.1
MYCOGEN	5N312 R2	B	71.3	9/26	2.5	39	69.2	69.7	75.0			35.3	18.3
MYCOGEN	5N342 R2	B	65.1	9/26	2.5	41	59.2	66.7	69.3			36.1	18.0
PFISTER	30R25	B	67.5	9/26	2.3	36	65.6	72.2	64.9			34.9	18.5
PFISTER	35R25	B	65.7	9/30	2.6	40	59.6	68.4	69.2			34.9	18.4
PFISTER	36R29	B	65.8	10/2	2.7	43	63.7	69.5	64.3			34.1	19.3
POWER PLUS	30B5	B	64.2	9/25	2.7	40	52.5	69.6	70.7			35.5	19.5
POWER PLUS	32D5	B	64.4	9/29	2.4	35	49.8	73.3	70.2			35.4	18.7
POWER PLUS	34T3	B	63.6	10/4	2.7	42	50.5	71.8	68.4	68.4		35.2	18.4
POWER PLUS	36J3	B	63.9	10/3	2.8	43	54.4	73.7	63.5	69.4		35.3	18.3
RENK	RS 314 NR2	B	66.9	9/23	2.5	38	58.4	72.2	70.1	69.4		34.8	18.6

**2014 Soybean Test Results**

**Region 2: Roundup Resistant (30-inch row spacing)**

COMPANY	NAME	IST <sup>1</sup>	Regional Results				Monmouth	Goodfield	Dwight	2 yr	3 yr	Region	Region
			Yield bu/a	Maturity Date	Lodging	Height in	Yield bu/a	Yield bu/a	Yield bu/a	Avg Yield bu/a	Avg Yield bu/a	Protein @ 13%	Oil @ 13%
STEYER	3103 R2	B	67.5	9/23	2.4	37	63.4	70.6	68.7	71.0		35.0	18.5
STEYER	3406 R2	B	67.6	9/29	2.6	40	59.1	73.5	70.2	72.0		34.8	18.5
STEYER	3605 R2	B	69.3	10/2	2.6	39	65.7	72.0	70.1			33.7	19.2
STINE	34RF22	U	65.7	9/30	2.5	39	58.3	66.7	72.2			36.3	18.9
STINE	35RF22	U	68.8	9/30	2.5	38	63.5	70.2	72.9			36.1	17.2
STINE	38RE02	U	65.9	10/4	2.6	41	60.4	71.2	66.3	69.9		34.9	18.9
STONE SEED GROUP	2R3315	B	68.5	9/29	2.9	41	59.1	73.8	72.6			36.0	18.1
STONE SEED GROUP	2R3401	B	69.4	9/29	2.4	39	61.2	70.6	76.3	71.5	69.6	36.2	17.9
STONE SEED GROUP	2R3604	B	66.2	10/4	2.9	41	64.0	65.8	68.8	69.8		35.9	18.4
	AVERAGE		66.4	9/29	2.5	39	59.1	70.7	69.3	70.4	67.9	35.3	18.5
	L.S.D. 25% LEVEL		3.3		0.2	2	6.3	4.1	2.3			0.31	0.23
	COEFF. OF VAR. (%)		9.3		12.8	9	11.3	6.1	6.0			1.6	2.2

<sup>1</sup>IST= Insecticide Seed Treatment: U= Untreated, F= Fungicide, B= Insecticide+Fungicide, A= Acceleron