

Company Brand	Variety	Herb Trait	MG	1	2	3	4	5	SCN	PRR	Seed Trt	Hilum Color
AGS	GS46X17	RX	4.6				4	5	2	u	B	BL
AGS	GS48X18	RX	4.8					5	2	a	B	BL
AgVenture	38E8LL	LL	3.8				4	5	2	C	B	Bl
AgVenture	38H4R	RR	3.8				4	5	2		B	Bl
AgVenture	38U7X	RX	3.8				4	5	2	C	B	Bl
AgVenture	40U8LL	LL	4				4	5	2		B	Bl
AgVenture	41H1LL	LL	4.1				4	5	2	C	B	Bl
AgVenture	43U2X	RX	4.3				4	5	2		B	Bl
AgVenture	43U6LL	LL	4.3				4	5	2	K	B	Bl
AgVenture	44U4LL	LL	4.4				4	5	2		B	Bl
AgVenture	45U1X	RX	4.5				4	5	2		B	Bl
AgVenture	45W7R	RR	4.5				4	5	2	K	B	Bl
AgVenture	46M8LL	LL	4.6				4	5	2	C	B	Bl
AgVenture	47W3LL	LL	4.7				4	5	2		B	Bl
Asgrow	A3253	CV	3.2		2	3			2	S	B	Br
Asgrow	A3956	CV	3.9			3			2	C	B	Br
Asgrow	AG24X9	RX	2.4	1					2	C	B	ib
Asgrow	AG25X9	RX	2.5	1					2	C	B	ib
Asgrow	AG26X8	RX	2.6	1					2	C	B	ib
Asgrow	AG27X9	RX	2.7	1	2				1	C	B	ib
Asgrow	AG28X9	RX	2.8	1	2				2	C	B	ib
Asgrow	AG30X9	RX	3	1	2				2	C	B	ib
Asgrow	AG33X8	RX	3.3		2				2	C	B	ib
Asgrow	AG34X6	RX	3.4		2	3			2	C	B	Bl
Asgrow	AG34X9	RX	3.4			3			2	C	B	ib
Asgrow	AG36X6	RX	3.6		2	3	4		2	C	B	ib
Asgrow	AG37X9	RX	3.7			3			2	A	B	Bl
Asgrow	AG39X7	RX	3.9			3	4	5	2	C	B	Bl
Asgrow	AG41X8	RX	4.1				4	5	2	C	B	ib
Asgrow	AG42X6	RX	4.2				4	5	2	C	B	ib
Asgrow	AG42X9	RX	4.2			3	4	5	2	A	B	Bl
Asgrow	AG44X6	RX	4.4				4	5	2	C	B	Bl
Asgrow	AG46X6	RX	4.6				4	5	2	A	B	Bl
Asgrow	AG48X9	RX	4.8					5	2	C	B	Bl
Baker	3782NRXSTS	RX	3.7				4		2	C	Fe	Bl
Baker	4282NRXSTS	RX	4.2					5	2	NG	Fe	Ib
Baker	4472NRXSTS	RX	4.4				4	5	2	C	Fe	Bl
Baker	4692NRXSTS	RX	4.6					5	2	C	Fe	Bu
Baker	4862NRX	RX	4.8				4	5	2	A	Fe	Bl
Biogene	BG37L17N	LL	3.7				4		0	C	U	Ib
Biogene	BG41L15N	LL	4.1				4		2	C	U	Bl
Channel	2119R2X	RX	2.1	1					2	C	Be	IB
Channel	2418R2X	RX	2.4	1					2	C	Be	IB
Channel	2719R2X	RX	2.7	1					2	C	Be	IB
Channel	2918R2X	RX	2.9	1	2				2	C	Be	IB
Channel	3119R2X	RX	3.1		2				1	C	Be	IB
Channel	3318R2X	RX	3.3		2	3			2	C	Be	IB
Channel	3519R2X	RX	3.5		2	3	4	5	2	C	Be	IB
Channel	3718R2X	RX	3.7			3	4	5	2	C	Be	IB
Channel	4018R2X	RX	4			3	4	5	2	C	Be	Bl
Channel	4717R2X/SR	RX	4.7				4	5	2	C	Be	IB

Cornelius	CB23X00	RX	2.3	1		2	C	Be	
Cornelius	CB24R82	RR	2.4	1		2	K	Be	
Cornelius	CB24X64	RX	2.4	1		2	NG	Be	
Cornelius	CB26X67	RX	2.6	1		S	C	Be	
Cornelius	CB27X81	RX	2.7	1		2	C	Be	
Cornelius	CB28R58	RR	2.8	1		2	A	Be	
Cornelius	CB29X90	RX	2.9	1		2	C	Be	
Cornelius	CB31X25	RX	3.1	1		2	C	Be	
Credenz	CZ 2312 LL	LL	2.3	1		2	A	Be	Br
Credenz	CZ 2408 LL	LL	2.4	1		2	K	Be	Bl
Credenz	CZ 2601 LL	LL	2.6	1		2	A	Be	Bl
Credenz	CZ 2928 LL	LL	2.9	1 2		2	C	Be	lb
Credenz	CZ 3233 LL	LL	3.2	2		2	C	Be	lb
Credenz	CZ 3548 LL	LL	3.5	2 3		2	K	Be	Bl
Credenz	CZ 3601 LL	LL	3.6	2 3 4		2	A	Be	Bl
Credenz	CZ 3841 LL	LL	3.8	3 4		2	A	Be	Bl
Credenz	CZ 4105 LL	LL	4.1	3 4 5		2	S	Be	Bl
Credenz	CZ 4308 LL	LL	4.3	3 4 5		2	K	Be	Bl
Credenz	CZ 4548 LL	LL	4.5	4 5		2	K	Be	Bl
Credenz	CZ 4820 LL	LL	4.8	5		2	A	Be	Bl
DairyLand	DSR-2909/R2Y	RR	2.9	1				NA	
DairyLand	DSR-3028/R2Y	RR	3	1				NA	
DairyLand	DSR-3250/R2Y	RR	3.2	2 3				NA	
DairyLand	DSR-3555/R2Y	RR	3.5	2 3				NA	
DeReadt	2088NR2Y	RR	2	1		2	C	B	BR
DeReadt	2416NR2Y	RR	2.4	1		2	K	B	Bl
DeReadt	2523GT	RR	2.5	1		5	S	B	BR
DeReadt	2600 B-GT	RR	2.6	1		2	K	B	Bl
Dyna Gro	S25XT99	RX	2.5	1		2	C	B	lb
Dyna Gro	S28XT58	RX	2.8	1 2		2	C	B	lb
Dyna Gro	S30XT68	RX	3	1 2		2	C	B	Bu
Dyna Gro	S31XT59	RX	3.1	1 2		2	S	B	Bl
Dyna Gro	S33XT79	RX	3.3	2		2	A	B	Bl
Dyna Gro	S34XT69	RX	3.4	2 3		2	C	B	lb
Dyna Gro	S35XT97	RX	3.5	2 3		2	C	B	lb
Dyna Gro	S36XT09	RX	3.6	2 3		2	C	B	Bl
Dyna Gro	S37XS89	RX	3.7	3 4		2	C	B	Bl
Dyna Gro	S37XT28	RX	3.7	3 4		2	C	B	lb
Dyna Gro	S39XT08	RX	3.9	3 4		2	C	B	lb
Dyna Gro	S39XT68	RX	3.9	4 5		2	S	B	lb
Dyna Gro	S41XS98	RX	4.1	4 5		2	S	B	lb
Dyna Gro	S4209N	CV	4.2	4 5		2	C	B	Bl
Dyna Gro	S43XS27	RX	4.3	4 5		2	C	B	Bl
Dyna Gro	S44XS68	RX	4.4	5		2	C	B	Bl
Dyna Gro	S46XS87	RX	4.6	5		2	C	B	lb
FS HiSOY®	24X80	RX	2.4	1		2	C	B	lb
FS HiSOY®	25X70	RX	2.5	1		2	C	B	lb
FS HiSOY®	26L60	LL	2.6	1		2	C	B	Bl
FS HiSOY®	27X80	RX	2.7	1 2		2	C	B	Bl
FS HiSOY®	28C70	CV	2.8	1 2 3		2	NG	B	Bl
FS HiSOY®	28L70	LL	2.8	1 2		2	C	B	lb
FS HiSOY®	28X70	RX	2.8	1 2		2	C	B	lb

FS HiSOY®	29X80	RX	2.9	1 2		2	C	B	Bl
FS HiSOY®	30X80	RX	3	1 2		2	C	B	Bu
FS HiSOY®	31X60	RX	3.1	2		2	C	B	lb
FS HiSOY®	32L60	LL	3.2	2 3		2	C	B	Bu
FS HiSOY®	32X80	RX	3.2	2 3		2	C	B	lb
FS HiSOY®	33X80	RX	3.3	2 3		2	C	B	lb
FS HiSOY®	34C80	CV	3.4	2 3		2	NG	B	Bl
FS HiSOY®	34X60	RX	3.4	2 3		2	C	B	lb
FS HiSOY®	35X80	RX	3.5	3		2	C	B	Bl
FS HiSOY®	37X70	RX	3.7	3		2	C	B	lb
FS HiSOY®	38L32	LL	3.8	3 4		2	A	B	Bl
FS HiSOY®	38X70	RX	3.8	3 4		2	C	B	Bl
FS HiSOY®	39C42	CV	3.9	3 4		2	C	B	Br
FS HiSOY®	39X70	RX	3.9	3 4		2	NG	B	lb
FS HiSOY®	41L42	LL	4.1	3 4		2	C	B	Bl
FS HiSOY®	41X70	RX	4.1	3 4		2	NG	B	lb
FS HiSOY®	42L70	LL	4.2	3 4		2	K	B	Bl
FS HiSOY®	43C60	CV	4.3	3 4		2	A	B	Bl
FS HiSOY®	43X60	RX	4.3	3 4 5		2	C	B	Bl
FS HiSOY®	44L60	LL	4.4	4 5		2	NG	B	Bl
FS HiSOY®	45X80	RX	4.5	4 5		2	C	B	Bu
FS HiSOY®	46X60	RX	4.6	5		2	C	B	lb
FS HiSOY®	47L50	LL	4.7	5		2	C	B	Bl
FS HiSOY®	48X70	RX	4.8	5		2	C	B	lb
FS HiSOY®	49L80	LL	4.9	5		2	A	B	Bl
FS HiSOY®	49X60	RX	4.9	5		2	C	B	Bl
Go Soy	43C17S	CS	4.3	1 2 3 4 5		2	u	B	BL
Go Soy	49G16	RR	4.9	5		4	u	B	BL
Go Soy	E4510S	CS	4.5	4 5		2	u	B	BL
Go Soy	E4993-Drop	CV	4.9	5		2	u	B	BL
Green Valley	38X9	RX	3.8	3		2	C	B	IB
Green Valley	39X7	RX	3.9	3		2	C	B	IB
Green Valley	GV 36X7	RX	3.6	3		2	C	B	IB
Hoblit	298LL	LL	2.9	1 2		2	C	B	lb
Hoblit	368LL	LL	3.6	2 3 4		2	C	B	Bl
Hoblit	384LL	LL	3.8	2 3 4		2	C	B	Bl
Hoblit	418LL	LL	4.1	3 4		2	C	B	Bl
Hoffman	H393N	CV	3.9	4 5		2	C	B	Bl
Hoffman	H416N	CV	4.1	4 5		2	C	B	Br
Hoffman	H41L16	LL	4.1	4 5		2	C	B	Bl
Hoffman	H45L17	LL	4.5	4 5		2	NG	B	Bl
Hoffman	H47L19	LL	4.7	4 5		2	A	B	Bl
Illini	2043Na	CV	2	1				B	
Illini	2643N	CV	2.6	1 2				B	G
Illini	2723N	CV	2.7	2 3				B	Bl
Illini	2880Na	CV	2.8	2				B	Bu
Illini	2904N	CV	2.9	2 3				B	lb
Illini	3025N	CV	3	3 4				B	Br
Illini	3264N	CV	3.2	3				B	Bl
Illini	3546N	CV	3.5	3 4				B	Bl
Illini	3613N	CV	3.6	3				B	Bl
Illini	3648N	CV	3.6	3 4				B	Bl

Illini	3822NSTS	CV	3.8		4 5			B	Bl
Illini	3849N	CV	3.8		4			B	Bu
Illini	3855N	CV	3.8		4 5			B	Bl
Illini	3957	CV	3.9		4 5			B	Bl
Illini	4014N	CV	4		4 5			B	Bl
Illini	4035N	CV	4		4 5			B	Br
Illini	6265N	CV	2.6	2				B	Bu
LG Seeds	C2888RX	RX	2.8	1 2		2	C	B	lb
LG Seeds	C3010RX	RX	3	1 2 3		2	NG	B	lb
LG Seeds	C3550RX	RX	3.5	2 3 4		2	C	B	lb
LG Seeds	C4227RX	RX	4.2		4 5	2	NG	B	lb
LG Seeds	LGS2444RX	RX	2.4	1		2	C	B	lb
LG Seeds	LGS2680RX	RX	2.6	1		S	C	B	lb
LG Seeds	LGS2759RX	RX	2.7	1		2	K	B	lb
LG Seeds	LGS3297RX	RX	3.2	1 2 3		2	C	B	lb
LG Seeds	LGS3411RX	RX	3.4	1 2 3 4		2	C	B	Bl
LG Seeds	LGS3777RX	RX	3.7	2 3 4 5		2	C	B	Bl
Martin	M33X	RX	3.3	3		2	C	NA	lb
Martin	M35C	RR	3.5	3		2	NG	NA	Bl
Missouri	S13-10590C	CV	4.3		4 5			Be	Bl
Missouri	S14-15138R	RS	4.8		5			Be	Bl
Missouri	S14-9051R	RR	4.7		4 5			Be	Bf
Monier	M2837R2	RR	2.8	2		2	A	B	Bl
Monier	M2866RX	RX	2.8	2		2	C	B	lb
Monier	M2957RX	RX	2.9	2		2	C	B	Bl
Monier	M3240RX	RX	3.2	2		2	C	B	lb
Monier	M3425R2	RR	3.4	2		2	C	B	lb
Monier	M3457RX	RX	3.4	2		2	C	B	lb
Munson	8247R2Y	RR	2.4	1		2	K	B	Bl
Munson	8270	CV	2.7	1		2	NG	B	G
Munson	8331	CV	3.1	2		2	NG	B	Br
Munson	8380	CV	3.8	3		2	NG	B	Bl
Munson	9258RR2X	RX	2.5	1		2	C	B	lb
Munson	9289RR2X	RX	2.8	1		2	C	B	Bl
Munson	9309RR2X	RX	3	1 2		2	NG	B	Bl
Munson	9328RR2X	RX	3.2	2		2	C	B	lb
Munson	9349RR2X	RX	3.4	2 3		2	C	B	Bl
Munson	9369RR2X	RX	3.6	2 3		2	C	B	Bl
Munson	9389RR2X	RX	3.8	3		2	C	B	Bl
Munson	9408RR2X	RX	4	3		2	NG	B	lb
NuTech	3252L	LL	2.5	1 2		2	C	B	BL
NuTech	3309L	LL	3	1 2 3		2	C	B	IB
NuTech	3321L	LL	3.2	2 3		2	K	B	IB
NuTech	3341L	LL	3.4	2 3		2	K	B	BL
NuTech	3361L	LL	3.6	2 3		2	K	B	BL
NuTech	3386L	LL	3.8	2 3		2	C	B	BL
NuTech	7253	RR	2.5	1 2		1	K	B	BR
NuTech	7279	RR	2.7	1 2		2	C	B	BL
NuTech	7287X	RX	2.8	1 2		2	K	B	BR
NuTech	7295	RR	2.9	1 2 3		2	K	B	BR
NuTech	7337	RR	3.3	2 3		2	K	B	BL
NuTech	7352X	RX	3.5	2 3		2	C	B	BF

NuTech	7387X	RX	3.8	2 3	2	C	B	IB
Pioneer	P24A80X*	RX	2.4	1 2			B	
Pioneer	P31A22X*	RX	3.1	1 2 3			B	
Pioneer	P33T19X*	RX	3.3	2 3 4			B	
Pioneer	P36T36X	RX	3.6	2 3 4 5			B	
Pioneer	P37T09L-Drop	LL	3.7	4 5			B	
Pioneer	P38A98X*	RX	3.8	3 4 5			B	
Pioneer	P40T84X	RX	4	3 4 5			B	
Pioneer	P41T79L-Drop	LL	4.1	4 5			B	
Power Plus®	25G8 TM*	RR	2.5	1	1	K	B	Br
Power Plus®	36A1X TM*	RX	3.6	2 3 4	2	C	B	Bu
Public	Dwight	CV	2.9	2 3			B	BI
Public	Jack	CV	2.9	2 3			B	Y
Public	Williams 82	CV	3.8	3			B	BI
Renk	RS239NX	RX	2.3	1	1	C	B	IB
Renk	RS248NX	RX	2.4	1	2	C	B	BL
Renk	RS269X	RX	2.6	1	2	C	B	IB
Renk	RS288NX	RX	2.8	1	2	C	B	IB
Renk	RS328NX	RX	3.2	1 2	2	C	B	IB
Renk	RS348NX	RX	3.4	2	2	C	B	IB
Renk	RS357NX	RX	3.5	2	2	C	B	IB
Renk	RS379NX	RX	3.7	3	2	C	B	BL
Renk	RS398NX	RX	3.9	3	2	S	B	IB
Stine	27BA23	GT	2.7	1 2			B	
Stine	27BB02	GT	2.7	1 2			B	
Stine	28BA02	GT	2.8	1 2			B	
Stine	29LJ02	LL	2.9	1 2			B	
Stine	31LI32	LL	3.1	1 2 3			B	
Stine	33LI32	LL	3.3	3			B	
Stine	34BA02	GT	3.4	3			B	
Stine	36LE32	LL	3.6	3 4 5			B	
Stine	38LE02	LL	3.8	3 4 5			B	
Stine	41BA20	GT	4.1	3 4 5			B	
Stine	41LF32	LL	4.1	4 5			B	
Stine	42LF22	LL	4.2	4 5			B	
Stone	2RX2129	RX	2.1	1	2	C	B	BI
Stone	2RX2418	RX	2.4	1	2	C	B	IB
Stone	2RX2539	RX	2.5	1	2	C	B	IB
Stone	2RX2729	RX	2.7	1 2	S		B	IB
Stone	2RX2929	RX	2.9	1 2	2		B	IB
Stone	2RX3229	RX	3.2	2 3	2	C	B	IB
Stone	2RX3449	RX	3.4	2 3	2	C	B	BI
Stone	2RX3628	RX	3.6	2 3 4	2	C	B	IB
Stone	2RX3928	RX	3.9	3 4	2	C	B	IB
Stone	2RX4029	RX	4	3 4 5	2	C	B	BI
Stone	2RX4228-SR	RX	4.2	4 5	2	C	B	BI
Stone	2RX4339-SR	RX	4.3	4	2	C	B	BI
Stone	2RX4438	RX	4.4	5	2	C	B	BI
Stone	2RX4629-SR	RX	4.6	5	2	C	B	BI
Stone	2RX4939-SR	RX	4.9	5	2	S	B	BI
Sun Praire	SP29RX8	RX	2.9	2	1	C	B	BL
Sun Praire	SP34RX8	RX	3.4	2 3	1	C	B	IB

Sun Praire	SP35RX8	RX	3.5	3	1	C	B	BL
Sun Praire	SP38RX7	RX	3.8	3 4	1	C	B	BL
Sun Praire	SP42RX7	RX	4.2	4	1	NG	B	IB
Viking Seed	2188AT12N	CV	2.4	1	2		NA	
Viking Seed	2340KN	CV	2.3	1	1		NA	
Viking Seed	2358	CV	2.3	1	S		NA	
Viking Seed	2418N	CV	2.4	1	2		NA	
Viking Seed	2518N	CV	2.5	1	2		NA	

Regions

- 1 = Region 1: Fenton, Mt. Morris & DeKalb
- 2 = Region 2: Monmouth, Goodfield & Dwight
- 3 = Region 3: Perry, New Berlin & Urbana
- 4 = Region 4: Belleville & St. Peter
- 5 = Region 5: Harrisburg & Elkhville

SCN Source of Soybean Cyst Nematode Resistance

1 = PI 548402 (Peking), 2 = PI 88788, 3 = PI 90763, 4 = PI 437654,  
 S = Susceptible, U = source unknown.

PRR = Phythophthora Root Rot

A = Rps1a, C = Rps1c, K = Rps1k, 3 = Rps3a, S = Susceptible, U = Unknown, NG = No Gene

HC = Hilum Color

Bl black, IB imperfect black, BU buff, BR Brown, Y Yellow, G Gray, M Mixed

ST- U= Untreated, F=Fungicide, Fe= Fungicide + Illevo, B= Fungicide + Insecticide, Be= Fungicide + Insecticide + Illevo, NA= Information not Available