

2003 Soybean Test Results

Region 2: Roundup Resistant (30-inch row spacing)

| COMPANY | VARIETY* | Yield bu/a | Maturity Date | Regional Results | | | Oil @ 13% | Monmouth | Goodfield | Dwight | 2 yr | 3 yr |
|-------------------------|----------------|---------------|------------------|------------------|--------------|------------------|--------------|---------------|---------------|---------------|----------------------|----------------------|
| | | | | Lodging | Height in | Protein @ 13% | | Yield bu/a | Yield bu/a | Yield bu/a | Avg Yield bu/a | Avg Yield bu/a |
| MATURITY GROUP 2 | | | | | | | | | | | | |
| ASGROW | AG 2705* | 50.6 | 9/18 | 2.1 | 39 | 37.2 | 18.6 | 60.1 | 51.0 | 40.8 | 55.9 | |
| BECK'S | 292 RR | 44.5 | 9/18 | 1.2 | 32 | 36.7 | 19.1 | 56.5 | 41.0 | 36.0 | | |
| BECK'S | 295 NRR* | 50.6 | 9/22 | 2.0 | 39 | 36.5 | 19.4 | 60.4 | 44.4 | 47.2 | 54.4 | 56.3 |
| CROW'S | C 2842 R* | 46.5 | 9/16 | 1.1 | 32 | 35.8 | 19.0 | 55.9 | 48.7 | 34.8 | | |
| CROW'S | C 2915 R* | 46.7 | 9/17 | 1.4 | 35 | 37.2 | 18.6 | 58.8 | 41.8 | 39.4 | | |
| DAIRYLAND | DSR-268 RR* | 40.9 | 9/17 | 1.6 | 35 | 37.2 | 18.4 | 50.5 | 34.0 | 38.0 | 51.3 | 54.3 |
| DAIRYLAND | DSR-277 RR | 41.6 | 9/14 | 1.4 | 37 | 36.8 | 18.8 | 50.4 | 42.3 | 32.1 | | |
| DAIRYLAND | DSR-297 RR | 40.2 | 9/18 | 1.1 | 36 | 37.0 | 18.9 | 50.1 | 38.3 | 32.3 | 49.7 | |
| DAIRYLAND | DST 2346 RR | 46.2 | 9/19 | 2.0 | 38 | 36.7 | 18.6 | 51.6 | 47.2 | 39.9 | | |
| DIENER | D 2911 CR* | 46.1 | 9/19 | 2.3 | 38 | 38.1 | 18.1 | 54.6 | 41.0 | 42.6 | | |
| EXCEL | 8258 RR | 40.5 | 9/14 | 1.2 | 35 | 37.0 | 18.1 | 51.2 | 37.7 | 32.8 | 50.7 | |
| EXCEL | 8296 NRR | 41.7 | 9/19 | 2.4 | 40 | 36.9 | 19.0 | 51.4 | 36.2 | 37.5 | | |
| EXCEL | 8297 NNRR | 47.0 | 9/18 | 1.8 | 39 | 36.5 | 18.6 | 52.5 | 45.1 | 43.3 | | |
| EXCEL | 8313 NRR* | 44.0 | 9/19 | 1.9 | 36 | 36.2 | 18.6 | 50.2 | 41.8 | 40.1 | 51.6 | |
| FONTANELLE | 8182 RR* | 45.2 | 9/17 | 2.1 | 41 | 35.7 | 19.3 | 53.9 | 43.6 | 38.1 | | |
| FS HISOY | HS 2725 | 45.4 | 9/16 | 1.3 | 33 | 36.5 | 18.9 | 56.1 | 42.9 | 37.2 | 51.4 | |
| FS HISOY | HS 2826 | 46.0 | 9/18 | 2.3 | 38 | 37.8 | 18.2 | 54.4 | 42.2 | 41.3 | | |
| FS HISOY | HS 2906* | 42.3 | 9/17 | 1.5 | 35 | 37.1 | 18.6 | 54.8 | 36.9 | 35.2 | 50.7 | 55.1 |
| FS HISOY | X 2736 | 46.6 | 9/16 | 2.4 | 39 | 38.1 | 18.2 | 54.6 | 42.5 | 42.8 | | |
| GARST | 2812 RR/N* | 45.4 | 9/19 | 2.3 | 37 | 38.2 | 17.9 | 55.5 | 39.6 | 41.3 | | |
| GARST | 2903 RR | 38.6 | 9/18 | 1.8 | 42 | 36.7 | 18.8 | 48.1 | 33.8 | 34.0 | | |
| GMA | SVI 2958 SCNRR | 44.4 | 9/19 | 2.0 | 35 | 37.7 | 18.2 | 53.2 | 40.6 | 39.4 | | |
| GOLDEN HARVEST | H 2453 RR* | 41.5 | 9/14 | 1.6 | 31 | 38.0 | 18.1 | 52.4 | 38.8 | 33.3 | | |
| GOLDEN HARVEST | H 2811 RR | 47.3 | 9/16 | 2.3 | 41 | 35.5 | 19.5 | 59.0 | 46.3 | 36.6 | 53.2 | |
| GOLDEN HARVEST | H 2824 RR* | 52.3 | 9/20 | 1.6 | 39 | 36.2 | 19.2 | 64.4 | 49.1 | 43.4 | 56.0 | |
| GREAT LAKES | GL 2704 RR* | 37.2 | 9/16 | 2.1 | 40 | 37.0 | 18.5 | 44.7 | 33.2 | 33.6 | | |
| GREAT LAKES | GL 2819 RR | 48.5 | 9/18 | 2.2 | 37 | 38.1 | 18.2 | 59.8 | 43.0 | 42.5 | | |
| GREAT LAKES | GL 2919 RR* | 48.6 | 9/20 | 1.7 | 41 | 37.2 | 19.1 | 56.7 | 44.1 | 45.1 | | |
| HORIZON | H 270 NRR* | 40.8 | 9/15 | 1.6 | 37 | 37.6 | 18.0 | 51.0 | 33.7 | 37.8 | 51.3 | |
| HORIZON | H 285 NRR* | 46.0 | 9/19 | 1.9 | 36 | 37.5 | 18.5 | 52.7 | 42.6 | 42.7 | 55.0 | |
| HORIZON | H 299 NRR | 45.1 | 9/16 | 1.5 | 34 | 37.3 | 18.3 | 55.4 | 39.2 | 40.6 | 54.2 | 57.2 |
| KALTENBERG | KB 264 RR* | 41.0 | 9/14 | 1.5 | 36 | 38.0 | 17.8 | 50.5 | 36.8 | 35.8 | | |
| KALTENBERG | KB 275 RR* | 45.2 | 9/15 | 2.0 | 40 | 35.9 | 19.3 | 54.5 | 43.1 | 37.9 | | |
| KRUGER | 269 RR | 38.8 | 9/16 | 1.4 | 34 | 38.1 | 17.5 | 47.2 | 35.9 | 33.4 | | |
| KRUGER | 270 RR | 45.0 | 9/16 | 2.3 | 40 | 35.7 | 19.4 | 52.6 | 44.8 | 37.5 | 52.6 | |
| KRUGER | 282 RR/SCN | 45.6 | 9/18 | 2.2 | 37 | 38.0 | 18.1 | 53.5 | 42.0 | 41.4 | 54.4 | |
| KRUGER | 282+ RR | 45.1 | 9/16 | 1.4 | 34 | 37.4 | 18.9 | 57.1 | 41.6 | 36.6 | 52.9 | |
| KRUGER | 287 RR | 44.8 | 9/15 | 1.2 | 34 | 37.3 | 18.4 | 56.3 | 41.8 | 36.1 | 53.0 | |
| KRUGER | 288 RR/SCN* | 46.2 | 9/17 | 2.4 | 39 | 37.9 | 18.3 | 54.4 | 43.3 | 40.9 | 55.0 | 58.4 |
| KRUGER | 288A RR/SCN | 46.2 | 9/18 | 2.1 | 39 | 37.9 | 18.3 | 53.9 | 42.1 | 42.6 | | |
| KRUGER | 289 RR/SCN | 46.2 | 9/19 | 2.3 | 39 | 37.9 | 18.2 | 54.9 | 41.9 | 41.9 | | |
| KRUGER | 289+ RR | 47.6 | 9/18 | 1.2 | 35 | 35.6 | 19.3 | 52.1 | 49.7 | 41.0 | | |

*ISPOB nominated variety

2003 Soybean Test Results

Region 2: Roundup Resistant (30-inch row spacing)

| COMPANY | VARIETY* | Yield bu/a | Maturity Date | Regional Results | | | Oil @ 13% | Monmouth | Goodfield | Dwight | 2 yr | 3 yr |
|------------------|--------------------------|---------------|------------------|------------------|--------------|------------------|--------------|---------------|---------------|---------------|----------------------|----------------------|
| | | | | Lodging | Height in | Protein @ 13% | | Yield bu/a | Yield bu/a | Yield bu/a | Avg Yield bu/a | Avg Yield bu/a |
| | *ISPOB nominated variety | | | | | | | | | | | |
| KRUGER | 292 RR | 46.4 | 9/17 | 1.3 | 33 | 36.7 | 19.0 | 59.3 | 42.1 | 37.8 | 52.3 | |
| KRUGER | 299 RR/SCN | 46.4 | 9/20 | 2.1 | 37 | 36.8 | 18.5 | 59.4 | 41.5 | 38.2 | | |
| KRUGER | 303 RR/SCN | 46.6 | 9/17 | 1.5 | 34 | 37.4 | 18.3 | 58.0 | 41.8 | 39.9 | 52.8 | 56.7 |
| LEWIS | 2822 RR* | 47.2 | 9/19 | 2.0 | 38 | 37.7 | 18.4 | 56.7 | 41.6 | 43.2 | | |
| LEWIS | 2953 RR | 43.2 | 9/17 | 1.3 | 32 | 37.0 | 18.8 | 54.3 | 38.4 | 36.7 | | |
| MERSCHMAN | APACHE VIIIIR | 39.6 | 9/15 | 1.4 | 34 | 37.9 | 17.8 | 51.2 | 34.2 | 33.4 | 50.4 | |
| MERSCHMAN | CHEROKEE XRR* | 48.3 | 9/17 | 1.5 | 35 | 37.0 | 18.6 | 60.0 | 42.8 | 42.0 | 54.0 | 57.2 |
| MERSCHMAN | CHICKASAW VIIIIR* | 44.8 | 9/17 | 2.2 | 37 | 38.0 | 18.1 | 53.4 | 40.0 | 41.0 | | |
| MERSCHMAN | SIOUX IIRR | 45.5 | 9/18 | 1.4 | 34 | 36.8 | 18.7 | 57.1 | 44.6 | 34.8 | 53.3 | |
| MIDWEST SEED GEN | GR 2828* | 48.6 | 9/17 | 1.0 | 33 | 35.7 | 19.2 | 53.4 | 51.3 | 41.0 | | |
| MIDWEST SEED GEN | GR 2931 | 47.7 | 9/19 | 1.4 | 36 | 37.0 | 18.7 | 60.3 | 42.0 | 40.9 | 54.6 | |
| MONIER | M 2911 | 45.1 | 9/19 | 1.9 | 37 | 37.8 | 18.2 | 51.7 | 39.6 | 43.8 | | |
| MUNSON | 8261 RR | 45.7 | 9/16 | 1.4 | 35 | 38.4 | 18.2 | 59.8 | 38.5 | 38.9 | | |
| MWS | 2856 CRR* | 43.0 | 9/20 | 2.2 | 37 | 37.9 | 18.1 | 50.4 | 38.2 | 40.6 | | |
| MWS | 2944 CRR* | 49.3 | 9/18 | 2.0 | 39 | 36.5 | 18.7 | 63.1 | 42.1 | 42.8 | | |
| MYCOGEN | 5B288 RR* | 47.0 | 9/17 | 1.1 | 33 | 36.2 | 18.8 | 53.8 | 47.2 | 40.0 | | |
| MYCOGEN | 5N289 RR* | 46.9 | 9/20 | 2.1 | 38 | 37.7 | 18.3 | 55.6 | 43.0 | 42.2 | | |
| NC+ | 2A81 RR* | 45.0 | 9/18 | 1.1 | 32 | 35.8 | 19.1 | 48.5 | 47.3 | 39.1 | | |
| NU-AG | 292 NRR* | 45.0 | 9/18 | 1.6 | 35 | 37.2 | 18.4 | 53.9 | 39.3 | 41.9 | | |
| PIONEER | 92M70 | 50.3 | 9/15 | 2.5 | 38 | 35.8 | 18.9 | 59.1 | 50.6 | 41.1 | | |
| PIONEER | 92M71 | 42.2 | 9/13 | 1.4 | 34 | 37.9 | 18.0 | 51.1 | 41.8 | 33.7 | | |
| PIONEER | 92M80 | 43.1 | 9/14 | 1.3 | 31 | 37.8 | 18.3 | 53.5 | 44.0 | 31.7 | | |
| PRAIRIE BRAND | PB-2643 RR | 47.7 | 9/19 | 1.2 | 35 | 35.6 | 19.2 | 54.7 | 48.4 | 39.9 | | |
| PRAIRIE BRAND | PB-2892 NRR | 46.0 | 9/18 | 2.1 | 38 | 38.1 | 18.1 | 54.4 | 41.3 | 42.2 | | |
| ROESCHLEY | 5278 CRR* | 46.8 | 9/20 | 2.3 | 38 | 37.7 | 18.2 | 55.5 | 42.4 | 42.6 | | |
| SCHILLINGER | 272.RC* | 45.6 | 9/19 | 2.3 | 38 | 38.1 | 18.2 | 53.6 | 43.6 | 39.7 | | |
| SCHILLINGER | 292.RC* | 45.4 | 9/17 | 2.2 | 37 | 38.1 | 17.9 | 52.1 | 42.4 | 41.9 | | |
| SIEBEN | 2702 RR* | 46.8 | 9/16 | 2.0 | 40 | 35.5 | 19.5 | 55.8 | 46.2 | 38.5 | | |
| STEWART | SB 2840 R* | 46.1 | 9/18 | 1.0 | 32 | 36.1 | 18.9 | 52.7 | 46.9 | 38.8 | | |
| STINE | S 2783-4* | 44.3 | 9/18 | 1.2 | 33 | 37.3 | 18.3 | 56.4 | 38.3 | 38.3 | 52.2 | |
| STINE | S 2802-4* | 46.7 | 9/17 | 1.6 | 35 | 37.1 | 18.6 | 57.7 | 42.6 | 39.9 | 53.2 | 57.0 |
| STINE | S 2842-4 | 46.9 | 9/18 | 2.1 | 38 | 38.0 | 18.1 | 57.3 | 42.3 | 41.0 | 54.7 | |
| SUN PRAIRIE | SP 2633 NRR* | 45.8 | 9/16 | 1.4 | 34 | 38.2 | 18.3 | 57.2 | 41.7 | 38.5 | | |
| SUN PRAIRIE | SP 2902 NRR* | 47.4 | 9/17 | 1.6 | 36 | 37.2 | 18.6 | 59.8 | 42.0 | 40.3 | | |
| SYNGENTA | S 29-C9* | 44.8 | 9/18 | 2.3 | 39 | 35.2 | 19.2 | 53.4 | 44.4 | 36.7 | | |
| TRISLER | TRISOY 2907 RR(CN)* | 44.8 | 9/18 | 1.5 | 35 | 36.8 | 18.8 | 55.1 | 40.2 | 38.9 | 52.0 | 55.9 |
| TRISLER | TRISOY 2933 | 45.7 | 9/17 | 1.3 | 31 | 36.6 | 19.1 | 56.7 | 41.2 | 39.1 | | |
| UAP | DG 3263 RR* | 41.0 | 9/16 | 1.3 | 38 | 36.0 | 19.2 | 48.6 | 39.4 | 34.8 | 48.7 | |
| UAP | DG 3270 RR* | 43.8 | 9/16 | 2.2 | 42 | 36.8 | 18.6 | 52.9 | 42.3 | 36.3 | 49.8 | 52.7 |
| WILKEN | 2319 RR | 43.3 | 9/14 | 1.4 | 34 | 37.2 | 18.8 | 51.2 | 42.5 | 36.2 | | |
| WILKEN | 2341 NRR | 45.2 | 9/14 | 1.2 | 32 | 37.7 | 18.4 | 57.5 | 38.9 | 39.3 | | |
| WILKEN | 2531 NRR | 44.4 | 9/15 | 1.6 | 36 | 37.9 | 18.6 | 55.9 | 39.7 | 37.8 | | |
| WILKEN | 2547 RR* | 42.4 | 9/13 | 1.5 | 32 | 37.5 | 18.5 | 50.8 | 40.7 | 35.7 | | |
| WILKEN | 2568 RR | 41.6 | 9/15 | 1.5 | 37 | 36.0 | 19.1 | 49.3 | 40.2 | 35.1 | 49.4 | 51.6 |

2003 Soybean Test Results

Region 2: Roundup Resistant (30-inch row spacing)

| COMPANY | VARIETY* | Yield bu/a | Maturity Date | Regional Results | | | Oil @ 13% | Monmouth | Goodfield | Dwight | 2 yr | 3 yr |
|-----------|--------------------------|---------------|------------------|------------------|--------------|------------------|--------------|---------------|---------------|---------------|----------------------|----------------------|
| | | | | Lodging | Height in | Protein @ 13% | | Yield bu/a | Yield bu/a | Yield bu/a | Avg Yield bu/a | Avg Yield bu/a |
| | *ISPOB nominated variety | | | | | | | | | | | |
| WILKEN | 2574 RR | 45.7 | 9/17 | 1.1 | 35 | 35.5 | 19.3 | 50.4 | 47.2 | 39.6 | | |
| WILKEN | 2586 RR* | 48.1 | 9/18 | 1.1 | 34 | 35.9 | 18.9 | 55.4 | 48.1 | 40.6 | | |
| WILKEN | 2660 RR | 39.7 | 9/17 | 1.5 | 34 | 38.1 | 17.6 | 51.2 | 35.8 | 32.1 | | |
| WILKEN | 2663 RR* | 46.2 | 9/15 | 2.3 | 40 | 35.9 | 19.3 | 55.4 | 46.8 | 36.5 | 52.7 | |
| WILKEN | 2665 NRR | 43.9 | 9/15 | 1.5 | 34 | 38.4 | 18.1 | 56.8 | 37.4 | 37.6 | | |
| WILKEN | 2671 NRR | 45.7 | 9/19 | 2.5 | 39 | 38.3 | 18.2 | 52.5 | 43.0 | 41.7 | | |
| WILKEN | 2678 RR | 45.4 | 9/16 | 1.3 | 33 | 36.6 | 18.9 | 55.6 | 45.3 | 35.3 | | |
| WILKEN | 2685 RR | 45.5 | 9/19 | 1.6 | 36 | 35.4 | 19.7 | 55.4 | 44.1 | 36.9 | | |
| WILKEN | 2691 NRR | 45.4 | 9/17 | 1.5 | 35 | 37.1 | 18.6 | 58.1 | 39.1 | 39.0 | 54.6 | 58.5 |
| WILKEN | 2693 RR | 43.2 | 9/17 | 1.2 | 32 | 36.1 | 19.1 | 50.9 | 41.4 | 37.1 | | |
| WILKEN | WE 966 NRR | 46.2 | 9/20 | 2.1 | 38 | 38.0 | 18.1 | 57.1 | 38.2 | 43.3 | 55.0 | |
| WILKEN | WX 134 NRR | 46.9 | 9/22 | 1.9 | 39 | 36.6 | 18.7 | 52.1 | 48.1 | 40.6 | | |
| WILKEN | WX 173 NRR | 45.7 | 9/19 | 2.4 | 38 | 37.8 | 18.4 | 54.9 | 42.0 | 40.1 | | |
| WILLCROSS | RR 2243 | 42.5 | 9/15 | 2.2 | 38 | 36.6 | 18.3 | 48.9 | 40.5 | 38.2 | | |
| WILLCROSS | RR 2253 | 39.7 | 9/16 | 1.4 | 34 | 37.9 | 17.6 | 48.4 | 36.8 | 33.8 | | |
| WILLCROSS | RR 2283 N | 46.2 | 9/18 | 2.3 | 39 | 37.9 | 18.1 | 54.9 | 41.0 | 42.7 | | |
| WILLCROSS | RR 2293 N | 45.3 | 9/18 | 2.2 | 37 | 38.0 | 18.0 | 53.3 | 41.4 | 41.4 | | |
| | AVERAGE | 45.0 | 9/17 | 1.7 | 36 | 37.1 | 18.6 | 54.4 | 41.9 | 38.8 | 52.7 | 55.9 |
| | L.S.D. 25% LEVEL | 2.6 | | 0.2 | 1 | 0.48 | 0.36 | 3.2 | 2.5 | 2.0 | | |
| | COEFF. OF VAR. (%) | 10.7 | | 25.4 | 5 | 2.4 | 3.5 | 6.2 | 6.4 | 5.4 | | |

MATURITY GROUP 3

| | | | | | | | | | | | | |
|-----------|-------------|------|------|-----|----|------|------|------|------|------|------|------|
| ASGROW | AG 3005 | 45.3 | 9/23 | 1.7 | 35 | 35.2 | 19.8 | 49.1 | 44.8 | 42.0 | | |
| ASGROW | AG 3202 | 46.8 | 9/25 | 2.8 | 42 | 36.2 | 18.8 | 54.6 | 43.0 | 42.7 | | |
| ASGROW | AG 3302* | 43.9 | 9/23 | 2.5 | 40 | 37.4 | 18.6 | 52.5 | 42.6 | 36.8 | | |
| ASGROW | AG 3703 | 47.4 | 9/28 | 1.7 | 41 | 36.8 | 18.8 | 53.9 | 43.3 | 44.9 | | |
| ASGROW | AG 3801 | 54.9 | 10/2 | 2.1 | 38 | 36.2 | 18.8 | 59.2 | 54.7 | 50.7 | | |
| BECK'S | 306 NRR | 46.2 | 9/24 | 2.1 | 39 | 37.0 | 18.6 | 55.4 | 42.2 | 40.9 | 54.3 | |
| BECK'S | 323 RR* | 54.4 | 9/25 | 2.1 | 37 | 36.7 | 19.6 | 62.2 | 52.6 | 48.5 | 60.1 | 62.2 |
| BECK'S | 336 NRR | 48.4 | 9/24 | 2.0 | 40 | 35.6 | 19.1 | 57.5 | 44.8 | 42.9 | 55.9 | 58.6 |
| BECK'S | 367 NRR* | 49.0 | 9/28 | 1.8 | 36 | 35.7 | 19.6 | 55.1 | 47.3 | 44.4 | 55.6 | |
| BECK'S | 375 NRR | 58.2 | 10/1 | 2.7 | 41 | 37.1 | 18.5 | 67.3 | 56.5 | 50.8 | | |
| CAMPBELL | 313 RR* | 42.0 | 9/20 | 1.6 | 36 | 36.2 | 18.9 | 48.2 | 39.3 | 38.6 | | |
| CROW'S | C 3117 R | 46.1 | 9/24 | 2.5 | 42 | 36.5 | 18.6 | 55.3 | 41.7 | 41.2 | | |
| DAIRYLAND | DSR-301 RR* | 43.6 | 9/23 | 2.1 | 43 | 35.6 | 19.8 | 47.2 | 40.1 | 43.4 | 53.1 | 56.0 |
| DAIRYLAND | DSR-320 RR* | 39.8 | 9/23 | 1.5 | 35 | 37.4 | 18.8 | 46.2 | 36.1 | 37.1 | 48.9 | |
| DAIRYLAND | DSR-326 RR | 46.3 | 9/26 | 2.0 | 41 | 37.2 | 18.8 | 52.7 | 43.5 | 42.5 | | |
| DAIRYLAND | DSR-345 RR | 45.3 | 9/24 | 2.0 | 42 | 36.1 | 20.1 | 49.0 | 46.1 | 40.8 | | |
| DAIRYLAND | DSR-385 RR | 54.5 | 10/4 | 1.4 | 37 | 36.3 | 19.5 | 59.6 | 54.0 | 49.8 | | |
| DAIRYLAND | DST 3150 RR | 42.1 | 9/22 | 1.5 | 35 | 36.8 | 18.8 | 47.9 | 38.6 | 39.8 | | |
| DAIRYLAND | DST 3151 RR | 45.9 | 9/24 | 2.2 | 37 | 35.8 | 19.0 | 52.5 | 43.6 | 41.6 | | |
| DAIRYLAND | DST 3222 RR | 44.4 | 9/25 | 1.9 | 40 | 37.7 | 19.0 | 49.9 | 45.4 | 37.9 | | |

2003 Soybean Test Results

Region 2: Roundup Resistant (30-inch row spacing)

| COMPANY | VARIETY* | Yield bu/a | Maturity Date | Regional Results | | | Oil @ 13% | Monmouth | Goodfield | Dwight | 2 yr | 3 yr |
|----------------|--------------------------|---------------|------------------|------------------|--------------|------------------|--------------|---------------|---------------|---------------|----------------------|----------------------|
| | | | | Lodging | Height in | Protein @ 13% | | Yield bu/a | Yield bu/a | Yield bu/a | Avg Yield bu/a | Avg Yield bu/a |
| | *ISPOB nominated variety | | | | | | | | | | | |
| DEKALB | DKB 31-51* | 56.6 | 9/25 | 2.0 | 38 | 36.4 | 19.8 | 68.3 | 51.9 | 49.5 | 60.2 | 62.4 |
| DEKALB | DKB 31-52 | 43.0 | 9/24 | 2.4 | 42 | 36.7 | 18.7 | 48.6 | 40.1 | 40.2 | 51.8 | |
| DEKALB | DKB 38-52* | 56.1 | 10/2 | 2.0 | 42 | 34.3 | 19.8 | 63.8 | 52.4 | 52.1 | 61.2 | |
| DIENER | D 3211 CR* | 44.2 | 9/28 | 2.4 | 41 | 36.9 | 18.5 | 51.7 | 40.2 | 40.6 | | |
| EXCEL | 8315 RR | 46.1 | 9/24 | 2.1 | 37 | 36.6 | 19.7 | 52.6 | 46.1 | 39.6 | | |
| EXCEL | 8316 RR | 43.2 | 9/23 | 1.4 | 36 | 36.4 | 19.1 | 48.2 | 41.1 | 40.2 | | |
| EXCEL | 8332 NNRR | 47.1 | 9/27 | 2.1 | 41 | 36.9 | 18.9 | 50.8 | 46.9 | 43.6 | | |
| EXCEL | 8359 RR | 45.7 | 9/26 | 2.0 | 42 | 36.2 | 20.1 | 51.1 | 43.7 | 42.4 | | |
| FONTANELLE | 9011 RR* | 41.8 | 9/21 | 1.7 | 37 | 35.9 | 19.1 | 48.4 | 38.6 | 38.3 | | |
| FS HISOY | HS 3226 | 44.1 | 9/25 | 2.4 | 41 | 36.8 | 18.5 | 52.5 | 40.3 | 39.5 | 53.4 | |
| FS HISOY | HS 3306* | 46.0 | 9/23 | 2.1 | 40 | 35.6 | 19.0 | 56.0 | 40.5 | 41.6 | 54.2 | 57.2 |
| FS HISOY | HS 3428 | 46.5 | 9/25 | 2.0 | 37 | 38.0 | 18.2 | 54.8 | 42.3 | 42.4 | | |
| FS HISOY | X 3035 | 41.4 | 9/22 | 1.4 | 31 | 37.1 | 18.9 | 48.9 | 38.9 | 36.5 | | |
| FS HISOY | X 3135 | 51.5 | 9/25 | 1.9 | 42 | 35.3 | 19.6 | 60.6 | 49.9 | 44.0 | | |
| FS HISOY | X 3236 | 56.5 | 9/25 | 2.0 | 38 | 36.4 | 19.8 | 64.4 | 54.7 | 50.3 | | |
| FS HISOY | X 3535 | 44.5 | 9/25 | 1.9 | 41 | 36.4 | 20.0 | 48.4 | 44.7 | 40.3 | | |
| FS HISOY | X 3536 | 51.7 | 9/28 | 1.5 | 36 | 36.3 | 19.6 | 59.5 | 48.9 | 46.6 | | |
| GARST | 3135 RR* | 42.6 | 9/25 | 1.4 | 37 | 36.2 | 18.7 | 51.1 | 37.2 | 39.3 | 51.7 | |
| GARST | 3212 RR/N | 47.4 | 9/23 | 2.1 | 40 | 35.8 | 19.0 | 55.6 | 42.4 | 44.1 | 55.2 | |
| GMA | SVI 3047 SCNRR | 45.6 | 9/23 | 2.3 | 39 | 36.6 | 18.6 | 54.8 | 43.3 | 38.8 | 53.2 | |
| GMA | SVI 3139 | 43.2 | 9/26 | 1.8 | 39 | 36.3 | 19.2 | 54.6 | 35.8 | 39.2 | | |
| GMA | SVI 3267 | 42.2 | 9/23 | 1.6 | 36 | 35.8 | 19.8 | 51.0 | 38.5 | 37.1 | | |
| GOLDEN HARVEST | H 3135 RR* | 42.3 | 9/21 | 1.5 | 38 | 35.9 | 19.0 | 49.2 | 39.5 | 38.2 | 52.2 | |
| GOLDEN HARVEST | H 3281 RR | 45.7 | 9/23 | 1.8 | 35 | 37.1 | 18.4 | 51.2 | 42.9 | 43.1 | | |
| GOLDEN HARVEST | H 3383 RR* | 47.3 | 9/27 | 2.3 | 40 | 37.1 | 18.8 | 55.9 | 43.8 | 42.1 | 54.2 | |
| GOLDEN HARVEST | H 3945 RR* | 55.6 | 9/30 | 2.0 | 44 | 34.1 | 19.9 | 62.1 | 52.6 | 52.1 | | |
| GREAT HEART | GT-318 CRR* | 44.7 | 9/25 | 1.6 | 38 | 35.3 | 19.3 | 49.3 | 42.6 | 42.2 | | |
| GREAT HEART | GT-360 CRR* | 56.4 | 10/2 | 2.6 | 39 | 36.9 | 18.4 | 65.4 | 55.9 | 48.1 | | |
| GREAT LAKES | GL 3007 RR* | 42.6 | 9/21 | 1.6 | 36 | 36.0 | 19.0 | 48.8 | 40.5 | 38.5 | | |
| GREAT LAKES | GL 3409 RR | 46.7 | 9/25 | 1.8 | 39 | 35.7 | 19.0 | 55.3 | 41.8 | 43.0 | | |
| HORIZON | H 324 NRR | 45.5 | 9/24 | 2.7 | 39 | 36.7 | 18.6 | 53.1 | 43.2 | 40.2 | | |
| HORIZON | H 328 NRR* | 47.5 | 9/29 | 1.6 | 36 | 35.6 | 19.7 | 50.0 | 48.3 | 44.1 | 55.4 | |
| HORIZON | H 332 NRR | 47.4 | 9/25 | 1.7 | 41 | 36.9 | 19.1 | 56.0 | 43.1 | 43.2 | 53.8 | 56.0 |
| HORIZON | H 341 RR* | 42.3 | 9/25 | 1.5 | 35 | 36.9 | 18.9 | 47.9 | 40.7 | 38.4 | | |
| KRUGER | 318 RR | 46.8 | 9/23 | 1.6 | 36 | 36.1 | 19.6 | 55.9 | 42.0 | 42.6 | | |
| KRUGER | 322-2 RR | 48.5 | 9/23 | 1.5 | 36 | 36.1 | 19.1 | 56.4 | 49.6 | 39.6 | | |
| KRUGER | 323+ RR | 43.0 | 9/21 | 1.4 | 36 | 36.2 | 18.8 | 51.9 | 40.7 | 36.4 | | |
| KRUGER | 348 RR | 45.8 | 9/24 | 2.0 | 42 | 36.4 | 19.9 | 49.9 | 46.3 | 41.2 | | |
| KRUGER | 349 RR* | 53.1 | 9/25 | 1.9 | 37 | 36.6 | 19.5 | 62.6 | 51.6 | 45.0 | 59.3 | 61.4 |
| KRUGER | 355 RR/SCN | 53.6 | 9/29 | 1.6 | 36 | 36.2 | 19.6 | 61.3 | 51.5 | 47.9 | | |
| KRUGER | 355+ RR/SCN | 52.2 | 9/30 | 1.5 | 36 | 36.3 | 19.5 | 61.8 | 48.8 | 46.0 | | |
| KRUGER | 367 RR | 49.1 | 10/1 | 1.7 | 37 | 35.6 | 19.7 | 54.1 | 48.4 | 44.7 | | |
| KRUGER | 379 RR/SCN | 58.1 | 10/3 | 2.6 | 40 | 37.1 | 18.4 | 67.7 | 55.5 | 51.1 | 62.7 | |
| KRUGER | 380 RR/SCN | 55.6 | 10/1 | 2.2 | 41 | 34.4 | 19.8 | 62.1 | 53.3 | 51.4 | | |

2003 Soybean Test Results

Region 2: Roundup Resistant (30-inch row spacing)

| COMPANY | VARIETY* | Yield bu/a | Maturity Date | Regional Results | | | Oil @ 13% | Monmouth | Goodfield | Dwight | 2 yr Avg Yield bu/a | 3 yr Avg Yield bu/a |
|------------------|--------------------------|---------------|------------------|------------------|--------------|------------------|--------------|---------------|---------------|---------------|------------------------------|------------------------------|
| | | | | Lodging | Height in | Protein @ 13% | | Yield bu/a | Yield bu/a | Yield bu/a | | |
| | *ISPOB nominated variety | | | | | | | | | | | |
| KRUGER | 383 RR | 43.6 | 9/30 | 1.5 | 38 | 35.8 | 19.2 | 48.0 | 41.8 | 41.0 | | |
| KRUGER | 383+ RR | 43.6 | 9/29 | 1.6 | 38 | 35.5 | 19.3 | 49.4 | 38.6 | 42.6 | | |
| KRUGER | 388A RR/SCN | 51.3 | 10/3 | 1.4 | 37 | 34.9 | 19.5 | 56.0 | 51.0 | 47.0 | | |
| KRUGER | 390 RR/SCN | 46.9 | 10/5 | 1.8 | 45 | 35.2 | 20.0 | 53.7 | 44.3 | 42.8 | | |
| KRUGER | 393 RR/SCN | 53.5 | 10/3 | 2.1 | 38 | 35.6 | 19.6 | 64.0 | 48.5 | 48.0 | | |
| KRUGER | 393+ RR/SCN | 52.2 | 10/4 | 1.9 | 38 | 35.7 | 19.5 | 59.2 | 48.7 | 48.9 | | |
| KRUGER | 395 RR/SCN | 48.8 | 10/1 | 2.4 | 43 | 36.3 | 18.3 | 53.2 | 48.8 | 44.5 | | |
| KRUGER | 397 RR/SCN | 43.4 | 10/1 | 2.5 | 40 | 36.1 | 19.5 | 45.2 | 43.1 | 42.0 | | |
| KRUGER | 399+ RR/SCN | 48.3 | 9/28 | 1.2 | 38 | 35.4 | 19.5 | 50.8 | 47.8 | 46.3 | | |
| KRUGER | 401 RR/SCN* | 55.0 | 9/30 | 2.2 | 43 | 34.3 | 19.9 | 61.7 | 52.4 | 51.0 | 60.2 | |
| KRUGER | 404 RR | 49.5 | 10/1 | 1.7 | 36 | 36.0 | 19.7 | 53.6 | 49.6 | 45.3 | | |
| LG SEEDS | C 3322 NRR* | 45.8 | 9/24 | 2.1 | 40 | 35.9 | 19.0 | 53.1 | 44.0 | 40.3 | | |
| MAVRICK | 0322 RR* | 39.4 | 9/22 | 1.4 | 35 | 37.3 | 17.9 | 47.9 | 34.9 | 35.5 | | |
| MAVRICK | 2323 RR* | 44.8 | 9/22 | 2.4 | 40 | 36.6 | 18.7 | 53.0 | 41.9 | 39.4 | | |
| MERSCHMAN | CLEVELAND VIIRR | 49.8 | 10/1 | 1.4 | 36 | 35.9 | 19.7 | 54.8 | 49.5 | 45.0 | | |
| MERSCHMAN | COOLIDGE IIIIRR | 50.2 | 9/27 | 2.1 | 38 | 37.0 | 18.9 | 58.1 | 47.1 | 45.3 | | |
| MERSCHMAN | GRANT IIIIRR | 51.3 | 9/27 | 1.6 | 37 | 36.2 | 19.6 | 58.8 | 46.6 | 48.4 | | |
| MERSCHMAN | HOOVER VRR | 46.5 | 9/24 | 1.6 | 39 | 35.3 | 19.7 | 50.4 | 45.4 | 43.8 | 54.3 | |
| MERSCHMAN | JEFFERSON IIIIRR | 42.0 | 9/22 | 1.4 | 37 | 36.0 | 19.0 | 49.6 | 38.7 | 37.7 | 51.0 | 54.9 |
| MERSCHMAN | KENNEDY VIRR* | 47.2 | 10/1 | 1.6 | 35 | 35.9 | 19.6 | 50.8 | 47.9 | 43.0 | 55.0 | 57.6 |
| MERSCHMAN | ROOSEVELT IIIIRR | 48.5 | 10/4 | 2.3 | 42 | 34.5 | 18.8 | 52.8 | 48.0 | 44.7 | | |
| MERSCHMAN | WASHINGTON IXRR | 51.5 | 10/5 | 1.9 | 38 | 35.5 | 19.5 | 58.6 | 48.6 | 47.4 | 56.6 | |
| MIDWEST SEED GEN | GR 3131 | 45.5 | 9/25 | 2.4 | 41 | 36.7 | 18.6 | 57.0 | 40.2 | 39.4 | | |
| MUNSON | 8318 RR | 46.5 | 9/25 | 2.2 | 40 | 36.8 | 18.6 | 56.4 | 41.2 | 41.9 | | |
| MUNSON | 8339 RR* | 43.4 | 9/26 | 1.5 | 36 | 36.5 | 18.8 | 45.6 | 43.4 | 41.1 | 53.0 | |
| MWS | 327 CRR* | 47.4 | 9/25 | 1.8 | 41 | 36.9 | 19.0 | 56.6 | 42.3 | 43.3 | | |
| MYCOGEN | 5368 RR* | 42.5 | 9/27 | 1.9 | 41 | 36.3 | 19.1 | 45.7 | 41.7 | 40.1 | | |
| MYCOGEN | 5B311 RR* | 43.0 | 9/21 | 1.7 | 37 | 36.2 | 18.7 | 50.7 | 40.2 | 38.0 | | |
| MYCOGEN | 5B381 NRR* | 48.4 | 10/1 | 1.4 | 35 | 35.8 | 19.6 | 52.5 | 48.6 | 44.0 | | |
| MYCOGEN | 5N351 NRR* | 52.4 | 9/28 | 1.6 | 36 | 36.2 | 19.7 | 60.3 | 49.9 | 47.0 | | |
| NC+ | 3N31 RR* | 48.8 | 9/24 | 1.9 | 39 | 35.4 | 19.2 | 56.2 | 45.0 | 45.1 | | |
| NU-AG | 323 NRR* | 43.9 | 9/24 | 2.3 | 41 | 36.7 | 18.7 | 51.0 | 41.5 | 39.1 | | |
| NU-AG | 373 NRR* | 50.9 | 9/29 | 1.9 | 35 | 35.7 | 19.6 | 56.6 | 49.6 | 46.5 | | |
| PATRIOT | 31X12* | 46.6 | 10/1 | 2.2 | 41 | 35.9 | 19.6 | 52.7 | 42.8 | 44.2 | | |
| PATRIOT | 33X23* | 51.0 | 9/25 | 2.2 | 44 | 36.6 | 18.5 | 58.0 | 49.7 | 45.5 | | |
| PIONEER | 93B09* | 43.8 | 9/20 | 1.6 | 34 | 36.9 | 19.3 | 48.9 | 47.3 | 35.3 | 52.7 | |
| PIONEER | 93B67* | 47.8 | 9/25 | 2.4 | 45 | 36.4 | 18.4 | 53.7 | 44.1 | 45.5 | 55.9 | 58.0 |
| PRAIRIE BRAND | PB-3063 RR | 47.6 | 9/25 | 1.4 | 36 | 35.9 | 19.8 | 57.6 | 43.1 | 42.1 | | |
| PRAIRIE BRAND | PB-3683 NRR | 52.1 | 9/29 | 1.6 | 36 | 36.4 | 19.5 | 60.3 | 46.5 | 49.7 | | |
| ROESCHLEY | 5345 CRR* | 50.5 | 9/26 | 2.0 | 42 | 36.2 | 18.1 | 53.9 | 48.5 | 48.9 | | |
| ROESCHLEY | 5352 CRR* | 45.5 | 9/24 | 1.7 | 38 | 35.2 | 19.3 | 49.8 | 43.4 | 43.2 | 53.3 | 57.0 |
| SIEBEN | 3000 NRR* | 46.1 | 9/22 | 2.2 | 39 | 36.4 | 18.7 | 52.3 | 45.0 | 41.1 | | |
| SIEBEN | 3003 RR | 36.8 | 9/20 | 1.5 | 35 | 37.4 | 18.0 | 46.5 | 32.3 | 31.7 | | |
| SIEBEN | 3203 NRR | 44.4 | 9/25 | 2.4 | 40 | 36.7 | 18.6 | 52.2 | 40.2 | 40.9 | 53.4 | |

2003 Soybean Test Results

Region 2: Roundup Resistant (30-inch row spacing)

| COMPANY | VARIETY* | Yield bu/a | Maturity Date | Regional Results | | | Protein @ 13% | Oil @ 13% | Monmouth Yield bu/a | Goodfield Yield bu/a | Dwight Yield bu/a | 2 yr Avg Yield bu/a | 3 yr Avg Yield bu/a |
|-----------|--------------------------|---------------|------------------|------------------|--------------|------|------------------|--------------|---------------------------|----------------------------|-------------------------|------------------------------|------------------------------|
| | | | | Lodging | Height in | | | | | | | | |
| | *ISPOB nominated variety | | | | | | | | | | | | |
| SIEBEN | 3403 RR | 42.8 | 9/26 | 1.5 | 34 | 37.1 | 18.9 | 48.4 | 38.2 | 41.9 | 51.3 | | |
| STEWART | SB 3119 R* | 48.7 | 9/26 | 2.2 | 43 | 36.9 | 18.3 | 50.1 | 49.6 | 46.3 | | | |
| STINE | S 2900-4 | 47.2 | 9/25 | 1.6 | 37 | 35.9 | 19.8 | 56.0 | 44.3 | 41.3 | | | |
| STINE | S 3183-4* | 43.2 | 9/23 | 1.6 | 37 | 36.2 | 18.8 | 53.0 | 37.9 | 38.8 | | | |
| STINE | S 3402-4 | 49.5 | 9/25 | 1.7 | 39 | 35.7 | 19.4 | 54.6 | 47.7 | 46.2 | | | |
| STINE | S 3632-4 | 47.9 | 9/28 | 1.6 | 36 | 35.9 | 19.6 | 50.4 | 47.9 | 45.3 | 55.0 | | |
| STONE | HC-2344 NRR | 54.9 | 9/29 | 1.5 | 35 | 35.9 | 19.8 | 63.6 | 51.6 | 49.5 | | | |
| STONE | HC-2351 NRR | 49.9 | 10/1 | 1.6 | 35 | 35.6 | 19.7 | 55.3 | 48.4 | 45.9 | | | |
| STONE | HC-2373 NRR | 57.7 | 10/5 | 2.4 | 39 | 37.1 | 18.4 | 67.4 | 56.1 | 49.5 | | | |
| SYNGENTA | S 34-U4* | 40.5 | 9/25 | 2.5 | 40 | 36.2 | 18.6 | 46.7 | 36.8 | 37.9 | | | |
| TRISLER | TRISOY 3113 RR | 41.2 | 9/20 | 1.7 | 37 | 36.5 | 18.6 | 47.4 | 39.6 | 36.6 | | | |
| TRISLER | TRISOY 3222 RR(CN) | 44.1 | 9/25 | 2.5 | 41 | 36.8 | 18.5 | 50.7 | 42.0 | 39.6 | 54.3 | | |
| WILKEN | 3411 NRR | 55.9 | 9/25 | 2.0 | 37 | 36.2 | 19.9 | 66.7 | 53.2 | 47.8 | | | |
| WILKEN | 3412 RR | 39.3 | 9/21 | 1.4 | 34 | 37.3 | 18.5 | 44.3 | 38.0 | 35.7 | | | |
| WILKEN | 3419 NRR | 45.6 | 9/23 | 1.9 | 40 | 36.0 | 18.9 | 53.3 | 41.9 | 41.6 | 53.4 | 56.8 | |
| WILKEN | 3421 NRR | 46.5 | 9/24 | 2.4 | 40 | 36.7 | 18.6 | 54.2 | 43.5 | 41.7 | | | |
| WILKEN | 3473 NRR | 57.7 | 10/4 | 2.5 | 40 | 37.2 | 18.3 | 68.7 | 55.7 | 48.7 | | | |
| WILKEN | 3475 RR | 42.0 | 9/29 | 1.6 | 38 | 35.9 | 19.2 | 46.8 | 37.6 | 41.5 | | | |
| WILKEN | WX 177 RR | 50.9 | 9/25 | 2.5 | 40 | 36.0 | 18.5 | 61.3 | 45.0 | 46.3 | | | |
| WILLCROSS | RR 2303 N | 56.4 | 9/25 | 1.8 | 37 | 36.5 | 19.7 | 67.1 | 53.3 | 48.8 | | | |
| WILLCROSS | RR 2323 N | 46.2 | 9/25 | 2.1 | 40 | 36.6 | 18.6 | 53.9 | 43.1 | 41.6 | 54.8 | | |
| WILLCROSS | RR 2331 N* | 47.4 | 9/23 | 2.1 | 41 | 35.8 | 19.0 | 56.3 | 41.6 | 44.4 | | | |
| | AVERAGE | 47.5 | 9/26 | 1.9 | 38 | 36.2 | 19.1 | 54.4 | 45.0 | 43.1 | 54.9 | 58.2 | |
| | L.S.D. 25% LEVEL | 2.3 | | 0.2 | 1 | 0.46 | 0.33 | 3.4 | 2.3 | 2.0 | | | |
| | COEFF. OF VAR. (%) | 8.8 | | 19.6 | 6 | 2.3 | 3.2 | 6.7 | 5.4 | 4.9 | | | |