

2005 Soybean Test Results

Region 4: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY*	IST ¹	Yield bu/a	Maturity Date	Regional Results		Protein @13%	Oil @13%	Brownstown Yield bu/a	Brownstown Protein @13%	Brownstown Oil @13%	Belleville Yield bu/a	Belleville Protein @13%	Belleville Oil @13%	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a
					Lodging	Height in										
MATURITY GROUP 3																
AGSOURCE	9383	U	47.6	9/18	1.8	32	35.5	19.2	32.2	37.4	18.7	63.0	33.6	19.7		
AGSOURCE	9362*	U	45.2	9/19	2.2	34	35.5	20.0	33.8	36.9	19.5	56.7	34.1	20.6		
AGSOURCE	9394*	U	51.5	9/12	2.3	36	35.7	20.2	35.2	36.5	19.9	67.9	35.0	20.6		
AGVENTURE	AV 34J1 NRR*	U	52.9	9/17	2.5	33	35.5	20.4	36.3	36.1	20.2	69.5	34.8	20.7		
AGVENTURE	AV 39J3 NRR*	U	49.7	9/17	2.4	35	35.7	20.3	34.3	36.5	19.8	65.2	34.9	20.8		
AGVENTURE	AV 6361 NRR*	U	44.7	9/20	2.1	33	35.4	20.0	28.8	37.0	19.2	60.6	33.8	20.7		
ASGROW	AG 3602	B	52.6	9/14	2.1	36	36.9	18.8	34.5	38.3	18.4	70.7	35.4	19.2		
ASGROW	AG 3802	B	53.7	9/20	2.1	40	36.0	18.7	36.5	37.4	18.1	71.0	34.7	19.3	57.8	
ASGROW	AG 3905	B	50.2	9/20	1.9	37	36.2	18.9	34.0	36.9	18.3	66.3	35.6	19.5	56.7	
ASGROW	AG 3906	B	50.3	9/18	2.0	35	35.8	20.2	32.8	37.3	19.4	67.8	34.2	20.9	59.7	
ATLAS	5B381 NRR*	U	47.2	9/21	2.3	32	36.2	19.9	31.1	37.4	19.3	63.4	34.9	20.5	55.7	
ATLAS	5N391 RR	U	48.3	9/22	2.2	35	35.8	20.3	29.7	36.9	19.8	66.9	34.6	20.8	57.2	
BAKER	3865 RR	U	45.1	9/19	2.0	33	34.8	19.8	28.1	36.2	18.7	62.1	33.4	20.9		
BAKER	3945 NRR	U	49.2	9/19	2.4	35	35.4	20.3	30.8	36.4	19.7	67.5	34.5	20.8	55.2	
BECK	367 NRR*	F	48.7	9/22	2.1	33	35.1	20.2	35.0	36.6	19.6	62.3	33.6	20.8		
BERGMANN-TAYLOR	BT 365 CR	B	50.0	9/19	2.1	39	37.9	18.2	31.1	39.4	17.7	69.0	36.5	18.7	57.6	
BERGMANN-TAYLOR	BT 371 CR	B	52.9	9/18	1.8	37	37.2	19.1	39.2	38.4	18.8	66.5	36.0	19.4	57.7	55.4
BERGMANN-TAYLOR	BT 376 CR	B	50.2	9/14	2.1	36	36.8	19.0	34.0	38.5	18.3	66.3	35.2	19.8		
CROW'S	C 3715 R*	U	49.4	9/14	1.9	36	36.6	19.3	36.5	38.4	18.8	62.3	34.9	19.8	55.6	
CROW'S	C 3717 R*	U	50.7	9/17	1.8	35	37.2	19.1	35.4	38.6	18.8	66.1	35.8	19.5	55.0	
CROWS	C 3915 R*	U	51.0	9/17	1.8	32	35.6	20.0	34.2	37.3	19.5	67.9	33.8	20.6	55.7	54.6
DELTA KING	DK 3967	F	48.0	9/17	1.9	37	37.1	19.4	27.5	39.0	18.5	68.6	35.1	20.4		
DELTA KING	DK 3968	F	51.3	9/16	2.1	34	35.3	20.1	38.9	36.8	19.6	63.6	33.7	20.6	58.7	55.9
DELTA KING	DK X TJ 638	F	45.2	9/20	2.3	33	34.7	19.8	24.0	36.3	18.5	66.4	33.1	21.0		
DYNA-GRO	32C38*	F	50.0	9/18	1.9	32	35.4	19.3	34.2	37.3	18.8	65.7	33.5	19.9		
DYNA-GRO	33A37	F	49.5	9/16	1.9	34	36.6	19.4	32.2	38.5	18.8	66.8	34.8	20.0		
DYNA-GRO	37R39*	F	50.3	9/19	2.1	34	35.4	20.4	31.0	36.7	19.9	69.7	34.2	21.0		
DYNA-GRO	DG 3362 NRR	F	45.1	9/20	2.1	32	35.9	19.7	30.2	37.2	19.0	59.9	34.7	20.5		
DYNA-GRO	DG 3390 NRR*	F	50.3	9/17	2.0	35	35.2	20.2	36.0	36.9	19.6	64.5	33.5	20.9		
EXCEL	8377 NRRSTS	B	52.2	9/17	2.2	38	35.0	19.9	36.3	35.9	19.6	68.2	34.1	20.2		
EXCEL	8384 NRR	B	48.4	9/17	1.8	38	35.8	19.9	37.0	36.9	19.6	59.9	34.7	20.1		
EXCEL	8398 NRR	B	48.0	9/17	1.9	36	36.6	18.9	31.8	38.0	18.1	64.2	35.2	19.6		
FS HISOY	HS 3616*	B	47.0	9/21	2.2	34	35.6	20.0	34.2	36.7	19.5	59.8	34.5	20.5		
FS HISOY	HS 3846	B	53.5	9/20	1.9	34	35.3	19.5	39.4	36.9	19.1	67.5	33.7	19.9		
FS HISOY	HS 3916*	B	54.3	9/19	1.8	36	35.2	20.1	40.2	36.7	19.6	68.5	33.7	20.7	57.0	55.0
FS HISOY	HS 3936	B	50.7	9/21	2.3	34	35.6	20.3	34.1	36.7	19.8	67.4	34.6	20.8	57.3	54.8
GARST	3712 RR/N*	U	44.6	9/22	2.1	32	35.6	19.9	25.2	37.3	19.0	64.0	33.9	20.7		
GARST	3824 RR/N*	U	50.6	9/17	1.5	33	35.1	20.2	32.9	36.9	19.6	68.3	33.2	20.8		
GOLDEN HARVEST	H-3606 RR	F	50.9	9/14	1.9	35	36.8	19.3	33.0	38.5	18.9	68.9	35.2	19.8	55.8	
GOLDEN HARVEST	H-3945 RR	U	49.8	9/17	2.1	34	35.8	19.9	32.8	37.2	19.4	66.7	34.3	20.4	54.8	54.2
GREAT HEART	GT-345 CRR*	B	51.8	9/18	2.2	32	35.7	20.4	34.2	36.8	20.0	69.4	34.6	20.8	57.8	
GREAT LAKES	GL 3710 RR*	B	47.9	9/17	2.2	34	35.7	20.0	31.7	37.1	19.3	64.1	34.2	20.7	54.9	
HELENA	3676	F	48.4	9/16	1.8	38	36.8	19.4	29.2	38.8	18.5	67.6	34.9	20.3		
HELENA	3975	F	50.6	9/19	2.1	39	36.5	19.3	35.2	37.6	18.9	66.0	35.3	19.7		
HOFFMAN	H 3384 CR	F	50.6	9/20	1.9	39	37.1	18.4	32.7	38.7	17.8	68.5	35.6	19.0		
HORIZON	H 374 N	F	48.1	9/17	1.9	35	37.4	19.1	29.2	39.5	18.5	67.0	35.4	19.7	53.5	52.7
HORIZON	H 380	F	48.8	9/20	2.1	33	34.9	19.7	27.4	36.5	18.6	70.2	33.3	20.9		
HORIZON	H 380-CR	B	49.3	9/20	1.7	34	34.9	19.6	29.3	36.2	18.5	69.4	33.6	20.8		
HORIZON	H 387 N*	F	42.7	9/20	2.0	31	36.2	19.8	25.9	37.7	19.1	59.5	34.6	20.6	54.6	51.5
HUBNER	H 355 NRR*	F	45.8	9/18	2.1	31	35.5	19.9	31.6	36.8	19.2	60.0	34.1	20.7		
HUBNER	H 383 NRR*	F	46.8	9/14	2.0	39	35.6	19.9	34.1	36.8	19.6	59.5	34.4	20.2		
KITCHEN	KSC 3856 CRR	U	51.9	9/21	2.1	41	36.7	19.1	35.7	37.8	18.6	68.1	35.7	19.5	58.5	
KITCHEN	KSC 3902 CRR	U	47.6	9/21	1.5	33	35.8	20.1	32.0	37.2	19.2	63.2	34.3	21.0	56.9	
KRUGER	K-397 RR/SCN	B	50.3	9/16	2.2	35	35.1	19.9	34.8	36.0	19.6	65.8	34.2	20.2		
KRUGER	K-399 RR/SCN	B	49.8	9/16	2.1	35	35.3	19.8	32.8	36.6	19.4	66.9	33.9	20.2		
LEWIS	3716	F	51.3	9/17	1.7	34	37.4	18.9	34.5	38.1	18.7	68.2	36.6	19.1		

2005 Soybean Test Results

Region 4: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY*	IST ¹	Regional Results						Brownstown		Brownstown		Belleville		Belleville		2 yr	3 yr
			Yield bu/a	Maturity Date	Lodging	Height in	Protein @13%	Oil @13%	Yield bu/a	Protein @13%	Oil @13%	Yield bu/a	Protein @13%	Oil @13%	Yield bu/a	Protein @13%	Avg Yield bu/a	Avg Yield bu/a
LEWIS	3875	F	47.0	9/20	2.1	34	35.4	20.3	30.1	36.7	19.6	63.9	34.0	21.0	54.8	52.6		
LEWIS	3715*	F	49.9	9/14	2.0	33	36.8	19.3	32.9	38.6	18.9	66.9	35.1	19.8	54.9	53.8		
LEWIS	3853*	F	46.8	9/20	2.1	32	35.5	19.2	32.9	37.6	18.5	60.6	33.4	19.9				
MIDLAND	9A402 NRR*	B	49.5	9/21	2.1	37	36.1	19.2	34.6	38.1	18.4	64.3	34.2	19.9	57.6	55.8		
MIDLAND	MG 3836 NRRSTS	B	51.1	9/18	1.9	35	35.9	19.1	37.7	37.2	18.8	64.6	34.6	19.4				
MIDWEST SEED GEN	GR 3832*	U	47.6	9/19	1.7	33	35.5	19.2	33.9	37.4	18.7	61.4	33.7	19.8				
MIDWEST SEED GEN	GR 3931*	U	53.0	9/20	1.9	34	35.5	20.0	37.9	37.1	19.5	68.1	33.9	20.5				
MILES	SC STEPHEN 3.8NRR	U	48.5	9/20	2.1	33	35.6	20.1	31.0	37.0	19.5	66.0	34.2	20.8	56.8			
NK	S 31-V3*	B	44.1	9/12	1.9	31	37.5	19.1	35.2	38.1	18.7	53.0	36.8	19.5				
NK	S 35-F9*	B	47.2	9/17	1.9	33	34.4	20.5	33.0	35.7	20.0	61.4	33.2	21.0				
NK	S 37-N4*	B	51.5	9/22	2.0	38	36.7	18.5	35.8	37.0	18.4	67.2	36.4	18.7	54.5	53.4		
NK	S 39-K6*	B	49.7	9/19	2.0	35	35.9	19.6	33.3	37.5	18.6	66.0	34.4	20.7				
NK	S 39-Q4*	B	45.8	9/19	1.7	35	36.5	19.6	28.8	38.4	19.1	62.9	34.5	20.2				
NU-AG	394 NRR*	U	47.5	9/22	1.5	33	36.0	20.0	26.3	37.8	19.1	68.8	34.2	20.9	56.5			
PIONEER	93M42	B	52.5	9/14	1.9	38	36.3	19.8	39.0	38.3	19.1	66.1	34.3	20.5				
PIONEER	93M50*	B	48.4	9/11	2.2	38	35.3	19.8	32.5	37.4	18.9	64.2	33.2	20.6	53.9			
PIONEER	93M90*	B	49.8	9/17	1.6	37	37.1	19.2	32.9	38.9	18.4	66.6	35.3	20.0	56.7	55.0		
PIONEER	93M93*	B	50.5	9/18	1.9	37	35.2	19.7	33.5	36.5	18.6	67.6	33.9	20.9	57.6			
STINE	3532-4	U	48.9	9/17	2.2	33	35.8	20.3	32.1	36.7	19.9	65.6	35.0	20.6	56.6			
STINE	3832-4	U	49.2	9/20	2.1	34	35.6	20.2	33.6	36.8	19.6	64.7	34.5	20.9	55.3	53.4		
STINE	3942-4	U	51.6	9/17	1.7	32	35.6	20.0	36.2	36.8	19.4	67.0	34.4	20.6				
STONE	HC 2373*	F	48.8	9/17	1.9	34	37.0	19.3	31.6	38.7	18.7	66.0	35.3	19.9	54.4			
TRISOY	3717 RR(CN)*	U	46.3	9/20	2.2	33	35.5	20.0	31.3	36.7	19.4	61.3	34.3	20.6	55.1			
VIGORO	V 36N5 RR	F	47.6	9/18	2.2	37	37.8	18.3	31.5	39.3	17.9	63.7	36.4	18.8				
VIGORO	V 39N4 RR	F	47.9	9/19	2.3	34	35.6	20.4	30.6	37.0	19.8	65.1	34.2	20.9	55.9	54.7		
WILKEN	W 3479 NRR	F	50.4	9/17	1.8	33	35.1	19.3	36.9	36.4	19.2	63.8	33.9	19.5	56.5			
WILKEN	W 3491 NRR	F	47.8	9/20	2.3	35	35.7	20.3	31.7	36.7	19.8	64.0	34.7	20.7	56.2	54.3		
WILKEN	W 3499 NRR	F	52.4	9/17	1.8	34	35.4	20.1	36.8	37.3	19.4	68.0	33.5	20.7	57.5	56.1		
WILLCROSS	RR 2355 N	U	47.3	9/19	1.7	34	37.5	18.8	26.1	38.9	18.4	68.6	36.2	19.1				
WILLCROSS	RR 2385 N	U	49.2	9/17	1.8	34	35.9	19.1	32.9	37.7	18.5	65.4	34.2	19.6				
WILLCROSS	RR 2386 X1	U	47.9	9/21	2.0	33	35.0	19.6	25.7	36.4	18.4	70.2	33.6	20.8				
WILLCROSS	RR 2392 N	U	52.2	9/17	2.0	35	35.2	20.1	36.4	37.0	19.5	68.1	33.5	20.7				
WILLCROSS	RR 2393 N	U	50.6	9/20	2.2	36	35.6	20.2	31.9	36.8	19.7	69.4	34.5	20.8	57.2	55.0		
	AVERAGE		49.3	9/18	2.0	35	35.9	19.7	33.1	37.3	19.1	65.6	34.5	20.3	56.3	54.4		
	L.S.D. 25% LEVEL		3.9		0.3	2	0.62	0.37	3.9	0.5	0.3	3.0	0.5	0.2				
	COEFF. OF VAR. (%)		11.7		24.4	8	2.6	2.8	12.4	1.4	1.5	4.9	1.4	1.2				

MATURITY GROUP 4

AGVENTURE	AV 41J8 NRR*	U	50.0	9/21	1.7	35	36.3	19.8	36.0	36.9	19.2	64.0	35.6	20.3	57.4	
AGVENTURE	AV 42T2 NRR*	U	49.7	9/22	2.1	42	35.3	19.6	38.8	36.0	19.1	60.6	34.5	20.0		
ASGROW	AG 4403*	B	51.3	9/25	1.6	40	35.4	20.3	34.9	36.0	20.1	67.6	34.7	20.6		
ASGROW	AG 4502*	B	49.6	9/23	1.4	38	37.8	18.9	35.8	38.2	18.5	63.3	37.3	19.3		
ASGROW	AG 4703	B	51.8	9/26	1.5	37	36.3	18.9	38.9	37.1	18.5	64.6	35.4	19.4		
ASGROW	AG 4801*	B	52.2	9/25	1.7	39	35.7	19.9	41.1	36.4	19.6	63.4	35.0	20.2		
ASGROW	AG 4903*	B	45.2	9/30	1.7	40	36.0	19.3	30.7	37.3	18.8	59.7	34.8	19.8		
ATLAS	5B430 NRR*	U	52.2	9/20	1.7	33	34.7	20.2	38.0	35.9	19.5	66.3	33.5	20.9	61.2	
ATLAS	5N445 RR*	U	50.2	9/21	1.3	36	35.9	19.8	38.8	36.5	19.6	61.6	35.3	20.1	57.7	
BAKER	4565 NRR	U	54.3	9/22	2.3	45	36.0	19.3	43.8	36.6	19.1	64.7	35.4	19.6		
BECK	405 NRR*	F	52.9	9/23	2.0	37	35.8	20.3	37.3	36.8	19.8	68.6	34.9	20.7	60.6	57.2
BECK	444 NRR	F	53.8	9/21	2.3	42	35.7	19.4	42.9	36.3	19.3	64.7	35.1	19.5		
BERGMANN-TAYLOR	BT 426 CR	B	54.9	9/23	1.8	41	36.1	19.4	43.0	36.5	19.2	66.7	35.6	19.6		
BERGMANN-TAYLOR	BT 434 CR	B	52.4	9/21	1.4	34	35.1	19.9	38.2	36.2	19.2	66.7	34.0	20.6	60.6	58.1
BERGMANN-TAYLOR	BT 441 CR	B	50.7	9/25	1.4	41	34.9	20.4	36.6	35.5	20.2	64.8	34.2	20.6	59.9	56.1
BERGMANN-TAYLOR	BT 446 CR	B	54.1	9/25	1.9	37	36.2	19.4	39.7	37.0	18.9	68.4	35.3	19.8		
BERGMANN-TAYLOR	BT 484 CR	B	51.6	9/24	1.8	42	37.3	19.1	37.0	37.8	18.8	66.1	36.9	19.3	58.1	55.9
BIO GENE	BG 4206 RN	F	52.3	9/21	1.7	39	34.4	19.9	40.0	35.2	19.6	64.5	33.5	20.2		

2005 Soybean Test Results

Region 4: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY*	IST ¹	Regional Results						Brownstown		Brownstown		Belleville		Belleville		2 yr Avg Yield bu/a	3 yr Avg Yield bu/a
			Yield bu/a	Maturity Date	Lodging	Height in	Protein @13%	Oil @13%	Yield bu/a	Protein @13%	Oil @13%	Yield bu/a	Protein @13%	Oil @13%	Yield bu/a	Protein @13%		
BIO GENE	BG 4406 RN	F	55.6	9/24	2.1	43	35.9	19.3	44.4	36.5	19.2	66.8	35.3	19.5				
CROWS	C 4142 R*	U	52.2	9/21	1.6	38	34.6	19.9	36.6	35.2	19.7	67.8	34.0	20.1				
DEKALB	DKB 44-51*	B	50.5	9/26	1.5	40	34.9	20.5	35.6	35.4	20.3	65.4	34.3	20.8				
DEKALB	DKB 46-51*	B	53.6	9/25	2.0	42	37.2	18.8	41.7	37.7	18.6	65.6	36.6	19.0				
DELTA KING	DK 4366	F	50.2	9/21	1.8	43	35.4	19.6	38.4	36.1	19.2	62.0	34.6	19.9				
DELTA KING	DK 4461	F	48.1	9/27	1.7	40	34.7	20.5	35.0	34.8	20.4	61.1	34.6	20.6	59.3	56.2		
DELTA KING	DK 4667	F	49.8	9/25	2.5	45	35.3	19.1	36.0	36.2	18.8	63.5	34.4	19.5				
DELTA KING	DK 4763	F	55.5	9/26	1.8	41	37.2	18.7	41.7	37.9	18.5	69.3	36.4	19.0	61.5	58.5		
DELTA KING	DK 4866	F	47.3	9/28	1.9	40	35.6	18.7	31.4	36.5	18.3	63.2	34.8	19.0				
DELTA KING	DK 4967	F	52.6	9/27	2.0	41	37.6	18.8	36.3	37.9	18.7	68.9	37.3	18.9	60.3	57.7		
DELTA KING	DK XTJ 640	F	54.1	9/23	2.0	41	35.8	19.4	42.6	36.4	19.3	65.6	35.3	19.5				
DELTA KING	DK XTJ 6D44	F	57.6	9/24	2.2	43	36.0	19.4	43.9	36.4	19.2	71.3	35.6	19.6				
DELTA KING	DK XTJ 6L49	F	42.6	10/1	1.8	42	35.6	19.0	30.7	36.5	18.6	54.5	34.7	19.4				
DYNA-GRO	35B40*	F	51.5	9/20	2.2	40	35.3	19.7	35.8	36.2	19.4	67.2	34.4	20.0				
DYNA-GRO	36K40	F	47.9	9/20	1.6	37	35.1	20.0	36.8	36.0	19.5	59.0	34.1	20.4				
DYNA-GRO	DG 3437 NRR	F	50.2	9/21	1.4	36	35.0	20.0	35.3	35.9	19.3	65.1	34.2	20.6				
DYNA-GRO	DG 3443 NRR*	F	48.0	9/27	1.6	41	34.5	20.5	34.0	34.9	20.4	61.9	34.2	20.7				
EXCEL	8427 NRR*	B	53.7	9/23	1.3	34	34.8	20.1	37.9	36.0	19.4	69.5	33.6	20.8	63.2	59.5		
EXCEL	8430 NNRRSTS	B	53.5	9/22	1.7	42	36.2	19.6	42.2	36.4	19.4	64.8	35.9	19.8	57.4			
FS HISOY	HS 4028*	B	54.3	9/20	1.6	33	35.7	20.2	37.2	36.6	19.8	71.3	34.9	20.6	59.2	56.2		
FS HISOY	HS 4046	B	53.5	9/22	1.9	40	36.0	19.5	42.5	36.5	19.4	64.4	35.5	19.6				
FS HISOY	HS 4228	B	52.7	9/24	1.5	35	35.4	19.8	36.8	36.7	18.9	68.6	34.1	20.6	59.8	56.6		
FS HISOY	HS 4646	B	53.2	9/25	1.6	38	35.8	19.4	38.8	36.4	18.9	67.6	35.1	19.9	60.8			
FS HISOY	HS 4736*	B	46.2	9/28	2.3	46	36.2	18.9	34.7	37.8	18.1	57.8	34.7	19.6	54.6	53.3		
FS HISOY	X 05-42 B	B	53.3	9/26	1.6	38	33.9	20.1	36.1	34.9	19.6	70.5	33.0	20.5				
FS HISOY	X 05-44	B	54.6	9/22	2.1	43	36.0	19.3	43.7	36.7	19.0	65.5	35.4	19.7				
GARST	4212 RR/STS/N	U	53.1	9/22	1.4	36	35.2	19.9	38.8	35.8	19.4	67.4	34.5	20.5	60.9			
GARST	4512 RR/N*	U	49.7	9/25	1.4	40	34.6	20.5	36.0	34.8	20.4	63.4	34.4	20.5	58.0	54.4		
GARST	484 RR/N	U	52.5	9/28	2.2	45	36.3	19.0	38.7	36.6	18.8	66.2	35.9	19.2	59.2	56.4		
GOLDEN HARVEST	H-4024 RR	U	48.3	9/23	1.4	33	35.2	20.4	33.6	35.7	20.0	63.0	34.6	20.9	56.8	54.7		
GOLDEN HARVEST	H-4368 RR	U	50.5	9/22	1.6	34	35.7	20.2	35.3	36.3	19.7	65.8	35.0	20.7	56.5	54.4		
GOLDEN HARVEST	H-4534 RR	U	49.3	9/24	1.7	41	34.9	20.4	35.1	35.3	20.2	63.6	34.6	20.6	57.3	53.5		
GOLDEN HARVEST	H-4850 RR	U	51.6	9/27	2.2	45	36.5	19.0	37.2	37.0	18.6	66.0	36.1	19.4	58.1	56.0		
GOLDEN HARVEST	H-4878 RR	U	52.5	10/1	2.6	46	36.4	18.9	39.4	36.7	18.7	65.7	36.1	19.2				
GREAT HEART	GT-444 CRR*	B	57.2	9/22	2.0	44	36.0	19.4	45.0	36.7	19.0	69.5	35.2	19.8				
GREAT LAKES	GL 4009 RR*	B	54.8	9/21	1.7	33	35.8	20.2	38.3	36.7	19.7	71.2	34.9	20.6	60.8	56.8		
GREAT LAKES	GL 4419 RR*	B	56.6	9/20	2.1	43	35.8	19.6	45.0	36.1	19.4	68.2	35.5	19.7				
HELENA	4375	F	52.1	9/21	1.4	39	35.3	19.9	36.8	35.6	19.8	67.4	35.1	19.9				
HELENA	4576	F	54.8	9/24	2.3	44	35.8	19.3	42.2	36.0	19.3	67.4	35.5	19.4				
HELENA	4875	F	46.7	9/27	1.9	42	35.4	18.9	35.3	36.0	18.5	58.2	34.9	19.2	56.2			
HOBЛИT	HB 424 NRR	U	53.0	9/20	1.5	39	34.7	19.8	39.1	35.4	19.5	66.9	34.1	20.1				
HOFFMAN	H 3441 CR*	F	49.7	9/26	1.6	42	36.7	19.1	38.7	36.8	19.2	60.7	36.6	19.1	53.7	51.7		
HOFFMAN	H 3456 CR	F	54.1	9/25	1.8	39	35.9	19.4	38.8	36.2	19.1	69.4	35.5	19.8				
HOFFMAN	H 3466 CR	F	48.4	9/21	1.6	35	36.3	19.7	36.9	37.2	19.3	59.9	35.4	20.0				
HOFFMAN	H 3474 CR	F	49.1	9/24	2.0	44	36.0	19.3	36.0	36.6	18.9	62.2	35.3	19.7				
HORIZON	H 406 N*	F	52.5	9/20	1.8	37	35.5	20.4	39.6	35.9	20.4	65.3	35.1	20.5	59.6	56.3		
HORIZON	H 424 N*	F	52.2	9/20	1.6	35	35.1	20.0	35.1	36.0	19.4	69.2	34.2	20.6	61.6	58.7		
HORIZON	H 425 N	F	53.6	9/21	1.7	38	34.2	20.0	38.3	35.1	19.6	68.8	33.3	20.4				
HORIZON	H 451 N	F	53.6	9/23	2.2	45	36.1	19.2	42.7	36.6	19.0	64.5	35.6	19.4				
HUBNER	H 402 NRR*	F	51.0	9/22	1.5	34	35.3	20.4	34.0	36.3	19.8	67.9	34.3	21.1				
KITCHEN	KSC 4256 CRR	U	51.5	9/20	1.3	38	34.9	19.8	38.0	35.7	19.4	65.0	34.1	20.2	59.4			
KITCHEN	KSC 4266 CRR	U	57.4	9/23	2.1	44	35.8	19.3	43.4	36.1	19.2	71.4	35.5	19.5				
KRUGER	K-403 RR/SCN	B	53.4	9/19	1.6	36	35.7	20.2	38.3	36.2	19.9	68.5	35.2	20.4				
KRUGER	K-404 RR	B	47.9	9/23	2.1	33	36.1	19.9	34.3	36.8	19.5	61.5	35.4	20.3	55.3	51.9		
KRUGER	K-410 RR/SCN	B	52.4	9/23	1.7	38	36.3	19.8	38.4	36.8	19.3	66.3	35.8	20.3				
KRUGER	K-411 RR/SCN	B	55.4	9/21	1.7	40	36.2	19.6	43.3	36.5	19.3	67.5	35.9	19.9				
KRUGER	K-433 RR/SCN	B	57.3	9/22	1.7	43	35.9	19.5	46.8	36.3	19.2	67.9	35.5	19.7				
KRUGER	K-473 RR/SCN	B	40.7	10/1	1.8	48	35.9	18.8	29.3	35.9	18.9	52.1	35.9	18.7				

2005 Soybean Test Results

Region 4: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY*	IST ¹	Regional Results						Brownstown Yield bu/a	Brownstown Protein @13%	Brownstown Oil @13%	Belleville Yield bu/a	Belleville Protein @13%	Belleville Oil @13%	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a
			Yield bu/a	Maturity Date	Lodging	Height in	Protein @13%	Oil @13%								
LEWIS	4010	F	53.8	9/21	2.0	41	35.7	19.4	40.7	35.8	19.5	66.9	35.6	19.4	59.7	
LEWIS	4395	F	52.4	9/20	1.8	44	36.0	19.4	42.6	36.3	19.3	62.2	35.6	19.5		
LEWIS	4106*	F	46.8	9/21	1.4	34	35.1	20.4	32.2	35.9	19.8	61.3	34.4	21.0	56.1	53.9
LEWIS	4366*	F	50.7	9/19	1.6	37	35.1	20.1	36.9	36.2	19.4	64.5	34.0	20.7	59.3	57.1
LEWIS	4404*	F	48.6	9/24	1.7	39	34.4	20.5	35.2	34.5	20.5	61.9	34.2	20.6		
LG SEEDS	C 4444 NRR*	B	50.3	9/23	1.7	40	35.0	20.4	33.7	35.6	20.1	66.9	34.4	20.7	59.5	55.0
M & D SEED	9400 NRR	U	50.6	9/19	1.9	36	36.1	19.3	35.3	37.1	18.7	66.0	35.2	19.8		
M & D SEED	9420 NRR	U	49.1	9/22	1.7	38	36.6	19.4	33.6	37.6	19.0	64.6	35.6	19.8		
M & D SEED	9440 NRR*	U	52.7	9/21	1.5	35	35.0	20.0	39.2	35.6	19.4	66.2	34.3	20.6	61.3	
MAVRICK	4430 RR*	U	51.2	9/21	2.0	42	35.6	20.1	41.3	36.0	20.1	61.0	35.2	20.2		
MERSCHMAN	AUSTIN 643RR	U	54.1	9/22	1.7	36	35.3	19.7	40.1	35.8	19.0	68.0	34.8	20.4		
MERSCHMAN	DALLAS RR	F	52.3	9/26	1.8	41	37.3	19.1	36.5	37.6	18.9	68.0	37.1	19.3	59.0	56.6
MERSCHMAN	DENVER RRSTS	F	49.1	9/25	2.0	43	35.5	20.0	36.1	36.3	19.3	62.1	34.6	20.6	54.7	53.3
MERSCHMAN	MEMPHIS 642RR	U	53.8	9/25	2.2	43	36.0	19.3	42.0	36.8	19.0	65.6	35.2	19.7		
MERSCHMAN	PHOENIX IIIRR*	F	51.9	9/21	1.7	35	34.5	20.1	36.2	35.7	19.5	67.5	33.3	20.8	59.9	57.6
MERSCHMAN	RICHMOND 649RR	U	44.8	9/30	2.0	45	34.7	19.8	34.4	35.4	19.6	55.3	34.0	20.1		
MERSCHMAN	ROCKY RR	F	50.1	9/25	2.0	41	36.0	18.9	37.4	36.8	18.3	62.7	35.1	19.4		
MIDLAND	9A445 NRR	B	48.5	9/22	1.9	39	35.0	19.4	37.2	35.9	18.8	59.7	34.2	19.9	54.9	
MIDLAND	9A475 XRR	B	48.8	9/25	1.8	42	35.2	19.7	35.6	36.1	19.2	61.9	34.3	20.1	54.3	
MIDLAND	9A485 XRR	B	47.4	9/26	2.1	44	35.2	19.8	35.0	36.4	19.1	59.9	34.0	20.4		
MIDLAND	MG 4006 NRR	B	45.8	9/22	1.6	39	34.2	19.9	32.7	35.1	19.3	58.9	33.3	20.5		
MIDLAND	MG 4606 NRR	B	54.1	9/27	2.2	43	36.5	19.0	41.4	37.2	18.5	66.9	35.8	19.4		
MIDWEST SEED GEN	GR 4152*	U	51.6	9/19	1.7	39	35.8	19.9	40.7	36.2	19.8	62.6	35.5	20.1		
MILES	SC LEVI 4.4NRR	U	52.9	9/25	1.7	36	35.2	20.0	40.5	35.9	19.8	65.3	34.5	20.2		
MILES	SC MOAB 4.5NRR	U	56.6	9/25	2.3	45	36.0	19.3	43.8	36.6	19.2	69.3	35.4	19.4		
MILES	SC REUBEN 4.8NRR	U	39.8	9/28	1.9	47	36.0	18.9	29.1	36.3	18.9	50.5	35.7	18.8		
NK	S 42-P7*	B	50.9	9/21	1.9	36	37.0	18.9	43.4	37.6	18.7	58.4	36.5	19.1	56.2	54.7
NK	S 43-B1*	B	53.9	9/21	1.6	38	35.7	19.0	41.4	36.1	18.7	66.4	35.3	19.3	59.0	
NK	S 49-Q9*	B	50.5	9/30	1.9	45	36.0	18.3	36.5	36.6	18.0	64.5	35.4	18.5		
NU-AG	446 NRR	U	55.5	9/25	2.3	44	36.0	19.3	43.8	36.5	19.2	67.3	35.6	19.4		
PIONEER	94M30	B	53.7	9/23	1.8	40	37.7	19.3	38.9	38.2	18.8	68.6	37.2	19.7		
PIONEER	94M50	B	53.1	9/23	1.5	38	35.5	20.0	40.1	36.1	19.6	66.1	35.0	20.3		
PIONEER	94M70*	B	54.4	9/23	2.1	43	35.9	19.8	41.3	36.5	19.6	67.5	35.3	20.1	61.4	
PIONEER	94M80	B	52.4	9/26	1.8	46	37.3	18.8	39.8	37.4	18.6	64.9	37.3	19.0		
STEYER	4000 RRSCN	U	49.6	9/19	1.8	32	35.3	20.4	34.2	36.3	19.9	64.9	34.4	20.9		
STEYER	4030 RRSCN	U	49.6	9/19	1.8	37	36.0	19.2	34.2	36.7	18.9	65.1	35.3	19.5		
STEYER	4420 RRSCN	U	55.1	9/22	2.2	45	35.9	19.3	43.3	36.6	19.0	66.9	35.3	19.5		
STINE	4842-4	U	48.9	9/28	2.3	41	35.3	18.9	37.4	36.3	18.5	60.4	34.4	19.4	57.5	
STONE	HC 2403*	F	50.2	9/23	1.3	33	35.4	20.3	31.9	36.2	19.8	68.5	34.6	20.8	57.4	
TRISOY	4227 RR(CN)	U	51.8	9/20	1.8	35	35.2	20.0	39.1	36.2	19.5	64.5	34.2	20.5	59.9	57.2
TRISOY	4254 RR(CN)	U	53.2	9/22	1.8	36	34.0	20.0	37.2	34.9	19.6	69.3	33.2	20.4		
TRISOY	4557 RR(CN)	U	55.1	9/23	2.2	43	35.9	19.4	43.4	36.2	19.3	66.9	35.5	19.5		
TRISOY	4858 RR(CN)	U	42.2	9/29	2.0	41	35.0	19.1	32.0	35.7	18.8	52.3	34.2	19.5		
VIGORO	V 40N3 RR	F	51.2	9/22	1.5	34	36.0	19.9	35.1	36.8	19.2	67.3	35.2	20.6	58.3	56.2
VIGORO	V 42N3 RR*	F	52.5	9/23	1.6	35	35.2	19.9	36.2	36.3	19.2	68.7	34.0	20.7	60.2	57.0
VIGORO	V 44N6 RR	F	56.7	9/25	2.0	42	35.7	19.5	44.8	36.0	19.3	68.6	35.4	19.7		
WILLCROSS	RR 2446 N	U	53.7	9/23	2.1	42	35.6	19.5	43.0	36.0	19.5	64.4	35.2	19.6		
	AVERAGE		51.4	9/23	1.8	40	35.6	19.6	38.1	36.3	19.3	64.8	35.0	20.0	58.6	55.9
	L.S.D. 25% LEVEL		3.2		0.3	2	0.48	0.33	1.8	0.4	0.2	3.4	0.3	0.2		
	COEFF. OF VAR. (%)		9.2		26.3	8	2.0	2.5	4.9	1.3	1.1	5.6	1.0	1.0		

¹IST= Insecticide Seed Treatment: U= Untreated, F= Fungicide, B= Insecticide+Fungicide