

2006 Soybean Test Results
Region 3: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY*	IST ¹	Yield bu/a	Maturity Date	Regional Results				Perry Yield bu/a	Perry Protein @13%	Perry Oil @13%	New Berlin Yield bu/a	New Berlin Protein @13%	New Berlin Oil @13%	Urbana Yield bu/a	Urbana Protein @13%	Urbana Oil @13%	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a
					Lodging	Height in	Protein @13%	Oil @13%											
MATURITY GROUP 2																			
DAIRYLAND	DSR-2929 RR	B	63.6	9/13	2.4	42	33.3	19.7	60.5	33.8	19.6	67.9	33.2	20.1	62.3	32.8	19.4		
GARST	2721 RRN*	B	58.1	9/15	3.2	43	36.1	18.7	46.3	36.5	18.7	66.9	36.9	18.7	61.3	34.8	18.7		
GREAT HEART	GT-295 CRR*	U	62.6	9/16	2.2	40	34.7	19.7	55.6	34.1	20.0	68.7	35.4	19.5	63.5	34.6	19.6		
HOBBLIT	HB 287 NRR	U	59.3	9/16	3.0	43	35.2	19.0	54.9	35.3	19.2	66.4	36.4	18.7	56.5	33.8	19.1	58.8	
KRUGER	K-275 RR/SCN	B	61.3	9/15	3.0	47	34.5	20.0	56.6	35.0	20.0	66.0	35.2	20.2	61.4	33.3	19.9		
KRUGER	K-283 RR/SCN	B	67.0	9/17	2.3	41	34.2	19.3	60.3	34.7	19.3	75.0	34.1	19.5	65.9	33.8	19.1		
KRUGER	K-287 RR/SCN	B	60.2	9/13	3.1	42	36.1	18.8	51.0	36.5	19.0	68.0	36.9	18.8	61.8	34.8	18.7		
KRUGER	K-292 RR/SCN	B	63.5	9/14	3.0	41	35.6	19.4	58.4	35.5	19.6	67.0	36.0	19.5	65.0	35.3	19.1		
KRUGER	K-294 RR/SCN	B	59.0	9/14	2.4	43	34.8	19.0	50.4	34.0	19.3	65.5	35.9	18.9	61.0	34.6	18.8		
MARTIN	M 627 RR	U	60.2	9/16	1.6	40	34.0	19.5	58.0	34.6	19.6	62.5	34.2	19.5	60.0	33.2	19.4	57.1	
MARTIN	M 727 NRR	U	60.1	9/10	2.4	35	35.9	19.5	55.6	35.6	19.8	65.4	35.9	19.8	59.3	36.1	18.9		
MERSCHMAN	APACHE 626RR	F	56.5	9/10	2.5	38	36.3	19.3	52.9	36.5	19.4	60.0	36.8	19.5	56.7	35.5	18.9		
MERSCHMAN	CHEROKEE 729RR	F	65.3	9/15	1.8	41	35.4	19.1	61.2	35.9	19.2	67.9	35.8	19.0	66.7	34.4	18.9		
MERSCHMAN	CHICKASAW 728RR	F	63.0	9/16	2.3	41	34.1	19.4	55.7	34.3	19.6	71.8	34.6	19.3	61.6	33.3	19.3		
MERSCHMAN	MOHEGAN 624RR	F	58.5	9/8	2.5	41	35.3	19.4	50.1	35.6	19.7	66.7	36.0	19.5	58.7	34.4	19.0		
MERSCHMAN	SHAWNEE 527RR	F	61.1	9/13	2.5	37	36.0	19.2	56.2	35.9	19.6	64.8	36.1	19.5	62.4	36.0	18.6	57.6	60.3
MERSCHMAN	SIOUX IIRR	F	58.6	9/12	1.9	38	35.5	19.7	55.9	36.1	19.6	64.8	35.8	19.9	55.2	34.7	19.6		
MUNSON	8287 RR	U	64.4	9/17	2.2	38	33.2	19.9	56.7	33.6	20.0	71.1	33.8	19.9	65.3	32.4	19.8		
NK	H-2752 RR	F	59.9	9/13	2.9	38	35.9	19.3	55.9	36.5	19.3	68.7	36.5	19.5	55.2	34.6	19.1		
NK	S 28-G1*	B	64.3	9/14	2.3	39	34.5	19.7	61.0	34.9	19.8	67.8	34.4	20.1	64.0	34.3	19.3		
NK	S 29-J6*	B	65.2	9/13	2.5	42	35.2	18.9	59.5	35.6	18.9	68.0	35.7	19.1	68.1	34.2	18.8		
NU-AG	NA 296 NRR*	U	63.3	9/16	2.1	41	34.8	19.6	57.0	34.5	19.8	68.3	35.5	19.6	64.5	34.4	19.3		
SOUTHERN CROSS	GOSHEN 2.9NRR	U	61.4	9/16	2.4	46	36.0	19.0	60.2	36.2	19.2	63.4	36.3	19.1	60.4	35.4	18.7		
STINE	2702-4	U	61.1	9/10	2.8	37	36.1	19.3	54.7	35.6	19.8	66.3	36.1	19.6	62.2	36.6	18.3	58.4	61.2
WILKEN	W 2792 NRR	B	59.4	9/15	3.0	41	35.3	19.0	49.6	35.9	19.2	68.1	36.1	18.8	60.4	33.9	19.0	59.4	
WILKEN	W 2999 NRR	B	64.1	9/15	2.6	42	35.5	19.4	59.0	35.3	19.6	68.0	35.7	19.4	65.4	35.5	19.1	60.9	
	AVERAGE		61.3	9/14	2.5	41	35.2	19.3	55.7	35.4	19.4	66.8	35.7	19.3	61.3	34.6	19.0	58.7	60.7
	L.S.D. 25% LEVEL		2.6		0.3	2	0.49	0.21	5.7	0.5	0.2	2.0	0.3	0.2	6.1	0.4	0.3		
	COEFF. OF VAR. (%)		7.6		23.0	7	2.5	2.0	6.2	1.4	1.1	3.1	0.9	0.8	6.1	1.3	1.0		
MATURITY GROUP 3																			
AGSOURCE	9354 RR*	U	61.2	9/25	2.7	41	36.4	18.4	55.7	36.2	18.4	67.5	36.7	18.4	60.3	36.2	18.3	61.6	63.1
AGSOURCE	9362 RR*	U	64.3	9/27	2.2	42	35.4	19.3	55.3	35.5	19.4	71.2	35.5	19.2	66.5	35.3	19.1	62.4	64.0
AGSOURCE	9396 RR	U	67.9	9/25	2.0	42	34.3	19.5	63.7	33.8	19.7	74.4	34.9	19.6	65.5	34.2	19.3		
AGVENTURE	AV 34J1 NRR*	U	66.7	9/26	2.2	39	35.3	19.6	61.3	34.6	19.9	73.9	36.0	19.4	64.9	35.2	19.4	64.7	66.3
AGVENTURE	AV 35D8 NRR*	U	61.8	9/28	2.8	45	36.5	18.5	53.1	36.0	18.6	68.5	37.4	18.3	64.0	36.1	18.5		
AGVENTURE	AV 6361 NRR*	U	64.5	9/28	2.1	43	35.0	19.3	58.4	34.8	19.4	71.4	35.2	19.3	63.8	34.9	19.2	61.1	
ASGROW	AG 3101	B	62.7	9/16	2.3	45	37.1	17.9	58.0	36.9	18.0	70.6	37.3	18.2	59.5	37.0	17.6	62.2	62.2
ASGROW	AG 3203	B	65.1	9/21	2.2	41	35.6	19.0	60.0	36.0	19.0	72.4	35.9	19.1	63.0	34.8	18.9	60.8	
ASGROW	AG 3602	B	64.8	9/21	2.5	44	37.0	17.4	58.6	36.9	17.5	72.7	37.2	17.5	63.0	36.8	17.1	61.7	63.5
ASGROW	AG 3802	B	60.6	9/29	2.7	48	35.8	17.9	52.7	36.2	18.0	65.7	36.5	17.9	63.2	34.8	18.0		
ASGROW	AG 3905	B	59.2	9/30	2.7	47	35.6	18.3	55.7	34.9	18.9	68.7	36.7	17.9	53.2	35.1	18.2		
ASGROW	AG 3906	B	61.6	9/30	2.6	45	35.3	19.4	57.9	35.2	19.6	68.6	35.7	19.3	58.2	35.1	19.4		
BECK	321 NRR	F	65.6	9/22	2.5	39	35.0	19.8	60.0	34.8	19.9	71.8	35.5	19.9	65.1	34.7	19.8	63.6	
BECK	323 RR*	F	64.7	9/16	2.5	40	35.3	20.1	60.6	34.9	20.3	69.8	35.4	20.3	63.7	35.5	19.8	61.0	62.4
BECK	342 NRR	F	67.2	9/22	2.1	43	33.6	19.5	62.6	33.3	19.8	71.8	34.2	19.4	67.1	33.3	19.3		
BECK	354 NRR	F	63.9	9/24	2.4	42	36.7	17.9	61.2	35.9	18.2	69.9	37.6	17.6	60.5	36.6	17.8	60.5	62.5
BECK	367 NRR	F	64.8	9/28	2.3	41	34.8	19.5	61.7	34.6	19.5	71.3	34.9	19.4	61.4	34.8	19.4	61.9	63.9
BECK	383 NRR	F	68.4	9/24	2.4	44	35.6	19.8	66.6	35.6	19.7	75.6	35.7	19.9	63.1	35.5	19.6		
BIO GENE	BG 3806 RN	F	67.3	9/24	2.1	43	34.2	19.5	63.5	33.7	19.6	73.8	34.8	19.7	64.7	34.1	19.2	64.7	
BIO GENE	BG 3807 RN	F	66.8	9/23	2.2	43	35.2	20.0	63.3	34.7	20.2	74.8	35.6	20.0	62.3	35.2	19.7		
CROW'S	C 3618 R*	U	63.8	9/22	2.4	43	36.7	17.8	62.2	36.7	18.0	69.6	37.1	17.9	59.5	36.2	17.7		
CROW'S	C 3715 R*	U	61.0	9/26	2.3	44	36.6	18.3	58.9	35.9	18.4	67.1	37.5	18.3	57.2	36.3	18.1		
DAIRYLAND	DSR-3000 RRSTS*	B	56.8	9/19	2.4	42	36.9	19.2	55.7	36.6	19.3	61.5	37.4	19.3	53.1	36.8	19.0	56.2	57.9
DAIRYLAND	DSR-3003 RRSTS	B	57.2	9/14	3.2	44	35.8	19.2	49.3	36.2	19.2	62.5	35.8	19.4	59.7	35.5	19.1		
DAIRYLAND	DSR-301 RR*	B	58.2	9/23	3.0	47	35.5	19.3	50.3	35.4	19.4	66.0	36.0	19.4	58.4	35.0	19.2		
DAIRYLAND	DSR-3130 RR	B	59.3	9/18	2.7	44	34.7	19.4	57.1	34.7	19.3	65.8	34.7	19.6	54.9	34.8	19.3		
DAIRYLAND	DSR-3400 RR	B	58.5	9/19	3.4	49	34.0	19.2	54.2	34.0	19.4	67.4	34.3	19.2	53.8	33.6	18.9		
DAIRYLAND	DSR-3500 RR*	B	59.8	9/28	3.0	45	36.3	18.7	50.2	35.6	19.1	69.0	37.2	18.4	60.3	36.0	18.5	60.2	61.1
DAIRYLAND	DSR-3603 RR	B	62.2	9/25	3.0	44	36.8	19.1	56.5	36.8	19.1	67.3	37.4	19.1	62.7	36.4	19.0		
DAIRYLAND	DSR-3801 RRSTS*	B	60.3	9/26	3.3	43	35.1	18.8	51.1	34.4	19.2	69.3	35.9	18.7	60.5	35.2	18.3	59.8	
DAIRYLAND	DSR-385 RR	B	66.1	9/26	1.8	44	35.0	19.5	64.0	34.6	19.7	75.3	35.2	19.6	59.1	35.2	19.2	64.3	65.7
DEKALB	DKB 38-52*	B	63.5	9/30	2.2	46	34.3	19.3	60.2	34.2	19.7	69.8	35.5	19.0	60.5	33.3	19.1		

2006 Soybean Test Results
Region 3: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY*	IST ¹	Yield bu/a	Maturity Date	Regional Results				Perry Yield bu/a	Perry Protein @13%	Perry Oil @13%	New Berlin Yield bu/a	New Berlin Protein @13%	New Berlin Oil @13%	Urbana Yield bu/a	Urbana Protein @13%	Urbana Oil @13%	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a
					Lodging	Height in	Protein @13%	Oil @13%											
DIENER	3405 CR	F	65.5	9/23	2.4	40	35.2	19.7	58.7	34.8	19.7	73.7	35.6	19.7	64.1	35.1	19.7	64.7	67.3
DIENER	3610 CR	F	62.3	9/28	3.0	44	37.6	17.3	55.8	37.6	17.4	67.2	37.8	17.4	64.0	37.5	17.2	60.1	
DIENER	3782 CR	F	66.4	9/27	2.0	44	34.3	19.0	61.9	33.5	19.3	71.0	35.2	19.0	66.4	34.2	18.7	64.8	
DIENER	3805 CR*	F	67.5	9/28	2.2	40	35.3	19.3	62.3	35.1	19.3	73.6	35.4	19.4	66.7	35.3	19.2	64.1	
DIENER	3950 CR	F	66.6	9/30	1.6	42	35.3	19.5	63.1	34.8	19.8	73.8	35.6	19.4	62.9	35.6	19.2		
DYNA-GRO	32C38	B	67.4	9/26	2.2	44	33.9	19.1	60.7	33.2	19.2	75.6	34.8	19.2	65.8	33.8	18.9		
DYNA-GRO	37R39	B	62.8	9/30	2.9	43	35.4	19.5	56.7	35.6	19.6	68.8	35.8	19.4	62.8	34.8	19.3		
DYNA-GRO	SX06136	B	65.5	9/25	2.1	45	34.7	18.9	60.3	34.1	19.0	75.0	34.8	19.2	61.3	35.1	18.6		
EXCEL	8357 NRR	B	60.2	9/27	2.9	44	36.7	18.4	53.6	36.3	18.6	67.4	37.8	18.1	59.8	35.9	18.6		
EXCEL	8367 NRR	B	60.6	9/24	2.8	44	37.1	19.0	55.6	37.0	18.8	67.7	37.3	19.2	58.5	36.9	19.0		
EXCEL	8369 NRR	B	64.8	9/25	2.5	46	35.0	18.1	59.9	35.0	18.3	72.3	35.5	18.0	62.3	34.5	18.0		
EXCEL	8396 RRSTS	B	61.2	9/27	2.7	45	35.8	18.7	57.4	36.2	18.6	69.1	36.0	18.9	57.0	35.1	18.6		
FS HISOY	HS 3156	U	63.3	9/17	2.6	42	35.6	20.1	61.3	35.3	20.2	67.7	36.0	20.2	60.8	35.6	19.8		
FS HISOY	HS 3266	U	67.2	9/23	2.4	40	35.1	19.8	59.9	34.8	19.9	74.4	35.5	19.7	67.2	34.9	19.7		
FS HISOY	HS 3536	U	67.2	9/26	2.3	40	35.3	19.6	62.3	35.0	19.8	73.7	35.9	19.5	65.7	35.0	19.5	65.2	67.0
FS HISOY	HS 3846	U	68.3	9/28	2.1	42	34.4	18.9	66.2	34.1	19.1	74.0	35.0	18.9	64.8	34.2	18.9	67.1	67.9
FS HISOY	HS 3916*	U	62.4	9/29	2.0	44	34.3	19.3	61.8	33.7	19.7	69.0	35.4	19.0	56.3	33.7	19.3	63.3	64.2
FS HISOY	X 06-34	U	67.0	9/23	1.9	42	33.9	19.3	62.3	33.6	19.8	72.2	34.5	19.2	66.5	33.6	19.0		
FS HISOY	X 06-36	U	66.9	9/25	1.9	43	36.4	18.3	61.6	36.3	18.2	72.9	36.8	18.5	66.1	36.1	18.4		
FS HISOY	X 06-38	U	68.4	9/25	2.1	42	35.3	19.8	63.0	35.1	19.9	74.6	35.8	19.9	67.6	35.1	19.7		
GARST	3512 RRN*	U	67.2	9/24	2.4	40	35.2	19.6	63.0	35.0	19.6	74.2	35.5	19.7	64.5	35.2	19.4	65.5	66.9
GARST	3624 RRN*	B	60.4	9/24	2.7	41	36.6	18.3	58.7	36.3	18.6	68.9	37.2	18.3	53.7	36.4	18.0		
GREAT HEART	GT-345 CRR*	F	66.3	9/25	2.4	40	35.3	19.5	59.9	35.2	19.6	72.6	35.8	19.5	66.4	34.9	19.4	64.7	66.0
GREAT HEART	GT-360 CRR*	U	61.7	9/26	2.6	41	36.5	18.3	58.5	36.3	18.3	69.2	37.1	18.3	57.4	36.0	18.4		
GREAT LAKES	GL 3509 RR*	B	63.5	9/25	2.6	44	36.4	18.5	57.0	35.8	18.7	68.3	37.5	18.3	65.2	35.9	18.5		
GREAT LAKES	GL 3629 RR*	B	62.2	9/21	2.4	44	36.8	17.7	57.3	36.6	18.0	68.9	37.3	17.7	60.4	36.6	17.5		
GUTWEIN	H-3606 RR	F	60.5	9/26	2.7	41	36.8	18.1	60.0	37.1	18.1	66.5	37.0	18.1	54.9	36.1	18.0	61.2	62.3
GUTWEIN	H-3631 RR	F	62.9	9/27	2.1	42	35.0	19.2	57.4	35.6	19.1	70.1	35.0	19.3	61.4	34.3	19.2	60.9	61.9
GUTWEIN	H-3945 RR	F	65.2	9/28	2.0	45	34.0	19.5	63.5	33.9	19.8	70.9	35.1	19.3	61.1	33.1	19.5	64.4	64.9
HELENA	3576	F	64.1	9/27	2.3	42	36.7	17.8	58.4	37.0	17.9	70.2	37.2	17.9	63.6	35.8	17.8		
HELENA	3676	F	60.6	9/28	2.9	47	36.4	18.6	56.6	36.4	18.9	68.8	37.0	18.5	56.3	35.7	18.5		
HELENA	3975	B	61.4	10/3	2.9	49	36.6	18.1	54.7	35.6	18.5	69.4	37.1	18.0	60.0	37.0	17.8		
HOBLIT	HB 335 NRR	U	62.1	9/21	2.4	45	36.4	18.2	60.0	35.9	18.4	69.8	37.2	18.0	56.6	36.0	18.1	63.2	63.8
HOBLIT	HB 355 NRR*	U	67.2	9/25	2.3	41	35.0	19.6	62.0	34.3	19.9	72.7	35.8	19.5	66.9	34.9	19.5	63.9	67.0
HOBLIT	HB 379 NRR	U	66.7	9/23	2.2	43	35.1	19.9	62.6	34.4	20.3	73.0	36.0	19.7	64.5	35.1	19.8		
HOBLIT	HB 387 NRR	U	64.1	9/29	2.8	43	35.2	19.4	58.8	35.4	19.4	70.0	35.5	19.5	63.5	34.9	19.3	62.2	
HORIZON	H 333 N*	F	60.4	9/22	2.2	44	35.9	18.3	56.1	35.1	18.6	68.7	37.1	18.1	56.4	35.3	18.2	59.2	61.0
HORIZON	H 340 N	F	65.7	9/23	2.1	44	33.7	19.5	61.2	33.3	19.7	71.3	34.5	19.4	64.7	33.3	19.3		
HORIZON	H 352 N*	F	66.5	9/24	2.1	40	35.2	19.6	62.6	34.8	19.7	74.0	35.8	19.5	63.0	34.9	19.5	64.1	66.7
HORIZON	H 363 N	F	66.3	9/26	1.8	43	36.3	18.3	60.6	36.1	18.3	72.6	37.0	18.3	65.7	35.7	18.4		
HORIZON	H 374 N	F	61.0	9/25	2.6	41	36.7	18.3	59.4	36.6	18.4	68.0	37.1	18.4	55.6	36.3	18.0	61.8	62.4
HORIZON	H 378 N	F	66.6	9/25	2.4	45	35.1	19.9	66.4	34.6	20.1	75.2	35.8	19.9	58.1	35.1	19.6		
HORIZON	H 380	F	67.8	9/27	1.8	44	33.8	19.6	62.6	33.2	19.8	75.3	34.7	19.6	65.6	33.6	19.5	65.2	
HORIZON	H 387 N*	F	64.5	9/29	2.0	42	35.0	19.3	57.8	34.6	19.6	71.1	35.4	19.2	64.5	35.0	19.2	60.9	63.0
HORIZON	H 399 N	F	63.5	9/27	3.0	45	36.8	17.7	58.3	37.0	17.8	67.4	37.3	17.6	64.8	36.2	17.6		
KITCHEN	KSC 3546 CRR	F	65.8	9/24	2.5	40	35.3	19.5	61.1	34.8	19.6	72.2	35.6	19.6	64.2	35.5	19.4	64.8	66.3
KITCHEN	KSC 3736 CRR*	U	63.0	9/26	2.5	42	36.3	18.4	61.4	36.4	18.4	68.9	36.8	18.5	58.9	35.8	18.4	61.7	
KITCHEN	KSC 3776 CRR	U	63.7	9/25	2.9	45	36.6	18.5	59.0	36.2	18.6	70.3	37.4	18.4	61.7	36.2	18.4		
KITCHEN	KSC 3869 CRR	U	67.9	9/27	2.1	43	34.3	18.9	65.7	33.8	19.1	71.6	35.0	19.0	66.5	34.2	18.7		
KITCHEN	KSC 3902 CRR	U	66.1	9/28	1.8	42	35.2	19.5	63.2	35.1	19.7	73.7	35.5	19.5	61.5	34.9	19.4	62.9	
KRUGER	K-315 RR/SCN	B	62.5	9/19	2.6	46	34.8	19.0	56.4	35.0	18.8	71.7	35.0	19.3	59.4	34.3	19.0		
KRUGER	K-316 RR/SCN	B	63.3	9/15	1.9	41	36.2	19.3	61.9	36.2	19.3	69.8	36.3	19.6	58.1	35.9	18.8		
KRUGER	K-328 RR	B	58.5	9/19	3.1	44	35.0	19.4	53.2	35.6	19.1	63.4	35.1	19.6	59.0	34.3	19.4		
KRUGER	K-333 RR/SCN	B	68.4	9/22	2.3	41	35.2	19.7	63.2	35.1	19.6	76.1	35.4	19.8	65.9	35.0	19.9	66.1	
KRUGER	K-340 RR/SCN	B	67.7	9/25	2.1	41	35.1	19.6	65.7	34.6	19.7	73.0	35.7	19.6	64.3	34.9	19.6	66.2	
KRUGER	K-341 RR/SCN*	B	63.1	9/17	2.4	41	35.6	19.2	59.4	35.5	19.4	70.6	36.3	19.2	59.3	35.0	19.1	59.6	
KRUGER	K-342 RR/SCN	B	63.9	9/20	2.7	43	35.9	19.6	60.5	35.9	19.7	71.5	36.4	19.5	59.9	35.5	19.6		
KRUGER	K-355 RR/SCN	B	65.5	9/25	2.4	40	35.2	19.6	62.0	34.9	19.7	73.0	35.5	19.7	61.4	35.3	19.4	64.6	67.6
KRUGER	K-363 RR/SCN	B	63.4	9/25	2.3	45	34.8	18.8	55.7	34.5	18.9	74.7	34.7	19.1	59.7	35.1	18.3		
KRUGER	K-382 RR/SCN	B	65.8	9/22	2.4	45	35.4	19.8	64.2	34.2	20.2	74.1	36.1	19.8	59.2	36.0	19.3		
KRUGER	K-389 RR/SCN	B	67.6	9/27	2.1	44	34.6	18.8	65.8	34.0	18.9	75.1	35.3	18.8	61.9	34.5	18.6	66.6	67.5
KRUGER																			

2006 Soybean Test Results
Region 3: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY*	IST ¹	Yield bu/a	Maturity Date	Regional Results				Perry Yield bu/a	Perry Protein @13%	Perry Oil @13%	New Berlin Yield bu/a	New Berlin Protein @13%	New Berlin Oil @13%	Urbana Yield bu/a	Urbana Protein @13%	Urbana Oil @13%	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a
					Lodging	Height in	Protein @13%	Oil @13%											
LEWIS	3875*	F	64.1	9/29	2.7	42	35.2	19.5	60.2	35.1	19.6	67.5	35.6	19.5	64.7	34.8	19.4	63.7	65.4
LEWIS	3907	F	64.2	9/30	2.9	46	36.9	17.5	56.7	36.9	17.6	70.2	37.3	17.6	65.8	36.6	17.5		
LG SEEDS	C 3444 NRR*	U	65.7	9/23	2.4	40	35.2	19.6	59.6	34.8	19.8	72.7	35.9	19.5	64.8	34.9	19.6	64.4	67.4
LG SEEDS	C 3445 NRR	U	65.9	9/21	2.0	43	33.7	19.4	60.5	33.4	19.6	72.3	34.5	19.2	64.8	33.1	19.3		
LG SEEDS	C 3655 RR*	U	63.7	9/28	2.4	43	34.8	19.3	58.1	34.4	19.6	69.4	35.1	19.3	63.6	35.0	19.1	60.9	62.9
LG SEEDS	C 3777 NRR*	U	61.5	9/28	2.6	44	36.6	18.4	55.8	36.0	18.6	68.4	37.6	18.2	60.3	36.2	18.4		
LG SEEDS	C 3851 RR*	U	68.0	9/26	1.9	44	34.3	19.5	63.4	33.9	19.6	74.0	34.8	19.6	66.5	34.1	19.4		
LG SEEDS	C 3888 NRR	U	68.2	9/24	2.2	43	35.1	19.9	67.9	34.6	20.1	70.4	35.8	19.8	66.2	35.0	19.8		
MARTIN	M 435 NRR	U	62.0	9/26	3.0	44	37.3	17.3	58.0	36.9	17.6	69.4	37.9	17.2	58.5	37.2	17.2	60.3	62.7
MARTIN	M 538 NRR	U	67.3	9/28	1.9	44	34.2	18.9	64.2	33.6	19.1	75.1	35.1	18.9	62.7	34.0	18.9	66.1	66.8
MARTIN	M 631 NRR	U	59.3	9/19	2.4	42	36.4	18.7	53.0	36.0	18.7	66.9	36.8	18.8	58.1	36.2	18.5	56.3	
MARTIN	M 732 NRR	U	59.8	9/17	2.7	42	34.2	19.6	55.2	34.0	19.6	65.4	34.5	19.7	58.7	34.1	19.6		
MARTIN	M 734 NRR	U	62.7	9/21	2.6	43	36.4	17.6	60.4	36.1	17.7	68.7	36.7	17.7	59.1	36.3	17.5		
MAVRICK	2373 RR*	U	61.1	9/24	2.5	41	36.1	18.4	60.1	35.7	18.6	67.3	36.8	18.5	55.9	36.0	18.2	61.6	
MAVRICK	3344 RR*	U	66.8	9/23	2.4	42	35.2	19.6	62.4	34.6	19.9	72.2	35.6	19.5	65.8	35.3	19.4	64.9	
MAVRICK	5354 RR*	U	61.9	9/24	2.3	41	36.4	18.0	59.8	36.6	18.0	70.2	36.8	18.1	55.8	35.7	17.8		
MAVRICK	5374 RR*	U	67.1	9/27	1.9	44	34.1	19.5	62.5	33.7	19.7	72.8	35.1	19.4	66.2	33.5	19.5		
MERSCHMAN	COOLIDGE 734RR	F	66.2	9/23	2.5	41	35.2	19.6	60.3	35.0	19.7	73.2	35.5	19.5	65.1	35.2	19.5		
MERSCHMAN	GRANT IIRR*	F	66.7	9/26	2.4	40	35.2	19.6	63.0	34.3	20.0	73.8	35.8	19.5	63.2	35.5	19.3	64.5	67.0
MERSCHMAN	HOOVER 730RR	F	53.8	9/14	2.2	39	35.9	18.8	47.2	37.0	18.6	61.1	35.9	19.2	53.2	35.0	18.6		
MERSCHMAN	JEFFERSON 630RR	F	61.3	9/17	2.2	41	35.0	19.7	55.2	34.4	19.8	67.1	35.5	19.8	61.6	35.2	19.4	58.3	
MERSCHMAN	KENNEDY 538RR*	F	65.0	9/26	1.9	41	35.2	19.4	60.0	34.4	19.8	70.3	35.7	19.3	64.6	35.4	19.2	62.5	65.3
MERSCHMAN	MONROE 735RR	F	67.1	9/25	2.1	43	34.5	19.0	63.9	34.6	19.0	73.1	34.8	19.2	64.2	34.2	18.8		
MERSCHMAN	ROOSEVELT 737RR	F	68.5	9/24	2.2	43	35.5	19.8	64.8	35.4	20.0	75.1	36.0	19.9	65.6	35.1	19.7		
MERSCHMAN	TRUMAN 636RR	F	68.1	9/25	1.8	43	33.9	19.6	63.0	33.4	19.6	72.3	34.8	19.5	69.0	33.5	19.6	64.7	
MERSCHMAN	WASHINGTON 9RR*	F	62.5	9/28	2.9	42	35.2	19.6	57.1	34.9	19.9	69.2	35.7	19.4	61.0	34.9	19.4	61.3	63.8
MIDWEST SEED GEN	GR 3102*	U	57.5	9/16	2.9	45	34.1	19.8	49.9	34.4	19.9	63.2	34.7	19.7	59.5	33.3	19.8		
MIDWEST SEED GEN	GR 3333*	U	58.6	9/20	2.6	45	36.5	18.1	53.3	35.8	18.3	67.8	37.5	18.0	54.9	36.2	18.1		
MIDWEST SEED GEN	GR 3533*	U	68.1	9/24	2.4	40	35.4	19.4	62.9	35.2	19.6	72.2	35.9	19.4	69.2	35.1	19.3	65.4	
MIDWEST SEED GEN	GR 3832*	U	68.8	9/27	2.1	42	34.6	18.9	63.3	34.2	19.1	76.8	35.3	18.9	66.4	34.3	18.8	67.4	
MOWEAQUA	9347 RR	F	65.4	9/22	2.0	42	33.6	19.4	61.4	33.3	19.7	72.5	34.2	19.3	62.3	33.4	19.0		
MOWEAQUA	9376 RRSTS*	F	67.3	9/28	2.2	44	34.2	19.0	65.8	33.3	19.2	72.1	34.7	19.0	64.2	34.6	18.8		
MOWEAQUA	9387 RR	F	66.7	9/24	2.2	44	35.3	19.8	67.7	35.1	20.1	74.7	35.7	19.9	57.9	35.2	19.6		
MOWEAQUA	9A354 RR*	F	65.8	9/26	2.4	41	35.5	19.5	61.6	35.5	19.5	72.4	36.0	19.4	63.4	35.0	19.6		
MOWEAQUA	9A373 RR*	F	59.3	9/24	2.6	42	36.8	18.2	56.0	37.0	18.3	68.0	36.8	18.4	53.9	36.4	18.0		
MOWEAQUA	9A394 RR*	F	64.2	9/29	2.7	43	35.0	19.6	61.7	34.4	20.0	70.2	35.3	19.6	60.8	35.3	19.3		
MUNSON	8357 RR	U	67.3	9/23	2.1	44	33.6	19.5	61.1	33.3	19.9	74.5	34.2	19.5	66.4	33.4	19.1		
MUNSON	8377 RR	U	69.1	9/23	2.3	44	35.2	19.9	66.5	34.7	20.1	74.1	36.0	19.8	66.7	35.0	19.8		
MYCOGEN	ATLAS 5N351 RR*	U	65.9	9/24	2.5	40	35.3	19.6	60.1	35.1	19.8	72.8	35.7	19.4	64.7	35.1	19.4		
NK	H-3425 RR	F	64.7	9/25	2.1	42	34.9	18.9	64.3	34.9	19.0	68.1	35.2	19.0	61.6	34.7	18.8		
NK	S 30-D4*	B	62.5	9/19	2.1	41	34.3	19.5	61.2	34.6	19.4	68.4	34.3	19.9	57.8	33.9	19.3		
NK	S 31-V3*	B	54.3	9/15	2.6	41	37.2	18.2	51.5	37.8	18.1	58.2	37.3	18.6	53.3	36.5	18.0	52.2	
NK	S 33-A8*	B	57.6	9/18	3.4	44	34.6	19.3	48.0	34.8	19.4	64.4	35.1	19.5	60.4	34.0	19.1		
NK	S 35-F9*	B	64.0	9/23	2.2	41	34.9	19.3	58.1	35.1	19.2	70.4	34.8	19.5	63.5	34.7	19.2	62.2	
NK	S 36-C7	B	61.3	9/24	1.8	39	36.7	18.2	58.4	37.4	18.0	70.8	36.8	18.5	54.7	35.9	18.0		
NK	S 37-N4*	B	60.2	9/30	3.0	47	36.7	17.9	56.5	36.1	18.1	65.2	37.4	17.8	59.0	36.7	17.7	60.3	61.0
NK	S 39-K6*	B	56.7	9/28	2.6	46	35.3	19.0	50.4	34.5	19.5	65.1	35.8	18.9	54.5	35.4	18.6	58.1	
NU-AG	NA 354 NRR*	F	65.8	9/25	2.3	40	34.9	19.6	60.5	34.2	19.8	69.9	35.5	19.5	67.0	34.8	19.5	64.9	66.7
NU-AG	NA 374 RR*	U	61.2	9/23	2.5	41	36.1	18.5	59.7	35.9	18.6	67.9	36.6	18.5	56.0	35.8	18.4	60.8	63.3
NU-AG	NA 386 RRSTS*	U	66.4	9/28	2.0	44	34.3	19.0	62.7	33.8	19.1	72.3	35.2	19.0	64.1	34.0	19.0	65.1	
NU-AG	NA 394 NRR*	U	68.7	9/30	1.7	41	35.3	19.4	65.7	34.9	19.6	76.2	35.8	19.3	64.1	35.3	19.4	65.8	67.8
PIONEER	93M11	B	65.1	9/16	2.0	41	35.1	20.3	62.5	34.8	20.5	71.7	35.1	20.6	61.2	35.3	19.8	62.5	62.7
PIONEER	93M42	B	66.8	9/23	2.3	47	35.8	18.7	58.9	35.2	19.2	74.9	36.1	18.8	66.6	36.1	18.3	64.4	
PIONEER	93M50*	B	61.8	9/19	2.5	47	34.4	19.1	61.0	34.0	19.2	68.0	35.0	19.3	56.5	34.2	18.8	61.2	61.7
PIONEER	93M90*	B	62.9	9/30	2.3	48	36.2	18.4	60.1	35.9	18.4	68.4	36.8	18.3	60.3	35.8	18.4	60.3	61.8
PIONEER	93M93*	B	60.7	9/29	2.5	46	34.9	19.3	56.6	34.2	19.7	70.9	35.6	19.2	54.6	34.8	18.9	59.1	60.8
PIONEER	93M95	B	62.9	9/29	2.8	46	36.5	18.2	58.7	36.0	18.6	68.8	37.1	18.3	61.2	36.5	17.7		
QUALITY PLUS	Q 343 RR	U	64.9	9/22	2.1	42	33.8	19.4	60.0	33.0	19.9	70.3	34.7	19.1	64.3	33.6	19.1		
QUALITY PLUS	Q 370 RR	U	62.9	9/26	2.6	42	36.3	18.4	60.6	36.0	18.5	68.1	36.8	18.3	60.1	36.1	18.4	62.1	63.6
QUALITY PLUS	Q 374 RR	U	70.9	9/23	2.2	43	35.5	19.8	67.3	35.1	19.9	78.6	35.8	19.8	66.6	35.6	19.7		
STINE	3532-4	U	66.0	9/24	2.4	40	35.2	19.6	59.6	34.9	19.7	73.2	35.7	19.5	65.3	35.0	19.5	64.6	67.1
STINE																			

2006 Soybean Test Results
Region 3: Roundup Resistant (30-inch row spacing)

COMPANY	VARIETY*	IST ¹	Yield bu/a	Maturity Date	Regional Results				Perry Yield bu/a	Perry Protein @13%	Perry Oil @13%	New Berlin Yield bu/a	New Berlin Protein @13%	New Berlin Oil @13%	Urbana Yield bu/a	Urbana Protein @13%	Urbana Oil @13%	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a
					Lodging	Height in	Protein @13%	Oil @13%											
	*Producer Nominated																		
TRISOY	3550 RR(CN)	U	63.9	9/23	2.2	42	36.2	18.0	58.4	36.1	18.0	71.8	36.6	18.1	61.7	36.0	17.7	61.0	
TRISOY	3766 RR(CN)	U	67.5	9/24	2.2	45	35.4	19.9	63.5	35.2	20.0	75.4	35.7	19.9	63.6	35.3	19.7		
TRISOY	3833 RR(CN)	U	64.9	9/28	2.3	44	34.7	19.6	59.7	33.9	20.2	70.1	35.6	19.4	64.8	34.7	19.3	63.0	64.4
VIGORO	V 33N6 RR	F	63.4	9/20	2.5	43	36.6	18.2	59.5	36.4	18.2	72.9	37.1	18.3	57.7	36.3	18.1	61.7	
VIGORO	V 34N7 RR	F	66.8	9/23	2.1	43	33.8	19.4	61.3	33.7	19.6	73.9	34.4	19.5	65.1	33.3	19.1		
VIGORO	V 35N4 RR	F	69.2	9/24	2.5	40	35.4	19.6	63.8	35.3	19.7	74.7	35.5	19.7	68.9	35.3	19.5	66.5	69.1
VIGORO	V 36N7 RR	F	67.8	9/25	1.9	44	34.4	19.0	61.9	34.1	19.1	75.9	34.5	19.3	65.6	34.7	18.8		
VIGORO	V 386 RR	F	67.9	9/23	1.9	43	34.3	19.5	62.3	34.0	19.6	74.8	35.0	19.6	66.6	34.0	19.3	66.6	
VIGORO	V 38N5 RS*	F	69.8	9/28	2.1	43	34.4	19.0	66.9	33.9	19.2	74.9	35.2	19.0	67.5	34.0	18.8	67.7	68.0
WILKEN	W 3411 NRR*	B	59.5	9/18	2.5	41	35.4	20.0	57.1	35.2	20.1	67.6	35.7	20.0	53.7	35.2	19.8	58.1	59.8
WILKEN	W 3429 NRR	B	66.8	9/23	2.5	39	35.1	19.8	58.4	34.7	19.9	71.6	35.4	19.8	70.3	35.2	19.7	65.5	
WILKEN	W 3434 NRR	B	65.1	9/22	2.1	43	34.0	19.3	61.0	33.8	19.7	71.9	34.4	19.2	62.4	33.8	18.9		
WILKEN	W 3461 NRR*	B	64.5	9/28	2.1	44	34.8	19.4	60.3	34.8	19.3	69.9	35.1	19.4	63.5	34.5	19.4	61.7	62.9
WILKEN	W 3465 NRR	B	67.8	9/27	2.1	45	34.5	19.0	63.4	33.7	19.1	74.3	34.7	19.2	65.5	35.0	18.7		
WILKEN	W 3467 NRR	B	62.2	9/24	2.1	43	36.6	17.9	60.2	36.3	18.2	69.2	37.4	17.8	57.4	36.2	17.9	60.1	
WILKEN	W 3473 NRR	B	60.9	9/25	2.9	42	36.8	18.2	56.5	37.1	18.1	69.0	37.0	18.3	57.4	36.4	18.1	62.2	63.3
WILKEN	W 3479 NRR	B	66.2	9/27	2.0	44	34.1	19.1	59.8	33.4	19.3	76.6	35.0	19.1	62.2	33.9	19.0	65.8	66.9
WILKEN	W 3488 NRR	B	67.3	9/26	2.4	44	35.5	19.7	65.6	34.9	19.9	76.6	36.1	19.7	59.6	35.6	19.5		
WILKEN	W 3491 NRR	B	62.2	9/29	2.7	42	35.5	19.4	55.0	35.5	19.6	66.3	35.9	19.1	65.3	35.0	19.4	62.5	65.9
WILKEN	W 3499 NRR	B	63.8	9/25	1.8	44	34.6	19.4	61.2	34.3	19.6	71.7	35.6	19.2	58.5	33.8	19.3	63.8	63.9
WILKEN	WX 408 NRR	B	66.2	9/24	1.9	43	36.4	18.2	63.3	36.1	18.3	72.1	36.9	18.3	63.2	36.2	18.2		
WILLCROSS	RR 2327 N	B	65.2	9/24	2.4	40	35.4	19.6	59.0	35.6	19.4	73.5	35.6	19.9	63.1	35.1	19.5		
WILLCROSS	RR 2355 N	B	64.0	9/23	2.3	44	37.1	17.6	60.8	36.9	17.9	69.5	37.4	17.6	61.7	36.9	17.4	60.0	62.1
WILLCROSS	RR 2385 N	B	66.2	9/28	2.1	44	34.3	19.0	62.7	33.7	19.2	71.8	35.2	18.8	64.3	33.8	18.9	65.4	65.7
WILLCROSS	RR 2387 N	B	68.6	9/25	2.4	45	35.4	19.8	61.4	35.4	19.8	78.9	35.9	19.7	65.3	34.9	19.8		
	AVERAGE		64.2	9/24	2.4	43	35.4	19.1	59.9	35.1	19.2	70.9	35.9	19.1	61.8	35.2	18.9	62.7	64.4
	L.S.D. 25% LEVEL		2.3		0.2	1	0.37	0.18	3.5	0.5	0.2	2.0	0.3	0.2	3.3	0.4	0.2		
	COEFF. OF VAR. (%)		6.6		15.8	5	1.9	1.7	6.1	1.6	1.3	3.0	0.9	0.9	5.7	1.2	1.1		
MATURITY GROUP 4																			
DIENER	4020 CR*	F	62.7	10/1	2.4	48	34.6	18.9	60.8	34.6	19.1	64.6	35.2	18.8	62.5	34.1	18.7	60.8	
EXCEL	8416 NRR	B	64.3	9/29	1.8	43	35.4	19.4	66.1	35.2	19.5	67.9	35.7	19.5	58.9	35.3	19.2	62.5	
GARST	4112 RRN*	U	66.7	9/29	1.8	41	35.8	19.5	62.2	35.9	19.4	73.2	35.9	19.6	64.9	35.6	19.4	65.5	66.8
HORIZON	H 406 N	F	64.7	9/30	2.8	43	35.3	19.3	62.4	35.5	19.4	64.3	35.7	19.3	67.5	34.8	19.2	62.1	64.8
HORIZON	H 424 N*	F	62.4	10/1	1.9	42	34.8	18.8	60.5	34.8	18.9	67.1	34.8	18.9	59.7	34.8	18.5		
HORIZON	H 425 N	F	65.8	10/6	2.5	47	33.4	19.0	63.9	33.3	19.2	67.8	33.8	18.9	65.7	33.2	19.0	63.5	
KRUGER	K-410 RR/SCN	B	62.2	10/2	2.7	46	35.2	19.0	59.7	35.1	18.9	66.4	35.8	19.1	60.5	34.7	18.9	59.5	
KRUGER	K-433 RR/SCN	B	60.9	10/6	2.8	51	35.5	18.0	61.9	34.7	18.4	66.0	36.0	18.0	54.8	35.8	17.7		
LEWIS	4106*	F	66.9	9/28	1.7	42	35.4	19.4	65.8	35.2	19.5	71.1	35.4	19.6	63.9	35.5	19.2	63.2	
MERSCHMAN	MEMPHIS 742RR	F	61.5	10/6	2.8	52	35.7	18.0	60.5	34.5	18.4	63.1	36.4	17.7	60.9	36.2	17.8		
MERSCHMAN	NORFOLK 741RR	F	64.2	9/30	2.4	44	34.6	19.1	63.3	34.4	19.3	65.7	35.2	19.1	63.5	34.2	18.9		
MOWEAQUA	9415 RR*	F	62.1	10/1	2.3	50	34.6	18.9	61.3	34.7	19.1	64.6	35.1	18.9	60.5	34.0	18.6		
NK	S 40-R9*	B	55.3	10/2	3.1	49	36.1	18.3	54.7	35.6	18.5	54.8	36.5	18.3	56.5	36.1	18.0		
NK	S 42-P7*	B	53.9	10/3	2.6	45	36.4	18.0	54.8	36.9	17.9	55.0	37.0	18.0	52.0	35.4	18.1	56.2	57.4
NK	S 43-B1*	B	56.3	10/5	3.0	48	36.1	17.4	55.4	35.7	17.7	56.4	36.7	17.2	57.1	36.0	17.2	57.5	60.3
QUALITY PLUS	Q 402 RR	U	60.8	10/4	2.6	48	36.7	18.0	61.9	35.7	18.4	62.3	37.4	18.1	58.2	37.2	17.6	57.1	
QUALITY PLUS	Q 436 RR	U	61.5	10/6	2.7	51	35.9	17.8	61.1	35.0	18.2	66.7	36.5	17.8	56.7	36.2	17.6		
STINE	4102-4*	U	64.0	10/2	2.1	44	34.2	19.1	61.2	34.1	19.2	66.7	34.3	19.2	64.2	34.3	18.9		
STONE	HC 2405 NRR	B	59.2	10/6	2.8	47	36.5	18.1	60.1	35.8	18.5	63.4	37.2	18.0	54.1	36.5	17.8		
WILLCROSS	RR 2446 N	B	63.3	10/6	2.8	52	35.5	18.1	63.3	34.6	18.6	65.8	36.2	18.0	60.8	35.9	17.8	62.8	
	AVERAGE		61.4	10/3	2.5	47	35.4	18.6	60.6	34.9	18.8	63.8	35.9	18.5	59.9	35.3	18.3	61.0	62.3
	L.S.D. 25% LEVEL		2.3		0.2	2	0.49	0.20	2.0	0.4	0.2	3.8	0.4	0.3	3.1	0.4	0.4		
	COEFF. OF VAR. (%)		6.8		15.7	6	2.5	1.9	3.4	1.3	1.3	3.6	0.7	1.0	5.4	1.1	1.3		

¹IST= Insecticide Seed Treatment: U= Untreated, F= Fungicide, B= Insecticide+Fungicide