

**2011 Soybean Test Results**

**Region 2: Roundup Resistant (30-inch row spacing)**

COMPANY	NAME*	IST <sup>1</sup>	Yield bu/a	Regional Results			Height in	Monmouth Yield bu/a	Goodfield Yield bu/a	Dwight Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a	Region Protein @ 13%	Region Oil @ 13%
				Maturity Date	Lodging									
<b>MATURITY GROUP 2</b>														
ASGROW	AG 2731	A	66.6	9/14	2.1	38	69.7	71.8	58.2				35.1	19.4
ASGROW	AG 2931	A	76.1	9/23	2.3	41	85.9	80.7	61.7				33.4	19.7
CHANNEL	2800 R2*	A	78.0	9/26	2.4	40	82.8	83.1	68.2				34.9	18.7
CHANNEL	2903 R2*	A	69.8	9/30	2.6	41	69.3	78.1	62.1	69.8			34.7	18.4
DAIRYLAND	DSR-2560 RR	B	67.0	9/16	2.4	40	80.8	68.8	51.4	67.3			34.6	20.2
DAIRYLAND	DSR-2727 R2Y	B	68.6	9/27	2.5	43	76.7	71.6	57.3	68.8			33.6	19.6
DAIRYLAND	DSR-2880 R2Y	B	74.6	9/24	2.3	40	80.8	82.4	60.8				34.8	18.8
DAIRYLAND	DSR-2995 R2Y*	B	70.5	9/29	2.5	41	74.9	75.0	61.5				34.5	18.8
DERAEDT	2123 RR*	B	63.0	9/10	1.7	36	73.9	64.7	50.5				34.0	20.5
DERAEDT	2404 R2*	U	64.6	9/13	1.9	33	81.1	63.4	49.2				33.3	20.4
DERAEDT	2523 RR*	B	68.6	9/16	2.3	39	75.2	69.0	61.6	68.6			34.7	20.2
DIENER	2712 CR2*	A	73.2	9/22	2.3	40	81.4	77.6	60.6				34.7	18.3
DIENER	2812 CR2*	A	74.2	9/25	2.2	39	80.3	78.3	63.9				34.7	18.7
EXCEL	8244 NApRR*	B	68.5	9/15	2.3	38	77.6	68.2	59.6	68.7		67.2	30.4	21.5
EXCEL	8267 NApRR*	B	69.2	9/22	2.9	38	73.1	74.6	59.8	69.8		67.4	30.9	20.7
FS HISOY	HS 28A02	B	78.5	9/25	2.4	42	81.2	85.9	68.4	74.7			34.9	18.6
FS HISOY	HS 29A12	B	74.0	9/25	2.4	39	83.6	80.3	58.0				31.9	20.9
G2 (NUTECH)	7262	B	71.9	9/17	1.7	34	79.7	74.1	62.0				32.2	21.3
G2 (NUTECH)	7270	B	71.4	9/18	1.9	39	83.3	74.6	56.4				33.3	20.5
G2 (NUTECH)	7276	B	71.1	9/22	1.9	36	79.0	77.5	56.8				34.4	19.9
G2 (NUTECH)	7282	B	73.1	9/25	1.9	40	77.1	81.7	60.6				32.9	20.7
G2 (NUTECH)	7286	B	73.9	9/24	1.9	38	84.0	81.2	56.6				33.5	20.1
G2 (NUTECH)	7290	B	72.9	9/22	1.9	38	78.7	80.0	59.8	69.8			33.8	20.3
G2 (NUTECH)	7295	B	71.7	9/25	2.4	41	78.8	84.3	51.9				33.5	19.7
G2 (NUTECH)	7250*	B	70.2	9/15	2.0	34	76.4	73.6	60.6				31.0	21.9
G2 (NUTECH)	7288*	B	69.6	9/20	2.2	38	77.5	74.3	57.0	66.8		66.8	32.1	21.3
GREAT HEART	GT-265 CR2*	F	72.4	9/21	2.6	38	81.8	76.8	58.6				34.4	19.1
GREAT HEART	GT-296 CRR*	F	70.6	9/28	2.6	41	82.7	74.6	54.5				32.6	20.2
GREAT HEART	GT-298 CR2*	U	74.8	9/29	2.7	39	81.0	82.9	60.4				33.7	19.6
GREAT LAKES	GL 2555 RR1*	A	67.3	9/13	2.4	38	77.7	70.5	53.6				34.1	20.3
GREAT LAKES	GL 2729 RR2*	A	72.2	9/23	2.7	37	81.4	75.1	60.0				33.4	19.4
GREAT LAKES	GL 2949 RR2*	A	77.0	9/24	2.4	40	83.2	85.7	62.3				34.9	18.7
KRUGER	K2-2001	A	68.3	9/13	1.9	36	77.2	69.1	58.5				32.6	20.8
KRUGER	K2-2102	A	64.5	9/11	2.0	36	74.1	66.0	53.3				33.5	19.8
KRUGER	K2-2302	A	64.6	9/14	1.6	36	70.6	66.3	56.8				34.2	20.0
KRUGER	K2-2502	A	68.9	9/14	2.4	36	76.4	73.3	57.1	67.6			34.4	19.2
KRUGER	K2-2602	A	72.7	9/21	2.5	38	82.1	76.4	59.7				33.3	20.2
KRUGER	K2-2703*	A	72.9	9/22	2.3	40	78.1	79.0	61.7	69.4			34.9	18.8
KRUGER	K2-2803*	A	77.1	9/24	2.5	42	82.3	81.9	67.0	73.4			34.8	18.7
KRUGER	K2-2904	A	73.9	9/25	2.6	40	82.0	79.9	59.8				31.7	20.8
MAVRICK	0282 RY*	U	72.6	9/21	2.2	37	81.8	74.5	61.5				34.8	18.8
MAVRICK	7270 RR*	U	72.0	9/25	2.4	38	78.1	77.7	60.2	71.0		69.5	31.8	20.6
MERSCHMAN	MOHAWK 1128RR2Y	B	73.0	9/23	2.3	40	78.2	77.6	63.3				34.8	18.8

**2011 Soybean Test Results**

**Region 2: Roundup Resistant (30-inch row spacing)**

COMPANY	NAME*	IST <sup>1</sup>	Regional Results				Monmouth	Goodfield	Dwight	2 yr	3 yr	Region	Region
			Yield bu/a	Maturity Date	Lodging	Height in	Yield bu/a	Yield bu/a	Yield bu/a	Avg Yield bu/a	Avg Yield bu/a	Protein @ 13%	Oil @ 13%
MERSCHMAN	SHAWNEE 1226RR2Y	B	67.4	9/20	2.6	39	78.6	71.2	52.6			33.0	20.3
MONIER	M 2739 R2	B	73.4	9/24	2.5	41	81.0	75.9	63.3			33.8	19.7
MUNSON	8281 R2Y	B	71.8	9/22	2.3	39	80.2	74.2	61.2	70.6		34.7	18.8
MYCOGEN	5N284 R2*	B	74.8	9/26	2.3	40	80.7	82.3	61.3			34.9	18.6
NUTECH	6281	B	71.9	9/24	2.3	39	83.6	76.5	55.5			34.0	20.0
PIONEER	92Y80	B	72.4	9/22	2.3	39	79.1	79.6	58.5	72.5	70.7	35.3	20.1
POWER PLUS	28J0	B	74.3	9/26	2.3	43	80.1	84.0	58.9	71.2	69.4	33.4	19.7
PROHARVEST	2635 CR2Y*	A	73.6	9/22	2.7	41	80.3	78.5	61.9			34.7	19.0
PROHARVEST	2850 CR2Y*	A	73.7	9/25	2.3	41	80.3	79.4	61.4			35.0	18.6
PROHARVEST	2950 CR2Y*	A	72.7	9/22	2.4	40	80.8	75.6	61.8			34.8	18.7
RENK	RS 241 R2	F	67.9	9/13	2.0	33	79.4	69.5	54.7			33.2	20.5
RENK	RS 272 NR2	F	71.4	9/22	2.6	40	79.8	74.4	60.0			34.4	19.1
RENK	RS 282 R2	B	68.9	9/26	2.1	39	79.0	75.6	52.1			34.1	19.0
ROESCHLEY	2815 CRR2	B	74.4	9/26	2.4	40	79.6	79.3	64.2			34.9	18.7
SEED CONSULTANTS	SCS 9241 RR*	B	69.8	9/14	1.9	34	78.2	72.6	58.6			30.9	21.8
STEYER	2701 R2	A	74.0	9/22	2.1	39	80.1	80.2	61.7	72.1		34.6	18.9
STINE	2420-4*	B	66.9	9/17	2.1	36	77.7	69.8	53.1	67.7	66.9	34.8	20.0
STINE	24RB00*	B	70.5	9/14	1.9	34	84.6	65.3	61.6			33.6	20.3
STINE	25RC28	B	70.0	9/14	2.3	36	81.8	72.3	56.1			33.1	20.2
STINE	27RA20*	B	73.0	9/23	2.3	40	77.4	78.6	62.9			34.8	19.1
STINE	29RB22*	B	72.8	9/24	2.4	43	76.6	81.3	60.5			35.2	18.5
STONE SEED GROUP	2R2701*	A	73.3	9/22	2.1	41	83.6	79.0	57.2			34.4	18.5
STONE SEED GROUP	2R2801*	A	75.0	9/24	2.2	41	79.5	83.7	61.7			34.9	18.6
SYNGENTA	S25-F2 BRAND*	B	65.2	9/15	1.7	33	76.4	68.0	51.3			33.2	20.6
SYNGENTA	S27-C4 BRAND*	B	71.3	9/20	2.3	37	78.1	78.3	57.5			33.5	20.6
SYNGENTA	S28-K1 BRAND*	B	72.3	9/21	2.1	40	83.1	74.6	59.1			33.7	20.2
SYNGENTA	S29-W7 BRAND*	B	71.4	9/22	2.2	37	79.8	75.4	59.2			32.4	20.6
	AVERAGE		71.4	9/21	2.3	39	79.3	76.0	59.0	70.0	68.3	33.8	19.7
	L.S.D. 25% LEVEL		3.2		0.2	1	2.7	2.7	4.1			0.31	0.18
	COEFF. OF VAR. (%)		8.3		16.1	5	3.6	3.8	7.3			1.7	1.7

**MATURITY GROUP 3**

ASGROW	AG 3030*	A	71.7	9/23	2.4	39	80.9	77.9	56.3	69.9		34.6	19.2
ASGROW	AG 3130*	A	70.0	9/28	2.5	41	77.2	76.1	56.8	68.7	67.3	35.6	17.7
ASGROW	AG 3131	A	74.7	9/24	2.5	40	82.2	81.5	60.4			34.3	19.1
ASGROW	AG 3231	A	75.5	9/30	2.1	40	83.1	82.1	61.3	72.3		33.9	17.9
ASGROW	AG 3431	A	73.3	10/1	2.4	40	76.9	79.2	63.9	72.5		35.1	18.0
ASGROW	AG 3631*	A	71.0	10/2	2.9	40	75.7	78.4	58.8			34.7	18.7
ASGROW	AG 3632	A	72.5	10/2	2.6	43	74.9	79.2	63.3			35.1	17.9
ASGROW	AG 3731	A	74.8	10/2	2.7	44	76.0	82.5	65.9			35.0	18.1
ASGROW	AG 3830*	A	68.8	10/6	2.6	44	70.8	74.3	61.3	68.3		34.2	18.4
CHANNEL	3000 R2	A	72.8	9/29	2.2	42	77.4	78.0	63.1	70.2	68.2	35.3	17.6
CHANNEL	3105 R2*	A	72.5	9/28	2.8	44	77.9	79.0	60.6			33.7	19.1

**2011 Soybean Test Results**

**Region 2: Roundup Resistant (30-inch row spacing)**

COMPANY	NAME*	IST <sup>1</sup>	Regional Results				Monmouth	Goodfield	Dwight	2 yr	3 yr	Region	Region
			Yield bu/a	Maturity Date	Lodging	Height in	Yield bu/a	Yield bu/a	Yield bu/a	Avg Yield bu/a	Avg Yield bu/a	Protein @ 13%	Oil @ 13%
	*Producer Nominated												
CHANNEL	3205 R2	A	72.3	9/29	2.4	43	76.7	74.7	65.4			34.4	18.5
CHANNEL	3303 R2	A	74.8	9/29	2.5	41	81.1	80.5	62.8			34.2	18.1
CHANNEL	3402 R2*	A	72.7	9/29	2.2	42	77.6	77.6	62.8			35.3	18.1
CHANNEL	3905 R2	A	70.8	10/6	2.8	43	69.3	80.0	63.3			34.6	17.6
DAIRYLAND	DSR-3232 R2Y	B	74.8	10/1	2.2	43	81.5	77.2	65.7			35.4	18.1
DAIRYLAND	DST 30-002 R2Y	U	70.8	9/25	2.4	37	76.2	76.4	59.9			34.1	19.0
DIENER	3012 CR2*	A	70.6	9/30	2.4	42	75.2	73.9	62.6	70.0		34.4	18.6
DIENER	3494 CR2*	A	75.7	10/1	2.3	43	80.2	82.9	63.9			35.3	18.0
DYNA-GRO	37RY33	A	75.3	10/1	2.3	44	77.3	81.4	67.2	73.9		35.4	17.9
DYNA-GRO	38RY32	A	71.8	9/28	2.4	44	78.4	75.3	61.8			34.4	18.6
EXCEL	3240 NR2YSTS	B	70.6	9/28	2.8	41	73.7	79.9	58.3			33.5	19.3
EXCEL	3400 NR2Y	U	70.6	10/3	2.8	45	74.3	75.8	61.8			33.4	18.0
FS HISOY	HS 31A02	B	70.9	10/1	2.7	42	73.2	75.5	63.8	70.1		34.6	18.3
FS HISOY	HS 33A02*	B	72.9	10/1	2.1	42	75.1	80.5	63.1	72.3		35.3	18.1
FS HISOY	HS 34A12	B	71.6	10/1	2.5	43	75.0	75.2	64.7			34.6	18.1
FS HISOY	HS 36A12	B	72.0	10/3	2.5	42	77.2	75.2	63.6			35.6	17.5
G2 (NUTECH)	6311	B	68.6	9/28	2.6	39	79.2	70.2	56.5	66.6	66.0	32.8	20.2
G2 (NUTECH)	7310	B	74.5	9/27	2.6	43	80.3	79.7	63.6	72.1		34.5	19.5
G2 (NUTECH)	7326	B	71.6	9/27	2.3	43	77.8	77.9	59.1			33.1	20.2
G2 (NUTECH)	7328	B	70.8	9/30	2.7	44	74.2	76.0	62.2	69.1		33.3	19.7
G2 (NUTECH)	7332	B	73.8	10/1	2.7	41	76.0	80.8	64.8			33.8	19.2
G2 (NUTECH)	7335	B	74.2	9/30	2.7	44	76.0	79.3	67.4			33.1	19.5
G2 (NUTECH)	7342	B	74.9	10/2	2.3	38	79.4	81.2	63.9			33.0	19.3
G2 (NUTECH)	7345	B	73.1	9/29	2.6	42	79.1	81.7	58.6			33.0	20.1
G2 (NUTECH)	7349	B	74.4	10/2	2.7	44	76.0	78.4	68.8			33.2	19.6
G2 (NUTECH)	7362	B	75.9	10/3	2.8	45	79.9	81.1	66.6			33.1	19.3
G2 (NUTECH)	7372	B	73.9	10/6	2.8	46	79.4	81.9	60.4			34.0	19.1
G2 (NUTECH)	7384	B	70.9	10/4	2.8	42	73.9	76.6	62.2			33.7	18.6
G2 (NUTECH)	7389	B	74.9	10/3	2.4	44	75.3	82.4	66.9			32.8	19.9
G2 (NUTECH)	7390	B	70.9	10/5	2.9	41	73.2	79.5	60.1	67.6		34.6	18.9
GREAT LAKES	GL 3069 RR2*	A	68.8	9/28	2.4	41	73.4	73.4	59.5			34.3	18.7
HOBLIT	36P2	B	69.3	10/2	2.5	43	72.1	77.3	58.6			32.9	18.7
KRUGER	K2-3103	A	71.9	9/28	2.5	40	77.7	75.7	62.3	70.4		34.2	18.8
KRUGER	K2-3202	A	71.5	9/28	2.5	40	75.7	77.6	61.2			35.1	19.0
KRUGER	K2-3402	A	73.3	9/30	2.2	42	75.3	82.3	62.4	72.2		35.1	18.0
KRUGER	K2-3602	A	70.3	10/8	2.9	43	72.1	78.5	60.3	67.4		33.9	18.7
KRUGER	K2-3701	A	73.3	10/5	2.6	44	75.4	75.9	68.4			35.5	17.6
KRUGER	K2-3802	A	73.7	10/7	3.0	44	74.9	79.5	66.7	70.8		34.7	18.1
KRUGER	K2-3902	A	70.9	10/5	3.0	44	74.6	75.1	63.0			33.0	18.9
KRUGER	K2X32A1	A	72.1	9/29	2.6	42	77.1	75.1	64.0			34.6	18.5
LEWIS	302 R2	A	72.1	9/24	2.5	39	81.4	76.2	58.6			32.1	20.7
LEWIS	332 R2	A	71.2	9/30	2.4	42	73.3	77.1	63.3			34.7	18.4
LEWIS	351 R2	A	73.6	10/1	2.2	43	75.6	81.5	63.8	73.7		35.4	17.9
MAVRICK	0322 RY*	A	68.6	9/28	2.9	41	74.7	76.3	54.9			33.3	19.9
MAVRICK	0323 RR*	U	72.6	9/29	2.7	39	77.9	81.5	58.4			33.6	19.6

**2011 Soybean Test Results**

**Region 2: Roundup Resistant (30-inch row spacing)**

COMPANY	NAME*	IST <sup>1</sup>	Regional Results				Monmouth	Goodfield	Dwight	2 yr	3 yr	Region	Region
			Yield bu/a	Maturity Date	Lodging	Height in	Yield bu/a	Yield bu/a	Yield bu/a	Avg Yield bu/a	Avg Yield bu/a	Protein @ 13%	Oil @ 13%
	*Producer Nominated												
MERSCHMAN	ARTHUR 1230RR2Y	B	72.5	9/29	2.6	43	74.7	76.2	66.8			34.3	18.5
MERSCHMAN	COOLIDGE 1234RR2Y	B	74.4	9/30	2.3	43	81.7	78.8	62.7			35.3	18.0
MERSCHMAN	KENNEDY 1036RR2Y	B	75.3	10/3	2.8	46	82.7	81.4	61.8	73.0	69.6	34.9	18.0
MERSCHMAN	WASHINGTON 1238RR	B	73.0	10/3	2.8	41	74.8	80.4	63.7			33.0	19.1
MONIER	M 3115 R2	B	72.1	9/28	2.4	43	76.5	76.9	62.9			34.6	18.6
MUNSON	8302 R2Y	U	71.9	9/22	2.5	39	80.9	78.1	56.8			35.2	18.4
MUNSON	8322 R2Y	U	72.3	9/28	2.4	41	77.3	76.3	63.5			34.5	18.6
MUNSON	8328 RR	B	73.1	9/23	2.1	37	78.7	76.2	64.4	69.8	67.6	34.7	19.2
MUNSON	8341 R2Y	A	72.0	9/29	2.3	39	75.4	76.0	64.7			33.6	18.9
MUNSON	8352 R2Y	U	69.8	10/3	2.5	42	73.2	75.1	61.0			35.4	17.7
MUNSON	8372 R2Y	B	69.3	10/7	3.3	44	70.1	77.5	60.1			34.0	18.4
MYCOGEN	5N324 R2*	B	69.9	9/29	2.5	42	75.0	73.7	60.9			34.6	18.6
NUTECH	7359	B	72.6	9/30	2.8	41	77.9	82.5	57.5	72.8	71.1	33.6	19.8
NUTECH	7388	B	72.9	10/4	2.8	40	73.6	81.4	63.7	71.6		33.3	19.1
PIONEER	93Y05	B	71.7	9/27	2.1	40	76.3	77.8	61.2			31.9	20.6
PIONEER	93Y40	B	74.3	9/30	2.6	40	79.4	79.1	64.4	70.2	68.3	33.8	19.3
PIONEER	93Y70*	B	73.9	10/3	2.7	45	75.7	80.9	65.1	71.7	67.7	32.8	19.4
PIONEER	93Y82	B	74.6	10/4	2.8	43	80.8	81.9	61.1			32.3	19.5
POWER PLUS	32K0*	B	71.8	9/27	2.6	44	77.4	77.1	60.9	69.6	66.8	32.3	19.9
PROHARVEST	3135 CR2Y*	U	69.9	9/29	2.5	42	74.5	73.5	61.8			34.4	18.8
PROHARVEST	3350 CR2Y*	A	71.9	9/30	2.6	43	76.8	78.4	60.5			34.5	18.5
PROHARVEST	3635 CR2Y*	U	74.2	10/3	2.7	43	76.6	78.2	67.8			35.5	17.6
PUBLIC	IA3041RR2Y*	U	68.0	9/28	2.6	41	77.7	71.8	54.5			34.5	18.1
RENK	RS 322 NR2	U	70.3	9/29	2.4	42	75.9	73.7	61.3			34.6	18.5
RENK	RS 331 NR2	U	71.3	9/29	2.8	43	75.5	78.0	60.3			34.6	18.5
ROESCHLEY	3107 CRR2	B	71.4	9/28	3.0	43	75.6	79.9	58.7			33.4	19.7
ROESCHLEY	3195 CRR2*	B	68.7	9/30	2.4	36	74.6	75.6	56.0			34.8	18.0
ROESCHLEY	3217 CRR2	U	71.2	9/30	2.6	41	77.2	73.5	62.8			34.6	18.6
ROESCHLEY	3491 CRR*	B	64.7	10/2	2.6	40	72.1	69.5	52.6			33.4	19.6
STEYER	3001 R2	A	73.5	9/28	2.6	41	77.5	78.9	64.2	72.2		34.7	17.9
STEYER	3203 R2	A	71.7	9/29	2.4	42	75.5	76.8	62.9			34.8	18.5
STEYER	3204 R2	A	72.0	9/29	2.4	41	77.7	79.9	58.3	70.4	67.8	35.0	17.5
STEYER	3401 R2	A	68.5	10/3	2.7	43	71.7	73.4	60.4	66.6	63.4	35.1	18.5
STEYER	3404 R2	A	72.0	10/1	2.5	43	73.9	75.0	67.2			34.5	18.1
STEYER	3490 RR	A	68.7	10/3	2.5	42	72.2	75.3	58.6	69.1	66.5	32.9	18.7
STEYER	3501 R2	A	74.0	9/30	2.5	42	78.9	79.5	63.5	71.6	68.2	34.4	17.5
STEYER	3603 R2	A	70.4	10/4	2.4	42	74.9	77.1	59.2			35.4	17.6
STEYER	3803 R2	A	74.5	10/7	3.1	45	75.7	77.9	69.8			34.8	18.2
STINE	30RA02*	B	72.0	10/1	2.5	42	75.2	74.8	65.9			34.6	18.5
STINE	33RA02*	B	71.3	9/30	2.5	40	75.8	74.5	63.5			34.1	19.6
STINE	3522-4*	B	72.5	10/1	2.9	41	79.0	77.1	61.3			33.8	19.6
STINE	35RA02*	B	73.3	10/4	2.6	45	78.3	77.3	64.2			34.9	17.9
STONE SEED GROUP	2R3001*	A	71.8	9/29	2.5	41	74.6	79.0	61.8	70.3		34.2	18.6
STONE SEED GROUP	2R3201*	A	70.5	9/28	2.0	40	75.8	77.3	58.4			34.3	18.4
STONE SEED GROUP	2R3401*	A	73.9	9/30	2.4	43	78.5	78.8	64.4			35.3	18.0

**2011 Soybean Test Results**

**Region 2: Roundup Resistant (30-inch row spacing)**

COMPANY	NAME*	IST <sup>1</sup>	Yield bu/a	Regional Results			Monmouth Yield bu/a	Goodfield Yield bu/a	Dwight Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a	Region Protein @ 13%	Region Oil @ 13%
				Maturity Date	Lodging	Height in							
SUN PRAIRIE	SPX 32R21	A	71.4	9/30	2.5	42	76.7	75.8	61.6			34.4	18.7
SYNGENTA	S31-L7 BRAND*	B	72.1	9/27	2.7	41	77.8	79.7	58.7			34.9	17.8
	AVERAGE		72.1	9/30	2.6	42	76.5	77.7	62.1	70.5	67.6	34.3	18.7
	L.S.D. 25% LEVEL		2.5		0.2	1	2.7	2.5	3.8			0.27	0.18
	COEFF. OF VAR. (%)		6.4		11.3	6	3.8	3.4	6.5			1.5	1.8

<sup>1</sup>IST= Insecticide Seed Treatment: U= Untreated, F= Fungicide, B= Insecticide+Fungicide, A= Acceleron