

**2012 Soybean Test Results**

**Region 3: Roundup Resistant (30-inch row spacing)**

COMPANY	NAME*	IST <sup>1</sup>	Yield bu/a	Regional Results			Perry Yield bu/a	New Berlin Yield bu/a	Urbana Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a	Region Protein @13%	Region Oil @13%
				Maturity Date	Lodging	Height in							
<b>MATURITY GROUP 2</b>													
CHANNEL	2705 R2*	B	41.2	9/13	1.8	35	33.1	43.2	47.2			35.0	19.8
CHANNEL	2800 R2*	B	49.0	9/13	1.6	33	39.6	53.2	54.1			36.5	19.0
CHANNEL	2903 R2	B	49.3	9/16	1.8	33	38.7	52.7	56.4	55.5	59.8	35.6	19.2
CROPLAN	R2C 33*	B	46.6	9/19	2.4	35	36.2	52.0	51.6			35.5	19.4
GREAT LAKES	GL 2949 RR2*	B	46.4	9/12	1.6	33	36.6	50.6	52.2			36.5	19.0
JGL	260 CA*	B	40.8	9/9	2.1	32	34.8	41.8	45.7	51.6		32.1	21.4
JGL	282 CA*	B	40.8	9/8	2.6	34	36.8	39.5	46.2	49.2		32.4	20.8
KRUGER	K2-2503	B	35.7	9/2	1.7	34	26.9	38.0	42.0			35.5	20.0
KRUGER	K2-2602	B	42.2	9/11	1.9	32	33.2	47.4	46.1	52.5		34.5	20.5
KRUGER	K2-2704	B	42.4	9/13	1.7	32	34.3	43.9	49.0			36.6	18.7
KRUGER	K2-2803	B	48.5	9/14	1.8	33	38.2	53.2	54.0	57.6		36.3	19.0
KRUGER	K2-2904	B	40.6	9/8	1.9	32	32.6	42.0	47.1	52.9		34.0	20.8
MARTIN	M 125 RR*	B	33.1	9/2	1.8	34	18.5	40.2	40.6			35.4	20.0
MARTIN	M 27 NR2Y*	B	42.9	9/12	1.7	34	33.1	48.3	47.3	50.5		35.1	19.5
MERSCHMAN	CHEROKEE 1329RR2Y	A	44.0	9/17	1.6	32	35.8	47.0	49.1			34.8	20.1
PROHARVEST	2866 CR2Y*	B	42.4	9/10	1.7	32	33.2	45.5	48.6			36.4	18.7
PROHARVEST	2950 CR2Y*	B	41.9	9/11	1.9	34	31.8	46.5	47.5	52.6		35.8	19.1
STEYER	2701 R2*	A	40.6	9/9	1.8	35	30.9	46.2	44.8			35.6	19.2
STINE	29RD22	B	43.6	9/12	1.7	33	34.4	49.5	46.8			36.7	18.7
SUN PRAIRIE	SP 28R20*	A	41.4	9/11	1.8	34	30.1	47.8	46.4			35.6	19.1
	AVERAGE		42.7	9/11	1.8	33	33.4	46.4	48.1	52.8	59.8	35.3	19.6
	L.S.D. 25% LEVEL		2.1		0.2	1	1.6	2.8	2.4			0.50	0.27
	COEFF. OF VAR. (%)		9.1		24.3	6	4.9	6.2	5.2			2.6	2.5
<b>MATURITY GROUP 3</b>													
ASGROW	AG 3231	B	48.9	9/19	1.7	31	40.1	51.0	55.6	56.8		35.0	18.8
ASGROW	AG 3333	B	45.2	9/20	1.9	34	31.8	53.5	50.3			35.0	19.8
ASGROW	AG 3431*	B	49.6	9/20	1.6	34	39.7	53.7	55.4	56.6	60.1	36.8	18.7
ASGROW	AG 3432	B	46.5	9/24	2.2	36	39.9	47.2	52.2			34.7	19.8
ASGROW	AG 3533	B	53.1	9/21	2.3	36	42.8	55.3	61.3			35.5	19.1
ASGROW	AG 3731	B	49.9	9/27	2.1	35	40.6	54.1	55.0	57.8		36.6	18.6
ASGROW	AG 3832	B	49.2	9/27	1.8	33	38.7	56.9	52.0	57.4		35.1	19.2
ASGROW	AG 3931*	B	51.6	9/27	2.2	34	41.3	56.0	57.4			35.0	19.0
CHANNEL	3105 R2*	B	45.2	9/21	2.2	37	35.9	46.6	53.1	53.4		35.3	19.1
CHANNEL	3303 R2*	B	50.9	9/21	1.9	33	41.3	53.2	58.4	58.2		35.2	19.0
CHANNEL	3306 R2	B	47.0	9/18	2.5	34	38.9	49.3	52.8			35.4	19.4
CHANNEL	3402 R2*	B	50.9	9/21	2.0	36	40.6	52.4	59.6	57.7		35.6	19.1
CHANNEL	3506 R2	B	51.1	9/21	1.8	35	40.2	53.1	59.8			35.0	19.1
CHANNEL	3701 R2*	B	54.2	9/25	1.9	34	47.4	55.6	59.5	58.9	62.2	34.8	19.5
CHANNEL	3806 R2/STS	B	51.4	9/27	2.3	38	41.1	56.6	56.5			35.5	19.3

**2012 Soybean Test Results**

**Region 3: Roundup Resistant (30-inch row spacing)**

COMPANY	NAME*	IST <sup>1</sup>	Yield bu/a	Regional Results			Perry Yield bu/a	New Berlin Yield bu/a	Urbana Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a	Region Protein @13%	Region Oil @13%
				Maturity Date	Lodging	Height in							
	*Producer Nominated												
CROPLAN	R2C 3551*	B	50.9	9/24	2.1	34	39.5	55.1	58.3			35.6	19.0
CROPLAN	R2C 3780*	B	50.6	9/28	2.2	35	43.6	52.7	55.6			35.6	19.3
CROPLAN	R2C 3822*	B	52.1	9/25	2.3	35	42.4	52.9	61.0			34.1	20.0
DAIRYLAND	DSR-3232 R2Y*	B	46.5	9/20	1.9	36	34.9	49.1	55.4			35.6	19.1
DAIRYLAND	DSR-3703 R2Y*	B	49.8	10/1	2.9	35	42.2	54.0	53.1			34.9	19.7
DAIRYLAND	DSR-3980 R2Y*	B	50.7	9/29	2.5	37	45.0	52.6	54.3			36.5	18.5
DYNA-GRO	32RY39	A	48.9	9/27	2.2	38	40.2	52.3	54.0	56.6		35.6	19.2
DYNA-GRO	34RY36	A	49.3	9/21	2.1	36	40.3	53.7	53.9	56.9		36.3	18.9
DYNA-GRO	36RY38	A	51.5	9/28	2.3	34	43.7	53.9	56.7	59.2		35.8	19.0
DYNA-GRO	37RY33	A	47.9	9/20	1.7	36	37.5	52.4	53.7	56.5		35.3	19.2
DYNA-GRO	S 35RY83	A	46.0	9/20	1.9	36	39.8	49.0	49.1			34.4	19.5
FS HISOY	HS 31A02*	B	50.1	9/19	1.9	33	39.4	54.8	56.2			35.3	19.4
FS HISOY	HS 33A02*	B	48.1	9/21	1.8	36	41.6	52.2	50.6	56.3	60.7	35.3	19.3
FS HISOY	HS 33A22	B	46.3	9/17	2.6	35	36.0	49.8	53.2			35.2	19.5
FS HISOY	HS 34A12*	B	52.4	9/20	2.1	36	40.9	56.7	59.5	57.1		35.2	19.3
FS HISOY	HS 34A22	B	48.9	9/18	1.7	34	37.3	54.8	54.8			36.5	18.8
FS HISOY	HS 35A22	B	47.3	9/22	2.1	34	38.0	52.8	51.2			35.3	19.3
FS HISOY	HS 36A12	B	50.3	9/24	2.1	34	40.4	54.4	56.0	57.2		36.0	18.9
FS HISOY	HS 37A22	B	50.1	9/27	2.1	36	44.1	53.8	52.3			36.0	19.7
FS HISOY	HS 38A02*	B	52.1	9/28	2.1	35	44.3	55.0	57.2	57.5	61.4	35.5	19.2
FS HISOY	HS 38A22	B	51.0	9/28	2.3	35	42.7	54.0	56.2			34.5	19.9
FS HISOY	HS 39A12	B	48.7	9/29	2.4	36	40.7	53.3	52.2	55.7		35.4	19.3
FS HISOY	HS 39A22	B	53.2	10/1	1.9	32	43.9	58.5	57.0			34.8	19.7
G2 GENETICS	1311	B	37.3	9/14	2.1	38	26.7	38.9	46.1			35.3	20.9
G2 GENETICS	1381	B	50.3	9/25	1.7	32	45.3	50.6	54.9			33.8	20.4
G2 GENETICS	7310	F	36.9	9/17	2.1	38	26.9	37.3	46.5			36.4	19.4
G2 GENETICS	7323	B	46.8	9/18	2.0	36	37.0	51.2	52.2			34.0	21.0
G2 GENETICS	7334	B	50.5	9/17	2.1	35	41.9	52.8	56.7			34.7	20.4
G2 GENETICS	7342	F	51.3	9/28	1.9	33	44.6	51.6	57.7	58.3		34.2	20.3
G2 GENETICS	7362	F	46.9	9/24	2.0	36	39.7	53.7	47.3	56.0		32.9	20.9
G2 GENETICS	7373	F	49.9	9/30	2.3	38	43.7	53.4	52.6			34.5	20.3
G2 GENETICS	7382	F	49.3	9/26	2.6	39	43.6	54.3	49.9	57.4		33.9	20.2
G2 GENETICS	7390	F	51.3	10/2	2.0	34	45.4	54.9	53.5	57.5	60.4	35.6	20.0
G2 GENETICS	7393	B	48.8	9/28	2.1	34	39.1	53.2	53.9			33.4	19.9
GREAT HEART	GT-339 CR2*	F	49.4	9/20	2.2	34	39.0	54.8	54.4			34.9	19.4
GREAT HEART	GT-362 CR2*	F	52.2	9/19	1.8	35	38.4	58.2	59.9			36.3	18.9
GREAT HEART	GT-373 CR2*	F	46.7	9/20	1.7	35	34.1	48.2	58.0			35.2	18.7
GREAT HEART	GT-387 CR2*	F	48.9	9/29	2.2	36	40.2	55.7	50.7			35.4	19.3
GREAT HEART	GT-390 CR2*	F	52.1	10/1	1.8	33	45.2	56.1	55.0			34.8	19.7
GREAT LAKES	GL 3069 RR2*	B	48.8	9/18	1.9	33	39.0	52.5	54.9	56.0		35.3	19.4
GREAT LAKES	GL 3159 RR2*	B	47.0	9/17	1.9	35	35.4	50.7	55.0			35.5	19.2
GREAT LAKES	GL 3289 RR2*	B	49.2	9/19	2.0	33	37.9	53.8	55.9	55.6		35.5	19.3
GREAT LAKES	GL 3429 RR2*	B	48.9	9/20	1.7	36	38.0	50.5	58.2	57.4		35.7	19.0
GREAT LAKES	GL 3609 RR2*	B	46.5	9/22	2.0	35	37.7	50.4	51.3			35.7	19.0

**2012 Soybean Test Results**

**Region 3: Roundup Resistant (30-inch row spacing)**

COMPANY	NAME*	IST <sup>1</sup>	Yield bu/a	Regional Results			Perry Yield bu/a	New Berlin Yield bu/a	Urbana Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a	Region Protein @13%	Region Oil @13%
				Maturity Date	Lodging	Height in							
GREAT LAKES	GL 3729 RR2*	B	53.5	9/25	2.0	35	41.8	56.3	62.3			34.2	20.4
GREAT LAKES	GL 3879 RR2*	B	53.3	9/28	2.2	34	41.6	57.3	61.0	59.0		35.4	19.4
GREEN VALLEY SEED	GV 363	B	50.6	9/23	2.0	37	42.3	53.1	56.3			35.5	19.2
GREEN VALLEY SEED	GV 383	B	52.9	9/29	2.2	36	47.0	56.9	54.8			35.4	19.4
GREEN VALLEY SEED	GV 393	B	48.3	9/26	2.0	33	40.4	50.7	53.9			35.3	18.8
HUBNER	EXP 3512*	A	48.3	9/21	1.8	32	37.6	48.5	58.8			35.1	19.0
HUBNER	H 34-12 R2	A	48.8	9/20	1.8	36	36.9	53.6	55.8	56.0		35.4	19.3
HUBNER	H 36-12 R2	A	48.1	9/23	1.9	35	38.3	53.0	53.2	55.4		36.0	18.8
HUBNER	H 37-10 R2*	A	51.7	9/28	2.6	41	41.3	53.5	60.4	57.1	60.3	36.2	19.0
HUBNER	H 38-10 R2*	U	52.6	9/28	2.2	34	44.7	56.5	56.5	58.3		36.1	19.1
KRUGER	K2-3103	B	47.9	9/20	1.9	32	37.0	48.5	58.2	55.9	59.9	35.4	19.3
KRUGER	K2-3104	B	50.7	9/19	1.8	33	40.3	51.5	60.3			36.0	19.2
KRUGER	K2-3203	B	47.2	9/18	2.4	36	38.3	53.0	50.3			35.4	19.5
KRUGER	K2-3402	B	46.7	9/21	1.7	36	37.7	52.1	50.4	54.9	60.3	35.0	19.4
KRUGER	K2-3701	B	48.2	9/24	2.1	35	41.6	50.0	53.1	56.0		36.0	18.8
KRUGER	K2-3802	B	52.3	9/29	2.1	33	44.2	56.5	56.1	60.0	62.4	35.3	19.4
KRUGER	K2-3803	B	43.5	9/23	1.8	34	35.0	43.9	51.5			35.6	18.4
KRUGER	K2-3804	B	49.6	9/26	2.1	38	39.4	53.3	56.2			35.9	19.0
KRUGER	K2-3902	B	52.4	9/25	2.4	37	44.4	53.3	59.6	57.4	61.3	34.2	20.3
LEWIS	351 R2	A	47.4	9/21	1.8	36	36.1	51.8	54.2	56.4	60.4	35.1	19.4
LEWIS	381 R2	A	50.5	9/29	2.2	34	42.9	50.1	58.4	57.5	60.4	35.5	19.3
LEWIS	383 R2	A	48.3	9/20	1.7	34	39.4	51.1	54.3			35.1	18.9
LEWIS	392 R2	A	52.8	9/28	2.1	35	43.7	55.4	59.3	57.7		35.6	18.8
LG SEEDS	C 3466 R2*	A	47.5	9/21	1.7	35	36.1	46.8	59.7			36.1	18.9
LG SEEDS	C 3770 R2*	A	53.8	9/26	2.2	36	47.5	55.7	58.0			34.9	19.7
LG SEEDS	C 3989 R2*	A	51.9	9/24	1.8	36	42.7	53.5	59.5			34.0	20.5
MARTIN	M 132 NR2Y	B	47.9	9/19	2.0	35	38.5	54.4	50.9	55.9	59.2	35.8	18.9
MARTIN	M 134 NR2Y*	U	41.1	9/24	2.5	39	32.2	43.0	48.0	49.8		35.2	18.9
MARTIN	M 30 NR2Y	B	44.7	9/16	1.8	32	36.7	47.5	50.0			35.2	19.9
MARTIN	M 36 NR2Y	B	47.3	9/28	2.7	35	40.9	49.0	51.9	55.3		35.3	19.5
MARTIN	M 38 NRR	U	49.2	9/24	2.0	35	44.8	52.2	50.6	56.5		34.1	20.3
MARTIN	M 435 NRR*	U	39.8	9/30	3.1	39	34.8	40.0	44.7			37.4	17.7
MERSCHMAN	ARTHUR 1331RR2Y	A	49.6	9/19	1.8	33	39.3	54.3	55.1			36.2	19.0
MERSCHMAN	COOLIDGE 1234RR2Y	A	47.7	9/20	2.0	37	37.2	52.4	53.4	56.1		35.5	19.0
MERSCHMAN	GARFIELD 1337RR2Y	A	52.6	9/27	2.2	39	43.2	57.5	57.1			35.6	19.9
MERSCHMAN	HOOVER 1333RR2Y	A	47.3	9/20	2.5	37	37.7	51.6	52.6			35.2	19.6
MERSCHMAN	KENNEDY 1036RR2Y	A	49.4	9/22	2.2	37	38.0	54.2	55.8	56.8	60.9	36.3	18.7
MERSCHMAN	WASHINGTON 1336RR2Y	A	49.0	9/24	2.2	35	38.9	51.9	56.3			35.7	19.1
MUNSON	8303 R2Y	B	45.7	9/18	1.9	34	34.6	50.4	52.2			34.8	20.0
MUNSON	8323 R2Y	B	44.9	9/21	2.2	33	33.3	50.2	51.3			35.3	19.7
MUNSON	8328 RR	B	37.2	9/13	1.8	32	24.7	39.2	47.9			35.6	20.0
MUNSON	8343 R2Y*	B	47.4	9/18	2.3	36	36.1	52.1	54.0			35.4	19.2
MUNSON	8363 R2Y*	B	50.1	9/21	2.1	36	41.6	52.4	56.2			36.0	19.0
MUNSON	8373 R2Y*	B	47.0	10/1	2.2	35	41.1	47.1	52.7			35.4	19.3

**2012 Soybean Test Results**

**Region 3: Roundup Resistant (30-inch row spacing)**

COMPANY	NAME*	IST <sup>1</sup>	Yield bu/a	Regional Results			Perry Yield bu/a	New Berlin Yield bu/a	Urbana Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a	Region Protein @13%	Region Oil @13%
				Maturity Date	Lodging	Height in							
MYCOGEN	5N342 R2*	B	48.7	9/21	1.9	36	40.8	54.4	50.9	56.9		35.5	19.2
MYCOGEN	5N360 R2*	B	50.6	9/23	2.1	35	40.8	56.2	54.8	56.9		35.9	18.9
NK	S 34-N3*	B	48.4	9/20	1.9	36	39.9	53.0	52.3	56.9		35.4	19.1
NK	S 37-B1*	B	49.6	10/2	2.4	34	44.0	52.7	52.2			35.0	19.6
NK	S 39-U2*	B	53.3	9/28	2.4	34	42.7	58.6	58.5			34.1	20.1
PFISTER	34R20*	B	49.7	9/20	1.8	37	42.5	52.3	54.4			35.9	19.0
PFISTER	37R28*	B	50.1	9/29	2.4	33	47.6	49.4	53.2			35.3	19.3
PFISTER	38R25*	B	53.9	9/28	2.3	36	44.7	58.8	58.2			35.7	19.2
POWER PLUS	34B9*	B	46.3	9/22	2.0	36	38.8	49.9	50.1			33.9	20.5
POWER PLUS	36C0*	B	51.0	9/29	2.4	41	44.5	55.6	52.9			34.6	20.2
POWER PLUS	36J3	B	49.9	9/27	2.1	37	41.9	55.3	52.4			33.8	20.3
POWER PLUS	37T1	B	47.5	10/1	1.8	32	39.9	55.8	46.9	54.8	58.4	35.5	20.0
POWER PLUS	38D2	B	49.9	9/28	2.1	34	39.8	53.7	56.2	56.9		34.7	19.8
POWER PLUS	39B3	B	47.7	9/28	1.9	37	43.0	46.4	53.8			34.3	20.3
PROHARVEST	3066 CR2Y*	B	46.8	9/16	1.9	34	35.5	50.8	54.2			36.2	18.8
PROHARVEST	3135 CR2Y*	B	48.1	9/15	1.8	32	37.4	51.1	55.6	54.9		35.5	19.5
PROHARVEST	3266 CR2Y*	B	44.3	9/19	2.1	34	33.5	49.4	50.1			35.9	19.3
PROHARVEST	3329 CRR*	B	47.5	9/22	2.0	34	39.3	48.9	54.2			34.3	19.6
PROHARVEST	3466 CR2Y*	B	47.7	9/20	2.1	34	41.6	49.4	52.1			34.8	19.2
PROHARVEST	3735 CR2Y*	B	48.8	9/23	2.1	35	38.9	50.7	56.8			36.6	18.5
PROHARVEST	3866 CR2Y*	B	48.2	9/21	1.7	34	41.5	51.6	51.6			34.8	18.9
STEYER	3204 R2*	A	48.2	9/19	1.8	35	37.4	52.7	54.5	55.1	58.6	36.3	18.5
STEYER	3401 R2*	A	47.4	9/23	2.0	35	39.3	49.0	54.1	54.3	57.5	36.1	19.2
STEYER	3404 R2*	A	51.8	9/21	1.8	34	40.7	54.8	59.8	57.7		35.6	19.1
STEYER	3501 R2*	A	47.7	9/16	1.7	34	38.4	50.6	54.1	55.8	59.1	34.9	18.8
STEYER	3603 R2*	A	47.9	9/24	2.0	35	38.9	53.2	51.5	55.6		36.0	18.8
STEYER	3802 R2*	A	48.7	9/29	2.4	39	40.0	54.5	51.5			37.3	18.5
STEYER	3803 R2*	A	51.3	9/27	2.1	35	42.1	57.0	54.9	59.1	61.7	35.7	19.2
STEYER	3901 R2*	A	47.7	9/29	2.2	35	39.3	51.4	52.4	55.6		35.4	19.3
STINE	30RD02	B	45.2	9/18	1.8	34	38.5	51.4	45.6			34.4	19.8
STINE	30RD22	U	47.1	9/18	2.3	34	38.0	50.4	52.9			35.9	19.4
STINE	33RD02	B	51.4	9/20	1.9	34	40.1	56.5	57.7			36.7	18.6
STINE	35RA02*	B	51.1	9/22	2.3	38	41.5	55.3	56.4	58.9	60.2	36.1	18.8
STINE	36RD02	U	51.0	10/2	1.9	34	42.8	57.8	52.2			36.1	19.1
STINE	37RC82*	B	48.3	9/26	2.2	36	40.1	53.0	51.7	56.7		35.7	18.9
STINE	37RD22	U	51.2	9/29	2.1	37	44.0	57.6	52.1			35.5	19.3
STINE	38RD02	U	49.6	9/29	2.1	38	41.6	57.3	49.8			35.4	19.9
STONE SEED GROUP	2R3303	B	47.9	9/21	2.5	36	38.8	51.3	53.5			35.0	19.7
STONE SEED GROUP	2R3401*	B	46.8	9/19	1.6	36	38.8	49.9	51.7	56.3		35.4	19.2
STONE SEED GROUP	2R3602	B	51.4	9/26	1.9	35	43.0	55.6	55.6	58.3		35.6	18.9
STONE SEED GROUP	2R3701*	B	50.9	9/30	2.3	40	41.0	56.3	55.5	56.9		36.1	19.0
STONE SEED GROUP	2R3801	B	51.6	9/29	2.2	34	41.1	55.3	58.4	58.0		35.6	19.2
STONE SEED GROUP	2R3803	B	48.4	9/21	1.9	34	36.3	51.5	57.5			35.1	18.8
SUN PRAIRIE	SP 32R21*	A	49.4	9/17	1.8	33	38.9	50.2	59.2	57.0		35.4	19.5

**2012 Soybean Test Results**

**Region 3: Roundup Resistant (30-inch row spacing)**

COMPANY	NAME*	IST <sup>1</sup>	Yield bu/a	Regional Results			Perry Yield bu/a	New Berlin Yield bu/a	Urbana Yield bu/a	2 yr Avg Yield bu/a	3 yr Avg Yield bu/a	Region Protein @13%	Region Oil @13%
				Maturity Date	Lodging	Height in							
SUN PRAIRIE	SP 36R21*	A	48.5	9/24	2.0	34	42.9	51.1	51.4			36.1	18.8
SUN PRAIRIE	SP 38R21*	A	49.2	9/29	2.1	35	38.9	54.2	54.7	57.6		35.6	19.3
SUN PRAIRIE	SP 38R22	A	47.0	9/20	1.8	34	32.1	51.7	57.3			35.5	18.5
	AVERAGE		48.9	9/23	2.1	35	39.9	52.4	54.4	56.7	60.3	35.4	19.3
	L.S.D. 25% LEVEL		2.4		0.2	1	2.4	3.1	3.4			0.59	0.33
	COEFF. OF VAR. (%)		9.2		15.5	7	6.4	6.2	6.6			3.1	3.2

**MATURITY GROUP 4**

AGBORN	ABX 27041 R	U	46.4	10/7	2.7	43	42.8	46.3	50.0			34.6	19.3
FS HISOY	HS 40A22	B	47.5	10/5	2.0	29	44.2	47.6	50.8			33.4	19.9
G2 GENETICS	1421	B	50.7	10/3	2.2	37	47.4	48.0	56.6			33.2	20.9
G2 GENETICS	7420	F	48.4	10/2	2.7	41	40.4	48.0	56.7	55.2	58.5	35.6	19.8
GREAT HEART	GT-402 CR2*	F	48.3	9/27	2.3	34	41.3	49.0	54.7			33.3	20.3
GREAT HEART	GT-427 CR2*	F	50.4	10/4	2.1	34	46.7	49.5	55.0			35.7	19.0
GREAT LAKES	GL 4039 RR2*	B	47.0	9/28	2.6	35	44.8	42.8	53.3			35.0	19.4
KRUGER	K2-4102	B	48.5	9/29	2.7	37	44.0	44.7	56.9	54.9		34.7	19.5
KRUGER	K2-4202	B	49.4	10/5	2.6	39	40.7	47.7	59.9			36.6	18.5
LEWIS	412 R2	A	47.5	9/28	2.6	36	42.7	47.2	52.4	54.8		34.7	19.7
PFISTER	43R29*	B	49.7	10/5	2.1	33	44.7	48.9	55.6			35.8	19.0
STEYER	4001 R2*	A	45.4	9/30	3.1	38	37.8	43.2	55.3			34.6	19.8
STEYER	4002 R2*	A	45.0	9/27	1.6	31	37.4	42.3	55.2	52.9	56.7	35.5	19.5
STINE	40RC32*	B	49.2	9/29	2.2	37	40.7	47.5	59.4			35.7	18.7
STINE	40RD02	B	46.7	10/6	2.7	39	43.1	43.4	53.5			35.4	19.1
	AVERAGE		48.0	10/2	2.4	36	42.6	46.4	55.0	54.5	57.6	34.9	19.5
	L.S.D. 25% LEVEL		2.5		0.2	1	1.3	2.0	2.7			0.44	0.17
	COEFF. OF VAR. (%)		9.3		16.1	6	5.6	7.9	8.6			2.3	1.6

<sup>1</sup>IST= Insecticide Seed Treatment: U= Untreated, F= Fungicide, B= Insecticide+Fungicide, A= Acceleron