

2013 Soybean Test Results

Region 2: Roundup Resistant (30-inch row spacing)

COMPANY	NAME*	IST ¹	Regional Results				Monmouth	Goodfield	Dwight	2 yr	3 yr	Region	Region
			Yield bu/a	Maturity Date	Lodging	Height in	Yield bu/a	Yield bu/a	Yield bu/a	Avg Yield bu/a	Avg Yield bu/a	Protein @ 13%	Oil @ 13%
MATURITY GROUP 2													
ASGROW	AG 2834	A	70.7	9/26	1.8	34	69.8	67.4	74.9			33.1	20.7
ASGROW	AG 2933	A	73.7	9/22	2.0	33	71.9	75.9	73.4	68.6		34.5	19.4
CHANNEL	2800 R2	A	73.9	9/25	2.1	38	72.1	76.1	73.4	68.3	71.5	35.7	19.2
DERAEDT	2088 NR2Y*	B	63.2	9/12	1.5	31	65.4	60.7	63.5	59.8		33.5	20.2
DERAEDT	2200 NR2Y*	B	69.7	9/19	1.8	34	70.1	67.5	71.7			34.3	19.7
DERAEDT	2412 NR2Y*	B	72.0	9/20	2.1	37	71.5	74.6	69.8			34.9	19.6
DERAEDT	2523 RR*	B	65.6	9/18	2.3	37	67.9	64.0	65.0	59.9	62.8	34.8	20.4
DYNA-GRO	S 29RY74	A	72.0	9/27	1.8	38	71.2	71.8	73.1			34.5	20.1
FS HISOY	HS 25A22*	B	70.1	9/19	2.0	33	72.1	71.3	67.0			34.3	20.4
FS HISOY	HS 26A32	B	68.7	9/17	2.0	34	68.4	68.1	69.7			35.2	19.2
FS HISOY	HS 28A02*	B	74.1	9/26	2.1	37	75.0	74.5	72.6	68.5	71.8	35.7	19.2
FS HISOY	HS 28A32	B	71.9	9/23	1.9	32	72.0	68.9	74.8			33.1	19.9
FS HISOY	HS 29A22*	B	74.3	9/26	1.9	37	75.6	72.8	74.5	70.4		34.5	20.0
FS HISOY	HS 29A38	B	72.1	9/28	2.1	38	69.9	73.3	73.1			34.9	19.7
GREAT LAKES	GL 2829 R2*	B	65.5	9/19	1.6	32	65.8	62.1	68.6			34.1	20.6
GREAT LAKES	GL 2949 R2*	B	73.3	9/25	2.1	38	73.7	73.7	72.6	68.0	71.0	35.8	19.1
MERSCHMAN	APACHE 1424RR2	A	69.8	9/18	2.1	34	71.8	65.8	71.7			34.2	19.8
MERSCHMAN	CHEROKEE 1429RR2	A	72.3	9/22	1.9	33	77.3	67.4	72.4			33.1	19.9
MERSCHMAN	MOHAWK 1427RR2	A	69.7	9/25	2.1	38	69.5	69.8	69.9			35.8	19.1
MERSCHMAN	SHAWNEE 1428RR2	A	67.6	9/22	1.8	32	64.4	70.4	68.0			33.5	20.5
MONIER	M 2739 R2*	B	73.0	9/26	2.3	39	70.3	75.9	72.8	67.7	69.6	35.5	19.8
MONIER	M 2925 R2*	B	71.5	9/28	2.0	38	70.9	70.7	73.0			34.7	19.8
MUNSON	8263 R2Y*	B	69.5	9/21	2.1	34	72.3	67.2	69.2			34.3	20.4
MUNSON	8284 R2Y*	B	75.5	9/25	2.1	35	73.6	77.7	75.4			34.3	20.6
MYCOGEN	5N284 R2	B	73.8	9/25	2.0	36	73.4	76.7	71.3	67.9	70.2	35.7	19.2
NUTECH	7250	B	69.2	9/18	2.1	34	69.9	68.7	69.1			32.2	21.4
NUTECH	7261	B	71.2	9/22	1.8	37	72.5	70.4	70.7			35.1	20.6
NUTECH	7273	B	69.0	9/23	1.9	33	70.8	69.5	66.8	63.6		32.9	22.1
NUTECH	7290	B	71.6	9/25	1.9	36	69.7	72.4	72.7	64.5	67.3	35.1	20.6
PROHARVEST	2871 CR2Y*	A	75.1	9/23	2.0	35	74.3	76.3	74.6			34.4	20.7
PROHARVEST	2950 CR2Y*	A	70.6	9/26	2.1	37	71.2	68.6	72.0	66.2	68.3	35.0	19.2
PROHARVEST	2971 CR2Y*	A	73.8	9/25	2.2	36	74.3	75.3	71.8			33.2	20.9
ROESCHLEY	2737 CRR2*	B	67.1	9/19	2.0	35	69.2	67.5	64.7			35.6	19.0
ROESCHLEY	2825 CRR2*	B	73.5	9/26	2.1	38	70.5	74.8	75.0	69.5		35.8	19.1
ROESCHLEY	2937 CRR2	B	71.6	9/28	1.9	38	70.2	72.8	71.9			35.0	19.7
STEYER	2805 R2*	B	73.8	9/23	2.0	36	73.5	72.6	75.4			34.2	20.6
STINE	24RD03	B	69.7	9/19	2.2	35	69.5	67.7	71.9			34.4	19.6
STINE	26RD02	B	69.1	9/20	2.1	35	73.2	66.2	67.7	62.0		34.1	20.4
STINE	29RD22	B	72.6	9/25	2.1	37	72.2	74.3	71.2	66.9		35.7	19.1
STONE SEED GROUP	25RR91	A	71.7	9/20	2.0	35	75.6	71.3	68.2	64.3		34.2	20.4
STONE SEED GROUP	2R2801*	A	71.4	9/27	2.2	38	71.9	72.4	70.0	67.0		35.3	18.6
STONE SEED GROUP	K2-2704	A	74.1	9/25	2.2	37	75.2	71.8	75.3	66.7		35.9	19.1
SUN PRAIRIE	SP 28R22	A	74.8	9/26	2.2	37	70.1	75.9	78.5			35.8	19.1

2013 Soybean Test Results

Region 2: Roundup Resistant (30-inch row spacing)

COMPANY	NAME*	IST ¹	Regional Results				Monmouth	Goodfield	Dwight	2 yr	3 yr	Region	Region
			Yield bu/a	Maturity Date	Lodging	Height in	Yield bu/a	Yield bu/a	Yield bu/a	Avg Yield bu/a	Avg Yield bu/a	Protein @ 13%	Oil @ 13%
	*Producer Nominated												
	AVERAGE		71.1	9/22	2.0	35	71.5	70.7	71.1	65.7	68.8	34.5	20.0
	L.S.D. 25% LEVEL		2.3		0.2		5.6	3.5	3.2			0.34	0.20
	COEFF. OF VAR. (%)		6.0		17.0		4.8	5.2	4.7			1.8	1.8
MATURITY GROUP 3													
ASGROW	AG 3034	A	73.6	9/27	2.0	34	71.5	73.1	76.1			35.4	18.8
ASGROW	AG 3334	A	74.2	9/30	1.9	37	70.1	78.2	74.4			35.3	19.4
ASGROW	AG 3634	A	75.1	10/3	2.1	37	71.4	78.8	75.0			35.5	18.8
ASGROW	AG 3734	A	73.2	10/4	2.2	39	66.5	76.2	77.0			34.8	19.5
CHANNEL	3106 R2*	A	71.8	9/27	2.2	40	70.8	73.0	71.6	67.7		35.7	18.6
CHANNEL	3207 R2*	A	71.9	9/29	2.1	38	69.6	75.8	70.2			35.1	19.4
CHANNEL	3303 R2	A	70.8	9/28	2.2	39	67.9	70.9	73.5	67.5	69.9	35.6	18.6
CHANNEL	3506 R2	A	75.8	10/3	1.9	37	71.7	82.1	73.7	71.0		33.6	19.7
CHANNEL	3701 R2	A	72.5	10/1	2.0	35	64.6	78.9	73.9	69.9		34.7	19.5
DAIRYLAND	DSR-3232 R2Y	B	73.1	9/29	1.9	36	66.7	78.8	73.8	69.4	71.2	35.5	19.2
DAIRYLAND	DSR-3595 R2Y	B	73.7	10/5	2.4	40	67.7	79.4	74.0			33.8	20.0
DYNA-GRO	39RV34	A	73.2	9/29	2.1	35	69.0	74.7	75.9			34.2	19.1
DYNA-GRO	S 31RY93	A	69.0	9/28	2.1	36	68.2	73.0	65.9	67.5		36.0	19.0
DYNA-GRO	S 35RY83*	A	72.9	9/29	2.2	38	67.6	78.5	72.5	68.2		34.3	19.2
FS HISOY	HS 30A22*	B	72.5	9/28	2.2	35	69.8	75.6	72.0	69.7		36.1	18.9
FS HISOY	HS 31A32	B	74.9	9/28	2.1	36	70.4	75.3	78.9			34.6	19.4
FS HISOY	HS 33A02	B	73.6	9/30	2.0	38	71.6	74.1	75.3	68.1	69.7	35.4	19.1
FS HISOY	HS 33A32	B	75.4	10/2	1.9	34	73.3	76.7	76.1			36.1	18.9
FS HISOY	HS 34A22*	B	73.2	9/29	2.0	33	70.7	74.6	74.4	69.3		35.7	19.0
FS HISOY	HS 35A32	B	73.7	10/2	2.4	38	70.6	77.0	73.6			33.2	19.7
GREAT HEART	GT-362 CR2*	F	72.4	10/1	2.0	35	71.7	72.4	73.2	70.6		35.3	19.2
GREAT HEART	GT-385 CR2*	U	77.0	10/4	2.4	37	74.1	80.5	76.4			33.7	19.7
GREAT HEART	GT-390 CR2*	F	74.5	10/7	2.1	37	72.4	79.9	71.1	67.6		33.3	20.2
GREAT LAKES	GL 3229 R2*	B	72.9	9/27	2.1	36	69.8	74.2	74.5			34.6	19.5
GREAT LAKES	GL 3429 R2*	B	73.7	9/29	2.0	38	70.6	77.9	72.5	69.2		35.5	19.1
GREAT LAKES	GL 3609 R2*	B	73.6	10/2	2.1	38	68.8	79.4	72.5	69.6		34.4	19.6
MERSCHMAN	ARTHUR 1431RR2	A	72.1	9/25	2.0	34	69.4	72.8	74.2			34.7	19.5
MERSCHMAN	COOLIDGE 1234RR2Y	A	74.6	9/30	2.0	39	68.8	77.6	77.3	68.5	70.5	35.4	19.1
MERSCHMAN	HOOVER 1433RR2	A	76.9	10/3	2.1	36	75.3	79.2	76.3			35.8	19.0
MERSCHMAN	KENNEDY 1436RR2	A	74.5	10/4	2.4	39	69.3	79.4	74.7			33.7	20.0
MERSCHMAN	ROOSEVELT 1435RR2	A	73.7	10/2	2.2	36	67.3	80.5	73.3			33.1	19.8
MONIER	M 3015 R2*	B	72.1	9/26	2.1	35	67.8	74.5	74.0			34.5	19.5
MUNSON	8304 R2Y	B	68.8	9/29	2.0	40	65.0	70.4	70.9			34.8	19.7
MUNSON	8324 R2Y*	B	72.5	9/26	2.2	35	69.2	75.7	72.6			34.5	19.5
MUNSON	8343 R2Y*	B	73.8	9/29	2.4	39	72.8	74.7	73.9	68.6		33.9	19.5
MUNSON	8364 R2Y*	B	74.3	10/4	2.4	39	70.6	78.6	73.6			33.9	19.9
MYCOGEN	5N324 R2	B	72.5	9/28	2.2	35	70.2	74.9	72.4	68.9	69.2	35.4	19.5
NUTECH	7310	B	72.1	10/1	2.2	41	72.5	71.9	72.0	64.8	68.0	35.4	20.0
NUTECH	7334	B	71.9	9/28	2.0	39	67.7	74.6	73.4	65.6		35.0	20.4
NUTECH	7342	B	73.1	10/2	1.9	35	67.4	78.1	73.7	67.8	70.2	34.2	20.1

2013 Soybean Test Results

Region 2: Roundup Resistant (30-inch row spacing)

COMPANY	NAME*	IST ¹	Regional Results				Monmouth	Goodfield	Dwight	2 yr	3 yr	Region	Region
			Yield bu/a	Maturity Date	Lodging	Height in	Yield bu/a	Yield bu/a	Yield bu/a	Avg Yield bu/a	Avg Yield bu/a	Protein @ 13%	Oil @ 13%
	*Producer Nominated												
NUTECH	7360	B	75.7	10/3	2.2	41	73.9	76.8	76.4			34.1	19.9
NUTECH	7380	B	71.3	10/4	2.2	37	66.8	77.2	69.8			33.5	20.3
NUTECH	7393	B	73.4	10/5	2.1	38	68.0	79.7	72.4			33.4	19.7
POWER PLUS	34T3	B	73.1	9/27	2.0	38	67.5	77.0	74.8			35.0	20.4
POWER PLUS	36J3*	B	74.8	10/4	2.3	41	72.3	79.5	72.5			34.0	20.0
PROHARVEST	3066 CR2Y*	A	71.2	9/27	2.0	35	69.2	73.0	71.3	68.7		34.7	19.4
PROHARVEST	3466 CR2Y*	A	70.3	9/28	2.0	36	65.9	74.4	70.7	67.2		34.1	19.4
PROHARVEST	3735 CR2Y*	A	71.3	10/3	2.0	36	70.1	75.1	68.5	67.5		36.1	18.7
RENK	RS 314 NR2*	U	71.8	9/26	1.9	34	70.6	72.7	72.2			34.4	19.5
RENK	RS 323 NR2*	U	72.2	9/30	2.5	36	71.2	73.5	71.8	66.8		36.1	19.0
ROESCHLEY	3127 CRR2*	B	72.2	9/26	2.2	36	68.2	75.2	73.3			34.4	19.5
ROESCHLEY	3215 CRR2*	B	71.5	9/28	2.2	40	68.1	75.2	71.2			35.8	18.5
ROESCHLEY	3625 CRR2	B	72.3	9/30	2.2	38	70.7	74.2	71.9			35.2	19.3
STEYER	3103 R2*	B	74.4	9/28	2.2	35	70.7	78.0	74.7			34.7	19.4
STEYER	3203 R2*	B	69.1	9/29	2.0	34	65.6	69.2	72.5			35.5	19.5
STEYER	3406 R2*	B	76.3	10/1	2.4	38	71.8	79.4	77.6			34.0	19.6
STEYER	3502 R2*	B	71.0	9/28	2.1	37	68.0	74.0	71.2			34.2	19.3
STEYER	3604 R2*	B	73.4	10/2	2.4	40	69.7	76.6	74.0			34.9	19.4
STEYER	3803 R2*	B	72.4	10/4	2.2	38	70.4	75.1	71.6	67.7	69.9	35.2	19.2
STEYER	3903 R2	B	76.1	10/7	2.1	39	75.4	78.7	74.1			33.4	20.3
STINE	32RE02	B	70.0	9/29	1.8	29	66.5	71.8	71.9			33.8	20.0
STINE	38RD02	B	72.6	10/7	2.2	38	72.2	73.8	71.9			35.9	19.6
STINE	38RE02	U	73.8	10/5	2.3	38	72.2	75.1	74.0			34.5	19.7
STONE SEED GROUP	2R3001	A	70.0	9/27	2.1	35	68.7	71.2	70.2	66.8	68.4	35.1	19.6
STONE SEED GROUP	2R3103*	A	71.7	9/28	2.0	35	66.8	73.7	74.8	68.4		36.1	18.9
STONE SEED GROUP	2R3303*	A	75.0	10/1	2.4	37	73.8	78.4	72.9	70.7		34.7	19.6
STONE SEED GROUP	2R3401*	A	73.6	9/30	1.9	38	73.2	75.1	72.3	69.7	71.1	35.4	19.1
STONE SEED GROUP	2R3602	A	69.5	10/2	2.1	37	68.3	72.0	68.3			36.0	18.8
STONE SEED GROUP	2R3604	A	73.4	10/3	2.4	39	69.0	78.0	73.3			35.3	19.4
STONE SEED GROUP	2R3801*	A	70.4	10/4	2.3	39	64.7	75.4	71.0			35.3	19.3
STONE SEED GROUP	2R3803	A	74.1	10/3	2.1	37	71.5	77.6	73.2			33.8	19.4
STONE SEED GROUP	2R3904	A	74.9	10/3	2.3	40	71.6	80.1	73.0			36.2	18.5
STONE SEED GROUP	K2-3502	A	74.1	10/1	2.0	36	72.7	76.9	72.7			35.9	18.9
SUN PRAIRIE	SP 31R22*	A	75.9	9/26	2.1	34	72.5	77.0	78.0	73.9		34.7	19.3
SUN PRAIRIE	SP 34R23	A	75.6	10/1	2.2	37	74.2	76.4	76.1			34.0	19.7
	AVERAGE		73.1	9/30	2.1	37	70.0	76.0	73.3	68.6	69.9	34.8	19.4
	L.S.D. 25% LEVEL		2.0		0.2		2.9	3.3	5.2			0.26	0.15
	COEFF. OF VAR. (%)		5.0		16.1		4.3	4.6	4.4			1.4	1.5

¹IST= Insecticide Seed Treatment: U= Untreated, F= Fungicide, B= Insecticide+Fungicide, A= Acceleron